

Commission Regulation (EU) No 1301/2014 of 18 November 2014 on the technical specifications for interoperability relating to the ‘energy’ subsystem of the rail system in the Union (Text with EEA relevance)

Article 1	Subject matter
Article 2	Scope
Article 3	Open points
Article 4	Specific cases
Article 5	Notification of bilateral agreements
Article 6	Projects at an advanced stage of development
Article 7	‘EC’ certificate of verification
Article 8	Conformity assessment
Article 9	Implementation
Article 10	Innovative solutions
Article 11	Repeal
Article 12	Entry into force
	Signature

---

ANNEX

1. INTRODUCTION
  - 1.1. Technical Scope
  - 1.2. Geographical scope
  - 1.3. Content of this TSI
2. DESCRIPTION OF THE ENERGY SUBSYSTEM
  - 2.1. Definition
    - 2.1.1. Power supply
    - 2.1.2. Geometry of the overhead contact line (OCL) and quality of...
  - 2.2. Interfaces with other subsystems
    - 2.2.1. Introduction
    - 2.2.2. Interfaces of this TSI with the Safety in railway tunnels...
3. ESSENTIAL REQUIREMENTS
4. CHARACTERISATION OF THE SUBSYSTEM
  - 4.1. Introduction
  - 4.2. Functional and technical specifications of the subsystem
    - 4.2.1. General provisions
    - 4.2.2. Basic parameters characterising the energy subsystem
    - 4.2.3. Voltage and frequency
    - 4.2.4. Parameters relating to supply system performance
      - 4.2.4.1. Maximum train current
      - 4.2.4.2. Mean useful voltage
    - 4.2.5. Current at standstill (DC systems only)
    - 4.2.6. Regenerative braking

**Changes to legislation:** There are outstanding changes not yet made to Commission Regulation (EU) No 1301/2014. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

---

- 4.2.7. Electrical protection coordination arrangements
  - 4.2.8. Harmonics and dynamic effects for AC traction power supply systems...
  - 4.2.9. Geometry of the overhead contact line
    - 4.2.9.1. Contact wire height
    - 4.2.9.2. Maximum lateral deviation
  - 4.2.10. Pantograph gauge
  - 4.2.11. Mean contact force
  - 4.2.12. Dynamic behaviour and quality of current collection
  - 4.2.13. Pantograph spacing for overhead contact line design
  - 4.2.14. Contact wire material
  - 4.2.15. Phase separation sections
    - 4.2.15.1 General
    - 4.2.15.2 Lines with speed  $v \geq 250$  km/h
    - 4.2.15.3 Lines with speed  $v < 250$  km/h
  - 4.2.16. System separation sections
    - 4.2.16.1 General
    - 4.2.16.2 Pantographs raised
    - 4.2.16.3 Pantographs lowered
  - 4.2.17. On-ground energy data collecting system
    - (1) Point 4.2.8.2.8 of LOC & PAS TSI contains the requirements...
    - (2) The on-ground energy data collecting system (DCS) shall receive, store...
    - (3) The on-ground energy DCS shall support all the data exchange...
  - 4.2.18. Protective provisions against electric shock
  - 4.3. Functional and technical specifications of the interfaces
    - 4.3.1. General requirements
    - 4.3.2. Interface with Rolling Stock subsystem.
    - 4.3.3. Interface with Infrastructure subsystem
    - 4.3.4. Interface with Control — Command and Signalling subsystems
    - 4.3.5. Interface with Operation and traffic management subsystem
  - 4.4. Operating rules
  - 4.5. Maintenance rules
  - 4.6. Professional qualifications
  - 4.7. Health and safety conditions
5. INTEROPERABILITY CONSTITUENTS
- 5.1. List of constituents
  - 5.2. Constituents' performances and specifications
    - 5.2.1. Overhead contact line
      - 5.2.1.1. Geometry of the OCL
      - 5.2.1.2. Mean contact force
      - 5.2.1.3. Dynamic behaviour
      - 5.2.1.4. Space for steady arm uplift
      - 5.2.1.5. Pantograph spacing for overhead contact line design
      - 5.2.1.6. Current at standstill (DC systems only)
      - 5.2.1.7. Contact wire material
6. ASSESSMENT OF CONFORMITY OF THE INTEROPERABILITY CONSTITUENTS AND EC VERIFICATION...
- 6.1. Interoperability constituents
    - 6.1.1. Conformity assessment procedures

**Changes to legislation:** There are outstanding changes not yet made to Commission Regulation (EU) No 1301/2014. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

---

- 6.1.2. Application of modules
- 6.1.3. Innovative solutions for interoperability constituents
- 6.1.4. Particular assessment procedure for the interoperability constituent — overhead contact...
  - 6.1.4.1. Assessment of dynamic behaviour and quality of current collection
  - 6.1.4.2. Assessment of current at standstill (DC systems only)
- 6.1.5. EC declaration of conformity of interoperability constituent OCL
- 6.2. Energy subsystem
  - 6.2.1. General provisions
  - 6.2.2. Application of modules
    - 6.2.2.1. Application of module SG
    - 6.2.2.2. Application of module SH1
  - 6.2.3. Innovative solutions
  - 6.2.4. Particular assessment procedures for energy subsystem
    - 6.2.4.1. Assessment of mean useful voltage
    - 6.2.4.2. Assessment of regenerative braking
    - 6.2.4.3. Assessment of electrical protection coordination arrangements
    - 6.2.4.4. Assessment of harmonics and dynamic effects for AC traction power...
    - 6.2.4.5. Assessment of dynamic behaviour and quality of current collection (integration...)
    - 6.2.4.6. Assessment of the protective provisions against electric shock
    - 6.2.4.7. Assessment of maintenance plan
- 6.3. Sub-system containing interoperability constituents not holding an EC declaration
  - 6.3.1. Conditions
  - 6.3.2. Documentation
  - 6.3.3. Maintenance of the subsystems certified according to 6.3.1
- 7. IMPLEMENTATION OF THE ENERGY TSI
  - 7.1. Application of this TSI to railway lines
  - 7.2. Application of this TSI to new, renewed or upgraded railway...
    - 7.2.1. Introduction
    - 7.2.2. Implementation plan for voltage and frequency
    - 7.2.3. Implementation plan for OCL geometry
      - 7.2.3.1. Scope of the implementation plan
      - 7.2.3.2. Implementation rules for 1 435 mm track gauge system
      - 7.2.3.3. Track gauge systems different than 1 435mm
    - 7.2.4. By 1 January 2022 , Member States shall ensure that an...
  - 7.3. Application of this TSI to existing lines
    - 7.3.1. Introduction
    - 7.3.2. Upgrading/renewal of the OCL and/or the power supply
    - 7.3.3. Parameters related to maintenance
    - 7.3.4. The procedure to be used for the demonstration of the...
    - 7.3.5. Route compatibility checks before the use of authorised vehicles
  - 7.4. Specific cases
    - 7.4.1. General
      - (1) The specific cases, as listed in point 7.4.2, describe special...
      - (2) These specific cases are classified as:
    - 7.4.2. List of specific cases
      - 7.4.2.1. Particular features on the Estonian network
        - 7.4.2.1.1. Voltage and frequency (4.2.3)

**Changes to legislation:** There are outstanding changes not yet made to Commission Regulation (EU) No 1301/2014. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

---

- P case
- 7.4.2.2. Particular features on the French network
  - 7.4.2.2.1. Voltage and frequency (4.2.3)
  - T case
  - 7.4.2.2.2. Phase separation sections — lines with speed  $v \geq 250$ ...
  - P case
- 7.4.2.3. Particular features on the Italian network
  - 7.4.2.3.1. Phase separation sections — lines with speed  $v \geq 250$ ...
  - P case
- 7.4.2.4. Particular features on the Latvian network
  - 7.4.2.4.1. Voltage and frequency (4.2.3)
  - P case
- 7.4.2.5. Particular features on the Lithuanian network
  - 7.4.2.5.1. Dynamic behaviour and quality of current collection (4.2.12)
  - P case
- 7.4.2.6. Particular features on the Polish network
  - 7.4.2.6.1. Electrical protection coordination arrangements (4.2.7)
  - P case
- 7.4.2.7. Particular features on the Spanish network
  - 7.4.2.7.1. Contact wire height (4.2.9.1)
  - P case
  - 7.4.2.7.2. Phase separation sections — lines with speed  $v \geq 250$ ...
  - P case
- 7.4.2.8. Particular features on the Swedish network
  - 7.4.2.8.1. Assessment of mean useful voltage (6.2.4.1)
  - P case
- 7.4.2.9. Particular features on the UK network for Great Britain
  - 7.4.2.9.1. Voltage and frequency (4.2.3)
  - P case
  - 7.4.2.9.2. Contact wire height (4.2.9.1)
  - P case
  - 7.4.2.9.3. Maximum lateral deviation (4.2.9.2) and pantograph gauge (4.2.10)
  - P case
  - 7.4.2.9.4. Protective provisions against electric shock (4.2.18)
  - P case
  - 7.4.2.9.5. Conformity assessment of OCL as component
  - P case
- 7.4.2.10. Particular features on the Eurotunnel network
  - 7.4.2.10.1. Contact wire height (4.2.9.1)
  - P case
- 7.4.2.11. Particular features on the Luxembourgish network
  - 7.4.2.11.1. Voltage and frequency (4.2.3)
  - T case

## Appendix A

### Conformity assessment of interoperability constituents

A.1 SCOPE

A.2 CHARACTERISTICS

## Appendix B

### EC verification of the energy subsystem

B.1 SCOPE

B.2 CHARACTERISTICS

## Appendix C

### Mean useful voltage

C.1 VALUES FOR U MEAN USEFUL AT THE PANTOGRAPH

C.2 SIMULATION RULES

## Appendix D

### Specification of the pantograph gauge

D.1 SPECIFICATION OF THE MECHANICAL KINEMATIC PANTOGRAPH GAUGE

D.1.1 General

D.1.1.1 Space to be cleared for electrified lines

D.1.1.2 Particularities

D.1.1.3 Symbols and abbreviations

D.1.1.4 Basic principles

Figure D.1.1.4 Pantograph mechanical gauges

Caption:

D.1.2 Specification of the mechanical kinematic pantograph gauge

D.1.2.1 Specification of the width of the mechanical gauge

D.1.2.1.1 Scope

D.1.2.1.2 Calculation methodology

D.1.2.1.3 Half-length bw of the pantograph bow

D.1.2.1.4 Pantograph sway ep

D.1.2.1.5 Additional overthrows

D.1.2.1.6 Quasi-static effect

D.1.2.1.7 Allowances

D.1.2.2 Specification of the height of the mechanical gauge

D.1.3 Reference parameters

D.1.4 Calculation of maximum lateral deviation of contact wire

D.2 SPECIFICATION OF THE STATIC PANTOGRAPH GAUGE (TRACK GAUGE SYSTEM 1...

**Changes to legislation:** There are outstanding changes not yet made to Commission Regulation (EU) No 1301/2014. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

---

## Appendix E

### List of referenced standards

## Appendix F

### List of open points

Intentionally deleted

## Appendix G

### Glossary

---

**Changes to legislation:** There are outstanding changes not yet made to Commission Regulation (EU) No 1301/2014. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

---

- (1) [OJ L 191, 18.7.2008, p. 1.](#)
- (2) Regulation (EC) No 881/2004 of the European Parliament and of the Council of 29 April 2004 establishing a European railway agency ([OJ L 164, 30.4.2004, p. 1.](#)).
- (3) Commission Decision 2008/284/EC of 6 March 2008 concerning a TSI relating to the energy sub-system of the trans-European high-speed rail system ([OJ L 104, 14.4.2008, p. 1.](#)).
- (4) Commission Decision 2011/274/EU of 26 April 2011 concerning a TSI relating to the energy sub-system of the trans-European conventional rail system ([OJ L 126, 14.5.2011, p. 1.](#)).

**Changes to legislation:**

There are outstanding changes not yet made to Commission Regulation (EU) No 1301/2014. Any changes that have already been made to the legislation appear in the content and are referenced with annotations.

[View outstanding changes](#)

**Changes and effects yet to be applied to :**

- Regulation revoked by [S.I. 2020/318 Sch. 2](#)
- Recital 6 Text repeal by [EUR 2018/868 Regulation](#)