

Council Regulation (EU) 2015/2448 of 14 December 2015 amending Regulation (EU) No 1388/2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products

COUNCIL REGULATION (EU) 2015/2448

of 14 December 2015

amending Regulation (EU) No 1388/2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) In order to ensure sufficient and uninterrupted supply of certain goods insufficiently produced in the Union and to avoid any disturbances on the market for certain agricultural and industrial products, autonomous tariff quotas have been opened by Council Regulation (EU) No 1388/2013<sup>(1)</sup>. Products within those tariff quotas can be imported into the Union at reduced or zero duty rates. For the reasons indicated, it is necessary to open, with effect from 1 January 2016, tariff quotas at zero duty rates for an appropriate volume as regards 10 additional products.
- (2) In certain cases, the existing autonomous tariff quotas of the Union should be adapted. In the case of three products, the TARIC codes should be changed in view of classification changes in the Combined Nomenclature. For two products, it is necessary to amend the product description for clarification purposes and in order to take into account the most recent product developments. In the case of five products, in the interest of economic operators of the Union, the quota volumes should be increased and in one case the quota volume should be decreased. For reasons of clarity, a footnote relating to one product should be deleted.
- (3) In the case of two products, the autonomous tariff quota of the Union should be closed with effect from 1 January 2016 as it is not in the Union's interest to continue granting it as from that date.
- (4) Due to the number of amendments to be made in the Annex to Regulation (EU) No 1388/2013, in the interest of clarity and rationality, that Annex should be replaced.
- (5) Regulation (EU) No 1388/2013 should therefore be amended accordingly.
- (6) Since the amendments pursuant to this Regulation should take effect from 1 January 2016, this Regulation should apply from that date,

HAS ADOPTED THIS REGULATION:

---

**Changes to legislation:** There are currently no known outstanding effects for the Council Regulation (EU) 2015/2448. (See end of Document for details)

---

### *Article 1*

The Annex to Regulation (EU) No 1388/2013 is replaced by the text set out in the Annex to this Regulation.

### *Article 2*

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2016.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 14 December 2015.

*For the Council*

*The President*

F. ETGEN

---

**Changes to legislation:** There are currently no known outstanding effects for the Council Regulation (EU) 2015/2448. (See end of Document for details)

---

## ANNEX

‘ANNEX Suspension of duties is subject to end-use customs supervision in accordance with Articles 291 to 300 of Commission Regulation (EEC) No 2454/93 of 2 July 1993 laying down provisions for the implementation of Council Regulation (EEC) No 2913/92 establishing the Community Customs Code (OJ L 253, 11.10.1993, p. 1). However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings. Only the ad valorem duty is suspended. The specific duty shall continue to apply. A newly introduced measure or a measure with amended conditions.’

Order number	CN code	TARIC Description	Quota period	Quota volume	Quota duty		
09.2637ex 0710 40 00ex 2005 80 001020	Corn from corn cobs ( <i>Zea Mays Saccharata</i> ) with a diameter of 10 mm or more, but not more than 20 mm, husked, sorted, trimmed, washed, blanched, either cooled and individually quick-frozen, or prepared or preserved otherwise than by vinegar or acetic acid, not frozen for use in the manufacture of products of the food industry for treatment other than simple repacking	1.1.-31.12.550 tonnes	0 %	09.2849ex 0710 80 6910	Mushrooms of the species <i>Auricularia polytricha</i> (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals		
1.1.-31.12.700 tonnes	0 %	09.2664ex 2008 60 3930	Sweet cherries containing added spirit, with a sugar content of not more than 9 % by weight, of a diameter of not more than 19,9 mm, with stones, for use in chocolate products	1.1.-31.12.1 000 tonnes	10 %		
09.2913ex 2401 10 35ex 2401 10 70ex 2401 10 95ex 2401 10 95ex 2401 10 95ex 2401 20 35ex 2401 20 70ex 2401 20 95ex 2401 20 95ex 2401 20 9591101121919110112191	Natural unmanufactured tobacco, whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	1.1.-31.12.6 000 tonnes	0 %	09.2928ex 2811 22 0040	Silica filler in the form of granules, with a purity by weight of 97 % or more of silicon dioxide		
1.1.-31.12.1 700 tonnes	0 %	09.2703ex 2825 30 0010	Vanadium oxides and hydroxides exclusively for use in alloys	1.1.-31.12.13 000 tonnes	0 %		
09.2806ex 2825 90 4030	Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or CAS RN 39318-18-8)	1.1.-31.12.12 000 tonnes	0 %	09.29292903 22 00	Trichloroethylene (CAS RN 79-01-6)		
1.1.-31.12.10 000 tonnes	0 %	09.2837ex 2903 79 3020	Bromochloromethane (CAS RN 74-97-5)	1.1.-31.12.600 tonnes	0 %		
09.2933ex 2903 99 90301,3-Dichlorobenzene (CAS RN 541-73-1)	1.1.-31.12.2 600 tonnes	0 %	09.2830ex 2906 19 0040	Cyclopropylmethanol (CAS RN 2516-33-8)	1.1.-31.12.20 tonnes	0 %	
09.2851ex 2907 12 0010	O-Cresol having a purity of not less than 98,5 % by weight (CAS RN 95-48-7)	1.1.-31.12.20 000 tonnes	0 %	09.26242912 42 00	Ethylvanillin (3-ethoxy-4-hydroxybenzaldehyde) (CAS RN 121-32-4)	1.1.-31.12.950 tonnes	0 %
09.2683ex 2914 19 9050	Calcium acetylacetonate (CAS RN 19372-44-2) for use in the manufacture of stabilisator systems in tablet form	1.1.-31.12.100 tonnes	0 %	09.2852ex 2914 29 0060	Cyclopropyl methyl ketone (CAS RN 765-43-5)	1.1.-31.12.300 tonnes	0 %
09.2638ex 2915 21 0010	Acetic acid of a purity by weight of 99 % or more (CAS RN 64-19-7)	1.1.-31.12.1 000 000 tonnes	0 %	09.29722915 24 00	Acetic anhydride (CAS RN 108-24-7)	1.1.-31.12.50 000 tonnes	0 %
09.26792915 32 00	Vinyl acetate (CAS RN 108-05-4)	1.1.-31.12.200 000 tonnes	0 %	09.2665ex 2916 19 9530	Potassium (E,E)-hexa-2,4-dienoate (CAS RN 24634-61-5)	1.1.-31.12.8 250 tonnes	0 %
09.2684ex 2916 39 90282,5-dimethylphenylacetyl chloride (CAS RN 55312-97-5)	1.1.-31.12.250 tonnes	0 %	09.2769ex 2917 13 9010	Dimethyl sebacate (CAS RN 106-79-6)	1.1.-31.12.1 000 tonnes	0 %	
09.2680ex 2917 19 8025	n-Dodecenylsuccinic acid anhydride (CAS RN 19780-11-1) with a Gardner colour index level of not more than 1, a transmission at 500 nm of 98 % or more for a 10 % solution by weight in toluene, for use in the manufacture of automotive coatings	1.1.-31.12.80 tonnes	0 %				

**Changes to legislation:** There are currently no known outstanding effects for the Council Regulation (EU) 2015/2448. (See end of Document for details)

%09.2634ex 2917 19 8040Dodecanedioic acid, of a purity by weight of more than 98,5 % (CAS RN 693-23-2)1.1.-31.12.4 600 tonnes0 %09.2808ex 2918 22 0010o-Acetylsalicylic acid (CAS RN 50-78-2)1.1.-31.12.120 tonnes0 %09.2646ex 2918 29 0055Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with:a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight anda melting point of 110 °C or more, but not more than 125 °C,for use in the manufacture of PVC-processing stabilizer-one packs based on powder mixtures1.1.-31.12.80 tonnes0 %09.2647ex 2918 29 0065Pentaerythritol tetrakis (3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8):with a sieve passing fraction at a mesh width of 250 µm of more than 75 % by weight and at a mesh width of 500 µm of more than 99 % by weight, anda melting point of 49 °C or more, but not more than 54 °C,for use in the manufacture of PVC-processing stabilizer-one packs based on powder mixtures1.1.-31.12.380 tonnes0 %09.2975ex 2918 30 0010Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)1.1.-31.12.1 000 tonnes0 %09.2648ex 2920 90 1070Dimethyl Sulphate (CAS RN 77-78-1)1.1.-31.12.12 000 tonnes0 %09.2688ex 2920 90 8570Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 31570-04-4)1.1.-31.126 000 tonnes0 %09.2649ex 2921 29 0060Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5)1.1.-31.12.1 700 tonnes0 %09.2682ex 2921 41 0010Aniline with a purity by weight of 99 % or more (CAS RN 62-53-3)1.1.-31.12.50 000 tonnes0 %09.2602ex 2921 51 1910o-Phenylenediamine (CAS RN 95-54-5)1.1.-31.12.1 800 tonnes0 %09.2854ex 2924 19 00853-Iodoprop-2-ynyl N-butylcarbamate (CAS RN 55406-53-6)1.1.-31.12500 tonnes0 %09.29772926 10 00Acrylonitrile (CAS RN 107-13-1)1.1.-31.12.35 000 tonnes0 %09.2856ex 2926 90 95842-Nitro-4(trifluoromethyl)benzonitrile (CAS RN 778-94-9)1.1.-31.12.900 tonnes0 %09.2838ex 2927 00 0085C,C'-Azodi(formamide) (CAS RN 123-77-3) with:a pH of 6,5 or more but not more than 7,5, anda semicarbazide (CAS RN 57-56-7) content of not more than 1 500 mg/kg as determined by liquid chromatography mass spectrometry (LC-MS),decomposition temperature range of 195 °C – 205 °C,specific gravity 1,64-1,66, andcombustion heat 215-220 Kcal/mol1.1.-31.12.100 tonnes0 %09.2685ex 2929 90 0030Nitroguanidine (CAS RN 556-88-7)1.1.-31.126 500 tonnes0 %09.2955ex 2932 19 0060Flurtamone (ISO) (CAS RN 96525-23-4)1.1.-31.12.300 tonnes0 %09.2812ex 2932 20 9077Hexan-6-olide (CAS RN 502-44-3)1.1.-31.12.4 000 tonnes0 %09.28582932 93 00Piperonal (CAS RN 120-57-0)1.1.-31.12.220 tonnes0 %09.2831ex 2932 99 00401,3:2,4-Bis-O-(3,4-dimethylbenzylidene)-D-glucitol (CAS RN 135861-56-2)1.1.-31.12.500 tonnes0 %09.2673ex 2933 39 99432,2,6,6-tetramethylpiperidin-4-ol (CAS RN 2403-88-5)1.1.-31.12.1 000 tonnes0 %09.2674ex 2933 39 9944Chlorpyrifos (ISO) (CAS RN 2921-88-2)1.1.-31.12.9 000 tonnes0 %09.2860ex 2933 69 80301,3,5-Tris[3-(dimethylamino)propyl]hexahydro-1,3,5-triazine (CAS RN 15875-13-5)1.1.-31.12.400 tonnes0 %09.2658ex 2933 99 80735-(Acetoacetyl amino)benzimidazolone (CAS RN 26576-46-5)1.1.-31.12.200 tonnes0 %09.2675ex 2935 00 90794-[(2-Methoxybenzoyl)amino]sulfonyl]benzoyl chloride (CAS RN 816431-72-8)1.1.-31.12.1 000 tonnes0 %09.2945ex 2940 00 0020D-Xylose (CAS RN 58-86-6)1.1.-31.12.400 tonnes0 %09.2686ex 3204 11 0075Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of 99 % or more by weight1.1.-31.122 500 kg0 %09.2676ex 3204 17 0014Preparations based on Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) with a content thereof of 60 % or more by weight1.1.-31.12.50 tonnes0 %09.2666ex 3204 17 0055Colourant C.I. Pigment Red 169 (CAS RN 12237-63-7) and preparations based thereon with a colourant C.I. Pigment Red 169 content of 50 % or more by weight1.1.-31.12.40 tonnes0 %09.2659ex 3802 90 0019Soda flux calcinated diatomaceous earth1.1.-31.12.30 000

**Changes to legislation:** There are currently no known outstanding effects for the Council Regulation (EU) 2015/2448. (See end of Document for details)

tonnes0 %09.2908ex 3804 00 0010Sodium lignosulphonate1.1.-31.12.40 000 tonnes0 %09.28893805 10 90Sulphate turpentine1.1.-31.12.25 000 tonnes0 %09.2935ex 3806 10 0010Rosin and resin acids obtained from fresh oleoresins1.1.-31.12.280 000 tonnes0 %09.2832ex 3808 92 9040Preparation containing 38 % or more but not more than 50 % by weight of pyrithione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion1.1.-31.12.500 tonnes0 %09.2681ex 3812 10 00ex 3824 90 922085Mixture of bis [3-(triethoxysilyl)propyl]sulphides (CAS RN 211519-85-6)1.1.-31.12.9 000 tonnes0 %09.2814ex 3815 90 9076Catalyst consisting of titanium dioxide and tungsten trioxide1.1.-31.12.3 000 tonnes0 %09.2644ex 3824 90 9277Preparation containing by weight:55 % or more but not more than 78 % of dimethyl glutarate,10 % or more but not more than 30 % of dimethyl adipate, andnot more than 35 % of dimethyl succinate1.1.-31.12.10 000 tonnes0 %09.2140ex 3824 90 9279Mixture of tertiary amines containing by weight:2,0-4,0 % of N,N-dimethyl-1-octanamine94 % minimum of N,N-dimethyl-1-decanamine2 % maximum of N,N-dimethyl-1-dodecanamine1.1.-31.12.4 500 tonnes0 %09.2650ex 3824 90 9287Acetophenone (CAS RN 98-86-2), with a purity by weight of 60 % or more but not more than 90 %1.1.-31.12.2 000 tonnes0 %09.2829ex 3824 90 9343Solid extract of the residual, insoluble in aliphatic solvents, obtained during the extraction of rosin from wood, having the following characteristics:a resin acid content not exceeding 30 % by weight,an acid number not exceeding 110,and a melting point of 100 °C or more1.1.-31.12.1 600 tonnes0 %09.2907ex 3824 90 9367Mixture of phytosterols, in the form of powder, containing by weight:75 % or more of sterols,not more than 25 % of stanols,for use in the manufacture of stanols/sterols or stanol/sterol esters1.1.-31.12.2 500 tonnes0 %09.2660ex 3902 30 0098Amorphous polyalpha olefin adhesive for the manufacture of hygiene products1.1.-31.12.500 tonnes0 %09.26393905 30 00Poly(vinyl alcohol), whether or not containing unhydrolysed acetate groups1.1.-31.12.15 000 tonnes0 %09.2671ex 3905 99 9081Poly(vinyl butyral)(CAS RN 63148-65-2):containing by weight 17,5 % or more, but not more than 20 % of hydroxyl groups, andwith a median particle size (D50) of more than 0,6 mm1.1.-31.12.12 000 tonnes0 %09.2687ex 3907 40 0025Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of not less than 98,5 % by weight, in the form of pellets or granules, with a luminous transmittance of not less than 88,5 %, measured using a test sample with a thickness of 4 mm at a wavelength of  $\lambda = 400$  nm (according to ISO 13468-2)1.1.-31.12.400 tonnes0 %09.2616ex 3910 00 0030Polydimethylsiloxane with a degree of polymerisation of 2 800 monomer units ( $\pm 100$ )1.1.-31.12.1 300 tonnes0 %09.2816ex 3912 11 0020Cellulose acetate flakes1.1.-31.12.75 000 tonnes0 %09.2864ex 3913 10 0010Sodium alginate, extracted from brown seaweed (CAS RN 9005-38-3)1.1.-31.12.1 000 tonnes0 %09.2641ex 3913 90 0087Sodium hyaluronate, non sterile, with:a weight average molecular weight (Mw) of not more than 900 000,an endotoxin level of not more than 0,008 Endotoxin units (EU)/mg,an ethanol content of not more than 1 % by weight,an isopropanol content of not more than 0,5 % by weight1.1.-31.12.200 kg0 %09.2661ex 3920 51 0050Sheets of polymethylmethacrylate conforming to standards:EN 4364 (MIL-P-5425E) and DTD5592A, orEN 4365 (MIL-P-8184) and DTD5592A1.1.-31.12.100 tonnes0 %09.2645ex 3921 14 0020Cellular block of regenerated cellulose, impregnated with water containing magnesium chloride and quaternary ammonium compounds, measuring 100 cm ( $\pm 10$  cm) x 100 cm ( $\pm 10$  cm) x 40 cm ( $\pm 5$  cm)1.1.-31.12.1 700 tonnes0 %09.2818ex 6902 90 0010Refractory bricks with:an edge length of more than 300 mm, and a TiO<sub>2</sub> content of not more than 1 % by weight, and a Al<sub>2</sub>O<sub>3</sub> content of not more than 0,4 % by weight, and a change in volume of less than 9 % at 1 700 °C1.1.-31.12.225 tonnes0 %09.2628ex 7019 52 0010Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m<sup>2</sup>( $\pm 10$  g/m<sup>2</sup>), of a type used in

---

**Changes to legislation:** There are currently no known outstanding effects for the Council Regulation (EU) 2015/2448. (See end of Document for details)

---

rolling insect screens with fixed frames1.1.-31.12.3 000 000 m20 %09.2799ex 7202 49 9010Ferro-chromium containing 1,5 % or more but not more than 4 % by weight of carbon and not more than 70 % of chromium1.1.-31.12.50 000 tonnes0 %09.2652ex 7409 11 00ex 7410 11 002030Refined copper foil and strips, electrolytically coated1.1.-31.12.1 020 tonnes0 %09.2662ex 7410 21 0055Plates:consisting of at least one layer of fibreglass fabric impregnated with epoxide resin,covered on one or both sides with copper foil with a thickness of not more than 0,15 mm,with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,with a comparative tracking index (CTI) of 600 or more1.1.-31.12.45 000 m20 %09.2834ex 7604 29 1020Aluminium alloy rods with a diameter of 200 mm or more, but not exceeding 300 mm1.1.-31.12.2 000 tonnes0 %09.2835ex 7604 29 1030Aluminium alloy rods with a diameter of 300,1 mm or more, but not more than 533,4 mm1.1.-31.12.1 000 tonnes0 %09.2689ex 7606 12 92ex 7607 11 905070Aluminium and magnesium alloy strip or foil:in rolls,of a thickness of 0,14 mm or more but not more than 0,27 mm,a width of 12,5 mm, 15,0 mm, 16,0 mm, 25,0 mm, 35,0 mm, 50 mm or 356 mm,a tensile strength of 285 N/mm2 or more,andan elongation at break of 1 % or more, andcontaining by weight:93,3 % or more of aluminium,0,8 % or more but not more than 5 % of magnesium, andnot more than 1,8 % of other elements1.1.-30.6500 tonnes0 %09.2840ex 8104 30 0020Magnesium powder:of purity by weight of 98 % or more, but not more than 99,5 %with a particle size of 0,2 mm or more but not more than 0,8 mm1.1.-31.12.2 000 tonnes0 %09.2629ex 8302 49 0091Aluminium telescopic handle for use in the manufacture of luggage1.1.-31.12.1 000 000 pieces0 %09.2690ex 8483 30 8020Wave slide bearing for axial applications, of FeP01 steel (according to EN 10130-1991) with a sliding layer of porous sinter bronze and poly(tetrafluoroethylene), suitable for installation into motor bike suspension units1.1.-31.12.1 500 000 pieces0 %09.2642ex 8501 40 20ex 8501 40 803040Assembly, consisting of:a single-phase electric AC commutator motor, with an output of 480 W or more, but not more than 1 400 W, an input power of more than 900 W but not more than 1 600 W, an external diameter of more than 119,8 mm but not more than 135,2 mm and a rated speed of more than 30 000 rpm but not more than 50 000 rpm, andan air-inducting ventilator,for use in the manufacture of vacuum cleaners1.1.-31.12.120 000 pieces0 %09.2763ex 8501 40 20ex 8501 40 804030Electric AC commutator motor, single-phase, with an output of 250 W or more, an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm ( $\pm$  0,2 mm) but not more than 135 mm ( $\pm$  0,2 mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners1.1.-31.12.2 000 000 pieces0 %09.2633ex 8504 40 8220Electric rectifier, with a capacity of not more than 1 kVA, for use in the manufacture of appliances falling within subheading 8509 80 and heading 85101.1.-31.12.4 500 000 pieces0 %09.2643ex 8504 40 8230Power supply boards for use in the manufacture of goods falling under heading 8521 and 85281.1.-31.12.1 038 000 pieces0 %09.2620ex 8526 91 2020Assembly for GPS system having a position determination function, without display, and a weight of not more than 2 500 g1.1.-31.12.3 000 000 pieces0 %09.2672ex 8529 90 92ex 9405 40 397570Printed circuit board with LED diodes:whether or not equipped with prisms/ lens, andwhether or not fitted with connector(s)for the manufacture of backlight units for goods of heading 85281.1.-31.12.115 000 000 pieces0 %09.2003ex 8543 70 9063Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 mm x 30 mm1.1.-31.12.1 400 000 pieces0 %09.2668ex 8714 91 10ex 8714 91 102131Bicycle frame, constructed from carbon fibres and artificial resin, painted, lacquered and/or polished, for use in the manufacture of bicycles1.1.-31.12.304 000

---

**Changes to legislation:** There are currently no known outstanding effects for the Council Regulation (EU) 2015/2448. (See end of Document for details)

---

pieces0 %09.2669ex 8714 91 30ex 8714 91 302131Bicycle front fork, constructed from carbon fibres and artificial resin, painted, lacquered and/or polished, for use in the manufacture of bicycles1.1.-31.12.257 000 pieces0 %09.2631ex 9001 90 0080Unmounted glass lenses, prisms and cemented elements for use in the manufacture or repair of goods of CN codes 9002, 9005, 9013 10 and 90151.1.-31.12.5 000 000 pieces0 %09.2836ex 9003 11 00ex 9003 19 001020Spectacle frames of plastic or base metal for use in the manufacture of corrective glasses1.1.-31.12.5 800 000 pieces0 %

---

**Changes to legislation:** There are currently no known outstanding effects for the Council Regulation (EU) 2015/2448. (See end of Document for details)

---

- (1) Council Regulation (EU) No 1388/2013 of 17 December 2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products, and repealing Regulation (EU) No 7/2010 ([OJ L 354, 28.12.2013, p. 319](#)).



**Changes to legislation:**

There are currently no known outstanding effects for the Council Regulation (EU) 2015/2448.