Status: Point in time view as at 20/12/2017. Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Commission Implementing Regulation (EU) 2017/2470 of 20 December 2017 establishing the Union list of novel foods in accordance with Regulation (EU) 2015/2283 of the European Parliament and of the Council on novel foods (Text with EEA relevance)

COMMISSION IMPLEMENTING REGULATION (EU) 2017/2470

of 20 December 2017

establishing the Union list of novel foods in accordance with Regulation (EU) 2015/2283 of the European Parliament and of the Council on novel foods

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EU) 2015/2283 of the European Parliament and of the Council on novel foods, amending Regulation (EU) No 1169/2011 of the European Parliament and of the Council and repealing Regulation (EC) No 258/97 of the European Parliament and of the Council and Commission Regulation (EC) No 1852/2001⁽¹⁾, and in particular Article 8 thereof,

Whereas:

- (1) Regulation (EU) 2015/2283 lays down rules for the placing on the market and use of novel foods within the Union.
- (2) Pursuant to Article 8 of Regulation (EU) 2015/2283, the Commission has to establish the Union list of novel foods authorised or notified under Regulation (EC) No 258/97 of the European Parliament and of the Council⁽²⁾.
- (3) The Union list of novel foods is to apply without prejudice to other provisions laid down in sector specific legislation.
- (4) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

HAS ADOPTED THIS REGULATION:

Article 1

Union list of authorised novel foods

The Union list of novel foods authorised to be placed on the market within the Union as referred to in Article 6(1) of Regulation (EU) 2015/2283 is hereby established and set out in the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 20 December 2017.

For the Commission

The President

Jean-Claude JUNCKER

ANNEX

Document Generated: 2024-04-18

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

ANNEX

UNION LIST OF NOVEL FOODS

Content of the list

1. The Union list shall consist of Tables 1 and 2.

2. Table 1 includes the authorised novel foods and contains the following information:

Column 1 : Authorised novel food

Column 2 : Conditions under which the novel food may be used. This column is

further subdivided into two: Specified food category and Maximum

levels

Column 3 : Additional specific labelling requirements

Column 4 : Other requirements

3. Table 2 includes the specifications on novel foods and contains the following

information:

Column 1 : Authorised novel food

Column 2 : Specifications

TABLE 1: AUTHORISED NOVEL FOODS

Authorised novel food	Conditions unde novel food may		Additional specific labelling requirements	Other requirements
N-Acetyl-D- neuraminic acid	Specified food category Infant and follow-on formulae as defined by Regulation (EU) No 609/2013 ^a	Maximum levels 0,05 g/L of reconstituted formula	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'N-acetyl-D-neuraminic acid'	
	Processed cereal-based foods and baby foods for infants and young children as defined by Regulation (EU) No 609/2013	0,05 g/kg for solid foods	Food supplements containing N-acetyl-D-neuraminic acid shall bear a statement that the food supplement should not be	
	Foods for special medical purposes for infants and young children as defined by Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the infants and young children for whom the	given to infants, young children and children under 10 years of age where they consume breast milk or other foods with	

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

	products are intended but in any case not higher than the maximum levels specified for the category mentioned in the table corresponding to the products.
Total diet replacement foods for weight control as defined by Regulation (EU) No 609/2013	0,2 g/L (drinks) 1,7 g/kg (bars)
Foods bearing statements on the absence or reduced presence of gluten in accordance with the requirements of Commission Implementing Regulation (EU) No 828/2014b	1,25 g/kg
Unflavoured pasteurised and sterilised (including UHT) milk-based products	0,05 g/L
Unflavoured fermented milk- based products, heat treated after fermentation, flavoured fermented milk products including heat- treated products	0,05 g/L (beverages) 0,4 g/kg (solids)
Dairy analogues, including beverage whiteners	0,05 g/L (beverages) 0,25 g/kg (solids)

added *N*-acetyl-D-neuraminic acid within the same twenty four hour period.

			_	
	Cereal bars	0,5 g/kg		
	Table top sweeteners	8,3 g/kg		
	Fruit and vegetable-based drinks	0,05 g/L		
	Flavoured drinks	0,05 g/L		
	Speciality coffee, tea, herbal and fruit infusions, chicory; tea, herbal and fruit infusions and chicory extracts; tea, plant, fruit and cereal preparations for infusions	0,2 g/kg		
	Food Supplements as defined in Directive 2002/46/EC°	300 mg/day for general population older than 10 years 55 mg/day for infants 130 mg/day for young children 250 mg/day for children between 3 to 10 years of age		
Adansonia digitata (Baobab) dried fruit pulp	Not specified		The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Baobab fruit pulp'	
Ajuga reptans extract from cell cultures	Specified food category	Maximum levels		
	Food Supplements as defined in Directive 2002/46/EC	In line with normal use in food supplements of a similar extract		

Status: Point in time view as at 20/12/2017.

L-Alanyl-L- Glutamine	Specified food category	Maximum levels		
	Food Supplements as defined in Directive 2002/46/EC			
	Foods for special medical purposes as defined in Regulation (EU) No 609/2013 excluding foods for infants and young children			
Algal oil from the microalgae	Specified food category	Maximum levels of DHA	The designation of the novel food	
Ulkenia sp.	Bakery products (breads, rolls and sweet biscuits)	200 mg/100 g	on the labelling of the foodstuffs containing it shall be 'Oil from the microalgae Ulkenia sp.'	
	Cereal bars	500 mg/100 g		
	Non-alcoholic beverages (including milk based beverages)	60 mg/100 ml		
Allanblackia seed oil	Specified food category	Maximum levels	The designation of the novel food	
secu on	Yellow fat spreads and cream based spreads	20 g/100 g	on the labelling of the foodstuffs containing it shall be 'Allanblackia seed oil'	
Aloe macroclada Baker leaf	Specified food category	Maximum levels		
extract	Food Supplements as defined in Directive 2002/46/EC	In line with normal use in food supplements of the similar gel derived from <i>Aloe vera</i> (L.) Burm.		
Antarctic Krill oil from Euphausia superba	Specified food category	Maximum levels of combined DHA and EPA	The designation of the novel food on the labelling of the foodstuffs	

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Dairy products except milk- based drinks	200 mg/100 g or for cheese products 600 mg/100 g
Dairy analogues except drinks	200 mg/100 g or for analogues to cheese products 600 mg/100 g
Non-alcoholic beverages Milk-based drinks Dairy analogue drinks	80 mg/100 ml
Spreadable fat and dressings	600 mg/100 g
Cooking fats	360 mg/100 ml
Breakfast cereals	500 mg/100 g
Bakery products (breads, rolls and sweet biscuits)	200 mg/100 g
Nutrition bars/ cereal bars	500 mg/100 g
Food Supplements as defined in Directive 2002/46/EC	3 000 mg/day for the general population 450 mg/day for pregnant and lactating women
Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the persons for whom the products are intended
Total diet replacement for weight control as defined Regulation (EU) No 609/2013 and meal replacements for weight control	250 mg/meal

containing it shall be 'Lipid extract from the crustacean Antarctic Krill (Euphausia superba)'

Document Generated: 2024-04-18

Status: Point in time view as at 20/12/2017.

	Processed cereal-based food and baby food intended for infants and young children covered by Regulation (EU) No 609/2013 Foods intended to meet the expenditure of intense muscular effort, especially for sportsmen Foods bearing statements on the absence or reduced presence of gluten in accordance with the requirements of Commission Implementing Regulation (EU)	200 mg/100 ml		
Antarctic Krill oil rich in phospholipids from <i>Euphausia</i>	No 828/2014 Specified food category	Maximum levels of combined DHA and EPA	The designation of the novel food on the labelling of the foodstuffs	
superba	Dairy products except milk- based drinks	200 mg/100 g or for cheese products 600 mg/100 g	containing it shall be 'Lipid extract from the crustacean	
	Dairy analogues except drinks	200 mg/100 g or for analogues to cheese products 600 mg/100 g	Antarctic Krill (Euphausia superba)'	
	Non-alcoholic beverages Milk-based drinks Dairy analogue drinks	80 mg/100 ml		
	Spreadable fat and dressings	600 mg/100 g		
	Cooking fats Breakfast cereals	360 mg/100 ml 500 mg/100 g		
		3-448	J	

Bakery products (breads, rolls and sweet biscuits)	200 mg/100 g
Nutrition bars/ cereal bars	500 mg/100 g
Food Supplements as defined in Directive 2002/46/EC	3 000 mg/day for the general population 450 mg/day for pregnant and lactating women
Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the persons for whom the products are intended
Total diet replacement for	250 mg/meal
weight control as a Regulation (EU) No 609/2013 and meal replacements for weight control	defined in
Processed cereal-based food and baby food intended for infants and young children covered by Regulation (EU) No 609/2013	200 mg/100 ml
Foods intended to meet the expenditure of intense muscular effort, especially for sportsmen	
Foods bearing statements on the absence or reduced presence of gluten in accordance with	

Arachidonic acid-rich oil from the fungus Mortierella alpina	the requirements of Commission Implementing Regulation (EU) No 828/2014 Specified food category Infant formula and followon formula as defined in Regulation (EU) No 609/2013	Maximum levels In accordance with Regulation (EU) No 609/2013	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Oil from Mortierella alpina' or 'Mortierella alpina oil'	
	Foods for special medical purposes for premature infants as defined in Regulation (EU) No 609/2013	In accordance with Regulation (EU) No 609/2013		
Argan oil from Argania spinosa	Specified food category	Maximum levels	The designation of the novel food	
mgania spinosa	As seasonings	Not specified	on the labelling of the foodstuffs containing it shall be 'Argan oil' and if used as seasoning 'Vegetable oil only for seasoning' shall be mentioned on the label	
	Food Supplements as defined in Directive 2002/46/EC	In line with normal food use of vegetable oils		
Astaxanthin-	Specified food	Maximum levels	The designation	
rich oleoresin from <i>Haematococcus</i> <i>pluvialis</i> algae	Food Supplements as defined in Directive 2002/46/EC	40-80 mg/day of oleoresin, resulting in ≤ 8 mg astaxanthin per day	of the novel food on the labelling of the foodstuffs containing it shall be 'Astaxanthin'	
Basil seeds	Specified food category	Maximum levels		
(Ocimum basilicum)	Fruit juice and fruit/vegetable blend beverages	3 g/200 ml for addition of whole basil seeds (<i>Ocimum</i> basilicum)		

Fermented black bean extract	Specified food category Food Supplements as defined in Directive 2002/46/EC	Maximum levels 4,5 g/day	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Fermented black bean (Soya) extract' or 'Fermented Soya extract'		
Bovine lactoferrin	Specified food category Infant formula	Maximum levels	The designation of the novel food on the labelling		
	and follow- on formula as defined in Regulation (EU) No 609/2013 (ready to drink)	100 mg/100 ml	of the foodstuffs containing it shall be 'Lactoferrin from cows' milk'	of the foodstuffs containing it shall be 'Lactoferrin	
	Foods on dairy basis intended for young children (ready to eat/drink)	200 mg/100 g			
	Processed cereal food (solid)	670 mg/100 g			
	Foods for special medical purposes as defined in Regulation (EU) No 609/2013	Depending on the needs of the individual up to 3 g/day			
	Beverages based on milk	200 mg/100 g			
	Powdered drink mixes based on milk (ready to drink)	330 mg/100 g			
	Beverages based on fermented milk (including yoghurt drinks)	50 mg/100 g			
	Non-alcoholic drinks	120 mg/100 g			
	Products based on yoghurt	80 mg/100 g			

Status: Point in time view as at 20/12/2017.

Products based on cheese	2 000 mg/100 g		
Ice cream	130 mg/100 g		
Cakes and pastries	1 000 mg/100 g		
Candies	750 mg/100 g		
Chewing gum	3 000 mg/100 g		
Specified food category	Maximum levels of stearidonic acid (STA)	The designation of the novel food on the labelling of the foodstuffs	
Dairy products	250 mg/100 g	containing it	
and analogues	75 mg/100 g for drinks	Buglossoides oil'	
Cheese and cheese products	750 mg/100 g		
Butter and other fat and oil emulsions including spreads (not for cooking or frying purposes)	750 mg/100 g		
Breakfast cereals	625 mg/100 g		
Food supplements as defined in Directive 2002/46/EC, excluding food supplements for infants and young children	500 mg/day		
Foods for special medical purposes as defined in Regulation (EU) No 609/2013, excluding foods for special medical purposes intended for infants and young children	In accordance with the particular nutritional requirements of the persons for whom the products are intended		
	Ice cream Cakes and pastries Candies Chewing gum Specified food category Dairy products and analogues Cheese and cheese products Butter and other fat and oil emulsions including spreads (not for cooking or frying purposes) Breakfast cereals Food supplements as defined in Directive 2002/46/EC, excluding food supplements for infants and young children Foods for special medical purposes as defined in Regulation (EU) No 609/2013, excluding foods for special medical purposes intended for infants and	Ice cream 130 mg/100 g Cakes and pastries 750 mg/100 g Chewing gum 3 000 mg/100 g Specified food category Ievels of stearidonic acid (STA) Dairy products and analogues 75 mg/100 g Cheese and cheese products Butter and other fat and oil emulsions including spreads (not for cooking or frying purposes) Breakfast cereals 625 mg/100 g Food supplements as defined in Directive 2002/46/EC, excluding food supplements for infants and young children Foods for special medical purposes as defined in Regulation (EU) No 609/2013, excluding foods for special medical purposes intended for infants and	on cheese Ice cream Ice cream Icakes and pastries Candies Candies 750 mg/100 g Chewing gum 3 000 mg/100 g Specified food category Specified food category Specified food category To mg/100 g To mg/100

	Total diet replacement for weight control as defined in Regulation (EU) No 609/2013 and meal replacements for weight control	250 mg/meal		
Calanus finmarchicus oil	Specified food category	levels	The designation of the novel food	
	Food supplements as defined in Directive 2002/46/EC	2,3 g/day	on the labelling of the foodstuffs containing it shall be 'oil from <i>Calanus finmarchicus</i> (crustacean)'	
Chewing gum base	Specified food category	Maximum levels	The designation of the novel food	
(monomethoxypo glycol)	Chthyleg g um	8 %	on the labelling of the foodstuffs containing it shall be 'Gum base (including 1,3-butadiene, 2-methyl-homopolymer, maleated, esters with polyethylene glycol mono-Me ether)' or 'Gum base (including CAS No: 1246080-53-4)'
Chewing gum base (Methyl vinyl ether-maleic anhydride copolymer)	Specified food category	Maximum levels	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Gum base (including methyl vinyl ether-maleic anhydride copolymer)' or 'Gum base (including CAS No 9011-16-9)'	
	Chewing gum	2 %		

Chia oil from Salvia hispanica	Specified food category	Maximum levels	The designation of the novel food
F	Fats and oils	10 %	on the labelling
	Pure chia oil	2 g/day	of the foodstuffs containing it
	Food Supplements as defined in Directive 2002/46/EC	2 g/day	shall be 'Chia oil (Salvia hispanica)'
Chia seeds (Salvia	Specified food category	Maximum levels	1. The
hispanica)	Bread products	5 % (whole or ground chia seeds)	designation of the novel food
	Baked products	10 % whole chia seeds	on the labelling
	Breakfast cereals	10 % whole chia seeds	of the foodstuffs containing
	Fruit, nut and seed mixes	10 % whole chia seeds	it shall be 'Chia
	Fruit juice and fruit/vegetable blend beverages	15 g/day for addition of whole, mashed or ground chia seeds	seeds (Salvia hispanica)' 2. Pre-
	Pre-packaged Chia seed as such	15 g/day whole chia seeds	packaged Chia (Salvia hispanica)
	Fruit spreads	1 % whole chia seeds	seeds shall
	Yoghurt	1,3 g whole chia seeds per 100 g of yoghurt or 4,3 g whole chia seeds per 330 g of yoghurt (portion)	carry additional labelling to inform the consumer that the
	Sterilised ready to eat meals based on cereal grains, pseudocereals grains and/or pulses	5 % whole chia seeds	daily intake is no more than 15 g.
Chitin- glucan from	Specified food category	Maximum levels	The designation of the novel food

Aspergillus niger	Food Supplements as defined in Directive 2002/46/EC	5 g/day	on the labelling of the foodstuffs containing it shall be 'Chitinglucan from Aspergillus niger'	
Chitin-glucan complex from Fomes fomentarius	Specified food category Food Supplements as defined in Directive 2002/46/EC	Maximum levels 5 g/day	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Chitin-glucan from Fomes fomentarius'	
Chitosan extract from fungi (Agaricus bisporus; Aspergillus niger)	Specified food category Food Supplements as defined in Directive 2002/46/EC	Maximum levels In line with normal use in food supplements of chitosan from crustaceans	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Chitosan extract from Agaricus bisporus' or 'Chitosan extract from Aspergillus niger'	
Chondroitin sulphate	Specified food category Food supplements as defined in Directive 2002/46/EC for adult population, excluding pregnant and lactating women	Maximum levels 1 200 mg/day	The designation of the novel on the labelling of the foodstuff containing it shall be 'Chondroitin sulphate derived from microbial fermentation and sulphation'	
Chromium Picolinate	Foods covered by Regulation (EU) No 609/2013 Foods fortified in accordance with Regulation	Maximum levels of total chromium 250 μg/day	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Chromium Picolinate'	

	(EC) No 1925/2006 ^d			
Cistus incanus L. Pandalis	Specified food category	Maximum levels	The designation of the novel food	
herb	Herbal infusions	Intended daily intake: 3 g herbs/day (2 cups/day)	on the labelling of the foodstuffs containing it shall be 'Cistus incanus L. Pandalis herb'	
Citicoline	Specified food category	Maximum levels	1. The	
	Food Supplements as defined in Directive 2002/46/EC	500 mg/day	designation of the novel food on the labelling	
	Foods for special medical purposes as defined in Regulation (EU) No 609/2013	250 mg per serving and a maximum daily consumption level of 1 000 mg	of the foodstuffs containing it shall be 'Citicoline'	
	Specified food	Marinum	2. The labelling of foods containing citicoline shall bear a statement that the product is not intended to be consumed by children	
Clostridium butyricum	Food Supplements as defined in Directive 2002/46/EC	Maximum levels 1,35 × 10 ⁸ CFU/day	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Clostridium butyricum MIYAIRI 588 (CBM 588)' or 'Clostridium	

			butyricum (CBM 588)'	
Extract of defatted cocoa	Specified food category	Maximum levels	Consumers shall be instructed	
powder	Nutrition bars	1 g/day and 300	not to consume	
	Milk based beverages	mg polyphenols corresponding to not more	more than 600 mg polyphenols corresponding to	
	Any other foods (including food supplements as defined in Directive 2002/46/ EC) which have become established vehicles for functional ingredients and which are typically positioned for consumption by health conscious adults	than 550 mg of extract of defatted cocoa powder in one portion of food (or food supplement)	1,1 g of extract of defatted cocoa powder per day	
Low fat cocoa extract	Specified food category	Maximum levels	Consumers shall be instructed not	
CAUACI	Foods including food supplements as defined in Directive 2002/46/EC	730 mg per serving and around 1,2 g/day	to consume more than 600 mg of cocoa flavanols per day	
Coriander seed oil from	Specified food category	Maximum levels	The designation of the novel food	
Coriandrum sativum	Food Supplements as defined in Directive 2002/46/EC	600 mg/day	on the labelling of the foodstuffs containing it shall be 'Coriander seed oil'	
Crataegus pinnatifida	Specified food category	Maximum levels	The designation of the novel food	
dried fruit	Herbal infusions	In line with	on the labelling	
	Jams and jellies in accordance with Directive 2001/113/EC ^e	normal food use of <i>Crataegus</i> <i>laevigata</i>	of the foodstuffs containing it shall be 'Crataegus	

	Compotes		<i>pinnatifida</i> dried fruit'	
α-cyclodextrin	Not specified		The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Alphacyclodextrin' or '\alpha-cyclodextrin'	
γ-cyclodextrin	Not specified		The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Gamm Cyclodextrin' or 'γ-Cyclodextrin'	a-
Dextran preparation produced by Leuconostoc mesenteroides	Specified food category Bakery products	Maximum levels 5 %	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Dextran'	
Diacylglycerol oil of plant	Specified food category	Maximum levels	The designation of the novel food	
origin	Cooking oils		on the labelling of the foodstuffs	
	Fat spreads		containing	
	Salad dressings		it shall be 'Diacylglycerol	
	Mayonnaise		oil of plant	
	Meal replacement for weight control (as drinks)		origin (at least 80 % diacylglycerols)'	
	Bakery products			
	Yoghurt type products			
Dihydrocapsiate (DHC)	Specified food category	Maximum levels	1. The	
(DHC)	Cereal bars	9 mg/100 g	designat	ion
	Biscuits, cookies and crackers	9 mg/100 g	of the novel food	
	Rice based snacks	12 mg/100 g	on the labelling of the	

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

2.

Carbonated drinks, dilutable drinks, fruit juice based beverages	1,5 mg/100 ml
Vegetable drinks	2 mg/100 ml
Coffee based drinks, tea based drinks	1,5 mg/100 ml
Flavoured water - still	1 mg/100 ml
Precooked oatmeal cereal	2,5 mg/100 g
Other cereals	4,5 mg/100 g
Ice cream, dairy desserts	4 mg/100 g
Pudding mixes (ready to eat)	2 mg/100 g
Products based on yoghurt	2 mg/100 g
Chocolate confectionery	7,5 mg/100 g
Hard candy	27 mg/100 g
Sugar frag aum	44.5 (400
Sugar-free gum	115 mg/100 g
Whitener/ creamer	115 mg/100 g 40 mg/100 g
Whitener/	
Whitener/ creamer	40 mg/100 g
Whitener/ creamer Sweeteners Soup (ready to	40 mg/100 g 200 mg/100 g
Whitener/ creamer Sweeteners Soup (ready to eat)	40 mg/100 g 200 mg/100 g 1,1 mg/100 g
Whitener/ creamer Sweeteners Soup (ready to eat) Salad dressing Vegetable	40 mg/100 g 200 mg/100 g 1,1 mg/100 g 16 mg/100 g
Whitener/ creamer Sweeteners Soup (ready to eat) Salad dressing Vegetable protein Ready to eat	40 mg/100 g 200 mg/100 g 1,1 mg/100 g 16 mg/100 g 5 mg/100 g
Whitener/ creamer Sweeteners Soup (ready to eat) Salad dressing Vegetable protein Ready to eat meals Meal replacements for	40 mg/100 g 200 mg/100 g 1,1 mg/100 g 16 mg/100 g 5 mg/100 g 3 mg/meal

foodstuffs containing it shall be 'Dihydrocapsiate'

Food supplements containing synthetic dihydrocapsiate will be labelled as 'not intended for children up to 4,5 years'

	as defined in Directive 2002/46/EC	9 mg/day		
	Non-alcoholic powdered drink mixes	14,5 mg/kg equivalent to 1,5 mg/100 ml		
Dried extract of Lippia citriodora	Specified food category	Maximum levels	The designation of the novel food	
from cell cultures	Food Supplements as defined in Directive 2002/46/EC	In line with normal use in food supplements of a similar extract from the leaves of <i>Lippia citriodora</i>	on the labelling of the foodstuffs containing it shall be 'dried extract of <i>Lippia citriodora</i> from cell cultures HTN®Vb'	
Echinacea angustifolia	Specified food category	Maximum levels		
extract from cell cultures	Food Supplements as defined in Directive 2002/46/EC	In line with normal use in food supplements of a similar extract from the root of Echinacea angustifolia		
Echium plantagineum oil	Specified food category	Maximum levels of stearidonic acid (STA)	The designation of the novel food on the labelling of the foodstuffs	
	Milk-based products and drinkable yoghurt products delivered in a single dose	250 mg/100 g; 75 mg/100 g for drinks	containing it shall be 'Refined echium oil'	
	Cheese preparations	750 mg/100 g		
	Spreadable fat and dressings	750 mg/100 g		
	Breakfast cereals	625 mg/100 g		
	Food supplements as defined in Directive 2002/46/EC	500 mg/day		
	Foods for special medical	In accordance with the		

	purposes as defined in Regulation (EU) No 609/2013	particular nutritional requirements of the persons for whom the products are intended		
	Total diet replacement for weight control as defined in Regulation (EU) No 609/2013 and meal replacements for weight control	250 mg/meal		
Epigallocatechin gallate as a purified extract from green tea leaves (Camellia sinensis)	Specified food category Food Supplements as defined in Directive 2002/46/EC Foods fortified in accordance with Regulation (EC) No 1925/2006	Maximum levels 150 mg of extract in one portion of food or food supplement	The labelling shall bear a statement that consumers should not consume more than 300 mg of extract per day	
L-ergothioneine	Specified food category Food supplements as defined in Directive 2002/46/EC	Maximum levels 30 mg/day for general population (excluding pregnant and lactating women) 20 mg/day for children older than 3 years	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'L-ergothioneine'	
Ferric Sodium EDTA	Specified food category Food supplements as defined	Maximum levels (expressed as anhydrous EDTA) 18 mg/day for children 75 mg/day for adults	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Ferric Sodium EDTA'	

ANNEX

Document Generated: 2024-04-18

Status: Point in time view as at 20/12/2017.

	in Directive 2002/46/EC			
	Foods covered by Regulation (EU) No 609/2013	12 mg/100 g		
	Foods fortified in accordance with Regulation (EC) No 1925/2006			
Ferrous ammonium	Specified food category	Maximum levels	The designation of the novel food	
phosphate	Food supplements as defined in Directive 2002/46/EC	To be used in compliance with Directive 2002/46 EC, Regulation (EU) No	shall be 'Ferrous ammonium	
	Foods covered by Regulation (EU) No 609/2013	609/2013 and/or Regulation (EC) No 1925/2006	phosphate'	
	Foods fortified in accordance with Regulation (EC) No 1925/2006			
Fish peptides from Sardinops sagax	Specified food category	Maximum levels fish peptide product	The designation of the novel food on the labelling of the foodstuffs	
	Foods based on yoghurt, yoghurt drinks, fermented milk products, and powdered milk	0,48 g/100 g (ready to eat/ drink)	containing it shall be 'Fish (Sardinops sagax) peptides'	
	Flavoured water, and vegetable- based drinks	0,3 g/100 g (ready to drink)		
	Breakfast cereals	2 g/100 g		
	Soups, stews and soup powders	0,3 g/100 g (ready to eat)		
Flavonoids from Glycyrrhiza glabra	Specified food category	Maximum levels of flavonoids from	1. The designat of the	Beverages containing Plavonoids shall be presented

	Glycyrrhiza glabra		novel food	to the final consumer as
Beverages based on milk	120 mg/day		on the labelling of the	single portions.
Beverages based on yoghurt			foodstuf containii	
Beverages based on fruit or vegetables			it shall be 'Flavono from	oids
Food Supplements as defined in Directive 2002/46/EC	120 mg/day	2.	Glycyrrh glabra L.'	
Total diet replacement for weight control as defined in Regulation (EU) No 609/2013	120 mg/day		labelling of the foods where the product was	
Foods for special medical purposes as defined in Regulation (EU) No 609/2013	120 mg/day		added as a novel food ingredies shall bear a statemer that:	
		(a)	the product should not be consumed by pregnant and breast feeding women, children and young adolesce	
		(b)	and people taking prescript drugs should	ion

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the
Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

only consume the product under medical supervision; (c) maximum of 120 mg of flavonoids per day should be consumed. 3. The amount of flavonoids in the final food shall be indicated on the labelling of the food containing Specified food Maximum Fucoidan The designation category levels extract from the of the novel food seaweed Fucus on the labelling 250 mg/day Foods of the foodstuffs vesiculosus including food containing supplements it shall be as defined 'Fucoidan in Directive 2002/46/EC extract from seaweed Fucus for the general vesiculosus'. population Specified food Maximum Fucoidan The designation category levels extract from of the novel food on the labelling the seaweed Foods 250 mg/day Undaria of the foodstuffs including food pinnatifida containing supplements it shall be as defined 'Fucoidan in Directive extract from 2002/46/EC seaweed Undaria for the general pinnatifida' population

Status: Point in time view as at 20/12/2017.

2'- Fucosyllactose	Specified food category	Maximum levels	1.	The
·	Unflavoured pasteurised and sterilised (including UHT) milk-based products	1,2 g/l		designation of the novel food on the labelling of the
	Unflavoured	1,2 g/l beverages	foo	foodstuffs
	fermented milk- based products	19,2 g/kg products other than beverages		containing it shall be '2'- fucosyllactose'.
	Flavoured	1,2 g/l beverages	2.	The
	fermented milk- based products including heat- treated products	19,2 g/kg products other than beverages		labelling of food supplements containing
	Dairy analogues,	1,2 g/l beverages		2'-
	including beverage whiteners	12 g/kg for products other than beverages	fucosyllactose shall bear a statement that the supplements	shall bear a
		400 g/kg for whitener		that the supplements
	Cereal bars	12 g/kg		should not be
	Table-top sweeteners	200 g/kg	used if other	
	Infant formula as defined in Regulation (EU) No 609/2013	1,2 g/l alone or in combination with up to 0,6 g/l of lacto- <i>N</i> -neotetraose at a ratio of 2:1 in the final product ready for use, marketed as such or reconstituted as instructed by the manufacturer	3.	with added 2'-fucosyllactose are consumed the same day. The labelling
	Follow-on formula as defined in Regulation (EU) No 609/2013	1,2 g/l alone or in combination with up to 0,6 g/l of lacto- <i>N</i> -neotetraose at a ratio of 2:1 in the final product ready for use, marketed as such		of food supplements containing 2'- fucosyllactose intended for young children shall

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

	or reconstituted as instructed by the manufacturer
Processed cereal-based food and baby	12 g/kg for products other than beverages
food for infants and young children as defined in Regulation (EU) No 609/2013	1,2 g/l for liquid food ready for use, marketed as such or reconstituted as instructed by the manufacturer
Milk-based drinks and similar products intended for young children	1,2 g/l for milk-based drinks and similar products added alone or in combination with up to 0,6 g/l lacto- <i>N</i> -neotetraose, at a ratio of 2:1 in the final product ready for use, marketed as such or reconstituted as instructed by the manufacturer
Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the persons for whom the products are intended
Total diet	4,8 g/l for drinks
replacement for weight control as defined in Regulation (EU) No 609/2013	40 g/kg for bars
Bread and pasta products bearing statements on the absence or reduced presence of gluten in accordance with	60 g/kg

bear a statement that the supplements should not be used if breast milk or other foods with added 2′fucosyllactose are consumed the same day.

Document Generated: 2024-04-18

	the requirements of Commission Implementing Regulation (EU) No 828/2014 Flavoured drinks Coffee, tea (excluding black tea), herbal and fruit infusions, chicory; tea, herbal and fruit infusions and chicory extracts; tea, plant, fruit and cereal preparations for infusions, as well as mixes and instant mixes of these products	1,2 g/l 9,6 g/l - the maximum level refers to the products ready to use
	Food supplements as defined in Directive 2002/46/EC, excluding food supplements for infants	3,0 g/day for general population 1,2 g/day for young children
Galacto- oligosaccharide	Specified food category	Maximum levels (expressed as ratio kg galacto- oligosaccharide/ kg final food)
	Food Supplements as defined in Directive 2002/46/EC	0,333
	Milk	0,020
	Milk drinks	0,030
	Meal replacement for weight control (as drinks)	0,020

Glucosamine

HCl

Status: Point in time view as at 20/12/2017.

	1
Dairy analogue drinks	0,020
Yoghurt	0,033
Dairy based deserts	0,043
Frozen dairy deserts	0,043
Fruit drinks and energy drinks	0,021
Infant meal replacement drinks	0,012
Baby juice	0,025
Baby yogurt drink	0,024
Baby desert	0,027
Baby snack	0,143
Baby cereals	0,027
Drinks intended to meet the expenditure of intense muscular effort especially for sportsmen	0,013
Juice	0,021
Fruit pie fillings	0,059
Fruit preparations	0,125
Bars	0,125
Cereals	0,125
Infant formula and follow- on formula as defined in Regulation (EU) No 609/2013	0,008
Specified food category	Maximum levels
Food Supplements as defined	In line with normal food use of glucosamine from shell fish

	in Directive 2002/46/EC				
	Foods covered by Regulation (EU) No 609/2013				
	Milk-based drinks and similar products intended for young children				
	Meal replacement for weight control				
	Foods intended to meet the expenditure of intense muscular effort, especially for sportsmen				
	Foods bearing statements on the absence or reduced presence of gluten in accordance with the requirements of Commission Implementing Regulation (EU) No 828/2014				
Glucosamine	Specified food	Maximum			
sulphate KCl	Food Supplements as defined in Directive 2002/46/EC	In line with normal food use of glucosamine from shell fish			
Glucosamine sulphate NaCl	Specified food category	Maximum levels			
	Food Supplements as defined in Directive 2002/46/EC	In line with normal food use of glucosamine from shell fish			
Guar Gum	Specified food category	Maximum levels	1.	The designat of the	ion

Fresh dairy products such as yogurts, fermented milks, fresh cheeses and other dairy-based desserts. Fruit or	1,5 g/100 g 1,8 g/100 g	novel food on the labelling of the foodstuff containin it shall be	
vegetable- based liquid foodstuffs (of the 'smoothie' variety)		'Guar Gum'. 2. A specific mention	
Fruit or vegetable-based compotes	3,25 g/100 g	of the possible risks of	
Cereals accompanied by a dairy product, in packaging containing two compartments	10 g/100 g in the cereals None in the accompanying dairy product 1 g/100 g in the product when ready to eat	digestive discomform linked to the exposure of children aged under 8 to guar gum must be visible on the label of any foodstuffic containing it. For example, 'Excessive consumption of these products may cause digestive discomfort, especially for children under 8 years of age'. 3. In the case of products with	S

			two compartments containing dairy and cereal products respectively, the instructions for use must clearly specify the need to mix the cereal and the dairy product before consumption, in order to take into account the potential risk of gastro- intestinal obstruction.
Heat-treated	Specified food	Maximum	
milk products	category	levels	
fermented with Bacteroides xylanisolvens	Fermented milk products (in liquid, semi- liquid and spray- dried powder forms)		
Hydroxytyrosol	Specified food category	Maximum levels	The designation of the novel
	Fish and vegetable oils, (except olive oils and olive pomace oils as defined in Part VIII of Annex VII of	0,215 g/kg	food on the labelling of the food products containing shall be 'hydroxytyrosol'. The labelling of the food products

Status: Point in time view as at 20/12/2017.

	Regulation (EU) No 1308/2013f), placed as such on the market Spreadable fats as defined in Part VII of Annex VII of Regulation (EU) No 1308/2013, placed as such on the market	0,175 g/kg	containing hydroxytyrosol shall bear the following statements: (a) This food product should not be consumed by children under the age of three years, pregnant women, and lactating women; (b) This food product should not be used for cooking, baking or frying
Ice Structuring	Specified food category	Maximum levels	The designation of the novel food
Protein type III HPLC 12	Edible ices	0,01 %	on the labelling of the foodstuffs containing it shall be 'Ice Structuring Protein'
Aqueous extracts of	Specified food category	Maximum levels	The designation of the novel food
dried leaves of Hex guayusa	Herbal infusions	In line with	on the labelling
	Food Supplements as defined in Directive 2002/46/EC	normal use in herbal infusions and food supplements of a similar aqueous extract of dried	of the foodstuffs containing it shall be 'Extracts of dried leaves of <i>Ilex guayusa</i> '

		leaves of <i>Ilex</i> paraguariensis		
Isomalto- oligosaccharide	Specified food category	Maximum levels	1.	The
S	Energy-Reduced Soft Drinks	6,5 %		designation of the novel
	Energy Drinks	5,0 %		food
	Foods intended to meet the expenditure of intense muscular efforts, especially for sportsmen (including isotonic drinks)	6,5 %	2.	on the labelling of the foodstuffs containing it shall be 'Isomaltooligosaccharide'.
	Fruit Juices	5 %		containing the
	Processed Vegetables and Vegetable Juices	5 %	novel ingredie must be labelled as 'a	novel ingredient must be
	Other Soft Drinks	5 %		
	Cereals Bars	10 %		of
	Cookies, Biscuits	20 %		glucose'.
	Breakfast Cereal Bars	25 %		
	Hard Candies	97 %		
	Soft Candies/ Chocolate Bars	25 %		
	Meal replacement for weight control (as bars or milk based)	20 %		
Isomaltulose	Not specified		1.	The designation of the novel food on the labelling of the foodstuffs containing

			be 'Iso 2. The description of some share according to the second of the second of glue and second of the second of	signation the vel od the pelling all be companied dication at the comaltulose a arce
Lactitol	Specified food category	Maximum levels	The designat	
	Food Supplements as defined in Directive 2002/46/EC (capsules or tablets) intended for the adult population	20 g/day	on the labell of the food supplements containing it shall be 'Lactitol'	ing
Lacto-N- neotetraose	Specified food category	Maximum levels	1. Th	
neoteti avgt	Unflavoured pasteurised and sterilised (including UHT) milk-based products	0,6 g/l	of the nove food on the label of the	rel d the elling
	Unflavoured fermented milk-based products	0,6 g/l for beverages 9,6 g/kg for products other than beverages	con it s be 'La	odstuffs ntaining shall acto- <i>N</i> -
	Flavoured fermented milk-based products	0,6 g/l for beverages	2. Th	otetraøse'. e pelling food

Status: Point in time view as at 20/12/2017.

Dairy analogues, including beverage whiteners	9,6 g/kg for products other than beverages 0,6 g/l for beverages 6 g/kg for products other than beverages 200 g/kg for whitener	supplements containing lacto- N- neotetraose shall bear a statement that the supplements should
Cereal bars	6 g/kg	not be used if
Table-top sweeteners	100 g/kg	other foods
Infant formula as defined in Regulation (EU) No 609/2013	0,6 g/l in combination with up to 1,2 g/l of 2'-fucosyllactose at a ratio of 1:2 in the final product ready for use, marketed as such or reconstituted as instructed by the manufacturer	with added lacto-N-neotetraose are consumed the same day. 3. The labelling
Follow-on formula as defined in Regulation (EU) No 609/2013	0,6 g/l in combination with up to 1,2 g/l of 2'-fucosyllactose at a ratio of 1: 2 in the final product ready for use, marketed as such or reconstituted as instructed by the manufacturer	of food supplements containing lacto-N-neotetraose intended for young children shall bear a statement
Processed cereal-based food and baby food for infants and young children as defined in Regulation (EU) No 609/2013	6 g/kg for products other than beverages 0,6 g/l for liquid food ready for use, marketed as such or reconstituted as instructed by the manufacturer	statement that the supplements should not be used if breast milk or other foods with
Milk-based drinks and	0,6 g/l for milk- based drinks and	

similar products intended for young children	similar products added alone or in combination with 2'-O-fucosyllactose, at concentrations up to 1,2 g/l, at a ratio of 1:2 in the final product ready for use, marketed as such or reconstituted as instructed by the manufacturer	added lacto-N-neotetraose are consumed the same day.
Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the persons for whom the products are intended	
Total diet replacement for weight control as defined in Regulation (EU) No 609/2013	2,4 g/l for drinks 20 g/kg for bars	
Bread and pasta products bearing statements on the absence or reduced presence of gluten in accordance with the requirements of Commission Implementing Regulation (EU) No 828/2014	30 g/kg	
Flavoured drinks Coffee, tea	0,6 g/l 4,8 g/l - the	
(excluding black tea), herbal and fruit infusions, chicory; tea, herbal and fruit infusions and chicory extracts;	maximum level refers to the products ready to use	

	tea, plant, fruit and cereal preparations for infusions, as well as mixes and instant mixes of these products			
	Food supplements as defined in Directive 2002/46/EC, excluding food supplements for infants	1,5 g/day for general population 0,6 g/day for young children		
Lucerne leaf	Specified food	Maximum levels	The designation	
extract from Medicago sativa	Food supplements as defined in Directive 2002/46/EC	10 g/day	of the novel food on the labelling of the foodstuffs containing it shall be 'Lucerne (Medicago sativa) protein' or 'Alfalfa (Medicago sativa) protein'.	
Lycopene	Specified food category	Maximum levels	The designation of the novel food	
	Fruit/vegetable juice-based drinks (including concentrates)	2,5 mg/100 g	on the labelling of the foodstuffs containing it shall be	
	Drinks intended to meet the expenditure of intense muscular effort especially for sportsmen	2,5 mg/100 g	'Lycopene'	
	Total diet replacement for weight control as Regulation (EU) No 609/2013 and meal replacements for weight control			
	Breakfast cereals	5 mg/100 g		

Lycopene from *Blakeslea*

trispora

Status: Point in time view as at 20/12/2017.

Fats and dressings	10 mg/100 g		
Soups other than tomato soups	1 mg/100 g		
Bread (including crispy breads)	3 mg/100 g		
Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the persons for whom the products are intended		
Food supplements as defined in Directive 2002/46/EC	15 mg/day		
Specified food category	Maximum levels	The designation of the novel food	
Fruit/vegetable juice-based drinks (including concentrates)	2,5 mg/100 g	on the labelling of the foodstuffs containing it shall be	
Drinks intended to meet the expenditure of intense muscular effort especially for sportsmen	2,5 mg/100 g	- 'Lycopene'	
Total diet replacement for weight control as Regulation (EU) No 609/2013 and meal replacements for weight control	8 mg/meal defined in		
replacement for weight control as Regulation (EU) No 609/2013 and meal replacements for			
replacement for weight control as Regulation (EU) No 609/2013 and meal replacements for weight control	defined in		
replacement for weight control as Regulation (EU) No 609/2013 and meal replacements for weight control Breakfast cereals Fats and	defined in 5 mg/100 g		

			1	
	Bread (including crispy breads)	3 mg/100 g		
	Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the persons for whom the products are intended		
	Food supplements as defined in Directive 2002/46/EC	15 mg/day		
Lycopene from tomatoes	Specified food category	Maximum levels	The designation of the novel food	
	Fruit/vegetable juice-based drinks (including concentrates)	2,5 mg/100 g	on the labelling of the foodstuffs containing it shall be	
	Drinks intended to meet the expenditure of intense muscular effort especially for sportsmen	2,5 mg/100 g	'Lycopene'	
	Total diet replacement for weight control as defined in Regulation (EU) No 609/2013 and meal replacements for weight control	8 mg/meal		
	Breakfast cereals	5 mg/100 g		
	Fats and dressings	10 mg/100 g		
	Soups other than tomato soups	1 mg/100 g		
	Bread (including crispy breads)	3 mg/100 g		
	Foods for special medical	In accordance with the		

Status: Point in time view as at 20/12/2017.

	purposes as defined in Regulation (EU) No 609/2013	particular nutritional requirements of the persons for whom the products are intended		
Lycopene oleoresin from tomatoes	Specified food category	Maximum levels of lycopene	The designation of the novel food on the labelling	
	Fruit/vegetable juice-based drinks (including concentrates)	2,5 mg/100 g	of the foodstuffs containing it shall be 'Lycopene oleoresin from	
	Drinks intended to meet the expenditure of intense muscular effort especially for sportsmen	2,5 mg/100 g		
	Total diet replacement for weight control covby Regulation (EU) No 609/2013 and meal replacements for weight control	8 mg/meal vered		
	Breakfast cereals	5 mg/100 g	-	
	Fats and dressings	10 mg/100 g		
	Soups other than tomato soups	1 mg/100 g		
	Bread (including crispy breads)	3 mg/100 g		
	Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the persons for whom the products are intended		
Magnesium citrate malate	Specified food category	Maximum levels	The designation of the novel food on the labelling	

Magnolia Bark Extract	Food Supplements as defined in Directive 2002/46/EC Specified food category Mints (confectionary products) Chewing gum	Maximum levels 0,2 % for breath freshening purposes. Based on a 0,2 % maximum incorporation level and a	of the foodstuffs containing it shall be 'Magnesium citrate malate' The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Magnolia Bark Extract'	
	maximum gum/ mint size of 1,5 g each, each gum or mint serving will contain no more than 3 mg of magnolia bark extract.			
Maize-germ	Specified food category	Maximum levels	The designation of the novel food	
oil high in unsaponifiable matter	Food Supplements as defined in Directive 2002/46/EC	2 g/day	on the labelling of the foodstuffs containing it shall be 'Maize- germ oil extract'	
	Chewing gum	2 %		
Methylcellulose	Specified food category Edible ices Flavoured drinks Flavoured or unflavoured fermented milk products Cold desserts (dairy, fat, fruit, cereal, egg-based products) Fruit preparations (pulps, purees or compotes)	Maximum levels 2 %	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Methylcellulose'	Methylcellulose is not to be used in foods specially prepared for young children

Status: Point in time view as at 20/12/2017.

	Soups and broths		
(6S)-5- methyltetrahydro acid, glucosamine salt	Specified food 66 W egory	Maximum levels	The designation of the novel food on the labelling of the foodstuffs containing it shall be '(6S)-5-methyltetrahydrofolic acid, glucosamine salt' or '5MTHF-glucosamine'
	Food Supplements as defined in Directive 2002/46/EC as a source of folate		
Monomethylsilar (Organic	e <mark>&µв</mark> vified food category	Maximum levels of	The designation of the novel food
Silicon)		silicon	on the labelling
	Food Supplements as defined in Directive 2002/46/EC for adult population (in liquid form)	10,40 mg/day	of the food supplements containing it shall be 'Organic silicon (monomethylsilanetriol)'
Mycelial extract from Shiitake	Specified food category	Maximum levels	The designation of the novel food
mushroom	Bread products	2 ml/100 g	on the labelling
(Lentinula edodes)	Soft drinks	0,5 ml/100 ml	of the foodstuffs containing
	Ready prepared meals	2,5 ml per meal	it shall be 'extract from the mushroom
	Foods based on yoghurt	1,5 ml/100 ml	Lentinula edodes' or
	Food supplements as defined in Directive 2002/46/EC	2,5 ml per day dose	'extract from Shiitake mushroom'
Noni fruit juice (Morinda	Specified food category	Maximum levels	The designation of the novel food
citrifolia)	Pasteurised fruit and fruit nectar based drinks	30 ml with one serving (up to	on the labelling of the foodstuffs containing it

		100 % noni juice) or 20 ml twice a day, not more than 40 ml per day	shall be 'Noni juice' or 'Juice of Morinda citrifolia'
Noni fruit juice powder (Morinda citrifolia)	Food supplements as defined in Directive 2002/46/EC	6,6 g/day (equivalent to 30 ml of noni juice)	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Noni juice powder' or 'Juice powder of <i>Morinda citrifolia</i> '
Noni fruit puree and concentrate	Specified food category	Maximum levels	The designation of the novel food
(Morinda	James J	Fruit puree	on the labelling
citrifolia)	Candy/ confectionery	45 g/100 g	of the foodstuffs containing it shall be:
	Cereal bars	53 g/100 g	For
	Powdered nutritional drink mixes (dry weight)	53 g/100 g	fruit puree: 'Morinda citrifolia fruit
	Carbonated beverages	11 g/100 g	puree' or
	Ice cream & sorbet	31 g/100 g	'Noni fruit puree'
	Yoghurt	12 g/100 g	For
	Biscuits	53 g/100 g	fruit concentrate:
	Buns, cakes and pastries	53 g/100 g	'Morinda citrifolia
	Breakfast cereals (wholegrain)	88 g/100 g	fruit concentrate' or
	Jams and jellies in accordance with Directive 2001/113/EC	133 g/100 g Based on pre- processing quantity to produce final 100 g product	'Noni fruit concentrate'
	Sweet spreads, fillings and icings	31 g/100 g	

Status: Point in time view as at 20/12/2017.

		 ٦
Savoury sauces, pickles, gravies and condiments	88 g/100 g	
Food Supplements as defined in Directive 2002/46/EC	26 g/day	
	Fruit concentrate	
Candy/ Confectionery	10 g/100 g	-
Cereal bars	12 g/100 g	
Powdered nutritional drink mixes (dry weight)	12 g/100 g	
Carbonated beverages	3 g/100 g	
Ice cream & sorbet	7 g/100 g	
Yoghurt	3 g/100 g	
Biscuits	12 g/100 g	
Buns, cakes and pastries	12 g/100 g	
Breakfast cereals (wholegrain)	20 g/100 g	
Jams and jellies in accordance with Directive 2001/113/EC	30 g/100 g	
Sweet spreads, fillings and icings	7 g/100 g	
Savoury sauces, pickles, gravies and condiments	20 g/100 g	
Food Supplements as defined in Directive 2002/46/EC	6 g/day	
Specified food category	Maximum levels	1.

Noni leaves (Morinda citrifolia)	For the preparation of infusions	A cup of infusion to be consumed shall not be prepared with more than 1 g of dried and roasted leaves of Morinda citrifolia	of the novel food on the labelling of the foodstuffs containing it shall be 'Noni leaves' or 'leaves of Morinda citrifolia'.
			2. Instructions shall be given to the consumer that a cup of infusion should not be prepared with more than 1 g of dried and roasted leaves of Morinda citrifolia.
Noni fruit powder (Morinda citrifolia)	Specified food category Food Supplements as defined in Directive 2002/46/EC	Maximum levels 2,4 g per/day	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Morinda citrifolia fruit powder' or 'Noni fruit powder'

Status: Point in time view as at 20/12/2017.

Odontella aurita microalgae	Specified food category	Maximum levels	The designation of the novel food	
C	Flavoured pasta	1,5 %	on the labelling	
	Fish soups	1 %	of the foodstuffs containing	
	Marine terrines	0,5 %	it shall be 'Odontella	
	Broth preparations	1 %	aurita microalgae'	
	Crackers	1,5 %		
	Frozen breaded fish	1,5 %		
Oil enriched with phytosterols/ phytostanols	Specified food category	Maximum levels of phytosterols/ phytostanols	In accordance with Annex III.5 to Regulation (EU) No	
phytostanols	Spreadable fats as defined in Annex VII, Part VII, Appendix II points B and C, of Regulation (EU) No 1308/2013, and excluding cooking and frying fats and spreads based on butter or other animal fat Milk based products, such as products based on semiskimmed and skimmed milk products, possibly with the addition of fruits and/or cereals, products based on fermented milk such as yoghurt and cheese based	1. The products containing the novel food ingredies shall be presented in such a manner that they can be easily divided into portions that contain either a maximum of 3 g (in case of one portion per day)	nt d	
	products (fat content ≤ 12 g per 100 g), where possibly the milk fat has been reduced	or a maximum of 1 g (in case of three	m	

	and the fat or protein has been partly or fully replaced by vegetable fat or protein Soya drinks Salad dressings, mayonnaise and spicy sauces	phytos 2. The amour of	terols/ tanols. tt terols/ tanols ner ges l ngs, maise	
		single portion	ns.	
Oil extracted from squids	Specified food category	Maximum levels of DHA and EPA combined	The designation of the novel food on the labelling of the foodstuffs	
	Dairy products except milk- based beverages	200 mg/100 g or for cheese products 600 mg/100 g	containing it shall be 'Squid oil'.	
	Dairy analogues except drinks	200 mg/100 g of for analogues to cheese products 600 mg/100 g		
	Spreadable fat and dressings	600 mg/100 g		
	Breakfast cereals	500 mg/100 g		

	Bakery products (breads and bread rolls) Cereal bars Non-alcoholic beverages (including milk-based beverages) Food Supplements as defined in Directive 2002/46/EC	200 mg/100 g 500 mg/100 g 60 mg/100 ml 3 000 mg/day for general population 450 mg/day for pregnant and lactating women		
	Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the persons for whom the products intended		
	Total diet replacement for weight control def Regulation (EU) No 609/2013 and meal replacements for weight control			
Pasteurised fruit-based preparations produced using high-pressure treatment	Specified food category Types of fruit: apple, apricot, banana, blackberry, blueberry, cherry, coconut, fig, grape, grapefruit, mandarin, mango, melon, peach, pear, pineapple, prune, raspberry, rhubarb, strawberry	Maximum levels	The wording 'pasteurised by high-pressure treatment' shall be displayed next to the name of the fruit preparations as such and in any product in which it is used	

Status: Point in time view as at 20/12/2017.

Phosphated maize starch	Specified food category	Maximum levels	The designation of the novel food	
	Baked bakery products	15 %	on the labelling of the foodstuffs	
	Pasta		containing it shall be	
	Breakfast cereals		'Phosphated	
	Cereal bars		maize starch'	
Phosphatidylseri from fish phospholipids	nSpecified food category	Maximum levels of phosphatidylseri	The designation of the novel food of the labelling	
	Beverages based on yoghurt	50 mg/100 ml	of the foodstuffs containing it	
	Powders based on milk powders	3 500 mg/100 g (equivalent to 40 mg/100 ml ready to drink)	shall be 'Fish phosphatidylserine'	
	Foods based on yoghurt	80 mg/100 g		
	Cereal bars	350 mg/100 g		
	Chocolate based confectionary	200 mg/100 g		
	Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In compliance with Regulation (EU) No 609/2013		
	Food supplements as defined in Directive 2002/46/EC	300 mg/day		
Phosphatidylseri from soya phospholipids	nSpecified food category	Maximum levels of phosphatidylseri	The designation of the novel food	
	Beverages based on yoghurt	50 mg/100 ml	of the foodstuffs containing it	
	Powders based on milk powder	3,5 g/100 g (equivalent to 40 mg/100 ml ready to drink)	shall be 'Soya phosphatidylserine'	
	Foods based on yoghurt	80 mg/100 g		
	Cereal bars	350 mg/100 g		

	Chocolate based	200 mg/100 g]	
	confectionary	200 mg/100 g		
	Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In compliance with Regulation (EU) No 609/2013		
Phospholipid product containing	Specified food category	Maximum levels of phosphatidylseria	The designation of the novel food of the labelling	The product is not intended to be marketed
equal	Breakfast cereals	80 mg/100 g	of the foodstuffs	to pregnant or
amounts of phosphatidylseri	Cereal bars	350 mg/100 g	containing shall be 'Soy	breast-feeding women
and phosphatidic	Foods based on yogurt	80 mg/100 g	phosphatidylsering and phosphatidic	
acid	Soy-based yogurt-like products	80 mg/100 g	acid'	
	Yogurt based- drinks	50 mg/100 g		
	Soy-based yogurt-like drinks	50 mg/100 g		
Food Supple as defin in Dire	Powders based on milk powder	3,5 g/100 g (equivalent to 40 mg/100 ml ready-to drink)		
	Food Supplements as defined in Directive 2002/46/EC	800 mg/day		
	Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In compliance with Regulation (EU) No 609/2013		
Phospholipides	Specified food	Maximum		
from egg yolk	Not specified	levels		
Dhytoglygggg	Specified food	Maximum	The designation	
Phytoglycogen	category	levels	The designation of the novel food	
	Processed foods	25 %	on the labelling of the foodstuffs containing	

			it shall be 'Phytoglycogen'	
Phytosterols/ phytostanols	Specified food category	Maximum levels	In accordance with Annex III.5	
	Rice drinks	1 751	of Regulation	
	Rye bread with flour containing ≥ 50 % rye (wholemeal rye flour, whole or cracked rye kernels and rye flakes) and ≤ 30 % wheat; and with ≤ 4 % added sugar but no fat added.	1. They shall be presente in such a manner that they can be easily divided into portions	(EU) No 1169/2011 d	
	Salad dressings, mayonnaise and spicy sauces.	that contain either a maximi	m	
	Soya drink	of 3 g		
	Milk type products, such as semiskimmed and skimmed milk type products, possibly with the addition of fruits and/or cereals, where possibly the milk fat has been reduced, or where milk fat and/or protein has been partly or fully replaced by vegetable fat and/or protein. Products based	(in case of 1 portion/day) or a maximum of 1 g (in case of 3 portions, day) of added phytoste phytosta The amount of phytosterols/phytostanols added to a container of beverages shall	rols/	
	on fermented milk such as yoghurt and cheese type products (fat content < 12 % per 100 g), where possibly the milk fat has	not exceed 3 g. Salad dressings, mayonnaise and spicy sauces shall be packed as single portions		

Plum kernel oil	been reduced, or where milk fat and/or protein has been partly or fully replaced by vegetable fat and/or protein Spreadable fats as defined in Annex VII, Part VII, Appendix II points B and C, of Regulation (EU) No 1308/2007, and excluding cooking and frying fats and spreads based on butter or other animal fat. Specified food category For frying and as seasoning	Maximum levels In line with normal food use of vegetable oils		
Potato proteins (coagulated) and hydrolysates thereof	Not specified		The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Potato protein'	
Prolyl oligopeptidase (enzyme preparation)	Food Supplements as defined in Directive 2002/46/EC for general adult population	Maximum levels 120 PPU/day (2,7 g of enzyme preparation/day) (2 × 10 ⁶ PPI/ day) PPU – Prolyl Peptidase Units or Proline Protease Units PPI – Protease	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Prolyl oligopeptidase'	
Protein extract from pig kidneys	Specified food category	Picomole International Maximum levels		

	Food Supplements as defined in Directive 2002/46/EC Food for special medical purposes as defined in Regulation (EU) No 609/2013	3 capsules/day; equalizing 12,6 mg pig kidney extract a day Diamine oxidase (DAO) content: 0,9 mg/day (3 capsules with a content of DAO of 0,3 mg/ capsule)	
Rapeseed oil high in	Specified food category	Maximum levels	The designation of the novel food
unsaponifiable matter	Food Supplements as defined in Directive 2002/46/EC	1,5 g per portion recommended for daily consumption	on the labelling of the foodstuffs containing it shall be 'Rapeseed oil extract'
Rapeseed Protein	As a vegetable protein source in foods except in infant formula and follow-on formula		1. The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Rapeseed protein'. 2. Any foodstuff containing 'rapeseed protein' shall bear a statement that this ingredient may cause allergic reaction to consumers

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the

Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

who are allergic to mustard and products thereof. Where relevant, this statement shall appear in close proximity to the list of ingredients. Specified food Maximum Trans-1. The category levels resveratrol designation 150 mg/day Food of the Supplements novel as defined food in Directive on the 2002/46/EC for labelling adult population of the (capsule or tablet food form) supplements containing it shall be 'Transresveratrol'. 2. The labelling of food supplements containing transresveratrol shall bear a statement that people using medicines should

only consume

Trans-resveratrol (microbial source)	Specified food category Food supplements as defined in Directive 2002/46/EC	Maximum levels In line with normal use in food supplements of resveratrol extracted from Japanese knotweed (Fallopia japonica)	the product under medical supervis 1. The designat of the novel food on the labelling of the food supplem containing it shall be 'Trans-resverate 2. The labelling of food supplem containing trans-resverate shall bear a statement that people using medicing should only consume the product under medical supervis	ents ng ents ng ol at
Rooster comb extract	Specified food category	Maximum levels	The designation of the novel food	
	Milk-based drinks	40 mg/100 g or mg/100 ml	on the labelling of the foodstuffs containing	
	Milk based fermented drinks	80 mg/100 g or mg/100 ml	it shall be 'Rooster comb extract' or	

Status: Point in time view as at 20/12/2017.

	Yoghurt-type products	65 mg/100 g or mg/100 ml	'Cockerel comb extract'
	Fromage frais	110 mg/100 g or mg/100 ml	
Sacha Inchi oil from <i>Plukenetia</i>	Specified food category	Maximum levels	The designation of the novel food
volubilis	As for linseed oil	In line with normal food use of linseed oil	on the labelling of the foodstuffs containing it shall be 'Sacha inchi oil (Plukenetia volubilis)'
Salatrims	Specified food category	Maximum levels	1. The
	Bakery products and confectionary	levels	designation of the novel food on the labelling of the foodstuffs containing it shall be 'reduced energy fat (salatrims)'. There shall be a statement that excessive consumption may lead to gastrointestinal disturbance. There shall be a statement that excessive consumption may lead to gastrointestinal disturbance.

			for use by children.	
Schizochytrium sp. oil rich in DHA and EPA	Specified food category	Maximum levels of DHA and EPA combined	The designation of the novel food on the labelling of the foodstuffs	
	Food Supplements as defined in Directive 2002/46/EC for adult population excluding pregnant and lactating women	3 000 mg/day	containing it shall be 'DHA and EPA-rich oil from the microalgae Schizochytrium sp.'	
	Food Supplements as defined in Directive 2002/46/EC for pregnant and lactating women	450 mg/day		
	Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the persons for whom the products are intended		
	Total diet replacement for weight control as in Regulation (EU) No 609/2013 and meal replacements for weight control	250 mg/meal defined		
	Milk-based drinks and similar products intended for young children	200 mg/100 g		
	Processed cereal based food and baby food for			

infants and young children as defined in Regulation (EU) No 609/2013 Foods intended to meet the expenditure of intense muscular effort, especially for sportsmen Foods bearing statements on the absence or reduced presence of gluten in accordance with the requirements of Commission Implementing Regulation (EU) No 828/2014 Bakery Products (Breads, Rolls and Sweet Biscuits)	200 mg/100 g
Breakfast Cereals	500 mg/100 g
Cooking Fats	360 mg/100 g
Dairy Analogues except drinks	600 mg/100 g for cheese; 200 mg/100 g for soy and imitation milk products (excluding drinks)
Dairy Products except milk- based drinks	600 mg/100 g for cheese; 200 mg/100 g for milk products (including milk, fromage frais and yoghurt products; excluding drinks)
Non-alcoholic Beverages	80 mg/100 g

	(including dairy analogue and milk-based drinks) Cereal/Nutrition Bars Spreadable Fats and Dressings	500 mg/100 g 600 mg/100 g		
Schizochytrium sp. (ATCC	Specified food category	Maximum levels of DHA	The designation of the novel food	
PTA-9695) oil	Dairy products except milk- based drinks	200 mg/100 g or for cheese products 600 mg/100 g	on the labelling of the foodstuffs containing it shall be 'Oil	
	Dairy analogues except drinks	200 mg/100 g or for analogues to cheese products 600 mg/100 g	from the microalgae <i>Schizochytrium</i> sp. (ATCC PTA-9695)'	
	Spreadable fats and dressings	600 mg/100 g		
	Breakfast cereals	500 mg/100 g		
	Food Supplements as defined	250 mg DHA/ day for general population		
	in Directive 2002/46/EC	450 mg DHA/ day for pregnant and lactating women		
	Total diet replacement for weight control as in Regulation (EU) No 609/2013 and meal replacements for weight control	250 mg/meal defined		
	Milk-based drinks and similar products intended for young children	200 mg/100 g		
	Foods intended to meet the expenditure of intense muscular			

effort, especially for sportsmen Foods bearing statements on the absence or reduced presence of gluten in accordance with the requirements of Commission Implementing Regulation (EU) No 828/2014	
Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the persons for whom the products are intended
Bakery products (breads,rolls, and, sweet biscuits)	200 mg/100 g
Cereal bars	500 mg/100 g
Cooking fats	360 mg/100 g
Non-alcoholic beverages (including dairy analogue and milk-based drinks)	80 mg/100 ml
Infant formula and follow- on formula as defined in Regulation (EU) No 609/2013	In accordance with Regulation (EU) No 609/2013
Processed cereal-based foods and baby foods for infants and young children as defined in	200 mg/100 g

~	Regulation (EU) No 609/2013	Marian		
Schizochytrium sp. oil	Specified food category	Maximum levels of DHA	The designation of the novel food	
	Dairy products except milk- based drinks	200 mg/100 g or for cheese products 600 mg/100 g	on the labelling of the foodstuffs containing it shall be 'Oil from the	
	Dairy analogues except drinks	200 mg/100 g or for analogues to cheese products 600 mg/100 g	microalgae Schizochytrium sp.'	
	Spreadable fats and dressings	600 mg/100 g		
	Breakfast cereals	500 mg/100 g		
	Food Supplements as defined	250 mg DHA/ day for general population		
	in Directive 2002/46/EC	450 mg DHA/ day for pregnant and lactating women		
	Total diet replacement for weight control as in Regulation (EU) No 609/2013 and meal replacements for weight control	250 mg/meal defined		
	Milk-based drinks and similar products intended for young children	200 mg/100 g		
	Processed cereal-based foods and baby foods for infants and young children as defined in Regulation (EU) No 609/2013			
	Foods intended to meet the			

Schizochytrium sp. (T18) oil

Status: Point in time view as at 20/12/2017.

expenditure of intense muscular effort, especially for sportsmen			
Foods bearing statements on the absence or reduced presence of gluten in accordance with the requirements of Commission Implementing Regulation (EU) No 828/2014			
Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the persons for whom the products are intended		
Bakery products (breads, rolls and sweet biscuits)	200 mg/100 g		
Cereal bars	500 mg/100 g		
Cooking fats	360 mg/100 g		
Non-alcoholic beverages (including dairy analogue and milk-based drinks)	80 mg/100 ml		
Specified food category	Maximum levels of DHA	The designation of the novel food	
Dairy products except milk- based drinks	200 mg/100 g or for cheese products 600 mg/100 g	on the labelling of the foodstuffs containing it shall be 'Oil from the	
Dairy analogues except drinks	200 mg/100 g or for analogues to cheese products 600 mg/100 g	microalgae Schizochytrium sp.'	
Spreadable fats and dressings	600 mg/100 g		

Breakfast cereals	500 mg/100 g
Food Supplements as defined	250 mg DHA/ day for general population
in Directive 2002/46/EC	450 mg DHA/ day for pregnant and lactating women
Total diet	250 mg/meal
replacement for weight control as in Regulation (EU) No 609/2013	defined
and meal replacements for weight control	
Milk-based drinks and similar products intended for young children	200 mg/100 g
Foods intended to meet the expenditure of intense muscular effort, especially for sportsmen	
Foods bearing statements on the absence or reduced presence of gluten in accordance with the requirements of Commission Implementing Regulation (EU) No 828/2014	
Foods for special medical purposes as defined in Regulation (EU) No 609/2013	In accordance with the particular nutritional requirements of the persons for whom the products are intended

	Bakery products (breads, rolls and, sweet biscuits)	200 mg/100 g			
	Cereal bars	500 mg/100 g			
	Cooking fats	360 mg/100 g			
	Non-alcoholic beverages (including dairy analogue and milk-based drinks)	80 mg/100 ml			
	Infant formula and follow- on formula as defined in Regulation (EU) No 609/2013	In accordance with Regulation (EU) No 609/2013			
	Processed cereal-based foods and baby foods for infants and young children as defined in Regulation (EU) No 609/2013	200 mg/100 g			
Fermented soybean extract	Specified food category	Maximum levels	1.	The	
	Food Supplements as defined in Directive 2002/46/EC (capsules, tablets or powder form) intended for the adult population, excluding pregnant and lactating women	100 mg/day		designation of the novel food on the labelling of the foodstuff containing it shall be 'Ferment soybean extract'.	`s ug
			2.	The labelling of food supplementer containing fermenter	ıg

			soybean extract shall bear a statement that persons taking medicati should only consume the product under medical supervis	on
Spermidine- rich wheat germ extract (<i>Triticum</i> aestevium)	Specified food category Food Supplements as defined in Directive 2002/46/EC intended for the adult population	Maximum levels Equivalent of max. 6 mg/day spermidine	The designation of the novel food on the labelling of the food supplements containing it shall be 'spermidine-rich wheat germ extract'	
Sucromalt	Specified food category Not specified	Maximum levels	1. The designat of the novel food on the labelling of the foodstuf containing it shall be 'Sucrom' 2. The designat of the novel food on the labelling shall be accompably	fs ng alt'.

			indication that the product is a source of glucose and fructose.	n
Sugar cane fibre	Specified food category	Maximum levels		
	Bread	8 %		
	Bakery goods	5 %		
	Meat and muscle products	3 %		
	Seasonings and spices	3 %		
	Grated cheeses	2 %		
	Special diet foods	5 %		
	Sauces	2 %		
	Beverages	5 %		
Sunflower oil extract	Specified food category	Maximum levels	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Sunflower oil extract'	
	Food Supplements as defined in Directive 2002/46/EC	1,1 g/day		
Dried Tetraselmis	Specified food category	Maximum levels	The designation of the novel food	
chuii microalgae	Sauces	20 % or 250 mg/ day	on the labelling of the foodstuffs	
	Special salts	1 %	containing it shall be 'Dried	
	Condiment	250 mg/day	microalgae Tetraselmis	
	Food Supplements as defined in Directive 2002/46/EC	250 mg/day	chuii' or 'Dried microalgae T. chuii' Food supplements containing dried microalgae Tetraselmis chuii shall bear	

Therapon barcoo/Scortum	Intended use ident salmon, namely th culinary fish produ including cooked, baked fish product	e preparation of acts and dishes, raw, smoked and	the followstatement 'Contain negligible amounts iodine'	t: s e	
D-Tagatose	Specified food category Not specified	Maximum levels	2.	The designat of the novel food on the labelling of the foodstuff containing it shall be 'D-Tagatose The labelling of any product where the level of D-Tagatose exceeds 15 g per serving and all beverage containing greater than 1 % D-Tagatose (as consume shall bear a statemen 'excessive the sexceeds than 1 % D-Tagatose (as consume shall bear a statemen 'excessive the sexceeds than 1 % D-Tagatose (as consume shall bear a statemen 'excessive the sexceeds than 1 % D-Tagatose (as consume shall bear a statemen 'excessive the sexcessive than 1 % D-Tagatose (as consume shall bear a statemen 'excessive the sexcessive than 1 % D-Tagatose (as consume shall bear a statemen 'excessive the sexcessive than 1 % D-Tagatose (as consume shall bear a statemen 'excessive the sexcessive than 1 % D-Tagatose (as consume shall bear a statemen 'excessive the sexcessive than 1 % D-Tagatose (as consume shall bear a statemen 'excessive the sexcessive than 1 % D-Tagatose (as consume shall bear a statemen 'excessive the sexcessive the sexcessive the sexcessive than 1 % D-Tagatose (as consume shall bear a statemen 'excessive the sexcessive the sex	fs ng es ng es ng et d)

Status: Point in time view as at 20/12/2017.

			consump may produce laxative effects'.	tion
Taxifolin-rich extract	Specified food category Food Supplements as defined in Directive 2002/46/EC intended for the general population, excluding infants, young children, children and adolescents younger than 14 years	Maximum levels 100 mg/day	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'taxifolin-rich extract'.	
Trehalose	Specified food category Not specified	Maximum levels	1. The designat of the novel food on the labelling of the foodstuficontaining it shall be 'Trehalo and shall be displayed on the labelling of the product as such or in the list of ingredies of foodstuficontaining it.	fs ng se' d

Status: Point in time view as at 20/12/2017.

			2.	The designation of the novel food on the labelling shall be accompanied by indication that the 'Trehalose is a source of glucose'.
UV-treated mushrooms (Agaricus	Specified food category	Maximum levels of vitamin D ₂		
bisporus)	Mushrooms (Agaricus bisporus)	10 μg of vitamin D ₂ /100 g fresh weight	2.	The designation on the label of the novel food as such or of the foodstuffs containing it shall be 'UV-treated mushrooms (Agaricus bisporus)'. The designation on the label of the novel food as such or of the foodstuffs containing it shall

UV-treated baker's yeast (Saccharomyces cerevisiae) UV-treated bread	Specified food category Yeast-leavened breads and rolls Yeast-leavened fine bakery wares Food Supplements as defined in Directive 2002/46/EC Specified food category Yeast leavened	Maximum levels of vitamin D ₂ 5 μg of vitamin D ₂ /100 g 5 μg of vitamin D ₂ /100 g Maximum levels of vitamin D ₂ 3 μg vitamin	be accompaty indication that a 'controll light treatmen was used to increase vitamin D levels' or 'UV treatmen was used to increase vitamin D2 levels'. The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Vitamin D yeast' or 'Vitamin D2 yeast' The designation on the label of the novel food shall be 'of the novel food shall be	n ed t
	Yeast leavened bread and rolls (without toppings)	3 μg vitamin D ₂ /100 g	-	
UV-treated milk	Specified food category Pasteurised whole milk as defined in	Maximum levels of vitamin D ₃ 5-32 μg/kg for general	1. The designate on the label of the	ion

Regulation (EU) No 1308/2013 to be consumed as such	population excluding infants	novel food shall be 'UV-
Pasteurised semi-skimmed milk as defined in Regulation (EU) No 1308/2013 to be consumed as such	1-15 µg/kg for general population excluding infants	treated'. 2. Where UV-treated milk contains an amount of vitamin D that is considered significant in accordance with Point 2 of Part A of Annex XIII to Regulation (EU) No 1169/2011 of the European Parliament and of the Council, the designation for the labelling shall be accompanied by 'contains vitamin D produced by UV-treatment' or 'milk containing vitamin D resulting

Vitamin K ₂ (menaquinone)	To be used in com Directive 2002/46 (EU) No 609/2013 Regulation (EC) N	EC, Regulation and/or	from UV- treatmen The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Menaquinone' or 'Vitamin K ₂ '	t'.
Wheat bran extract	Specified food category	Maximum levels	The designation of the novel food	The 'Wheat Bran Extract' may not
	Beer and substitutes	0,4 g/100 g	on the labelling of the foodstuffs containing it shall be 'Wheat bran extract'	be introduced onto the market as a food supplement or food supplement ingredient. Nor may it be added to infant formula.
	Ready to eat cereals	9 g/100 g		
	Dairy products	2,4 g/100 g		
	Fruit and vegetable juices	0,6 g/100 g		
	Soft drinks	0,6 g/100 g		
	Meat preparations	2 g/100 g		
Yeast beta- glucans	Specified food category	Maximum levels of pure beta-glucans from yeast (Saccharomyces cervisiae)	The designation of the novel food on the labelling of the foodstuffs containing it shall be 'Yeast	
	supplements c as defined the supplements c in Directive a construction produced prod	1,275 g/day for children older than 12 years and general adult population 0,675 g/day for children younger than 12 years	(Saccharomyces cerevisiae) beta-glucans'	
	Total diet replacement for weight control as in Regulation (EU) No 609/2013	1,275 g/day defined		
	Food for special medical purposes as	1,275 g/day		

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

defined in Regulation (EU) No 609/2013, excluding food for special medical purposes intended for infants and young children	
Beverages based on fruit and/ or vegetable juices including concentrate and dehydrated juices	1,3 g/kg
Fruit-flavoured drinks	0,8 g/kg
Cocoa beverages preparation powder	38,3 g/kg (powder)
Other beverages	0,8 g/kg (ready to drink)
	7 g/kg (powder)
Cereal bars	6 g/kg
Breakfast cereals	15,3 g/kg
Wholegrain and high fibre instant hot breakfast cereals	1,5 g/kg
Cookie-type biscuits	6,7 g/kg
Cracker-type biscuits	6,7 g/kg
Milk based beverages	3,8 g/kg
Fermented milk products	3,8 g/kg
Milk product analogues	3,8 g/kg
Dried milk/milk powder	25,5 g/kg

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the
Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

	Soups and soup mixes Chocolate and confectionery Protein bars and powders Jam, marmalade and other fruit	0,9 g/kg (ready to eat) 1,8 g/kg (condensed) 6,3 g/kg (powder) 4 g/kg 19,1 g/kg 11,3 g/kg		
Zeaxanthin	spreads Specified food	Maximum	The designation	
	Food Supplements as defined in Directive 2002/46/EC	levels 2 mg/day	of the novel food on the labelling of the foodstuffs containing it shall be 'synthetic zeaxanthin'	
Zinc L-pidolate	Specified food category	Maximum levels	The designation of the novel food	
Foods covered by Regulation (EU) No 609/2013	Foods covered by Regulation (EU) No		on the labelling of the foodstuffs containing it shall be 'Zinc L- pidolate'	
	praorate			
	Meal replacement for weight control			
	Foods intended to meet the expenditure of intense muscular effort, especially for sportsmen			
	Food bearing statement on the absence or reduced presence of gluten in			

ANNEX

Document Generated: 2024-04-18

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

accordance with the requirements of Commission Implementing Regulation (EU) No 828/2014	
Food Supplements as defined in Directive 2002/46/EC	

- Regulation (EU) No 609/2013 of the European Parliament and of the Council of 12 June 2013 on food intended for infants and young children, food for special medical purposes, and total diet replacement for weight control and repealing Council Directive 92/52/EEC, Commission Directives 96/8/EC, 1999/21/EC, 2006/125/EC and 2006/141/EC, Directive 2009/39/EC of the European Parliament and of the Council and Commission Regulations (EC) No 41/2009 and (EC) No 953/2009 (OJ L 181, 29.6,2013, p. 35).
- b Commission Implementing Regulation (EU) No 828/2014 of 30 July 2014 on the requirements for the provision of information to consumers on the absence or reduced presence of gluten in food (OJ L 228, 31.7.2014, p. 5).
- c Directive 2002/46/EC of the European Parliament and of the Council of 10 June 2002 on the approximation of the laws of the Member States relating to food supplements (OJ L 183, 12.7.2002, p. 51).
- d Regulation (EC) No 1925/2006 of the European Parliament and of the Council of 20 December 2006 on the addition of vitamins and minerals and of certain other substances to foods (OJ L 404, 30.12.2006, p. 26)
- e Council Directive 2001/113/EC of 20 December 2001 relating to fruit jams, jellies and marmalades and sweetened chestnut purée intended for human consumption (OJ L 10, 12.1.2002, p. 67)
- f Regulation (EU) No 1308/2013 of the European Parliament and of the Council of 17 December 2013 establishing a common organisation of the markets in agricultural products and repealing Council Regulation (EEC) No 922/72, (EEC) No 234/79, (EC) No 1037/2001 and (EC) 1234/2007 (OJ L 347, 20.12.2013, p. 671).

TABLE 2: SPECIFICATIONS

Authorised Novel Food	Specification
N-Acetyl-	Description:
D-	<i>N</i> -Acetyl-D-neuraminic acid is a white to off-white crystalline powder
neuraminic	Definition:
acid	Chemical name:
	IUPAC names:
	N-Acetyl-D-neuraminic acid (dihydrate)
	5-Acetamido-3,5-dideoxy-D-glycero-D-galacto-non-2-
	ulopyranosonic acid (dihydrate),
	Synonyms:
	Sialic acid (dihydrate)
	Chemical formula:
	$C_{11}H_{19}NO_9$ (acid)
	$C_{11}H_{23}NO_{11}$ ($C_{11}H_{19}NO_9 * 2H_2O$) (dihydrate)
	Molecular mass:

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

309,3 Da (acid)

345,3 (309,3 + 36,0) (dihydrate)

CAS No.:

131-48-6 (free acid)

50795-27-2 (dihydrate)

Specifications:

Description: white to off-white crystalline powder

pH (20 °C, 5 % solution): 1,7 – 2,5

N-Acetyl-D-neuraminic acid (dihydrate): > 97,0 %Water (dihydrate calculates to 10,4 %): $\le 12,5 \%$ (w/w)

Ash, sulphated: < 0.2 % (w/w)

Acetic acid (as free acid and/or sodium acetate): < 0.5 % (w/w)

Heavy Metals:

Iron: < 20,0 mg/kg

Lead: < 0.1 mg/kg

Residual proteins: < 0.01 % (w/w)

Residual solvents:

2-Propanol: < 0.1 % (w/w) Acetone: < 0.1 % (w/w) Ethyl acetate: < 0.1 % (w/w)

Microbiological criteria:

Salmonella: Absence in 25 g

Aerobic mesophilic total count: < 500 CFU/g

Enterobacteriaceae: Absence in 10 g

Cronobacter (Enterobacter) sakazakii: Absence in 10 g

Listeria monocytogenes: Absence in 25 g

Bacillus cereus: < 50 CFU/g

Yeasts: < 10 CFU/g Moulds: < 10 CFU/g

Residual endotoxins: < 10 EU/mg

CFU: Colony Forming Units; EU: Endotoxin Units.

Adansonia digitata (Baobab) dried fruit

pulp

Description/Definition:

The Baobab (*Adansonia digitata*) fruits are harvested from trees. The hard shells are cracked open and the pulp is separated from the seeds and the shell. This is milled, separated into coarse and fine lots (particle size 3 to 600 μ) and then packaged.

Typical nutritional components:

Moisture (loss on drying) (g/100 g): 4,5-13,7

Protein (g/100 g): 1,8-9,3 Fat (g/100 g): 0-1,6

Total carbohydrate (g/100 g): 76,3-89,5 Total sugars (as glucose): 15,2-36,5

Sodium (mg/100 g): 0,1-25,2 **Analytical specifications:**

Foreign matter: Not more than 0,2 %

Moisture (loss on drying) (g/100 g): 4,5-13,7

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

	Ash (g/100 g): 3,8-6,6
Ajuga reptans extract from cell cultures	Description/Definition: Hydroalcoholic extract from <i>Ajuga reptans</i> L. tissue cultures which is substantially equivalent to extracts from flowering aerial parts of <i>Ajuga reptans</i> obtained by traditional cultures.
L- Alanyl-L- Glutamine	Description/Definition: L-Alanyl-L-Glutamine is produced by fermentation with a genetically modified strain of <i>Escherichia coli</i> . During the fermentation process, the ingredient is secreted into the growth medium from which it is subsequently separated and purified to a concentration of > 98 %. Appearance: White crystalline powder Purity: > 98 % Infrared spectroscopy: Conformity with ref. standard Appearance of solution: Colourless and clear Assay (dry basis): 98-102 % Related substances (each): ≤ 0,2 % Residue on ignition: ≤ 0,1 % Loss on drying: ≤ 0,5 % Optical rotation: $+$ 9,0 $+$ 11,0° pH (1 %; H ₂ O): 5,0-6,0 Ammonium (NH ₄): ≤ 0,020 % Chloride (Cl): ≤ 0,020 % Sulphate (SO ₄): ≤ 0,020 % Microbiological criteria: <i>Escherichia coli</i> : Absence/g
Algal oil from the microalgae <i>Ulkenia</i> sp.	Description/Definition: Oil from the micro-algae $Ulkenia$ sp. Acid value: ≤ 0.5 mg KOH/g Peroxide value (PV): ≤ 5.0 meq/kg oil Moisture and volatiles: ≤ 0.05 % Unsaponifiables: ≤ 4.5 % Trans-fatty acids: ≤ 1.0 % DHA content: ≥ 32 %
Allanblacki seed oil	Allanblackia seed oil is obtained from the seeds of the allanblackia species: A. floribunda (synonymous with A. parviflora) and A. stuhlmannii. Composition of fatty acids: Lauric acid (C12:0): < 1,0 % Myristic acid (C14:0): < 1,0 % Palmitic acid (C16:1): < 1,0 % Palmitoleic acid (C16:1): < 1,0 % Stearic acid (C18:0): 45-58 % Oleic acid (C18:1): 40-51 % Linoleic acid (C18:2): < 1,0 %

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

γ-Linolenic acid (C18:3): < 1,0 % Arachidic acid (C20:0): < 1,0 % Free fatty acids: max 0,1 %

Characteristics:

Trans fatty acids: max 0,5 % Peroxide value: max 0,8 meq/kg Iodine value: < 46 g/100 g Unsaponifiable matter: max 1,0 %

Saponification value: 185-198 mg KOH/g

Aloe macroclada Baker leaf extract

Description/Definition:

Powdered gel extract derived from the leaves of *Aloe macroclada* Baker which is substantially equivalent to the same gel derived from Aloe vera L. Burm.

leaves. Ash: 25 %

Dietary fibres: 28,6 %

Fat: 2,7 % Moisture: 4,7 % Polysaccharides: 9,5 % Protein: 1,63 % Glucose: 8,9 %

Antarctic Krill oil from Euphausia superba

Description/Definition:

To produce lipid extract from Antarctic Krill (*Euphausia superba*) deepfrozen crushed krill or dried krill meal is subjected to lipid extraction with an approved extraction solvent (under Directive 2009/32/EC). Proteins and krill material are removed from the lipid extract by filtration. The extraction solvents and residual water are removed by evaporation.

Saponification value: $\leq 230 \text{ mg KOH/g}$ Peroxide value (PV): $\leq 3 \text{ meq O }_2\text{/kg oil}$

Moisture and volatiles: ≤ 3 % or 0,6 expressed as water activity at 25 °C

Phospholipids: 35-50 % Trans-fatty acids: ≤ 1 %

EPA (eicosapentaenoic acid): $\geq 9 \%$ DHA (docosahexaenoic acid): $\geq 5 \%$

Antarctic Krill oil

Description/Definition:

rich in phospholipi

Oil rich in phospholipids is produced from Antarctic krill (*Euphausia superba*) by repeated solvent washings with an approved solvent (under Directive **£2**009/32/EC) to increase phospholipid content of the oil. Solvents are removed

from

Euphausia
superba

from the final product by evaporation. Saponification value: $\leq 230 \text{ mg KOH/g}$ Peroxide value (PV): $\leq 3 \text{ meq O}_2/\text{kg oil}$

Oxidative stability: All food products containing Antarctic Krill oil rich in phospholipids from *Euphausia superba* should demonstrate oxidative stability by appropriate and recognised national/international test methodology (e.g. AOAC).

Moisture and volatiles: ≤ 3 % or 0,6 expressed as water activity at 25 °C

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Phospholipids: $\geq 60 \%$ Trans-fatty acids: $\leq 1 \%$

EPA (eicosapentaenoic acid): $\geq 9 \%$ DHA (docosahexaenoic acid): $\geq 5 \%$

Arachidonic Description/Definition:

acid-rich oil from the fungus Mortierella alpina

The clear yellow arachidonic acid-rich oil is obtained by fermentation of the non-genetically modified strains IS-4, I49-N18 and FJRK-MA01 of the fungus *Mortierella alpina* using a suitable liquid. The oil is then extracted from the biomass and purified.

Arachidonic acid: ≥ 40 % by weight of the total fatty acid content

Free fatty acids: ≤ 0.45 % of the total fatty acid content Trans fatty acids: ≤ 0.5 % of the total fatty acid content

Unsaponifiable matter: $\leq 1,5 \%$ Peroxide value: ≤ 5 meq/kg Anisidin value: ≤ 20 Acid value: $\leq 1,0$ KOH/g Moisture: $\leq 0,5 \%$

Argan oil from Argania spinosa

Description/Definition:

Argan oil is the oil obtained by cold pressing of the almond like kernels of the fruits of *Argania spinosa* (L.) Skeels. Kernels may be roasted prior to pressing, but with no direct contact with a flame.

Composition:

Palmitic acid (C16:0): 12-15 % Stearic acid (C18:0): 5-7 % Oleic acid (C18:1): 43-50 % Linoleic acid (C18:2): 29-36 % Unsaponifiable matter: 0,3-2 % Total sterols: 100-500 mg/100 g Total tocopherols: 16-90 mg/100 g

Oleic acidity: 0,2-1,5 %

Peroxide value: < 10 meq O₂/kg

Astaxanthin-Description/Definition:

rich oleoresin from *Haematococc* pluvialis algae

Astaxanthin is a carotenoid produced by *Haematococcus pluvialis* algae. Production methods for the growth of the algae are variable; using closed systems exposed to sunlight or strictly controlled illuminated light alternatively company be used. The algal cells are harvested and dried; the oleoresin is extracted using either super critical CO₂ or a solvent (ethyl acetate). The Astaxanthin is diluted and standardized to 2,5 %, 5,0 %, 7,0 %, 10 %, 15 %

or 20 % using olive oil, safflower oil, Sunflower oil or MCT (Medium Chain Triglycerides).

Composition of the Oleoresin:

Fat: 42,2- 99 % Protein: 0,3-4,4 % Carbohydrae: 0-52,8 %

Fibre: < 1.0 %

Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Ash: 0,0-4,2 %

Specification of Carotenoids w/w% Total Astaxanthins: 2,9-11,1 % 9-cis-astaxanthin: 0,3-17,3 % 13-cis-astaxanthin: 0,2-7,0 %

Astaxanthin monoesters: 79,8-91,5 % Astaxanthin diesters: 0,16-19,0 %

B-Carotene: 0,01-0,3 %

Lutein: 0-1,8 %

Canthaxanthin: 0-1,30 % Microbiological criteria:

Total aerobic bacteria: < 3 000 CFU/g Yeast and Moulds: < 100 CFU/g

Coliforms: < 10 CFU/g E. coli: Negative Salmonella: Negative Staphylococcus: Negative

Basil seeds (Ocimum basilicum)

Description/Definition:

Basil (*Ocimum basilicum* L.) belongs to the family '*Lamiaceae*' within the order 'Lamiales'. Post-harvest the seeds are cleaned mechanically. Flowers, leaves and other parts of the plant are removed. Highest level of purity of Basil seeds has to be ensured by filtering (optical, mechanical). Production process of fruit juice and fruit/vegetable blend beverages containing Basil seeds (*Ocimum basilicum* L.) includes seed pre-hydration and pasteurisation steps. Microbiological controls and monitoring systems are in place.

Dry Matter: 94,1 % Protein: 20,7 % Fat: 24,4 %

Carbohydrate: 1,7 %

Dietary Fibre 40,5 % (Method: AOAC 958.29)

Ash: 6,78 %

Fermented black bean extract

Description/Definition:

Fermented black bean extract (Touchi extract) is a fine light-brown proteinrich powder obtained by water extraction of small soybeans (*Glycine max* (*L.*) *Merr.*) fermented with *Aspergillus oryzae*. The extract contains an α -glucosidase inhibitor.

Characteristics:

Fat: ≤ 1,0 % Protein: ≥ 55 % Water: ≤ 7,0 % Ash: ≤ 10 %

Carbohydrate: ≥ 20 %

a-glucosidase inhibitory activity: IC50 min 0,025 mg/ml

Soy isoflavone: $\leq 0.3 \text{ g/}100 \text{ g}$

Bovine lactoferrin

Description/Definition:

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Bovine lactoferrin is a protein that occurs naturally in cows' milk. It is an iron-binding glycoprotein of approximately 77 kDa and consists of a single polypeptide chain of 689 amino acids.

Production process: Bovine lactoferrin is isolated from skimmed milk or cheese whey via ion exchange and subsequent ultra-filtration steps. Finally it is dried by freeze drying or spraying and the large particles are sieved out. It is a virtually odourless, light pinkish powder.

Physical-Chemical properties of Bovine lactoferrin:

Moisture: < 4,5 %

Ash: < 1,5 %

Arsenic: < 2.0 mg/kgIron: < 350 mg/kgProtein: > 93 %

of which bovine lactoferrin: > 95 % of which other proteins: < 5.0 % pH (2 % solution, 20 °C): 5,2-7,2

Solubility (2 % solution, 20 °C): complete

Buglossoides Description/Definition:

arvensis seed oil

Refined Buglossoides oil is extracted from the seeds of *Buglossoides arvensis*

(L.) I.M.Johnst

Alpha-linolenic acid: $\geq 35 \%$ w/w of total fatty acids Stearidonic acid: $\geq 15 \%$ w/w of total fatty acids Linoleic acid: $\geq 8.0 \%$ w/w of total fatty acids Trans fatty acids: ≤ 2.0 % w/w of total fatty acids

Acid value: $\leq 0.6 \text{ mg KOH/g}$ Peroxide value: $\leq 5.0 \text{ meq } O_2/\text{kg}$ Unsaponifiable content: $\leq 2.0 \%$

Protein content (total nitrogen): $\leq 10 \,\mu\text{g/ml}$

Pyrrolizidine alkaloids: Not detectable with a detection limit of 4,0 µg/kg

Calanus

Description/Definition:

oil

finmarchicus The novel food is ruby coloured, slightly viscous oil with a slight shellfish odour extracted from the crustacean (marine zooplankton) Calanus

finmarchicus. The ingredient consists primarily of wax esters (> 85 %) with minor amounts of triglycerides and other neutral lipids.

Specifications:

Water: < 1,0 % Wax esters: > 85 %Total fatty acids: > 46 %

Eicosapentaenoic acid (EPA): > 3,0 % Docosahexaenoic acid (DHA): > 4,0 %

Total fatty alcohols: > 28 % C20:1 n-9 fatty alcohol: > 9,0 % C22:1 n-11 fatty alcohol: > 12 % Trans fatty acids: < 1,0 % Astaxanthinesters: < 0,1 % Peroxide value: < 3,0 meq. O₂/kg

Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012,

Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Chewing Description/Definition:

gum base The novel food ingredient is a synthetic polymer (Patent

(monomethoxypdlyethylene glycol) It consists of branched polymers of monomethoxypolyethylene glycol (MPEG) grafted onto polyis

monomethoxypolyethylene glycol (MPEG) grafted onto polyisoprene-graft-maleic anhydride (PIP-g-MA), and unreacted MPEG (less than 35 % by

weight).

White to off-white colour. CAS No.: 1246080-53-4

CAS No.: 1246080-53
Characteristics:
Moisture: < 5,0 %

Aluminium: < 3,0 mg/kg Lithium: < 0,5 mg/kg Nickel: < 0,5 mg/kg

Residual anhydride: < 15 µmol/g Polydispersity index: < 1,4 Isoprene: < 0,05 mg/kg Ethylene oxide: < 0,2 mg/kg Free maleic anhydride: < 0,1 %

Total oligomeres (less than 1 000 Dalton): \leq 50 mg/kg

Ethylene glycol: < 200 mg/kg Diethylene glycol: < 30 mg/kg

Monoethylene glycol methyl ether: < 3,0 mg/kg Diethylene glycol methyl ether: < 4,0 mg/kg Triethylene glycol methyl ether: < 7,0 mg/kg

1,4-Dioxane: < 2,0 mg/kg Formaldehyde: < 10 mg/kg

Chewing Description/Definition:

gum base (Methyl vinyl Methyl vinyl ether-maleic anhydride copolymer is an anhydrous copolymer of

methyl vinyl ether and maleic anhydride. Free-flowing, white to white-off powder

ether-

CAS No: 9011-16-9

maleic anhydride copolymer) **Purity:** Assay value: At least 99,5 % in dry matter

Specific viscosity (1 % MEK): 2-10 Residual methyl vinyl ether: ≤ 150 ppm Residual maleic anhydride: ≤ 250 ppm

Acetaldehyde: ≤ 500 ppm Methanol: ≤ 500 ppm Dilauroyl peroxide: ≤ 15 ppm

Total heavy metals: \(\leq 10 \) ppm

Microbiological criteria:

Total aerobic plate count: $\leq 500 \text{ CFU/g}$

Mould/yeast: ≤ 500 CFU/g Escherichia coli: Negative to test Salmonella: Negative to test

Staphylococcus aureus: Negative to test

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6,2,2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Pseudomonas aeruginosa: Negative to test

Chia oil from Salvia hispanica

Description/Definition:

Chia oil is produced from Chia (*Salvia hispanica* L.) seeds (99,9 % pure) by cold-pressing. No solvents are used and, once pressed, the oil is held in decantation tanks and a filtration process employed to remove impurities. It can also be produced by extraction with supercritical CO₂.

Production process:

Produced by cold pressing. No solvents are used and, once pressed, the oil is held in decantation tanks and a filtration process employed to remove impurities.

Acidity expressed as oleic acid: $\leq 2.0 \%$

Peroxide value: ≤ 10 meq/kg Insoluble impurities: ≤ 0,05 % Alpha linolenic acid: ≥ 60 % Linoleic acid: 15-20 %

Chia seeds (Salvia hispanica)

Description/Definition:

Chia (*Salvia hispanica* L.) is a summer annual herbaceous plant belonging to the *Labiatae* family. Post-harvest the seeds are cleaned mechanically. Flowers, leaves and other parts of the plant are removed.

Dry matter: 90-97 % Protein: 15-26 % Fat: 18-39 %

Carbohydrate (*): 18-43 % Crude Fibre (**): 18-43 %

Ash: 3-7 %

- (*) Carbohydrates include the fibre value (EU: carbohydrates are available = sugar + starch)
- (**) Crude fibre is the part of fibre made mainly of indigestible cellulose, pentosans and lignin

Production process:

Production process of fruit juices and fruit juice blends beverages, containing Chia seeds, includes seed pre-hydration and pasteurisation steps. Microbiological controls and monitoring systems are in place.

Chitinglucan from Aspergillus niger

Description/Definition:

Chitin-glucan is obtained from the mycelium of *Aspergillus niger*; it is a slightly yellow, odourless, free-flowing powder. It has a dry matter content of 90 % or more.

Chitin-glucan is composed largely of two polysaccharides:

- chitin, composed of repeating units of N-acetyl-D-glucosamine (CAS No: 1398-61-4),
- beta (1, 3)-glucan, composed of repeating units of D-glucose (CAS No: 9041-22-9).

Loss on drying: $\leq 10 \%$ Chitin-glucan: $\geq 90 \%$

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Ratio of chitin to glucan: 30:70 to 60:40

Ash: ≤ 3,0 % Lipids: ≤ 1,0 % Proteins: < 6.0 %

Chitinglucan complex from Fomes fomentarius

Description/Definition:

Chitin-glucan complex is obtained from the cell walls of the fruit bodies of the fungus *Fomes fomentarius*. It consists primarily of two polysaccharides:

Chitin, composed of repeating units of N-acetyl-D-glucosamine

(CAS No: 1398-61-4);

Beta-(1,3)(1,6)-D-glucan, composed of repeating units of D-glucose

(CAS No: 9041-22-9).

The production process consists of several steps, including: cleaning, reduction in size and grinding, softening in water and heating in an alkaline solution, washing, drying. No hydrolysis is applied during the production process.

Appearance: Powder, odourless, flavourless, brown

Purity:

Moisture: $\leq 15 \%$ Ash: $\leq 3.0 \%$

Chitin-glucan: ≥ 90 %

Ratio of chitin to glucan: 70:20

Total carbohydrates, excluding glucans: ≤ 0,1 %

Proteins: $\leq 2.0 \%$ Lipids: $\leq 1.0 \%$ Melanins: $\leq 8.3 \%$ Additives: None pH: 6,7-7,5 **Heavy metals:**

Lead (ppm): ≤ 1,00 Cadmium (ppm): ≤ 1,00 Mercury (ppm): ≤ 0,03 Arsenic (ppm): ≤ 0,20 Microbiological criteria:

Total mesophilic bacteria: $\leq 10^3/g$

Yeast and moulds: $\leq 10^3/g$ Coliforms at 30 °C: $\leq 10^3/g$

 $E. coli: \leq 10/g$

Salmonella and other pathogenic bacteria: Absence/25 g

Chitosan extract from fungi (Agaricus bisporus; Aspergillus niger)

Description/Definition:

The chitosan extract (containing mainly poly(D-glucosamine)) is obtained from stems of *Agaricus bisporus* or from the mycelium of *Aspergillus niger*. The patented production process consists of several steps, including: extraction and deacetylation (hydrolysis) in alkaline medium, solubilisation in acidic medium, precipitation in alkaline medium, washing and drying.

Synonym: Poly(D-glucosamine) Chitosan CAS number: 9012-76-4

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Chitosan formula: $(C_6H_{11}NO_4)_n$

Appearance: fine free-flowing powder Aspect: Off –white to slightly brownish

Odour: Odourless

Purity:

Chitosan content (% w/w dry weight): 85

Glucan content (% w/w dry weight): ≤ 15

Loss on drying (% w/w dry weight): ≤ 10

Viscosity (1 % in 1 % acetic acid): 1-15

Degree of acetylation (in % mol/wet weight): 0-30

Viscosity (1 % in 1 % acetic acid) (mPa.s): 1-14 for chitosan from Aspergillus

niger; 12-25 for chitin from Agaricus bisporus

Ash (% w/dry weight): ≤ 3.0

Proteins (% w/dry weight): ≤ 2.0

Particle size: > 100 nm

Taped density (g/cm^3) : 0,7-1,0

Fat binding capacity 800×9 w/wet weight): pass

Heavy metals:

Mercury (ppm): $\leq 0,1$

Lead (ppm): ≤ 1.0

Arsenic (ppm): ≤ 1.0

Cadmium (ppm): ≤ 0.5

Microbiological criteria:

Aerobic count (CFU/g): $\leq 10^3$

Yeast and mould count (CFU/g): $\leq 10^3$

Escherichia coli (CFU/g): ≤ 10

Enterobacteriaceae (CFU/g): ≤ 10

Salmonella: Absence/25 g

Listeria monocytogenes: Absence/25 g

Chondroitin Description/Definition:

sulphate

Chondroitin sulphate (sodium salt) is a biosynthetic product. It is obtained by chemical sulphation of chondroitin derived from fermentation by the bacterium

Escherichia coli O5:K4:H4 strain U1-41 (ATCC 24502).

Chondroitin sulphate (sodium salt) (% dry basis): 95-105

MWw (weight avg.) (kDa): 5-12

MWn (number avg.) (kDa): 4-11

Dispersity $(w_h/w_{0.05})$: ≤ 0.7

Sulphation pattern (ΔDi -6S) (%): ≤ 85

Loss on drying (%) (105 °C to constant weight): ≤ 10.0

Residue on ignition (% dry basis): 20-30

Protein (% dry basis): ≤ 0.5

Endotoxins (EU/mg): ≤ 100

Total organic impurities (mg/kg): ≤ 50

Chromium Picolinate

Description/Definition:

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Chromium picolinate is a reddish free-flowing powder, slightly soluble in

water at pH 7. The salt is also soluble in polar organic solvents. Chemical name: tris(2pyridinecarboxylato-N,O)chromium(III) or 2-

pyridinecarboxylic acid chromium(III) salt

CAS No.: 14639-25-9

Chemical formula: Cr(C₆H₄NO₂)₃

Chemical characteristics: Chromium Picolinate: ≥ 95 % Chromium (III): 12-13 % Chromium (VI): not detected

Water: $\leq 4.0 \%$

Cistus incanus L. Pandalis herb

Description:

Cistus incanus L. Pandalis herb; species belonging to the Cistaceae family and native to the Mediterranean region, Chalkidiki Peninsula.

Composition:

Moisture: 9–10 g/100 g herbs Protein: 6,1 g/100 g herbs Fat: 1,6 g/100 g herbs

Carbohydrates: 50,1 g/100 g herbs

Fiber: 27,1 g/100 g herbs Minerals: 4,4 g/100 g herbs

> Sodium: 0,18 g Potassium: 0,75 g Magnesium: 0,24 g Calcium: 1,0 g Iron: 65 mg

Vitamin B1: 3,0 μg Vitamin B2: 30 μg Vitamin B6: 54 μg Vitamin C: 28 mg

Vitamin A: less than 0,1 mg Vitamin E: 40–50 mg

Alpha-Tocopherol: 20-50 mg

Beta and Gamma-Tocopherols: 2-15 mg

Delta-Tocopherol: 0,1-2 mg

Citicoline

Citicoline (synthetic)

Description/Definition:

Citicoline is composed of cytosine, ribose, pyrophosphate and choline.

White crystalline powder

Chemical name: Choline cytidine 5'-pyrophosphate, Cytidine 5'-(trihydrogen

diphosphate) P'-[2-(trimethylammonio)ethyl]ester inner salt

Chemical formula: C₁₄H₂₆N₄O₁₁P₂ Molecular weight: 488,32 g/mol

CAS No.: 987-78-0

pH (sample solution of 1 %): 2,5-3,5

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Purity:

Assay value: \geq 98 % of dry matter

Loss on drying (100 °C for 4 hours): $\leq 5.0 \%$

Ammonium: < 0.05 %

Arsenic: Not more than 2 ppm Free phosphoric acids: $\leq 0.1 \%$ 5'-Cytidylic acid: $\leq 1.0 \%$

Microbiological criteria:

Total plate count: $\leq 10^3$ CFU/g Yeast and moulds: $\leq 10^2$ CFU/g Escherichia coli: Absence in 1 g Citicoline (microbial source)

Description/Definition:

It is produced by fermentation using a genetically modified strain of E. coli (BCT19/p40k)

The specification on citicoline from the microbial source is identical to the authorised synthetic citicoline.

Clostridium Description/Definition:

butyricum

Clostridium butyricum (CBM-588) is a Gram-positive, spore-forming, obligate anaerobic, non-pathogenic, non-genetically modified bacterium. Depository

number FERM BP-2789 Microbiological criteria:

Total viable aerobic count: $\leq 10^3$ CFU/g Escherichia coli: Not detected in 1 g Staphylococcus aureus: Not detected in 1 g Pseudomonas aeruginosa: Not detected in 1 g

Yeast and moulds: $\leq 10^2$ CFU/g

Extract of defatted cocoa powder

Cocoa (*Theobroma cacao* L.) Extract

Appearance: Dark brown powder free of visible impurities Physical and chemical properties:

Polyphenol content: Min 55,0 % GAE Theobromine content: Max 10.0 %

Ash content: Max 5.0 % Moisture content: Max 8,0 % Bulk density: 0,40-0,55 g/cm³

pH: 5,0-6,5

Residual solvent: Max 500 ppm

Low fat cocoa extract

Low fat Cocoa (Theobroma cacao L.) extract Appearance: Dark red to purple powder

Cocoa extract, concentrate: Min 99 %

Silicon dioxide (technological aid): Max 1,0 %

Cocoa flavanols: Min. 300 mg/g (-) Epicatechin: Min. 45 mg/g Loss on drying: Max. 5,0 %

Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Coriander seed oil from Coriandrum sativum

Description/Definition:

Coriander seed oil is an oil containing glycerides of fatty acids that is produced

from the seeds of the coriander plant Coriandrum sativum L.

Coriandrum Slight yellow colour, bland taste

CAS No.: 8008-52-4 Composition of fatty acids: Palmitic acid (C16:0): 2-5 % Stearic acid (C18:0): < 1,5 %

Petroselinic acid (cis-C18:1(n-12)): 60-75 %

Oleic acid (cis-C18:1 (n-9)): 8-15 % Linoleic acid (C18:2): 12-19 % α-Linolenic acid (C18:3): < 1,0 %

Trans fatty acids: $\leq 1.0 \%$

Purity:

Refractive index (20°C): 1,466-1,474

Acid value: $\leq 2,5$ mg KOH/g Peroxide value: $\leq 5,0$ meq/kg Iodine value: 88-110 units

Saponification value: 186-200 mg KOH/g

Unsaponifiable matter: $\leq 15 \text{ g/kg}$

Crataegus pinnatifida dried fruit

Description/Definition:

Dried fruits of *Crataegus pinnatifida* species belonging to the *Rosaceae* family

and native to north China and Korea.

Composition:

Dry matter: 80 %

Carbohydrates: 55 g/kg fresh weight

Fructose: 26,5–29,3 g/100 g Glucose: 25,5–28,1 g/100 g

Vitamin C: 29,1 mg/100 g fresh weight Sodium: 2,9 g/100 g fresh weight

Compotes are products obtained by thermal processing of the edible part of one or several species of fruits, whole or in pieces, sieved or not, without significant concentration. Sugars, water, cider, spices and lemon juice may be used.

αcyclodextrin

Description/Definition:

cyclodextrin A non-reducing cyclic saccharide consisting of six α -1,4-linked

D-glucopyranosyl units produced by the action of cyclodextrin glucosyltransferase (CGTase, EC 2.4.1.19) on hydrolyzed starch. Recovery and purification of α -cyclodextrin may be carried out using one of the following procedures: precipitation of a complex of α -cyclodextrin with 1-decanol, dissolution in water at elevated temperature and re-precipitation, steamstripping of the complexant, and crystallisation of α -cyclodextrin from the solution; or chromatography with ion-exchange or gel filtration followed by crystallisation of α -cyclodextrin from the purified mother liquor; or membrane separation methods such as ultra-filtration and reverse osmosis: Description: Virtually odourless, white or almost white crystalline solid.

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Synonyms: α-cyclodextrin, α-dextrin, cyclohexaamylose, cyclomaltohexaose,

α-cycloamylase

Chemical name: Cyclohexaamylose

CAS No.: 10016-20-3

Assay: \geq 98 % (dry basis)

Chemical formula: (C₆H₁₀O₅)₆ Formula weight: 972,85

Identification:

Melting range: Decomposes above 278 °C

Solubility: Freely soluble in water; very slightly soluble in ethanol Specific rotation: [α]D 25: Between + 145° and +151° (1 % solution) Chromatography: The retention time for the major peak in a liquid chromatogram of the sample corresponds to that for α-cyclodextrin in a chromatogram of reference α-cyclodextrin (available from *Consortium für Elektrochemische Industrie GmbH, München, Germany or Wacker Biochem Group, Adrian, MI, USA*) using the conditions described in the METHOD OF ASSAY

Purity:

Water: $\leq 11 \%$ (Karl Fischer Method) Residual complexant: $\leq 20 \text{ mg/kg}$

(1-decanol)

Reducing substances: $\leq 0.5 \%$ (as glucose)

Sulphated ash: $\leq 0.1 \%$ Lead: $\leq 0.5 \text{ mg/kg}$ **Method of assay:**

Determine by liquid chromatography using the following conditions:

Sample solution: Weigh accurately about 100 mg of test sample into a 10 ml volumetric flask and add 8 ml of deionised water. Dissolve the sample completely using an ultra-sonification bath (10-15 min) and dilute to the mark with purified deionised water. Filter through a 0,45-micrometer filter

Reference solution: Weigh accurately about 100 mg of α -cyclodextrin into a 10 ml volumetric flask and add 8 ml of deionised water. Dissolve the sample completely using an ultra-sonification bath and dilute to the mark with purified deionised water.

Chromatography: Liquid chromatograph equipped with a refractive index detector and an integrating recorder.

Column and packing: Nucleosil-100-NH₂ (10 µm) (Macherey & Nagel Co.

Düren, Germany) or similar

Length: 250 mm Diameter: 4 mm Temperature: 40 °C

Mobile phase: acetonitrile/water (67/33, v/v)

Flow rate: 2,0 ml/min Injection volume: 10 µl

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Procedure: Inject the sample solution into the chromatograph, record the chromatogram, and measure the area of the α -CD peak. Calculate the percentage of α -cyclodextrin in the test sample as follows: % α -cyclodextrin (dry basis) = $100 \times (AS/AR)$ (WR/WS) where

As and AR are the areas of the peaks due to α -cyclodextrin for the sample solution and reference solution, respectively. Ws and WR are the weights (mg) of the test sample and reference α -cyclodextrin, respectively, after correcting for water content.

γ- Desc

Description/Definition:

cyclodextrin A non-reducing cyclic saccharide consisting of eight α -1,4-linked

D-glucopyranosyl units produced by the action of cyclodextrin glucosyltransferase (CGTase, EC 2.4.1.19) on hydrolysed starch. Recovery and purification of γ -cyclodextrin may be carried out by precipitation of a complex of γ -cyclodextrin with 8-cyclohexadecen-1-one, dissolution of the complex with water and n-decane, steam-stripping of the aqueous phase and recovery of gamma-CD from the solution by crystallisation.

Virtually odourless, white or almost white crystalline solid

Synonyms: γ -cyclodextrin, γ -dextrin, cyclooctaamylose, cyclomaltooctaose, γ -

cycloamylase

Chemical name: Cyclooctaamylose

CAS number: 17465-86-0Chemical formula: $(C_6H_{10}O_5)_8$ Assay: $\geq 98\%$ (dry basis)

Identification:

Melting range: Decomposes above 285 °C

Solubility: Freely soluble in water; very slightly soluble in ethanol Specific rotation: [α]D 25: between + 174° and + 180° (1 % solution)

Purity: Water: ≤ 11 %

Residual complexant (8-cyclohexadecen-1-one (CHDC)): $\leq 4 \text{ mg/kg}$

Residual solvent (n-decane): $\leq 6 \text{ mg/kg}$ Reducing substances: $\leq 0.5 \%$ (as glucose)

Sulphated ash: $\leq 0.1 \%$

Dextran preparation produced

Powdered form:

Carbohydrates: 60 % with: (Dextran: 50 %, Mannitol: 0,5 %, Fructose: 0,3 %, Leurose: 9,2 %)

Leucrose: 9,2 %)

Leuconostoc

mesenteroides, ipid: 0,5 %

Lactic acid: 10 % Ethanol: traces Ash: 13 % Moisture: 10 %

2. Liquid form:

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Carbohydrates: 12 % with: (Dextran: 6,9 %, Mannitol: 1,1 %, Fructose: 1,9 %,

Leucrose: 2,2 %)
Protein: 2,0 %
Lipid: 0,1 %
Lactic acid: 2,0 %
Ethanol: 0,5 %
Ash: 3,4 %
Moisture: 80 %

Diacylglycer Description/Definition:

oil of plant origin

Manufactured from glycerol and fatty acids derived from edible vegetable oils, in particular from soybean oil (*Glycine max*) or rapeseed oil (*Brassica campestris*, *Brassica napus*) using a specific enzyme.

Acylglycerol Distribution:

Diacylglycerols (DAG): $\geq 80 \%$

1,3-Diacylglycerols (1,3-DAG): \geq 50 %

Triacylglycerols (TAG): ≤ 20 % Monoacylglycerols (MAG): ≤ 5,0 %

Fatty Acid Composition (MAG, DAG, TAG):

Oleic acid (C18:1): 20-65 % Linoleic acid (C18:2): 15-65 % Linolenic acid (C18:3): \leq 15 % Saturated fatty acids: \leq 10 %

Others:

Acid value: ≤ 0.5 mg KOH/g Moisture and volatile: ≤ 0.1 % Peroxide value: ≤ 1.0 meq/kg Unsaponifiables: ≤ 2.0 % Trans fatty acids ≤ 1.0 %

MAG = monoacylglycerols, DAG = diacylglycerols, TAG = triacylglycerols

Dihydrocaps Accription/Definition:

(DHC)

Dihydrocapsiate is synthesised by enzyme-catalysed esterification of vanillyl alcohol and 8-methylnonanoic acid. Following the esterification dihydrocapsiate is extracted with n-hexane.

Viscous to colourless to yellow liquid

Chemical formula: C₁₈ H₂₈ O₄

CAS No: 205687-03-2

Physical-chemical properties:

Dihydrocapsiate: > 94 %

8-Methylnonanoic acid: < 6,0 %

Vanillyl acohol: < 1,0 %

Other synthesis related substances: < 2,0 %

Dried extract of *Lippia* citriodora

Description/Definition: Dried extract of cell cultures HTN[®]Vb of *Lippia citriodora* (Palau) Kunth.

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

from cell cultures			
Echinacea angustifolia extract from cell cultures	Extract of the roots of <i>Echinacea angus</i> plant which is substantially equivalent t <i>angustifolia</i> obtained in ethanol-water t	o a root extract from Echin	асеа
Echium	Description/Definition:		
Epigallocate gallate as a purified	Techium oil is the pale yellow product of the seeds of <i>Echium plantagineum</i> L. Statty acids Trans fatty acids: $\leq 2,0$ % (w/w of total Acid value: $\leq 0,6$ mg KOH/g Peroxide value: $\leq 5,0$ meq O_2 /kg Unsaponifiable content: $\leq 2,0$ % Protein content (total nitrogen): ≤ 20 µg Pyrrolizidine alkaloids: Not detectable was a highly purified extract from the leave <i>Kuntze</i>) in the form of a fine, off-white	rearidonic acid: ≥ 10 % w/v fatty acids) fml with a detection limit 4,0 μs s of green tea (Camellia sin to pale pink powder. It is co	g/kg mensis (L.) composed of
extract from green tea leaves (Camellia sinensis)	a minimum of 90 % epigallo-catechin gallate (EGCG), and has a melting point between approx. 210 and 215 °C Appearance: off-white to pale pink powder Chemical name: polyphenol (-) epigallocatechin-3-gallate Synonyms: epigallocatechin gallate (EGCG) CAS No.: 989-51-5 INCI name: epigallocatechin gallate Molecular mass: 458,4 g/mol Loss on drying: max 5,0 % Heavy metals: Arsenic: max 3,0 ppm Lead: max 5,0 ppm Assay: Min. 94 % EGCG (on dry material) max. 0,1 % caffeine Solubility: EGCG is fairly soluble in water, ethanol, methanol and acetone		
L- ergothionein €hemical name (IUPAC): (2S)-3-(2-thioxo-2,3-dihydro-1 <i>H</i> -imidazol-4-yl)-2- (trimethylammonio)-Propanoate Chemical formula: C ₉ H ₁₅ N ₃ O ₂ S Molecular mass: 229,3 Da CAS No.: 497-30-3			zol-4-yl)-2-
	Parameter	Specification	Method
	Appearance	White powder	Visual
a Commission	1 Regulation (EU) No 231/2012 of 9 March 2012 laying	down specifications for food additiv	res listed in

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Optical rotation	$[\alpha]_D \ge (+) \ 122^{\circ} \ (c = 1,$	Polarimetry	
	$(H_2O)^{a)}$		
Chemical purity	≥ 99,5 % ≥ 99,0 %	HPLC [Eur. Ph. 2.2.29] 1H-NMR	
Identification	Compliant with the structure	1H-NMR	
	C: 47,14 ± 0,4 % H: 6,59 ± 0,4 % N: 18,32 ± 0,4 %	Elemental analysis	
Total residual solvents (methanol, ethyl acetate, isopropanol, ethanol)	[Eur. Ph. 01/2008:50400] < 1 000 ppm	Gas chromatography [Eur. Ph. 01/2008:20424]	
Loss on drying	Internal standard < 0,5 %	[Eur. Ph. 01/2008:20232]	
Impurities	< 0,8 %	HPLC/ GPC or 1H-NMR	
Heavy metals ^{b) c)}			
Lead	< 3,0 ppm	ICP/AES	
Cadmium	< 1,0 ppm	(Pb, Cd) Atomic	
Mercury	< 0,1 ppm	fluorescence (Hg)	
Microbiological specifications ^{b)}			
Total viable aerobic count (TVAC)	$\leq 1 \times 10^3 \text{ CFU/g}$	[Eur. Ph. 01/2011:50104]	
Total yeast and mould count (TYMC)	$\leq 1 \times 10^2 \text{CFU/g}$	01/2011.30104]	
Escherichia coli	Absence in 1 g	1	

Eur. Ph.: European Pharmacopoeia; 1H-NMR: proton nuclear magnetic resonance; HPLC: high-performance liquid chromatography; GPC: gel permeation chromatography; ICP/AES: Inductively coupled plasma atomic emission spectroscopy; CFU: colony-forming units.

- a) Lit. $[\alpha]_D = (+) 126.6^{\circ} (c = 1, H_2O)$
- b) Analyses conducted on each batch
- c) Maximum levels in accordance with Regulation (EC) No 1881/2006

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Ferric Sodium EDTA

Description/Definition:

Ferric Sodium EDTA (ethylenediaminetetraacetic acid) is an odourless free-flowing, yellow to brown powder with a chemical purity of more than

99 % (w/w). It is freely soluble in water. Chemical formula: C₁₀H₁₂FeN₂NaO₈ · 3H₂O

Chemical characteristics: pH of 1 % solution: 3,5-5,5

Iron: 12,5-13,5 % Sodium: 5,5 % Water: 12,8 %

Organic matter (CHNO): 68,4 %

EDTA: 65,5-70,5 %

Water insoluble matter: $\leq 0.1 \%$ Nitrilo-triacetic acid: $\leq 0.1 \%$

Ferrous ammonium phosphate

Description/Definition:

Ferrous ammonium phosphate is a grey/green fine powder, practically insoluble in water and soluble in dilute mineral acids.

CAS No.: 10101-60-7

Chemical formula: FeNH₄PO₄ Chemical characteristics:

pH of 5 % suspension in water: 6,8-7,8

Iron (total): $\geq 28 \%$ Iron (II): 22-30 % (w/w) Iron (III): $\leq 7,0 \%$ (w/w) Ammonia: 5-9 % (w/w)

Water: $\leq 3.0 \%$

Fish peptides from Sardinops sagax

Description/Definition:

The novel food ingredient is a peptide mixture, which is obtained by an alkaline protease-catalysed hydrolysis of fish (*Sardinops sagax*) muscle, subsequent isolation of the peptide fraction by column chromatography, concentration under vacuum and spray drying.

Yellowish white powder

Peptides (*) (short chain peptides, dipeptides and tripeptides with a molecular

weight of less than 2 kDa): \geq 85 g/100 g Val-Tyr (dipeptide): 0,1-0,16 g/100 g

Ash: $\leq 10 \text{ g}/100 \text{ g}$ Moisture: $\leq 8 \text{ g}/100 \text{ g}$

(*) Kjeldahl method

Flavonoids from *Glycyrrhiza*

glabra

Description/Definition:

Flavonoids derived from the roots or rootstock of *Glycyrrhiza glabra* L. are extracted with ethanol followed by further extraction of this ethanolic extract with medium-chain triglycerides. It is a dark-brown coloured liquid, containing 2,5 % to 3,5 % of glabridin.

Moisture: < 0,5 %

- Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Ash: < 0.1 %

Peroxide value: < 0,5 meq/kg Glabridin: 2,5-3,5 % of fat Glycyrrhizinic acid: < 0,005 %

Fat including polyphenol-type substances: ≥ 99 %

Protein: < 0,1 %

Carbohydrates: not detectable

Fucoidan extract from the seaweed Fucus vesiculosus

Description/Definition:

Fucoidan from the seaweed *Fucus vesiculosus* is extracted using aqueous extraction in acidic solution and filtration processes without the use of organic solvents. The resulting extract is concentrated and dried to yield the fucoidan extract with the following specifications:

Off-white to brown powder

Odour and Taste: Bland odour and taste Moisture: < 10 % (105 °C for 2 hours) pH value: 4,0-7,0 (1 % suspension at 25 °C)

Heavy metals:

Arsenic (inorganic): < 1,0 ppm

Cadmium: < 3,0 ppm Lead: < 2,0 ppm Mercury: < 1,0 ppm **Microbiological criteria:**

Total aerobic microbial count: < 10 000 CFU/g

Yeast and mould count: < 100 CFU/g Total enterobacteria count: Absence/g

Escherichia coli: Absence/g Salmonella: Absence/10 g

Staphylococcus aureus: Absence/g

Composition of the two permitted types of extracts, based on the level of fucoidan:

Extract 1:

Fucoidan: 75-95 % Alginate: 2,0-5,5 %

Polyphloroglucinol: 0,5-15 %

Mannitol: 1-5 %

Natural salts/Free Minerals: 0,5-2,5 % Other carbohydrates: 0,5-1,0 %

Protein: 2,0-2,5 %

Extract 2:

Fucoidan: 60-65 % Alginate: 3,0-6,0 %

Polyphloroglucinol: 20-30 %

Mannitol: < 1.0 %

Natural salts/Free Minerals: 0,5-2,0 % Other carbohydrates: 0,5-2,0 %

Protein: 2,0-2,5 %

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Fucoidan extract from the seaweed Undaria pinnatifida

Description/Definition:

Fucoidan from seaweed *Undaria pinnatifida* is extracted using aqueous extraction in acidic solution and filtration processes without the use of organic solvents. The resulting extract is concentrated and dried to yield the fucoidan extract with the following specifications:

Off-white to brown powder

Odour and Taste: Bland odour and taste Moisture: < 10 % (105 °C for 2 hours) pH value: 4,0-7,0 (1 % suspension at 25 °C)

Heavy metals:

Arsenic (inorganic): < 1,0 ppm

Cadmium: < 3,0 ppm Lead: < 2,0 ppm Mercury: < 1,0 ppm **Microbiology:**

Total aerobic microbial count: < 10 000 CFU/g

Yeast and mould count: < 100 CFU/g Total enterobacteria count: Absence/g

Escherichia coli: Absence/g Salmonella: Absence/10 g

Staphylococcus aureus: Absence/g

Composition of the two permitted types of extracts, based on the level of

fucoidan:

Extract 1:

Fucoidan: 75-95 % Alginate: 2,0-6,5 %

Polyphloroglucinol: 0,5-3,0 %

Mannitol: 1-10 %

Natural salts/Free Minerals: 0,5-1,0 % Other carbohydrates: 0,5-2,0 %

Protein: 2,0-2,5 %

Extract 2:

Fucoidan: 50-55 % Alginate: 2,0-4,0 %

Polyphloroglucinol: 1,0-3,0 %

Mannitol: 25-35 %

Natural salts/Free Minerals: 8-10 % Other carbohydrates: 0,5-2,0 %

Protein: 1,0-1,5 %

2'- Definition:

Fucosyllacto Chemical name: α -l-Fucopyranosyl- $(1\rightarrow 2)$ - β -d-galactopyranosyl- $(1\rightarrow 4)$ -d-

(synthetic) | glucopyranose

Chemical formula: C₁₈H₃₂O₁₅

CAS No: 41263-94-9

Molecular weight: 488,44 g/mol

Description:

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

2'- fucosyllactose is a white to off-white powder that is produced by a chemical synthesis process and is isolated by crystallisation.

Purity:

2'-Fucosyllactose: \geq 95 % D-Lactose: \leq 1,0 w/w % L-Fucose: \leq 1,0 w/w %

Difucosyl-d-lactose isomers: ≤ 1.0 w/w % 2'-Fucosyl-d-lactulose: ≤ 0.6 w/w % pH (20 °C, 5 % solution): 3,2-7,0

Water (%): \leq 9,0 % Ash, sulphated: \leq 0,2 % Acetic acid: \leq 0,3 %

Residual solvents (methanol, 2-propanol, methyl acetate, acetone): ≤ 50,0 mg/

kg singly, ≤ 200.0 mg/kg in combination)

Residual proteins: $\leq 0.01 \%$

Heavy Metals:

Palladium: ≤ 0,1 mg/kg Nickel: ≤ 3,0 mg/kg **Microbiological criteria:**

Aerobic mesophilic bacteria total count: $\leq 500 \text{ CFU/g}$

Yeasts and Moulds: ≤ 10 CFU/g Residual endotoxins: ≤ 10 EU/mg

2'- Definition:

Fucosyllacto Cehemical name: α -L-Fucopyranosyl- $(1\rightarrow 2)$ - β -D-galactopyranosyl- $(1\rightarrow 4)$ -D-

(microbial glucopyranose source) Ghemical form

Chemical formula: C₁₈H₃₂O₁₅

CAS No: 41263-94-9

Molecular weight: 488,44 g/mol

Source: Genetically modified strain of <i>Escherichia coli</i> K-12	Source: Genetically modified strain of <i>Escherichia coli</i> BL21
Description:	Description:

2'-Fucosyllactose is a white to off-white crystalline

powder that is produced by a microbial process. 2'-Fucosyllactose is isolated by crystallisation.

Purity:

2'-Fucosyllactose: ≥ 94 % D-Lactose: ≤ 3,0 % L-Fucose: ≤ 1,0

Difucosyl-D-lactose: \leq 1,0 % 2'-Fucosyl-D-lactulose: \leq 1,0 % pH (20 °C, 5 % solution): 3,2-5,0

Water: $\leq 5.0 \%$

Ash, sulphated: $\leq 1.5 \%$ Acetic acid: $\leq 1.0 \%$ 2'-Fucosyllactose is a white to off white powder and the liquid concentrate (45 % ± 5 % w/v) aqueous solution is a colourless to slight yellow clear aqueous solution.
2'-Fucosyllactose is produced by a microbiological process.
2'-Fucosyllactose is

isolated by spray drying.

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Residual proteins: $\leq 0.01 \%$ Microbiological criteria:

Aerobic mesophilic bacteria total count: ≤ 500

CFU/g

Yeasts: ≤ 10 CFU/g Moulds: ≤ 100 CFU/g Endotoxins: ≤ 10 EU/mg **Purity:**

2'-Fucosyllactose: ≥ 90

1%

Lactose: $\leq 5.0 \%$ Fucose: $\leq 3.0 \%$

3-Fucosyllactose: $\leq 5,0$

%

Fucosylgalactose: ≤ 3.0

%

Difucosyllactose: ≤ 5.0

%

Glucose: $\leq 3.0 \%$ Galactose: $\leq 3.0 \%$ Water: $\leq 9.0 \%$ (powder) Ash, sulphated: $\leq 0.5 \%$ (powder and liquid) Residual proteins: $\leq 0.01 \%$ (powder and liquid)

Heavy Metals:

Lead: ≤ 0,02 mg/kg (powder and liquid); Arsenic: ≤ 0,2 mg/kg (powder and liquid) Cadmium: ≤ 0,1 mg/kg (powder and liquid) Mercury: ≤ 0,5 mg/kg (powder and liquid) Microbiological criteria:

Total plate count: ≤ 10⁴ CFU/g (powder), ≤ 5 000 CFU/g (liquid)
Yeasts and Moulds: ≤ 100 CFU/g (powder); ≤ 50 CFU/g (liquid)
Enterobacteriaceae/
Coliforms: absence in 11 g (powder and liquid)
Salmonella: negative/100 g (powder), negative/200 ml (liquid)
Cronobacter: negative/100 g (powder), pagative/200 ml (liquid)

negative/100 g (powder), negative/200 ml (liquid) Endotoxins: ≤ 100 EU/g (powder), ≤ 100 EU/ml (liquid)

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

	Aflatoxin M1: ≤ 0.025 µg/kg (powder and
	liquid)
Galacto- oligosaccha	Description/Definition: ridalacto-oligosaccharide is produced from milk lactose by an enzymatic
	process using β-galactosidases from Aspergillus oryzae, Bifidobacterium bifidum and Bacillus circulans. GOS: min 46 % Dry Matter (DM) Lactose: max 40 % DM Glucose: max 22 % DM Galactose: min 0,8 % DM Ash: max 4,0 % DM Protein: max 4,5 % DM Nitrite: max. 2 mg/kg
Glucosamin HCl from Aspergillus niger and genetically modified strain of E. Coli K12	eWhite crystalline odourless powder Molecular formula: $C_6H_{13}NO_5 \cdot HCl$ Relative molecular mass: 215,63 g/mol D-Glucosamine HCl 98,0-102,0 % of reference standard (HPLC) Specific rotation + $70,0^{\circ}$ - + $73,0^{\circ}$
Glucosamin sulphate KCl from Aspergillus niger and genetically modified strain of E. Coli K12	eWhite crystalline odourless powder Molecular formula: $(C_6H_{14}NO_5)_2SO_4 \cdot 2KCl$ Relative molecular mass: $605,52$ g/mol D-Glucosamine Sulphate 2KCl 98,0-102,0 % of reference standard (HPLC) Specific Rotation + $50,0^\circ$ to + $52,0^\circ$
Glucosamin sulphate NaCl from Aspergillus niger and genetically modified strain of E. Coli K12	eWhite crystalline odourless powder Molecular formula: (C ₆ H ₁₄ NO ₅) ₂ SO ₄ · 2NaCl Relative molecular mass: 573,31 g/mol D-Glucosamine HCl: 98-102 % of reference standard (HPLC) Specific Optical Rotation: + 52° - + 54°
Guar Gum	Description/Definition: Native guar gum is the ground endosperm of seeds from natural strains of guar <i>Cyamopsis tetragonolobus</i> L. Taub. (<i>Leguminosae</i> family). It consists of a high molecular weight polysaccharide, primarily composed of galactopyranose and mannopyranose units combined through glycosidic linkages, which may be
	n Regulation (EU) No $231/2012$ of 9 March 2012 laying down specifications for food additives listed in and III to Regulation (EC) No $1333/2008$ of the European Parliament and of the Council (OJ L 83 , $22.3.2012$,

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

described chemically as a galactomannan (galactomannan content not less than 75 %).

Appearance: White to yellowish powder

Molecular weight: Between 50 000 – 8 000 000 Daltons

CAS number: 9000-30-0 EINECS Number: 232-536-8

Purity: As specified by Commission Regulation (EU) No 231/2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council^a & by Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins^b.

Physico-chemical properties:

Powder

Shelf-life: 2 years Colour: White Odour: Light

Average diameter of particles: 60-70 µm

Moisture: Max 15 % Viscosity (*) at 1 hour —

Viscosity (*) at 2 hours: Min 3 600 mPa.s Viscosity (*) at 24 hours: Min 4 000 mPa.s Solubility: Soluble in hot and cold water

pH for 10g/L, at 25 °C - 6-7,5

Flakes

Useful life: 1 year

Colour: White/off white with absence or minimal presence of black

spots

Odour: Light

Average diameter of particles: 1-10 mm

Moisture: Max 15 %

Viscosity (*) at 1 hour: Min 3 000 mPa.s

Viscosity (*) at 2 hours — Viscosity(*) at 24 hours —

Solubility - Soluble in hot and cold water

pH for 10g/L, at 25 °C - 5-7,5

(*) The measurements of viscosity are carried out under the following conditions: 1 %, 25 °C, 20 rpm

Heattreated milk products fermented with

Description/Definition:

Heat-treated fermented milk products are produced with *Bacteroides xylanisolvens* (DSM 23964) as starter culture.

Semi-skimmed milk (between 1,5 % and 1,8 % fat) or skimmed milk (0,5 % fat or less) is pasteurised or ultra-heat-treated before starting the fermentation with *Bacteroides xylanisolvens* (DSM 23964). The resulting fermented milk product is homogenised and then heat-treated to inactivate *Bacteroides*

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Bacteroides | xylanisolvens (DSM 23964). The final product does not contain viable cells of xylanisolvensBacteroides xylanisolvens (DSM 23964) (*).

Modified DIN EN ISO 21528-2.

Hydroxytyroldescription/Definition:

Hydroxytyrosol is a pale yellow viscous liquid obtained by chemical synthesis

Molecular formula: C₈H₁₀O₃ Molecular weight: 154,6 g/mol

CAS No: 10597-60-1 Moisture $\leq 0.4 \%$ Odour: Characteristic Taste: Slightly bitter

Solubility (water): Miscible with water

pH: 3,5-4,5

Refractive Index: 1,571-1,575

Purity:

Hydroxytyrosol: ≥ 99 % Acetic acid: $\leq 0.4 \%$

Hydroxytyrosol acetate: ≤ 0,3 %

Sum of homovanillic acid, iso-homovanilic acid, and 3-

methoxy-4hydroxyphenylglycol: ≤ 0,3 %

Heavy Metals

Lead: $\leq 0.03 \text{ mg/kg}$ Cadmium: $\leq 0.01 \text{ mg/kg}$ Mercury: $\leq 0.01 \text{ mg/kg}$ **Residual Solvents**

Ethyl acetate: $\leq 25,0 \text{ mg/kg}$ Isopropanol: $\leq 2,50 \text{ mg/kg}$ Methanol: $\leq 2.00 \text{ mg/kg}$ Tetrahydrofuran: $\leq 0.01 \text{ mg/kg}$

Ice

Protein type III HPLC 12

Description/Definition:

Structuring | The Ice Structuring Protein (ISP) preparation is a light-brown liquid produced by submerged fermentation of a genetically-modified strain of food-grade baker's yeast (Saccharomyces cerevisiae) in which a synthetic gene for the ISP has been inserted into the yeast's genome. The protein is expressed and secreted into the growth medium where it is separated from the yeast cells by micro-filtration and concentrated by ultra-filtration. As a result, the yeast cells are not transferred into the ISP preparation as such or under an altered form. The ISP preparation consists of native ISP, glycosylated ISP and proteins and peptides from the yeast and sugars as well as acids and salts commonly found in food. The concentrate is stabilised with 10 mM citric acid buffer.

Assay: ≥ 5 g/l active ISP

pH: 2,5-3,5 Ash: $\leq 2,0 \%$

DNA: Not detectable

Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012,

Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Aqueous **Description/Definition:** Dark brown liquid. Aqueous extracts of dried leaves of *Ilex guayusa*. extract of dried **Composition:** Protein: < 0.1 g/100 mlleaves Fat: < 0.1 g/100 mlof *Ilex* Carbohydrate: 0,2–0,3 g/100 ml guayusa Total sugars: < 0.2 g/100 mlCaffeine: 19,8–57,7 mg/100 ml Theobromine: 0,14–2,0 mg/100 ml Chlorogenic acids: 9,9-72,4 mg/100 ml Isomalto-**Powder:** oligosaccharistelubility (water) (%): > 99 Glucose (% dry basis): ≤ 5.0 Isomaltose + DP3 to DP9 (% dry basis): \geq 90 Moisture (%): ≤ 4.0 Sulphated ash (g/100 g): ≤ 0.3 **Heavy metals:** Lead (mg/kg): ≤ 0.5 Arsenic (mg/kg): ≤ 0.5 Syrup: Dried solids (g/100 g): > 75 Glucose (% dry basis): ≤ 5.0 Isomaltose + DP3 to DP9 (% dry basis): \geq 90 pH: 4 - 6 Sulphated ash (g/100 g): ≤ 0.3 **Heavy metals:** Lead (mg/kg): ≤ 0.5 Arsenic (mg/kg): ≤ 0.5

Isomaltulose Description/Definition:

A reducing disaccharide that consists of one glucose and one fructose moiety linked by an alpha-1,6-glycosidic bond. It is obtained from sucrose by an enzymatic process. The commercial product is the monohydrate. Appearance: Virtually odourless, white or almost white crystals with a sweet taste Chemical name: 6-O-α-D-glucopyranosyl-D-fructofuranose, monohydrate CAS No.: 13718-94-0

Chemical formula: C₁₂H₂₂O₁₁ · H₂O

Structural formula

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Formula weight: 360,3 (monohydrate)

Purity:

Assay: \geq 98 % on the dry basis

Loss on drying: $\leq 6.5 \%$ (60 °C, 5 hours)

Heavy metals:

Lead: $\leq 0.1 \text{ mg/kg}$

Determine using an atomic absorption technique appropriate to the specified level. The selection of sample size and method of sample preparation may be based on the principles of the method described in FNP 5 (*), 'Instrumental methods'

(*) Food and Nutrition Paper 5 Rev. 2 — Guide to specifications for general notices, general analytical techniques, identification tests, test solutions and other reference materials (JECFA), 1991, 322 pp., English, ISBN 92-5-102991-1.

Lactitol Description/Definition:

Crystalline powder or colourless solution manufactured via catalytic hydrogenation of lactose. Crystalline products occur in anhydrous, monohydrate and dihydrate forms. Nickel is used as a catalyst.

Chemical name: 4-O-β-D-Galactopyranosyl-D-glucitol

Chemical formula: C₁₂H₂₄O₁₁ Molecular weight: 344,31 g/mol

CAS No: 585-86-4

Purity:

Solubility (in water): Very soluble in water Specific rotation $[\alpha]$ D20 = +13° to +16°

Assay: $\geq 95 \%$ d.b (d.b - expressed on the dry weight basis)

Water: $\le 10,5 \%$

Other polyols: $\leq 2,5$ % d.b Reducing sugars: $\leq 0,2$ % d.b Chlorides: ≤ 100 mg/kg d.b Sulphates: ≤ 200 mg/kg d.b Sulphated ash: $\leq 0,1$ % d.b

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Nickel: $\leq 2.0 \text{ mg/kg d.b}$ Arsenic: $\leq 3.0 \text{ mg/kg d.b}$ Lead: $\leq 1.0 \text{ mg/kg d.b}$

Lacto-Nneotetraose (synthetic)

Definition:

Chemical name: β -d-Galactopyranosyl- $(1\rightarrow 4)$ -2-acetamido-2-deoxy- β -dglucopyranosyl- $(1\rightarrow 3)$ - β -d-galactopyranosyl- $(1\rightarrow 4)$ -d-glucopyranose

Chemical formula: C₂₆H₄₅NO₂₁

CAS No: 13007-32-4

Molecular weight: 707,63 g/mol

Description:

Lacto-N-neotetraose is a white to off-white powder. Produced by a chemical synthesis process and is isolated by crystallisation.

Purity:

Assay (water free): $\geq 96 \%$

D-Lactose: $\leq 1.0 \%$

Lacto-N-triose II: $\leq 0.3 \%$

Lacto-N-neotetraose fructose isomer: ≤ 0,6 %

pH (20 °C, 5 % solution): 5,0-7,0

Water: $\leq 9.0 \%$

Ash, sulphated: $\leq 0.4 \%$

Acetic acid: $\leq 0.3 \%$

Residual solvents (methanol, 2-propanol, methyl acetate, acetone): $\leq 50 \text{ mg/kg}$

singly, ≤ 200 mg/kg in combination

Residual proteins: $\leq 0.01 \%$ Palladium: $\leq 0.1 \text{ mg/kg}$ Nickel: $\leq 3.0 \text{ mg/kg}$ Microbiological criteria:

Aerobic mesophilic bacteria total count: ≤ 500 CFU/g

Yeasts: $\leq 10 \text{ CFU/g}$ Moulds: $\leq 10 \text{ CFU/g}$

Residual endotoxins: $\leq 10 \text{ EU/mg}$

Lacto-Nneotetraose (microbial source)

Definition:

Chemical name: β -d-Galactopyranosyl- $(1\rightarrow 4)$ -2-acetamido-2-deoxy- β -dglucopyranosyl- $(1\rightarrow 3)$ - β -d-galactopyranosyl- $(1\rightarrow 4)$ -d-glucopyranose

Chemical formula: C₂₆H₄₅NO₂₁

CAS No: 13007-32-4

Molecular weight: 707,63 g/mol

Source:

Genetically modified strain of Escherichia coli K-12

Description:

Lacto-N-neotetraose is a white to off-white crystalline powder that is produced by a microbiological process. Lacto-N-neotetraose is isolated by crystallisation.

Purity:

Assay (water free): $\geq 92 \%$ D-Lactose: $\leq 3.0 \%$

Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Lacto-N-triose II: $\leq 3.0 \%$

para-Lacto-N-neohexaose: ≤ 3,0 %

Lacto-N-neotetraose fructose isomer: ≤ 1,0 %

pH (20 °C, 5 % solution): 4.0-7.0

Water: $\leq 9.0 \%$

Ash, sulphated: $\leq 0.4 \%$

Residual solvents (methanol): $\leq 100 \text{ mg/kg}$

Residual proteins: $\leq 0.01 \%$ Microbiological criteria:

Aerobic mesophilic bacteria total count: $\leq 500 \text{ CFU/g}$

Yeasts: $\leq 10 \text{ CFU/g}$ Moulds: $\leq 10 \text{ CFU/g}$

Residual endotoxins: ≤ 10 EU/mg

Lucerne leaf extract from Medicago sativa

Description/Definition:

The Lucerne (*Medicago sativa* L.) is processed within 2 hours after harvest. It is chopped and crushed. By passing through an oleaginous-type press, the Lucerne provides a fibrous residue and press juice (10 % of dry matter). The dry matter of this juice contains about 35 % of crude protein. The press juice (pH 5,8-6,2) is neutralised. Preheating and vapour injection allows coagulation of proteins associated with carotenoid and chlorophyll pigments. The protein precipitate is separated by centrifugation and thereafter dried. After adding ascorbic acid the Lucerne protein concentrate is granulated and stored in inert gas or in cold storage.

Composition:

Protein: 45-60 % Fat: 9-11 %

Free carbohydrates (soluble fibre): 1-2 % Polysaccharides (insoluble fibre): 11-15 %

including cellulose: 2-3 %

Minerals: 8-13 % Saponins: ≤ 1,4 %

Isoflavones: ≤ 350 mg/kg Coumestrol: ≤ 100 mg/kg Phytates: ≤ 200 mg/kg L-canavanine: ≤ 4,5 mg/kg

Lycopene

Description/Definition:

Synthetic lycopene is produced by the Wittig condensation of synthetic intermediates commonly used in the production of other carotenoids used in food. Synthetic lycopene consists of ≥ 96 % lycopene and minor quantities of other related carotenoid components. Lycopene is presented either as a powder in a suitable matrix or an oily dispersion. The colour is dark red or red-violet. Antioxidative protection has to be assured.

Chemical name: Lycopene

CAS No.: 502-65-8 (all-trans lycopene)

Chemical formula: C₄₀H₅₆ Formula weight: 536,85 Da

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Lycopene from Blakeslea trispora

Description/Definition:

The purified lycopene from *Blakeslea trispora* consists of \geq 95 % lycopene and \leq 5 % other carotenoids. It is presented either as a powder in a suitable matrix or an oily dispersion. The colour is dark red or red-violet. Anti-

oxidative protection has to be assured.

Chemical name: Lycopene

CAS No.: 502-65-8 (all trans lycopene)

Chemical formula: C₄₀H₅₆ Formula weight: 536,85 Da

Lycopene from tomatoes

Description/Definition:

The purified lycopene from tomatoes (*Lycopersicon esculantum* L.) consists of \geq 95 % lycopene and \leq 5 % other carotenoids. It is presented either as a powder in a suitable matrix or an oily dispersion. The colour is dark red or red-

violet. Anti-oxidative protection has to be assured.

Chemical name: Lycopene

CAS No.: 502-65-8 (all trans lycopene)

Chemical formula: C₄₀H₅₆ Formula weight: 536,85 Da

Lycopene oleoresin from tomatoes

Description/Definition:

Lycopene oleoresin from tomatoes is obtained by solvent extraction of ripe tomatoes (*Lycopersicon esculentum Mill.*) with subsequent removal of the solvent. It is a red to dark brown viscous, clear liquid.

Total lycopene: 5-15 %

Thereof trans-lycopene: 90-95 %

Total carotenoids (calculated as lycopene): 6,5-16,5 %

Other carotenoids: 1,75 %

(Phytoene/phytofluene/β-carotene): (0,5-0,75/0,4-0,65/0,2-0,35 %)

Total tocopherols: 1,5-3,0 % Unsaponifiable matter: 13-20 % Total fatty acids: 60-75 % Water (Karl Fischer): ≤ 0,5 %

Magnesium citrate

malate

Description/Definition:

Magnesium citrate malate is a white to yellowish-white, amorphous powder.

Chemical formula: $Mg_5(C_6H_5O_7)_2(C_4H_4O_5)_2$

Chemical name: Pentamagnesium di-(2-hydroxybutanedioate)-di-(2-

hydroxypropane-1,2,3-tricarboxylate)

CAS No.: 1259381-40-2

Molecular weight: 763,99 Daltons (anhydrous)

Solubility: Freely soluble in water (about 20 g in 100 ml) Description of the physical state: Amorphous powder

Assay magnesium: 12,0-15,0 %

Loss on drying (120 °C/4 hours): \leq 15 % Colour (solid): White to vellowish-white

Colour (20 % aqueous solution): Colourless to yellowish Appearance (20 % aqueous solution): Clear solution

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

pH (20 % aqueous solution): Approx. 6,0

Impurities:

Chloride: $\leq 0.05 \%$ Sulphate: < 0.05 % Arsenic: ≤ 3.0 ppm Lead: ≤ 2.0 ppm Cadmium: ≤ 1 ppm Mercury: ≤ 0.1 ppm

Magnolia Bark Extract

Description/Definition:

Magnolia bark extract is obtained from the bark of the plant *Magnolia* officinalis L. and produced with supercritical carbon dioxide. The bark is washed and oven dried to reduce moisture content before being crushed and extracted with supercritical carbon dioxide. The extract is dissolved in medical-grade ethanol and re-crystallised to yield magnolia bark extract. Magnolia bark extract is mainly composed of two phenolic compounds, magnolol and honokiol.

Appearance: Light brownish powder

Purity:

Magnolol: $\geq 85,2 \%$ Honokiol: $\geq 0.5 \%$

Magnolol & Honokiol: ≥ 94 %

Total Eudesmol: $\leq 2 \%$ Moisture: 0,50 %

Heavy metals:

Arsenic (ppm): ≤ 0.5 Lead (ppm): ≤ 0.5

Methyl eugenol (ppm): ≤ 10 Tubocurarine (ppm): ≤ 2.0 Total Alkaloid (ppm): ≤ 100

Maizegerm oil

matter

Description/Definition:

high in

Maize-germ oil high in unsaponifiable matter is produced by vacuum distillation and it is different from refined maize-germ oil in the concentration unsaponifiable the unsaponifiable fraction (1,2 g in refined maize-germ oil and 10 g in 'maize-germ oil high in unsaponifiable matter').

Purity:

Unsaponifiable matter: > 9.0 g/100 g

Tocopherols: $\geq 1.3 \text{ g/}100 \text{ g}$ α-tocopherol (%): 10-25 % β-tocopherol (%): < 3,0 % γ-tocopherol (%): 68-89 % δ -tocopherol (%): < 7.0 %

Sterols, triterpenic alcohols, methylsterols: > 6,5 g/100 g

Fatty acids in triglycerides: palmitic acid: 10,0-20,0 % stearic acid: < 3.3 % oleic acid: 20,0-42,2 %

Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2,2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

linoleic acid: 34,0-65,6 % linolenic acid: < 2,0 % Acid value: ≤ 6,0 mg KOH/g Peroxide value: ≤ 10 mEq O₂/kg

Heavy metals:

Iron (Fe): < 1 500 μg/kg Copper (Cu): < 100 μg/kg

Impurities:

Polycyclic aromatic hydrocarbons (PAH) Benzo(a)pyrene: $< 2 \mu g/kg$ Treatment with active carbon is required to ensure that polycyclic aromatic hydrocarbons (PAH) are not enriched in the production of 'maize-germ oil high in unsaponifiable matter'

Methylcellul **Be**scription/Definition:

Methyl cellulose is cellulose obtained directly from natural strains of fibrous plant material and partially etherified with methyl groups.

Chemical name: Methyl ether of cellulose

Chemical formula: The polymers contain substituted anhydroglucose units with the following general formula:

C₆H₇O₂(OR1)(OR2)(OR3) where R1, R2, R3 each may be one of the following:

HCH₃ or

— CH₂CH₃

Molecular weight: Macromolecules: from about 20 000 (n about 100) up to about 380 000 g/mol (n about 2 000)

Assay: Content not less than 25 % and not more than 33 % of methoxyl groups (-OCH₃) and not more than 5 % of hydroxyethoxyl groups (-OCH₂CH₂OH) Slightly hygroscopic white or slightly yellowish or greyish odourless and tasteless, granular or fibrous powder.

Solubility: Swelling in water, producing a clear to opalescent, viscous, colloidal solution. Insoluble in ethanol, ether and chloroform. Soluble in glacial acetic acid.

Purity:

Loss on drying: $\leq 10 \%$ (105 °C, 3 hours)

Sulphated Ash: ≤ 1.5 % determined at 800 ± 25 °C

pH: \geq 5,0 and \leq 8,0 (1 % colloidal solution)

Heavy metals:

Arsenic: ≤ 3,0 mg/kg Lead: ≤ 2,0 mg/kg Mercury: ≤ 1,0 mg/kg Cadmium: ≤ 1,0 mg/kg

(6S)-5- Description/Definition:

methyltetra hýdrofídič name: N-[4-[[[(6S)-2-amino-1,4,5,6,7,8-hexahydro-5-methyl-4-acid, oxo-6-pteridinyl]methyl]amino]benzoyl]-L-glutamic acid, glucosamine salt glucosamine Chemical formula: $C_{32}H_{51}N_9O_{16}$ salt Molecular weight: 817,80 g/mol (anhydrous)

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

CAS No.: 1181972-37-1

Appearance: Creamy to light-brown powder

Purity:

Diastereoisomeric purity: At least 99 % of (6S)-5-methyltetrahydrofolic acid

Glucosamine assay: 34-46 % in dry basis

5-Methyltetrahydrofolic acid assay: 54-59 % in dry basis

Water: ≤8,0 % **Heavy metals:**Lead: ≤ 2,0 ppm
Cadmium: ≤ 1,0 ppm
Mercury: ≤ 0,1 ppm
Arsenic: ≤ 2,0 ppm
Boron: ≤ 10 ppm

Microbiological criteria:

Total aerobic microbial count: ≤ 100 CFU/g

Yeasts and moulds: ≤ 100 CFU/g Escherichia coli: Absence in 10 g

Monomethyl Descripted n/Definition:

(Organic Silicon)

Chemical name: Silanetriol, 1-methyl-

Chemical formula: CH₆O₃Si Molecular weight: 94,14 g/mol

CAS No: 2445-53-6

Purity:

Organic Silicon (monomethylsilanetriol) preparation (aqueous solution):

Acidity (pH): 6,4-6,8 Silicon: 100-150 mg Si/l

Heavy metals: Lead: $\leq 1,0 \mu g/l$ Mercury: $\leq 1,0 \mu g/l$ Cadmium: $\leq 1,0 \mu g/l$ Arsenic: $\leq 3,0 \mu g/l$

Solvents:

Methanol: $\leq 5.0 \text{ mg/kg}$ (residual presence)

extract from Shiitake mushroom (*Lentinula*

edodes)

Mvcelial

Description/Definition:

The novel food ingredient is a sterile aqueous extract obtained from the mycelium of *Lentinula edodes* cultivated in a submerged fermentation. It is a light brown slightly turbid liquid

light brown, slightly turbid liquid. Lentinan is a β -(1-3) β -(1-6)-D-glucan which has a molecular weight of

approximately 5×10^5 Daltons, a degree of branching of 2/5 and a triple helical tertiary structure.

Purity/Composition of the mycelial extract from Lentinula edodes:

Moisture: 98 % Dry matter: 2 %

Free glucose: < 20 mg/ml Total protein (*): < 0,1 mg/ml

N-containing constituents (**): < 10 mg/ml

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Lentinan: 0.8 - 1.2 mg/ml

- (*) Bradford method
- (**) Kjeldahl method

Noni fruit juice (Morinda citrifolia)

Description/Definition:

Noni fruits (fruits of *Morinda citrifolia* L.) are pressed. The obtained juice is pasteurised. An optional fermentation step before or after the pressing may occur.

Rubiadin: $\leq 10 \mu g/kg$ Lucidin: $\leq 10 \mu g/kg$

Noni fruit juice powder (*Morinda* citrifolia)

Description/Definition:

Seeds and skin of the sun-dried fruits of *Morinda citrifolia* are separated. The obtained pulp is filtered to separate juice from the flesh. Desiccation of the produced juice occurs in one or two ways:

Either by atomisation using maize maltodextrins, this mixture is obtained by keeping the rates of inflow of the juice and maltodextrins constant

Or by zeodratation or drying and then mixing with an excipient, this process allows the juice to be dried initially and then mixed with maltodextrins (same amount as used in atomisation).

Noni fruit puree and concentrate (Morinda citrifolia)

Description/Definition:

The fruits of *Morinda citrifolia* are harvested by hand. Seeds and skin may be separated mechanically from the pureed fruits. After pasteurisation, the puree is packaged in aseptic containers and stored under cold conditions.

Morinda citrifolia concentrate is prepared from M. citrifolia puree by treatment with pectinolytic enzymes (50-60 °C for 1-2 h). Then the puree is heated to inactivate the pectinases and then immediately cooled. The juice is separated in a decanter centrifuge. Afterwards the juice is collected and pasteurised, prior to being concentrated in a vacuum evaporator from a brix of 6 to 8 to a brix of 49 to 51 in the final concentrate.

Composition:

Puree:

Moisture: 89-93 % Protein: < 0,6 g/100 g Fat: ≤ 0,4 g/100 g Ash: < 1,0 g/100 g

Total carbohydrates: 5-10 g/100 g

Fructose: 0,5-3,82 g/100 g Glucose: 0,5-3,14 g/100 g Dietary fibre: < 0,5-3 g/100 g

5,15-dimethylmorindol (*): $\leq 0.254 \,\mu\text{g/ml}$

Lucidin (*): Not detectable Alizarin (*): Not detectable Rubiadin (*): Not detectable

Concentrate:

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Moisture: 48-53 % Protein: 3-3,5 g/100 g Fat: < 0,04 g/100 g Ash: 4,5-5,0 g/100 g

Total carbohydrates: 37-45 g/100 g

Fructose: 9-11 g/100 g Glucose: 9-11 g/100 g Dietary fibre: 1,5-5,0 g/100 g

5,15-dimethylmorindol (*): $\leq 0,254 \,\mu\text{g/ml}$

(*) By an HPLC-UV method developed and validated for the analysis of anthraquinones in *Morinda citrifolia* puree and concentrate. Limits of detection: 2,5 ng/ml (5,15 dimethylmorindol); 50,0 ng/ml (lucidin); 6,3 ng/ml (alizarin) and 62,5 ng/ml (rubiadin).

Noni leaves (Morinda citrifolia)

Description/Definition:

After cutting, the leaves of *Morinda citrifolia* are subject to drying and roasting steps. The product has a particle size ranging from broken leaves to coarse powder with fines. It is of greenish brown to brown colour.

Purity/Composition:

Moisture: < 5,2 % Protein: 17- 20 % Carbohydrate: 55-65 %

Ash: 10-13 % Fat: 4-9 %

Oxalic acid: < 0,14 % Tannic acid: < 2,7 %

5,15-dimethylmorindol: < 47 mg/kg Rubiadin: non detectable, ≤ 10 µg/kg Lucidin: non detectable, ≤ 10 µg/kg

Noni fruit powder (Morinda citrifolia)

Description/Definition:

Noni fruit powder is made from pulped noni (*Morinda citrifolia L*.) fruits by freeze-drying. Fruits are pulped and seeds are removed. After freeze-drying during which water is removed from noni fruits, the remaining noni pulp is milled to a powder and encapsulated.

Purity/Composition

Moisture: 5,3-9 % Protein: 3,8-4,8 g/100 g

Fat: 1-2 g/100 g Ash: 4,6-5,7 g/100 g

Total carbohydrates: 80-85 g/100 g

Fructose: 20,4-22,5 g/100 g Glucose: 22-25 g/100 g Dietary fibre: 15,4-24,5 g/100 g 5,15-dimethylmorindol (*): \leq 2,0 µg/ml

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

	(*) By an HPLC-UV method devo of anthraquinones in <i>Morinda</i> detection: 2,5 ng/ml (5,15 dim	citrifolia fruit powder. Lin		
Odontella aurita microalgae	Silicon: 3,3 % Crystalline silica: max 0,1-0,3 % as impurity			
	Description/Definition: Oil enriched with phytosterols/phytostanols is composed of an oil fraction and a phytosterol fraction. s/Acylglycerol Distribution: llsFree fatty acids (expressed as oleic acid): ≤ 2,0 % Monoacylglycerols (MAG): ≤ 10 % Diacylglycerols (DAG): ≤ 25 % Triacylglycerols (TAG): Making up the balance Phytosterol fraction: β-sitosterol: ≤ 80 % β-sitostanol: ≤ 15 % campesterol: ≤ 40 % campestanol: ≤ 5,0 % stigmasterol: ≤ 30 % brassicasterol ≤ 3,0 % Others: Moisture and volatile: ≤ 0,5 % Peroxide value: < 5,0 meq/kg Trans fatty acids: ≤ 1 % Contamination/Purity (GC-FID or equivalent method) of phytosterols/phytostanols: Phytosterols and phytostanols extracted from sources other than vegetable oil suitable for food have to be free of contaminants, best ensured by a purity of more than 99 %.			
Oil extracted from squids	Acid value: ≤ 0.5 KOH/g oil Peroxide value: ≤ 5 meq O ₂ /kg oil p-Anisidine value: ≤ 20 Cold test at 0 °C: ≤ 3 hours Moisture: ≤ 0.1 % (w/w) Unsaponifiable matter: ≤ 5.0 % Trans fatty acids: ≤ 1.0 % Docosahexaeonic acid: ≥ 20 % Eicosapentaenoic acid: ≥ 10 %			
Pasteurised fruit-based preparation produced using high-	Fruit storage before high-pressure	Target Minimum 15 days at – 20 °C	Comments Fruit harvested and stored in	

Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

pressure treatment			conjunction with good/ hygienic agricultural and manufacturing practices
	Fruit added	40 % to 60 % of thawed fruit	Fruit homogenised and added to other ingredients
	рН	3,2 to 4,2	
	° Brix	7 to 42	Assured by added sugars
	$a_{ m w}$	< 0,95	Assured by added sugars
	Final storage	60 days maximum at + 5 °C maximum	Equivalent to storage regimen for conventionally processed product

maize starch

Phosphated Description/Definition:

Phosphated maize starch (phosphated distarch phosphate) is a chemically modified resistant starch derived from high amylose starch by combining chemical treatments to create phosphate cross-links between carbohydrate residues and esterified hydroxyl groups.

The novel food ingredient is a white or nearly white powder.

CAS No: 11120-02-8

Chemical formula: $(C_6H_{10}O_5)_n [(C_6H_9O_5)_2PO_2H]x [(C_6H_9O_5)PO_3H_2]y$

n = number of glucose units; x, y = degrees of substitution

The chemical characteristics of phosphated distarch phosphate:

Loss on drying: 10-14 %

pH: 4,5-7,5

Dietary fibre: ≥ 70 %

Starch: 7-14 % Protein: ≤ 0,8 % Lipids: ≤ 0,8 %

Residual bound phosphorus: $\leq 0.4\%$ (as phosphorus) 'high amylose

maize' as source

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Phosphatidy **Besing** ption/Definition:

from fish The novel food ingredient is yellow to brown powder. Phosphatidylserine is **phospholipids** btained from fish phospholipids by an enzymatic transphosphorylation with the amino acid L-serine.

Specification of the phosphatidylserine product manufactured from fish phospholipids:

Moisture: < 5.0 %Phospholipids: $\geq 75 \%$ Phosphatidylserine: $\geq 35 \%$ Glycerides: < 4,0 %

Free L-serine: < 1.0 % Tocopherols: $< 0.5 \% (^1)$

Peroxide value: $< 5.0 \text{ meg } O_2/\text{kg}$

Tocopherols may be added as antioxidants according to Commission (¹) Regulation (EU) No 1129/2011

Phosphatidy **Besing** ption/Definition:

from sova The novel food ingredient is off-white to light yellow powder. It is also

phospholipids vailable in liquid form with a clear brown to orange colour. The liquid form contains medium chain triacylglycerides (MCT) as a carrier. It contains lower levels of Phosphatidylserine due to the fact that it includes significant amounts of oil (MCT).

> Phosphatidylserine from soya phospholipids is obtained through enzymatic transphosphatidylation of high-phosphatidylcholine soybean lecithin with the amino acid L-serine. Phosphatidylserine consists of a glycerophosphate skeleton conjugated with two fatty acids and L-serine via a phosphodiester linkage.

Characteristics of Phosphatidylserine from sova phospholipids:

Powder form:

Moisture: < 2,0 % Phospholipids: ≥ 85 % Phosphatidylserine: $\geq 61 \%$

Glycerides: < 2,0 % free L-serine: < 1,0 % Tocopherols: < 0,3 % Phytosterols: < 0.2 %

Liquid form:

Moisture: < 2,0 % Phospholipids: $\geq 25 \%$ Phosphatidylserine: ≥ 20 % Glycerides: not applicable free L-serine: < 1,0 % Tocopherols: < 0.3 % Phytosterols: < 0,2 %

PhospholipidDescription/Definition: product

- Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012,
- Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

containing
equal
amounts of
phosphatidy
The product is manufactured through enzymatic conversion of soy lecithin.
The phospholipid product is a highly concentrated, yellow-brown powder form of phosphatidylserine and phosphatidic acid at an equal level.

Springication of the product:

and Moisture: $\leq 2.0 \%$

phosphatidic Total phospholipids: $\geq 70 \%$ Phosphatidylserine: $\geq 20 \%$ Phosphatidic acid: $\geq 20 \%$ Glycerides: $\leq 1,0 \%$ Free L-serine: $\leq 1,0 \%$ Tocopherols: $\leq 0,3 \%$ Phytosterols: $\leq 2,0 \%$

Silicon dioxide is used with a maximum content of 1,0 %

Phospholipides % and 100 % pure Phospholipides from egg yolk

from egg yolk

Phytoglycogenescription:

White to off-white powder which is an odourless, colourless, flavourless polysaccharide derived from non-GM sweet corn using conventional food processing techniques

Definition:

Glucose polymer ($C_6H_{12}O_6$)n with linear linkages of $\alpha(1-4)$ glycosidic bonds branched every 8 to 12 glucose units by $\alpha(1-6)$ glycosidic bonds

Specifications: Carbohydrates: 97 %

Sugars: 0,5 % Fibre: 0,8 % Fat: 0,2 % Protein: 0,6 %

Phytosterols/Description/Definition:

phytostanols Phytosterols and phytostanols are sterols and stanols that are extracted from plants and may be presented as free sterols and stanols or esterified with food grade fatty acids.

Composition (with GC-FID or equivalent method):

β-sitosterol: < 81 % β-sitostanol: < 35 %campesterol: < 40 %campestanol: < 15 %stigmasterol: < 30 %brassicasterol: < 3,0 %other sterols/stanols: < 3,0 %

Contamination/Purity (GC-FID or equivalent method):

Phytosterols and phytostanols extracted from sources other than vegetable oil suitable for food have to be free of contaminants, best ensured by a purity of more than 99 % of the phytosterol/phytostanol ingredient.

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Plum **Description/Definition:** kernel oil Plum kernel oil is a vegetable oil obtained by cold pressing of plum (*Prunus* domestica) kernels. **Composition:** Oleic acid (C18:1): 68 % Linoleic acid (C18:2): 23 % γ-Tocopherol: 80 % of total tocopherols β-Sitosterol: 80-90 % of total sterols Triolein: 40-55 % of triglycerides Cyanhydric acid: maximum 5 mg/kg oil Potato Dry substance: $\geq 800 \text{ mg/g}$ proteins Protein (N * 6,25): \geq 600 mg/g (dry substance) (coagulated Ash: $\leq 400 \text{ mg/g (dry substance)}$ Glycoalkaloid (total): $\leq 150 \text{ mg/kg}$ and Lysinoalanine (total): $\leq 500 \text{ mg/kg}$ hydrolysate thereof Lysinoalanine (free): $\leq 10 \text{ mg/kg}$ Prolvl **Specification of the enzyme:** oligopeptidaseystematic name: Prolyl oligopeptidase (enzyme Synonyms: Prolyl endopeptidase, proline-specific endopeptidase, **preparation** endoprolylpeptidase Molecular weight: 66 kDa Enzyme Commission number: EC 3.4.21.26 CAS number: 72162-84-6 Source: A genetically modified strain of *Aspergillus niger* (GEP-44) **Description:** Prolyl oligopeptidase is available as an enzyme preparation containing approximately 30 % maltodextrin. Specifications of the enzyme preparation of prolyl oligopeptidase: Activity: $> 580\ 000\ PPI\ (*)/g\ (> 34.8\ PPU\ (**)/g)$ Appearance: Microgranulate Colour: Off-white to orange yellowish. The colour may change from batch to batch Dry Matter: > 94 % Gluten: < 20 ppm **Heavy metals:** Lead: $\leq 1.0 \text{ mg/kg}$ Arsenic: $\leq 1.0 \text{ mg/kg}$ Cadmium: $\leq 0.5 \text{ mg/kg}$ Mercury: $\leq 0.1 \text{ mg/kg}$ Microbiological criteria: Total aerobic plate count: $\leq 10^3$ CFU/g Total yeasts and moulds: $\leq 10^2$ CFU/g Sulphite reducing anaerobes: $\leq 30 \text{ CFU/g}$ Enterobacteriaceae: < 10 CFU/g Salmonella: Absence in 25 g

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Escherichia coli: Absence in 25 g Staphylococcus aureus: Absence in 10 g Pseudomonas aeruginosa: Absence in 10 g Listeria monocytogenes: Absence in 25 g

Antimicrobial activity: Absent

Mycotoxins: Below limits of detection: Aflatoxin B1, B2, G1, G2 ($< 0.25 \mu g/kg$), total Aflatoxins ($< 2.0 \mu g/kg$), Ochratoxin A ($< 0.20 \mu g/kg$), T-2 Toxin ($< 5 \mu g/kg$), Zearalenone ($< 2.5 \mu g/kg$), Fumonisin B1 and B2 ($< 2.5 \mu g/kg$)

(*) PPI – Protease Picomole International

(**) PPU – Prolyl Peptidase Units or Proline Protease Units

Protein extract from pig kidneys

Description/Definition:

The protein extract is obtained from homogenised pig kidneys through a combination of salt precipitation and high speed centrifugation. The obtained precipitate contains essentially proteins with 7 % of the enzyme diamine oxidase (enzyme nomenclature E.C. 1.4.3.22) and is resuspended in a physiologic buffer system. The obtained pig kidney extract is formulated as encapsulated enteric coated pellets to reach the active sites of digestion. Basic Product:

Specification: pig kidney protein excerpt with natural content of

Diamin oxidase (DAO):

Physical condition: liquid

Colour: brownish

Appearance: slightly turbid solution

pH value: 6,4-6,8

Enzymatic activity: > 2 677 kHDU DAO/ml (DAO REA

(DAO Radioextractionassay))

Microbiological criteria:

Brachyspira spp.: negative (Real Time PCR)

Listeria monocytogenes: negative (Real Time PCR)

Staphylococcus aureus: < 100 CFU/g

Influenza A: negative (Reverse Transcription Real Time PCR)

Escherichia coli: < 10 CFU/g

Total aerobic microbiological count: < 10⁵ CFU/g

Yeasts/moulds count: $< 10^5$ CFU/g

Salmonella: Absence/10g

Bile salt resistant enterobacteriaceae: < 10⁴ CFU/g

Final product:

Specification pig kidney protein excerpt with natural content of DAO (E.C.

1.4.3.22) in an enteric coated formulation:

Physical condition: solid Colour: yellow gray Appearance: micropellets

Enzymatic activity: 110-220 kHDU DAO/g pellet (DAO REA (DAO

Radioextractionassay))

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Acid stability 15 min 0,1M HCl followed by 60 min Borat pH=9,0: > 68 kHDU DAO/g pellet (DAO REA (DAO Radioextractionassay))

Humidity: < 10 %

Staphylococcus aureus: < 100 CFU/g

Escherichia coli: < 10 CFU/g

Total aerobic microbiological count: < 10⁴ CFU/g Total combined yeasts/moulds count: < 10³ CFU/g

Salmonella: Absence/10g

Bile salt resistant enterobacteriaceae: $< 10^2$ CFU/g

Rapeseed oil high in unsaponifia matter

Description/Definition:

'Rapeseed oil high in unsaponifiable matter' is produced by vacuum **bde**stillation and it is different from refined rapeseed oil in the concentration of the unsaponifiable fraction (1 g in refined rapeseed oil and 9 g in 'rapeseed oil high in unsaponifiable matter'). There is a minor reduction of triglycerides containing monounsaturated and polyunsaturated fatty acids.

Purity:

Unsaponifiable matter: > 7.0 g/100 g

Tocopherols: > 0.8 g/100 g α -tocopherol (%): 30-50 % γ -tocopherol (%): 50-70 % δ -tocopherol (%): < 6.0 %

Sterols, triterpenic alcohols, methylsterols: > 5,0 g/100 g

Fatty acids in triglycerides:

palmitic acid: 3-8 % stearic acid: 0,8-2,5 % oleic acid: 50-70 % linoleic acid: 15-28 % linolenic acid: 6-14 % erucic acid: < 2,0 %

Acid value: $\leq 6.0 \text{ mg KOH/g}$ Peroxide value: $\leq 10 \text{ mEq O}_2/\text{kg}$

Heavy metals:

Iron (Fe): < 1 000 μg/kg Copper (Cu): < 100 μg/kg

Impurities:

Polycyclic aromatic hydrocarbons (PAH) Benzo(a)pyrene: $< 2 \mu g/kg$ Treatment with active carbon is required to ensure that polycyclic aromatic hydrocarbons (PAH) are not enriched in the production of 'rapeseed oil high in unsaponifiable matter'.

Rapeseed Protein

Definition:

Rapeseed protein is an aqueous protein-rich extract from rapeseed press cake originating from non-genetically modified *Brassica napus* L. and *Brassica rapa* L.

Description:

White to off-white, spray dried powder

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Total protein: $\geq 90 \%$ Soluble protein: $\geq 85 \%$ Moisture: $\leq 7,0 \%$ Carbohydrates: $\leq 7,0 \%$

Fat: $\leq 2.0 \%$ Ash: $\leq 4.0 \%$ Fibre: $\leq 0.5 \%$

Total glucosinolates: $\leq 1 \text{ mmol/kg}$

Purity:

Total phytate: ≤ 1,5 % Lead: ≤ 0,5 mg/kg Microbiological criteria:

Yeast and mould count: ≤ 100 CFU/g Aerobic bacteria count: ≤ 10 000 CFU/g Total coliform count: ≤ 10 CFU/g Escherichia coli: Absence in 10 g Salmonella: Absence in 25 g

Transresveratrol

Description/Definition:

Synthetic*Trans*-resveratrol is off-white to beige crystals.

Chemical name: 5-[(E)-2-(4-hydroxyphenyl)ethenyl]benzene-1,3-diol

Chemical formula: C₁₄H₁₂O₃ Molecular weight: 228,25 Da

CAS No: 501-36-0

Purity:

Trans-resveratrol: ≥ 98 %-99 %

Total by-products (related substances): $\leq 0.5 \%$

Any single related substance: $\leq 0.1 \%$

Sulphated ash: $\leq 0.1 \%$ Loss on drying: $\leq 0.5 \%$

Heavy metals: Lead: $\leq 1,0$ ppm Mercury: $\leq 0,1$ ppm Arsenic: $\leq 1,0$ ppm **Impurities:**

Diisopropylamine: $\leq 50 \text{ mg/kg}$

Microbial source: A genetically modified strain of Saccharomyces cerevisiae

Appearance: Off-white to slight yellow powder

Particle size: 100 % less than 62,23 µm

Trans-resveratrol content: Min. 98 % w/w (dry weight basis)

Ash: Max. 0,5 % w/w Moisture: Max. 3 % w/w

Rooster comb extract

Description/Definition:

Rooster comb extract is obtained from *Gallus gallus* by enzymatic hydrolysis of rooster comb and by subsequent filtration, concentration and precipitation steps. The principal constituents of rooster comb extract are the

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

glycosaminoglycans hyaluronic acid, chondroitin sulphate A and dermatan sulphate (chondroitin sulphate B). White or almost white hygroscopic powder.

Hyaluronic acid: 60-80 % Chondroitin sulphate A: ≤ 5,0 %

Dermatan sulphate (chondroitin sulphate B): $\leq 25 \%$

pH: 5,0-8,5 **Purity:**

Chlorides: $\leq 1.0 \%$ Nitrogen: $\leq 8.0 \%$

Loss on drying: (105 °C for 6 hours): $\leq 10 \%$

Heavy metals:

Mercury: ≤ 0,1 mg/kg Arsenic: ≤ 1,0 mg/kg Cadmium: ≤ 1,0 mg/kg Chromium: ≤ 10 mg/kg Lead: ≤ 0,5 mg/kg

Microbiological criteria:

Total viable aerobic count: $\leq 10^2$ CFU/g

Escherichia coli: Absence in 1 g Salmonella: Absence in 1 g

Staphylococcus aureus: Absence in 1 g Pseudomonas aeruginosa: Absence in 1 g

Sacha Inchi oil from Plukenetia volubilis

Description/Definition:

Sacha inchi oil is a 100 % cold pressed vegetable oil obtained from the seeds of *Plukenetia volubiis* L. It is a transparent, fluid (liquid) and shiny oil at room temperature. It has a fruity, light, green vegetable taste without undesirable flavours.

Aspect, limpidity, shine, colour: Fluid at room temperature, clean, shiny yellow

gold

Odour and taste: Fruity, vegetable without non acceptable taste or odour

Purity:

Water and Volatiles: < 0.2 g/100 g

Impurities insoluble in hexane: < 0,05 g/100 g

Oleic acidity: < 2,0 g/100 g Peroxide value: < 15 meq O₂/kg Trans fatty acids: < 1,0 g/100 g Total unsaturated fatty acids: > 90 %

Omega 3 alpha linolenic acid (ALA): > 45 %

Saturated fatty acids: < 10 % No trans fatty acids (< 0,5 %) No erucic acid (< 0,2 %)

More than 50 % of tri-linolenin and di-linolenin-triglycerides

Phytosterols composition and level No cholesterol (< 5,0 mg/100 g)

Salatrims Description/Definition:

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Salatrim is the internationally recognised acronym for (short and long chain acyl triglyceride molecules). Salatrim is prepared by non-enzymatic interesterification of triacetin, tripropionin, tributyrin, or their mixtures with hydrogenated canola, soybean, cottonseed, or sunflower oil. Description: Clear, slightly amber liquid to a light coloured waxy solid at room temperature. Free of particulate matter and of foreign or rancid odour.

Glycerol ester disribution:

Triacylglycerols: > 87 % Diacylglycerols: ≤ 10 % Monoacylglycerols: ≤ 2,0 %

Fatty acid composition:

MOLE % LCFA (long chain fatty acids): 33-70 % MOLE % SCFA (short chain fatty acids): 30-67 % Saturated long chain fatty acids: < 70 % by weight

Trans fatty acids: $\leq 1.0 \%$

Free fatty acids as oleic acid: $\leq 0.5 \%$

Triacylglycerol profile:

Triesters (short/long of 0.5 to 2.0): \geq 90 %

Triesters (short/long = 0): $\leq 10 \%$

Unsaponifiable material: $\leq 1,0 \%$

Moisture: $\leq 0.3 \%$ Ash: $\leq 0.1 \%$

Colour: $\leq 3.5 \text{ Red (Lovibond)}$ Peroxide value: $\leq 2.0 \text{ Meg/Kg}$

Schizochytriutecid value: ≤ 0.5 mg KOH/g

in DHA

Peroxide value: ≤ 5.0 meg/kg oil

sp. oil rich Oxidative stability: All food products containing schizochytrium sp. oil rich and EPA

in DHA and EPA should demonstrate oxidative stability by appropriate and recognised national/international test methodology (e.g. AOAC)

Moisture and volatiles: $\leq 0.05 \%$

Unsaponifiables: $\leq 4.5 \%$ Trans-fatty acids: $\leq 1 \%$ DHA content: $\geq 22,5 \%$ EPA content: $\geq 10 \%$

Schizochytriu**Pa**roxide value: ≤ 5.0 meg/kg oil

sp. (ATCC PTA-9695)

Unsaponifiables: $\leq 3.5 \%$ Trans-fatty acids: $\leq 2.0 \%$

oil

Free fatty acids: $\leq 0.4 \%$

Docosapentaenoic acid (DPA) n-6: \leq 7,5 %

DHA content: $\geq 35 \%$

Schizochytriumcid value: $\leq 0.5 \text{ mg KOH/g}$

sp. oil

Peroxide value (PV): ≤ 5.0 meg/kg oil Moisture and volatiles: $\leq 0.05 \%$

Unsaponifiables: $\leq 4.5 \%$ Trans-fatty acids: $\leq 1,0 \%$

Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012,

Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

DHA content: $\geq 32.0 \%$

*Schizochytri*utacid value: ≤ 0,5 mg KOH/g

sp. (T18) oil

Peroxide value: ≤ 5.0 meg/kg oil Moisture and volatiles: $\leq 0.05 \%$

Unsaponifiables: $\leq 3.5 \%$ Trans-fatty acids: $\leq 2.0 \%$ Free fatty acids: $\leq 0.4 \%$ DHA content: ≥ 35 %

Fermented soybean extract

Description/Definition:

Fermented soybean extract is an odourless milk-white coloured powder. It is comprised of 30 % fermented soybean extract powder and 70 % resistant dextrin (as carrier) from corn-starch, which is added during the processing.

Vitamin K_2 is removed during the manufacturing process.

Fermented sovbean extract contains nattokinase isolated from natto, a foodstuff produced by the fermentation of non-genetically modified soybeans (Glycine max (L.)) with a selected strain of Bacillus subtilis var. natto.

Nattokinase activity: 20 000-28 000 Fibrin degradation unit/g (*)

Identity: Confirmable

Condition: No offensive taste or smell

Loss on drying: $\leq 10 \%$ Vitamin $K2: \le 0.1 \text{ mg/kg}$

Heavy metals: Lead: $\leq 5.0 \text{ mg/kg}$ Arsenic: $\leq 3.0 \text{ mg/kg}$ Microbiological criteria:

Total viable aerobic count: $\leq 10^3$ CFU (³)/g

Yeast and mould: $< 10^2$ CFU/g

Coliforms: $\leq 30 \text{ CFU/g}$

Spore-forming bacteria: $\leq 10 \text{ CFU/g}$ Escherichia coli: Absence/25 g Salmonella: Absence/25 g

Listeria: Absence/25 g

(*) Assay method as described by Takaoka et al. (2010).

Spermidine-Description/Definition:

rich wheat germ extract (Triticum aestevium)

Spermidine-rich wheat germ extract is obtained from non-fermented, nonsprouting wheat germs (*Triticum aestevium*) by the process of solid-liquid extraction targeting specifically, but not exclusively polyamines.

Spermidine: 0,8-2,4 mg/g

Spermidine trichloride $< 0.1 \mu g/g$

Putrescine: < 0.3 mg/gCadaverine: $< 0.1 \mu g/g$

Spermine: 0.4-1.2 mg/g

Mycotoxins:

Aflatoxins (total): $< 0.4 \mu g/kg$

- Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012,
- Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Microbiological criteria:

Total aerobic bacteria: < 10 000 CFU/g Yeast and moulds: < 100 CFU/g Escherichia coli: < 10 CFU/g Salmonella: Absence/25 g

Listeria monocytogenes: Absence/25 g

Sucromalt

Description/Definition:

Sucromalt is a complex mixture of saccharides which is produced from sucrose and a starch hydrolysate by means of an enzymatic reaction. In this process, glucose units are attached to saccharides from the starch hydrolysate by means of an enzyme produced by the bacterium *Leuconostoc citreum* or by means of a recombinant strain of the production organism *Bacillus licheniformis*. The resulting oligosaccharides are characterised by the presence of α -(1 \rightarrow 6) and α -(1 \rightarrow 3) glycosidic compounds. The overall product is syrup, in addition to these oligosaccharides, contains mainly fructose but also the disaccharide leucrose and other disaccharides.

Total solids: 75-80 % Moisture: 20-25 % Sulphatase: Max 0,05 %

pH: 3,5-6,0

Conductivity < 200 (30 %)

Nitrogen < 10 ppm Fructose: 35-45 % d.w. Leucrose: 7-15 % d.w.

Other disaccharides: Max 3 % Higher saccharides: 40-60 % d.w

Sugar cane fibre

Description/Definition:

Sugar Cane Fibre is derived from the dry cell wall or fibrous residue remaining after expression or extraction of sugar juice from sugar cane, of the Saccharum genotype. It consists primarily of cellulose and hemicellulose.

The production process consists of several steps, including: chipping, alkaline digestion, removal of lignins and other non-cellulosic components, bleaching of purified fibres, acid washing and neutralization.

Moisture: $\leq 7,0 \%$ Ash: $\leq 0.3 \%$

Total Dietary Fibre (AOAC) dry basis (all insoluble): $\geq 95 \%$ of which: Hemicellulose (20-25 %) and cellulose (70-75 %)

Silica (ppm): ≤ 200 Protein: 0,0 % Fat: Trace pH: 4-7

Heavy metals:

Mercury (ppm): ≤ 0.1 Lead (ppm): ≤ 1.0 Arsenic (ppm): ≤ 1.0 Cadmium (ppm): ≤ 0.1

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Microbiological criteria:

Yeast and moulds (CFU/g): $\leq 1~000$

Salmonella: Absence

Listeria monocytogenes: Absence

Sunflower oil extract

Description/Definition:

The sunflower extract is obtained by a concentration factor of 10 of the unsaponifiable fraction of refined sunflower oil extracted from the seeds of the sunflower, *Helianthus Annuus* L.

Composition:

Oleic acid (C18:1): 20 % Linoleic acid (C18:2): 70 % Unsaponifiable matter: 8,0 %

Phytosterols: 5,5 % Tocopherols: 1,1 %

Dried Tetraselmis chuii

microalgae

Description/Definition:

The dried product is obtained from the marine microalgae *Tetraselmis chuii*, belonging to the *Chlorodendraceae* family, cultivated in sterile sea water in closed photobioreactors insulated from the outside air.

Purity/Composition:

Identified by means of nuclear marker rDNA 18 S (sequence analysed no less than 1 600 base pairs) in the National Centre for Biotechnology information (NCBI) database: Not less than 99.9 %

Humidity: ≤ 7,0 % Proteins: 35-40 % Ashes: 14-16 %

Carbohydrates: 30-32 %

Fibre: 2-3 % Fat: 5-8 %

Saturated fatty acids: 29-31 % of total fatty acids

Monounsaturated fatty acids: 21-24 % of total fatty acids Polyunsaturated fatty acids: 44-49 % of total fatty acids

Iodine: $\leq 15 \text{ mg/kg}$

Therapon barcoo/ Scortum

Description/Definition:

Scortum/Therapon barcoo is a species of fish in the family Terapontidae. It is an endemic fresh water species from Australia. It is now reared in fish farms. Taxonomic Identification: Class: Actinopterygii > order: Perciformes > family:

Terapontidae > genus: Therapon or Scortum Barcoo

Composition of fish flesh:

Protein (%): 18-25 Moisture (%): 65-75 Ash (%): 0,5-2,0

Energy (KJ/Kg): 6 000-11 500

Carbohydrates (%): 0,0

Fat (%): 5-15 Fatty acids (mg FA/g fillet):

 Σ PUFA n-3: 1,2-20,0

Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

> Σ PUFA n-6: 0,3-2,0 PUFA n-3/n-6: 1,5-15,0 Total omega 3 acids: 1,6-40,0 Total omega 6 acids: 2,6-10,0

D-Tagatose | **Description/Definition:**

Tagatose is produced by isomerization of galactose by means of chemical or enzymatic conversion, or by epimerization of fructose by means of enzymatic conversion. These are single-step conversions.

Appearance: White or almost white crystals

Chemical name: D-tagatose Synonym: D-lvxo-Hexulose CAS number: 87-81-0 Chemical formula: C₆H₁₂O₆ Formula weight: 180,16 (g/mol)

Purity:

Assay: \geq 98 % on a dry weight basis Loss on drying: $\leq 0.5 \%$ (102 °C, 2 hours)

Specific Rotation: $[\alpha]20_D$: -4 to -5.6° (1 % aqueous solution) (*)

Melting range: 133-137 °C

Heavy metals:

Lead: $\leq 1.0 \text{ mg/kg (**)}$

- (*) Food and nutrition paper 5 Rev 2 – Guide to specifications for general notices, general analytical techniques, identification tests, test solutions and other reference materials (JECFA) 1991, 307 p.; English – ISBN 92-5-102991-1
- (**)Determine using an atomic absorption technique appropriate to the specified level. The selection of sample size and method of sample preparation may be based on the principles of the method described in FNP 5. 'Instrumental methods' (*).

Taxifolinrich extract

Description:

Taxifolin-rich extract from the wood of Dahurian Larch (*Larix gmelinii* (Rupr.) Rupr) is a white to pale-yellow powder that crystallizes from hot aqueous solutions.

Definition:

Chemical name: [(2R,3R)-2-(3,4 dihydroxyphenyl)-3,5,7-trihydroxy-2,3dihydrochromen-4-one, also called (+) trans (2R,3R)- dihydroguercetin]

Chemical formula: C₁₅H₁₂O₇ Molecular mass: 304,25 Da

CAS No: 480-18-2 **Specifications:**

> Physical parameter Moisture: $\leq 10 \%$ Compound analysis

Taxifolin (m/m): ≥ 90.0 % of the dry weight

Heavy Metals, Pesticide

- Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012,
- Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Lead: ≤ 0,5 mg/kg Arsenic: ≤ 0,02 mg/kg Cadmium: ≤ 0,5 mg/kg Mercury: ≤ 0,1 mg/kg

Dichlorodiphenyltrichloroethane (DDT): ≤ 0.05 mg/kg

Residual solvents
Ethanol: < 5 000 mg/kg
Microbiological criteria

Total Plate Count (TPC): $\leq 10^4$ CFU/g

Enterobacteria: $\leq 100/g$

Yeast and Mould: ≤ 100 CFU/g Escherichia coli: Absence/1 g Salmonella: Absence/10 g

Staphylococcus aureus: Absence/1 g

Pseudomonas: Absence/1 g

Usual range of components of the Taxifolin-rich extract (as per dry substance)

Extract component	Content, usual observed range (%)		
Taxifolin	90 – 93		
Aromadendrin	2,5 – 3,5		
Eriodictyol	0,1 – 0,3		
Quercetin	0,3 – 0,5		
Naringenin	0,2 – 0,3		
Kaempferol	0,01 – 0,1		
Pinocembrin	0,05 – 0,12		
Unidentified flavonoids	1 - 3		
Water (*)	1,5		

(*) Taxifolin in its hydrated form and during the drying process is a crystal. This results on the inclusion of water of crystallisation in a quantity of 1,5 %.

Trehalose

Description/Definition:

A non-reducing disaccharide that consists of two glucose moieties linkes by an α -1,1-glucosidic bond. It is obtained from liquefied starch by a multistep enzymatic process. The commercial product is the dihydrate. Virutally odourless, white or almost white crystals with a sweet taste

Synonyms: α, α -trehalose

Chemical name: α-D-glucopyranosyl-α-D-glucopyranoside, dihydrate

CAS No.: 6138-23-4 (dihydrate)

Chemical formula: $C_{12}H_{22}O_{11} \cdot 2H_2O$ (dihydrate)

Formula weight: 378,33 (dihydrate) Assay: ≥ 98 % on the dry basis

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Determine using an atomic absorption technique appropriate to the specified level. The selection of sample size and method of sample preparation may be based on the principles of the method described in FNP 5 (1), 'Instrumental methods'

Method of assay:

Principle: trehalose is identified by liquid chromatography and quantified by comparison to a reference standard containing standard trehalose

Preparation of sample solution: weigh accurately about 3 g of dry sample into a 100 ml volumetric flask and add about 80 ml of purified, deionised water. Bring sample to complete dissolution and dilute to mark with purified deionised water. Filter through a 0,45 micron filter

Preparation of standard solution: dissolve accurately weighed quantities of dry standard reference trehalose in water to obtain a solution having known concentration of about 30 mg of trehalose per ml.

Apparatus: liquid chromatography equipped with a refractive index detector and integrating recorder

Conditions:

Column: Shodex Ionpack KS-801 (Showa Denko Co.) or equivalent

length: 300 mmdiameter: 10 mmtemperature: 50 °C

Mobile phase: water flow rate: 0,4 ml/min Injection volume: 8 µl

Procedure: inject separately equal volumes of the sample solution and the standard solution into the chromatograph.

Record the chromatograms and measure the size of response of the trehalose peak

Calculate the quantity, in mg, of trehalose in 1 ml of the sample solution by the following formula:

% trehalose = $100 \times (R_U/R_S) (W_S/W_U)$ where

R_S = peak area of trehalose in the standard preparation

 R_U = peak area of trehalose in the sample

preparation

W_S = weight in mg of trehalose in the standard preparation

 W_U = weight of dry sample in mg

Characteristics:

Identification:

Solubility: Freely soluble in water, very slightly soluble in ethanol Specific rotation: [α]D20 + 199° (5 % aqueous solution) Melting point: 97 °C (dihydrate)

Purity:

Loss on drying: $\leq 1.5 \%$ (60 °C, 5 h)

Total ash: $\leq 0.05 \%$

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Heavy metals:

Lead: $\leq 1.0 \text{ mg/kg}$

UV treated mushrooms (Agaricus

bisporus)

Description/Definition:

Commercially grown Agaricus bisporus to which UV light treatment is applied to harvested mushrooms.

UV radiation: a process of radiation in ultraviolet light within the wavelength of 200-800 nm.

Vitamin D₂:

Chemical name: (3\beta,5\,Z,7\,E,22\,E)-9,10-secoergosta-5,7,10(19),22-tetraen-3-ol

Synonym: Ergocalciferol CAS No: 50-14-6

Molecular weight: 396,65 g/mol

Contents:

Vitamin D_2 in the final product: 5-10 µg/100 g fresh weight at the expiration of

shelf life

UV-treated

Description/Definition:

baker's yeast cerevisiae)

Baker's yeast (Saccharomyces cerevisiae) is treated with ultraviolet light to induce the conversion of ergosterol to vitamin D₂ (ergocalciferol). Vitamin (SaccharomyPescontent in the yeast concentrate varies between 1 800 000-3 500 000 IU

vitamin D/100 g (450-875 μ g/g).

Tan-coloured, free-flowing granules

Vitamin D2:

Chemical name: (5Z,7E,22E)-(3S)-9,10-secoergosta-5,7,10(19),22-tetraen-3-ol

Synonym: Ergocalciferol

CAS No.: 50-14-6

Molecular weight: 396,65 g/mol

Microbiological criteria for the yeast concentrate:

Coliforms: $\leq 10^3/g$ Escherichia coli: $\leq 10/g$ Salmonella: Absence in 25 g

UV-treated bread

Description/Definition:

UV-treated bread is yeast leavened bread and rolls (without toppings) to which a treatment with ultraviolet radiation is applied after baking in order to convert ergosterol to vitamin D₂ (ergocalciferol).

UV radiation: A process of radiation in ultraviolet light within the wavelength of 240-315 nm for maximum of 5 seconds with energy input of 10-50 mJ/cm².

Vitamin D2:

Chemical name: (5Z,7E,22E)-3S-9,10-secoergosta-5,7,10(19),22-tetraen-3-ol

Synonym: Ergocalciferol CAS No: 50-14-6

Molecular weight: 396,65 g/mol

Contents:

Vitamin D₂ (ergocalciferol) in the final product: $0.75-3 \mu g/100 g$ (*)

Yeast in dough: 1-5 g/100 g (**)

Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012,

Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

- (*) EN 12821, 2009, European Standard.
- (**) Recipe calculation.

UV-treated milk

Description/Definition:

UV-treated milk is cow's milk (whole and semi-skimmed) to which a treatment with ultraviolet (UV) radiation via turbulent flow is applied after pasteurisation. The treatment of the pasteurised milk with UV radiation results in an increase in the vitamin D₃ (cholecalciferol) concentrations by conversion of 7-dehydrocholesterol to vitamin D₃.

UV radiation: A process of radiation in ultraviolet light within the wavelength of 200-310 nm with energy input of 1 045 J/l.

Vitamin D₃:

Chemical name: (1S,3Z)-3-[(2E)-2-[(1R,3aS,7aR)-7a-methyl-1-[(2R)-6-methylheptan-2-yl]-2,3,3a,5,6,7-hexahydro-1H-inden-4-ylidene]ethylidene]-4-methylidenecyclohexan-1-ol

Synonym: Cholecalciferol CAS No: 67-97-0

Molecular weight: 384,6377 g/mol

Contents:

Vitamin D_3 in the final product: Whole milk (*): 0,5-3,2 µg/100 g (**)

Semi-skimmed milk (*): 0,1–1,5 μg/100 g (**)

(*) As defined by Regulation (EU) No 1308/2013 of the European Parliament and of the Council of 17 December 2013 establishing a common organisation of the markets in agricultural products and repealing Council Regulations (EEC) No 922/72, (EEC) No 234/79, (EC) No 1037/2001 and (EC) No 1234/2007 (OJ L 347, 20.12.2013, p. 671).

(**) HPLC

Vitamin

This novel food is produced by a synthetic or microbiological process.

 K_2 Specification of synthetic Vitamin K_2 (menaquinone-7)

(menaquinor@nemical Name: (all-E)-2-(3,7,11,15,19,23,27-

Heptamethyl-2,6,10,14,18,22,26-octacosaheptaenyl)-3-methyl-1,4-

naphtalenedione

CAS Number: 2124-57-4 Molecular formula: C₄₆H₆₄O₂ Molecular weight: 649 g/mol Appearance: Yellow powder

Purity: Max 6,0 % cis-isomer, max 2,0 % other impurities

Content: 97-102 % Menaquinone-7 (including at least 92 % all-trans

Menaquinone-7)

Specifications of microbiologically produced Vitamin K_2 (menaquinone-7)

Source: Bacillus subtilis spp. natto

- a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)
- b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Vitamin K₂ (2-methyl-3-all-trans-polyprenyl-1,4-naphthoquinones), or the menaquinone series, is a group of prenylated naphthoquinone derivatives. The number of isoprene residues, where 1 isoprene unit consists of 5 carbons comprising the side chain, is used to characterise the menaquinone homologues. It is presented in an oil suspension that primarily contains MK-7 and MK-6 to a smaller extent.

Vitamin K_2 (menaquinones) series with menaquinone-7 (MK-7)(n = 6) being $C_{46}H_{64}O_2$, menaquinone-6 (MK-6)(n = 5) being $C_{41}H_{56}O_2$ and menaquinone-4 (MK-4)(n = 3) being $C_{31}H_{40}O_2$.

Wheat bran extract

Description/Definition:

White crystalline powder obtained by enzymatic extraction from *Triticum aestivum* L. bran, rich in arabinoxylan oligosaccharides

Dry matter: Min. 94 %

Arabinoxylan oligosaccharides: Min 70 % of dry matter

Average degree of polymerisation of arabinoxylan oligosaccharides: 3-8 Ferulic acid (bound to arabinoxylan oligosaccharides): 1-3 % of dry matter

Total poly/oligosaccharides: Min 90 %

Protein: Max 2 % of dry matter Ash: Max 2 % of dry matter **Microbiological parameters:**

Mesophilic bacteria – total count: Max 10 000/g

Yeasts: Max 100/g Fungi: Max 100/g

Salmonella: Absence in 25 g Bacillus cereus: Max 1 000/g

Clostridium perfringens: Max 1 000/g

Yeast betaglucans

Description/Definition:

Beta-glucans are complex, high molecular mass (100–200 kDa) polysaccharides, found in the cell wall of many yeasts and cereals. The chemical name for 'yeast beta-glucans' is (1-3),(1-6)- β -D-glucans. Beta-glucans consist of a backbone of β -1-3-linked glucose residues that are branched by β -1-6-linkages, to which chitin and mannoproteins are linked by β -1-4-bonds.

Beta-glucans are isolated from yeast Saccharomyces cerevisiae.

The tertiary structure of the glucan cell wall of *Saccharomyces cerevisiae* consists of chains of β -1,3-linked glucose residues, branched by β -1,6-linkages, forming a backbone to which are linked chitin via β -1,4- bonds, β -1,6-glucans and some mannoproteins.

This novel food is available in three different forms: soluble, insoluble and insoluble in water, but dispersible in many liquid matrices.

Chemical characteristics yeast (*Saccharomyces cerevisiae*) beta-glucans: Soluble form:

Total carbohydrates: > 75 % Beta-glucans (1,3/1,6): > 75 %

Ash: < 4,0 % Moisture: < 8,0 %

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

> Protein: < 3,5 % Fat: < 10 % **Insoluble form:**

Total carbohydrates: > 70 % Beta-glucans (1,3/1,6): > 70 %

Ash: $\leq 12 \%$ Moisture: < 8,0 % Protein: < 10 % Fat: < 20 %

Insoluble in water, but dispersible in many liquid matrices:

(1,3)-(1,6)- β -D-Glucans: > 80 %

Ash: < 2.0 %Moisture: < 6,0 % Protein: < 4.0 % Total fat: < 3.0 %

Microbiological data:

Total plate count: < 1 000 CFU/g Enterobacteriaceae: < 100 CFU/g Total coliforms: < 10 CFU/g

Yeast: < 25 CFU/g Mould: < 25 CFU/g

Salmonella: Absence in 25 g Escherichia coli: Absence in 1 g *Bacillus cereus*: < 100 CFU/g

Staphylococcus aureus: Absence in 1 g

Heavy metals: Lead: < 0.2 mg/gArsenic: < 0.2 mg/gMercury: < 0.1 mg/gCadmium: < 0.1 mg/g

Zeaxanthin Description/Definition:

Zeaxanthin is a naturally occurring xanthophyll pigment, it is an oxygenated

The synthetic zeaxanthin is presented either as a spray-dried powder of gelatin or starch base ('beadlets') with added α-tocopherol and ascorbyl palmitate or as a corn oil suspension with added α -tocopherol. Synthetic zeaxanthin is produced by a multi-step chemical synthesis from smaller molecules.

Orange-red crystalline powder with little or no odour.

Chemical formula: C₄₀H₅₆O₂

CAS No: 144-68-3

Molecular weight: 568,9 daltons Physical-chemical properties:

Loss on drying: < 0.2 %*All*-trans zeaxanthin: > 96 % Cis-zeaxanthin: < 2.0 % Other carotenoids: < 1,5 %

Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012,

Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

Triphenylphosphine oxid (CAS No 791-28-6): < 50 mg/kg

Zinc Lpidolate

Description/Definition:

Zinc L-pidolate is a white to off-white powder, with characteristic odour. International non-proprietary name (INN): L-pyroglutamic acid, Zinc salt Synonyms: Zinc 5-oxoproline, Zinc pyroglutamate, Zinc pyrrolidone

carboxylate, Zinc PCA, L-Zinc pidolate

CAS No.: 15454-75-8

Molecular formula: (C₅H₆NO₃)₂ Zn

Relative anhydrous molecular mass: 321,4 Appearance: White to slightly white powder

Purity:

Zinc L-pidolate (purity): $\geq 98 \%$ pH (10 % aqueous sol.): 5,0-6,0 Specific rotation: 19,6°- 22,8°

Water: $\leq 10,0 \%$ Glutamic acid: $\leq 2,0 \%$

Heavy metals: Lead: ≤ 3,0 ppm Arsenic: ≤ 2,0 ppm Cadmium: ≤ 1,0 ppm Mercury: ≤ 0,1 ppm Microbiological criteria:

Total viable mesophilic count: ≤ 1 000 CFU/g

Yeasts and moulds: $\leq 100 \text{ CFU/g}$

Pathogen: Absence

a Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council (OJ L 83, 22.3.2012, p. 1)

b Commission Implementing Regulation (EU) 2015/175 of 5 February 2015 laying down special conditions applicable to the import of guar gum originating in or consigned from India due to contamination risks by pentachlorophenol and dioxins (OJ L 30, 6.2.2015, p. 10)

Status: Point in time view as at 20/12/2017.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470. (See end of Document for details)

- **(1)** OJ L 327, 11.12.2015, p. 1.
- (2) Regulation (EC) No 258/97 of the European Parliament and of the Council of 27 January 1997 concerning novel foods and novel food ingredients (OJ L 43, 14.2.1997, p. 1).

Status:

Point in time view as at 20/12/2017.

Changes to legislation:

There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2017/2470.