Council Regulation (EU) 2018/2070 of 20 December 2018 amending Regulation (EU) No 1388/2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products

# COUNCIL REGULATION (EU) 2018/2070

# of 20 December 2018

amending Regulation (EU) No 1388/2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products

# THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

### Whereas:

- (1) In order to ensure the sufficient and uninterrupted supply of certain goods insufficiently produced in the Union and to avoid disturbances on the market for certain agricultural and industrial products, autonomous tariff quotas were opened by Council Regulation (EU) No 1388/2013<sup>(1)</sup>. Products within those tariff quotas can be imported into the Union at reduced or zero duty rates.
- (2) For those reasons, it is necessary to open, with effect from 1 January 2019, six new tariff quotas with order numbers 09.2600, 09.2617, 09.2720, 09.2738, 09.2740 and 09.2742 at zero duty rates for appropriate volumes of those products. For the two new tariff quotas with order numbers 09.2740 and 09.2742, it is in the interest of the Union to open those tariff quotas only for the purposes of using the products concerned for the manufacture of specific goods produced in the Union. The application of those two tariff quotas should therefore be made conditional on the specific use of the products in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council<sup>(2)</sup>.
- (3) In the case of four tariff quotas with order numbers 09.2684, 09.2686, 09.2723 and 09.2864, the quota volumes should be increased, as an increase is in the interest of the Union.
- (4) For one tariff quota with order number 09.2850, the classification in the Combined Nomenclature (CN) of the products covered by that tariff quota should be amended.
- (5) The classification in the CN of the products currently covered by the tariff quota with order number 09.2844 has been clarified. For the sake of clarity and legal certainty, that tariff quota should be replaced by a new tariff quota with order number 09.2820, indicating the applicable CN code.

- In the case of five tariff quotas with order numbers 09.2684, 09.2728, 09.2730, 09.2734 and 09.2736, the quota period should be extended with effect from 1 January 2019, as those tariff quotas were opened for a period of six months only and it is still in the interest of the Union to maintain those tariff quotas.
- (7) As the scope of the five tariff quotas with order numbers 09.2620, 09.2668, 09.2736, 09.2850 and 09.2908 has become inadequate to fulfil the needs of the economic operators of the Union, the description of the products covered by those tariff quotas should be amended. For the two tariff quotas with order numbers 09.2668 and 09.2850, it is in the interest of the Union to maintain those tariff quotas only for the purposes of the incorporation of the products concerned into specific goods produced in the Union. The application of those two tariff quotas should therefore be made conditional on the specific use of the products in accordance with Article 254 of Regulation (EU) No 952/2013.
- (8) As it is no longer in the interest of the Union to maintain the seven tariff quotas with order numbers 09.2695, 09.2726, 09.2732, 09.2818, 09.2836, 09.2838 and 09.2886, they should be closed with effect from 1 January 2019.
- (9) In the interest of clarity, and taking into account the number of amendments to be made, the Annex to Regulation (EU) No 1388/2013 should be replaced.
- (10) Regulation (EU) No 1388/2013 should therefore be amended accordingly.
- (11) In order to avoid any interruption of the application of the tariff quota scheme and to comply with the guidelines set out in the communication from the Commission concerning autonomous tariff suspensions and quotas<sup>(3)</sup>, the changes provided for in this Regulation regarding the tariff quotas for the products concerned have to apply from 1 January 2019. This Regulation should therefore enter into force as a matter of urgency,

# HAS ADOPTED THIS REGULATION:

#### Article 1

The Annex to Regulation (EU) No 1388/2013 is replaced by the text set out in the Annex to this Regulation.

### Article 2

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2019.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

**Changes to legislation:** There are currently no known outstanding effects for the Council Regulation (EU) 2018/2070. (See end of Document for details)

Done at Brussels, 20 December 2018.

For the Council

The President

E. KÖSTINGER

## **ANNEX**

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty
09.2637	ex 0710 40 00	20	Corn cobs (Zea Mays	1.131.12.	550 tonnes	0 %°
	ex 2005 80 00	30	Saccharata) whether or not cut, with a diameter of 10 mm or more but not more than 20 mm, for use in the manufacture of products of the food industry for treatment other than simple repacking <sup>ab</sup>			
09.2849	ex 0710 80 69	10	Mushrooms of the species Auricularia polytricha (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals <sup>ab</sup>	1.131.12.	700 tonnes	0 %
09.2664	ex 2008 60 39	30	Sweet cherries containing added spirit, with	1.131.12.	1 000 tonnes	10 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			a sugar content of not more than 9 % by weight, of a diameter of not more than 19,9 mm, with stones, for use in chocolate products <sup>b</sup>			
09.2740	ex 2309 90 96	97	Soya bean protein concentrate containing by weight:  — 60 % (± 10 %) of cru	de tein, de re,	30 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			or mo but not mo tha 6,9 % of star for use in the manufacture of animal feed products <sup>b</sup>	re n rch,		
09.2913	ex 2401 10 35	91	Natural unmanufactu tobacco,	1.131.12. red	6 000 tonnes	0 %
	ex 2401 10 70	10	whether or not cut			
	ex 2401 10 95	11	in regular size, having			
	ex 2401 10 95	21	a custom value of not less than			
	ex 2401 10 95	91	Euro 450 per 100 kg			
	ex 2401 20 35	91	net weight, for use as binder or			
	ex 2401 20 70	10	wrapper for the manufacture			
	ex 2401 20 95	11	of goods falling			
	ex 2401 20 95	21	within subheading 2402 10			
	ex 2401 20 95	91	00 <sup>b</sup>			
09.2828	2712 20 90		Paraffin wax containing by weight less than	1.131.12.	120 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			0,75 % of oil			
09.2600	ex 2712 90 39	10	Slack wax (CAS RN 64742-61-6)	1.131.12.	100 000 tonnes	0 %
09.2928	ex 2811 22 00	40	Silica filler in the form of granules, with a purity by weight of 97 % or more of silicon dioxide	1.131.12.	1 700 tonnes	0 %
09.2806	ex 2825 90 40	30	Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or CAS RN 39318-18-8)	1.131.12.	12 000 tonnes	0 %
09.2872	ex 2833 29 80	40	Cesium sulphate (CAS RN 10294-54-9) in solid form or as aqueous solution containing by weight 48 % or more but not more than 52 % of cesium sulphate	1.131.12.	160 tonnes	0 %
09.2929	2903 22 00		Trichloroeth (CAS RN 79-01-6)	ylehe31.12.	15 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

**c** Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

09.2837	ex 2903 79 30	20	Bromochloromethand 2. (CAS RN 74-97-5)	600 tonnes	0 %
09.2933	ex 2903 99 80	30	1,3- Dichlorobenzene (CAS RN 541-73-1)	2 600 tonnes	0 %
09.2700	ex 2905 12 00	10	Propan-1- ol (propyl alcohol) (CAS RN 71-23-8)	15 000 tonnes	0 %
09.2830	ex 2906 19 00	40	Cyclopropylmethanbll 2. (CAS RN 2516-33-8)	20 tonnes	0 %
09.2851	ex 2907 12 00	10	O-Cresol (CAS RN 95-48-7) having a purity of not less than 98,5 % by weight	20 000 tonnes	0 %
09.2704	ex 2909 49 80	20	2,2,2',2'- Tetrakis(hydroxymethyl)- oxydipropan-1- ol (CAS RN 126-58-9)	500 tonnes 3,3'-	0 %
09.2624	2912 42 00		Ethylvanillin 1.131.12. (3- ethoxy-4- hydroxybenzaldehyde) (CAS RN 121-32-4)	1 950 tonnes	0 %
09.2683	ex 2914 19 90	50	Calcium 1.131.12. acetylacetonate (CAS RN 19372-44-2) for use in the manufacture	150 tonnes	0 %

**a** However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

**c** Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			of stabilisator systems in tablet form <sup>b</sup>			
09.2852	ex 2914 29 00	60	Cyclopropyl methyl ketone (CAS RN 765-43-5)	1.131.12.	300 tonnes	0 %
09.2638	ex 2915 21 00	10	Acetic acid (CAS RN 64-19-7) of a purity by weight of 99 % or more	1.131.12.	1 000 000 tonnes	0 %
09.2972	2915 24 00		Acetic anhydride (CAS RN 108-24-7)	1.131.12.	50 000 tonnes	0 %
09.2679	2915 32 00		Vinyl acetate (CAS RN 108-05-4)	1.131.12.	350 000 tonnes	0 %
09.2728	ex 2915 90 70	85	Ethyl trifluoroaceta (CAS RN 38		400 tonnes	0 %
09.2665	ex 2916 19 95	30	Potassium (E,E)- hexa-2,4- dienoate (CA	1.131.12. AS RN 24634	8 250 tonnes -61-5)	0 %
09.2684	ex 2916 39 90	28	2,5- dimethylphe chloride (CA	1.131.12. nylacetyl S RN 55312-	400 tonnes 97-5)	0 %
09.2769	ex 2917 13 90	10	Dimethyl sebacate (CAS RN 106-79-6)	1.131.12.	1 000 tonnes	0 %
09.2634	ex 2917 19 80	40	Dodecanedic acid (CAS RN 693-23-2),	oib.131.12.	4 600 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

 $<sup>{</sup>f c}$  Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			of a purity by weight of more than 98,5
09.2808	ex 2918 22 00	10	O- 1.131.12. 120 tonnes 0 % acetylsalicylic acid (CAS RN 50-78-2)
09.2646	ex 2918 29 00	75	Octadecyl 3- 1.131.12. 380 tonnes (3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with  — a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 49 °C or more but not more

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

**c** Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			than 54 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) <sup>b</sup>		
09.2647	ex 2918 29 00	80	Pentaerythrit oll.131.12. tetrakis(3- (3,5-di-tert- butyl-4- hydroxyphenyl)propionate (CAS RN 6683-19-8)  — with a sieve passing fraction at a mesh width of 250  µm of more than 75 % by weight and at a mesh width	140 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			of 500  µm of  more than 99  % by weight, and  — a melting point of  110 °C or  more but  not  more than  125 °C,  for use  in the  manufacture  of PVC  processing  stabilizer-  one packs  based on  powder  mixtures  (powders  or press  granulates) <sup>b</sup>		
09.2975	ex 2918 30 00	10	Benzophenone-B,-33,4,42- tetracarboxylic dianhydride (CAS RN 2421-28-5)	1 000 tonnes	0 %
09.2688	ex 2920 29 00	70	Tris (2,4- 1.131.12. di-tert-butylphenyl)phosphite	6 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			(CAS RN 31570-04-4)			
09.2648	ex 2920 90 10	70	Dimethyl Sulphate (CAS RN 77-78-1)	1.131.12.	18 000 tonnes	0 %
09.2649	ex 2921 29 00	60	Bis(2- dimethylami (methyl)ami (CAS RN 3030-47-5)		1 700 tonnes	0 %
09.2682	ex 2921 41 00	10	Aniline (CAS RN 62-53-3) with a purity by weight of 99 % or more	1.131.12.	150 000 tonnes	0 %
09.2617	ex 2921 42 00	89	4-Fluoro- N-(1- methylethyl) (CAS RN 70441-63-3)	1.131.12. benzeneamin	500 tonnes	0 %
09.2602	ex 2921 51 19	10	O- phenylenedia (CAS RN 95-54-5)	1.131.12. amine	1 800 tonnes	0 %
09.2730	ex 2921 59 90	80	4,4'- Methanediyl (CAS RN 101-77-9) in form of granules, for use in the manufacture of prepolymers		200 tonnes	0 %
09.2854	ex 2924 19 00	85	3- Iodoprop-2- ynyl N- butylcarbam	1.131.12.	250 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

**c** Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			(CAS RN 55406-53-6)			
09.2874	ex 2924 29 70	87	Paracetamol (INN) (CAS RN 103-90-2)	1.131.12.	20 000 tonnes	0 %
09.2742	ex 2926 10 00	10	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of chapter 55 and heading 681:		50 000 tonnes	0 %
09.2856	ex 2926 90 70	84	2- Nitro-4(triflu (CAS RN 778-94-9)	1.131.12. coromethyl)be	900 tonnes nzonitrile	0 %
09.2708	ex 2928 00 90	15	Monomethyl (CAS 60-34-4) in the form of an aqueous solution with a content by weight of monomethyl of 40 (± 5) %		900 tonnes	0 %
09.2685	ex 2929 90 00	30	Nitroguanidi (CAS RN 556-88-7)	nle.131.12.	6 500 tonnes	0 %
09.2842	2932 12 00		2- Furaldehyde (furfuraldehy		10 000 tonnes	0 %
09.2955	ex 2932 19 00	60	Flurtamone (ISO) (CAS RN 96525-23-4)	1.131.12.	300 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

**c** Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

09.2696	ex 2932 20 90	25	Decan-5- olide (CAS RN 705-86-2)	1.131.12.	6 000 kilograms	0 %
09.2697	ex 2932 20 90	30	Dodecan-5- olide (CAS RN 713-95-1)	1.131.12.	6 000 kilograms	0 %
09.2812	ex 2932 20 90	77	Hexan-6- olide (CAS RN 502-44-3)	1.131.12.	4 000 tonnes	0 %
09.2858	2932 93 00		Piperonal (CAS RN 120-57-0)	1.131.12.	220 tonnes	0 %
09.2878	ex 2933 29 90	85	Enzalutamida INN (CAS RN 915087-33-1		1 000 kilograms	0 %
09.2673	ex 2933 39 99	43	2,2,6,6- Tetramethylp ol (CAS RN 2403-88-5)	1.131.12. piperidin-4-	1 000 tonnes	0 %
09.2674	ex 2933 39 99	44	Chlorpyrifos (ISO) (CAS RN 2921-88-2)	1.131.12.	9 000 tonnes	0 %
09.2880	ex 2933 59 95	39	Ibrutinib (INN) (CAS RN 936563-96-1	1.131.12.	5 tonnes	0 %
09.2860	ex 2933 69 80	30	1,3,5- Tris[3- (dimethylam triazine (CAS RN 15875-13-5)	1.131.12. ino)propyl]h	600 tonnes exahydro-1,3,	0 %
09.2658	ex 2933 99 80	73	5- (Acetoacetyla	1.131.12. amino)benzii	400 tonnes midazolone	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the ad valorem duty is suspended. The specific duty shall continue to apply.

			(CAS RN 26576-46-5)			
09.2675	ex 2935 90 90	79	4-[[(2- Methoxyben chloride (CAS RN 816431-72-8		1 000 u <b>t6mmg</b> s]benzo	0 % yl
09.2710	ex 2935 90 90	91	2,4,4- Trimethylper aminium (3R,5S,E)-7- (4-(4- fluorophenyl isopropyl-2- (N- methylmethy yl)-3,5- dihydroxyhe enoate (CAS RN 917805-85-7	)-6- \lsulfonamido pt-6-	5 000 kilograms )pyrimidin-5-	0 %
09.2945	ex 2940 00 00	20	D-Xylose (CAS RN 58-86-6)	1.131.12.	400 tonnes	0 %
09.2686	ex 3204 11 00	75	Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of 99 % or more by weight	1.131.12.	250 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the ad valorem duty is suspended. The specific duty shall continue to apply.

09.2676	ex 3204 17 00	14	Preparations based on Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) with a content thereof of 60 % or more but less than 85 % by weight	1.131.12.	50 tonnes	0 %
09.2698	ex 3204 17 00	30	Colourant C.I. Pigment Red 4 (CAS RN 2814-77-9) and preparations based thereon with a colourant C.I. Pigment Red 4 content of 60 % or more by weight	1.131.12.	150 tonnes	0 %
09.2659	ex 3802 90 00	19	Soda flux calcinated diatomaceou earth	1.131.12. s	35 000 tonnes	0 %
09.2908	ex 3804 00 00	10	Sodium lignosulphor (CAS RN 8061-51-6)	1.131.12. ate	40 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

09.2889	3805 10 90		Sulphate turpentine	1.131.12.	25 000 tonnes	0 %
09.2935	ex 3806 10 00	10	Rosin and resin acids obtained from fresh oleoresins	1.131.12.	280 000 tonnes	0 %
09.2832	ex 3808 92 90	40	Preparation containing 38 % or more but not more than 50 % by weight of pyrithione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion	1.131.12.	500 tonnes	0 %
09.2876	ex 3811 29 00	55	Additives consisting of reaction products of diphenylami and branched nonenes containing by weight:  — 28 % or mo but not mo tha 555 % of 4-	re :	900 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)


c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

09.2814	ex 3815 90 90	76	and not mo that 5 % of 2,4 din and 2,4	re n /- onyldiphenyl i re n onyldiphenyl i /- onyldiphenyl	amine	0 %
	90		of titanium dioxide and tungsten trioxide		tomes	
09.2820  a However, th	ex 3824 79 00	10	Mixtures containing by weight:  — 60 % or mo but		6 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.



a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			— (CARN 107) and mothal 1 % of eth chl	7-05-1), I re n yl oride AS		
09.2644	ex 3824 99 92	77	Preparation containing by weight:  — 55 % or mo but not mo tha 78 % of din glu — 10 % or mo but not mo tha 30 % of of of of the mo tha 30 % of of of of the mo tha 30 % of the mo that 30 % of the model of the m	re n nethyl tarate, re	10 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the ad valorem duty is suspended. The specific duty shall continue to apply.

			adi and not mo tha 35 % of din	re		
09.2681	ex 3824 99 92	85	Mixture of bis [3- (triethoxysily (CAS RN 211519-85-6	1.131.12. yl)propyl]sulp	9 000 tonnes hides	0 %
09.2650	ex 3824 99 92	87	Acetophenor (CAS RN 98-86-2), with a purity by weight of 60 % or more but not more than 90 %	n <b>đ</b> .131.12.	2 000 tonnes	0 %
09.2888	ex 3824 99 92	89	Mixture of tertiary alkyldimethy amines containing by weight:  — 60 % or mo but not mo tha 80 % of doc (Ca	re re n lecyldimethyl	16 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			and 20 % or mo but not mo tha 30 % of din (CA	2-18-5), interpretable of the second of the	cyl)amine	
09.2829	ex 3824 99 93	43	not exc 30 % by we an aci	in d ntent eeeding ight,	1 600 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			— a me poi of	eeding ), I Iting nt ) °C		
09.2907	ex 3824 99 93	67	mot mo tha 25 % of	re rols, I	2 500 tonnes	0 %
09.2639	3905 30 00		Poly(vinyl alcohol), whether or not containing unhydrolysed	1.131.12.	15 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			acetate groups			
09.2671	ex 3905 99 90	81	by we 17, % or mo but not mo tha 20 % of hyo grow and wit a me par siz (D: of mo tha 0,6 mm	training ight  5  re troxyl troxyl troxyl tropy	12 500 tonnes	0 %
09.2846	ex 3907 40 00	25	Polymer blend of polycarbona and poly(methyl methacrylate with a polycarbona content of not less than 98,5 % by	2)	2 000 tonnes	0 %

**a** However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			weight, in the form of pellets or granules, with a luminous transmittance of not less than 88,5 %, measured using a test sample with a thickness of 4 mm at a wavelength of $\lambda = 400$ nm (according to ISO 13468-2)			
09.2723	ex 3911 90 19	10	Poly(oxy-1,2 phenylenesu phenyleneox biphenylene)	lphonyl-1,4- y-4,4'-	5 000 tonnes	0 %
09.2816	ex 3912 11 00	20	Cellulose acetate flakes	1.131.12.	75 000 tonnes	0 %
09.2864	ex 3913 10 00	10	Sodium alginate, extracted from brown seaweed (CAS RN 9005-38-3)	1.131.12.	10 000 tonnes	0 %
09.2641	ex 3913 90 00	87	ave mo	ight rage lecular ight	200 kilograms	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			(Mw) of not more than 900 000, — an endotoxin level of not more than 0,008 Endotoxin units (EU)/ mg, — an ethanol content of not more than 1 % by weight, and — an
			- an isopropanol content of not more than 0,5 % by weight
09.2661	ex 3920 51 00	50	Sheets of polymethylmethacrylate conforming to standards:

undertakings.

Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

Only the ad valorem duty is suspended. The specific duty shall continue to apply.

			P-5 and DT or — EN 436 (M P-8	54 IL- (425E) I D5592A, 55 IL- (184)		
09.2645	ex 3921 14 00	20	Cellular block of regenerated cellulose, impregnated with water containing magnesium chloride and quaternary ammonium compounds, measuring 100 cm (± 10 cm) × 100 cm (± 10 cm) × 40 cm (± 5 cm)	1.131.12.	1 700 tonnes	0 %
09.2848	ex 5505 10 10	10	Waste of synthetic fibres (including noils, yarn waste, and garnetted stock) of nylon or other polyamides	1.131.12.	10 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			(PA6 and PA66)			
09.2721	ex 5906 99 90	20	Woven and laminated rubberised textile fabric with the following characteristi — with thresholds across of across fabric with the following characteristi — with the lay condition of across fabric condition of fabric condition of fabric condition of the milesholds are separately across fabric condition of the milesholds are separately across fabric condition of the milesholds are separately across fabric conditions are separately across fabric	th ee vers, e ter ver nsists  Tylic oric, e ter ver nsists  lyester oric, e ddle ver nsists  lorobutyl ober, e ddle ver s sight	375 000 square meters	0 %
			or			

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

		more	
		but	
		not	
		more	
		than	
		569	
		g/	
		$m^2$ ,	
		m ,	
		the	
		textile	
		fabric	
		has	
		a	
		total	
		10141	
		weight of	
		of	
		952	
		g/	
		$ \mathbf{m}^2 $	
		or	
		more	
		but	
		not	
		more	
		than	
		1	
		150 -/	
		159 g/	
		$m^2$	
		and	
		the	
		textile	
		fabric	
		Tablic	
		has	
		a	
		total	
		thickness	
		of	
		0,8 mm	
		or	
		more	
		but	
		not	
		more	
		than	
		4	
		mm,	

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			for use in the manufacture of retractable roofs of motor vehicles <sup>b</sup>			
09.2866	ex 7019 12 00 ex 7019 12 00	26	of corr gla fila of 9 µ (± 0,5 µm — me 200 tex or mo but not mo tha 680 tex — not corr any call oxi and a bre	ments  m ), assuring ) re re n ) taining cium de, h aking ength re	1 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			de by A	STM 2343-09,		
09.2870	ex 7019 40 00 ex 7019 52 00	70	a w word a	ore tot tot tot tot tot tot tot tot tot to	3 000 000 meters	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			not mo tha	re n low res ) ) res,		
09.2628	ex 7019 52 00	10	Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m² (± 10 g/m²), of a type for use in the manufacture of rolling insect screens with fixed frames	1.131.12.	3 000 000 square meters	0 %
09.2799	ex 7202 49 90	10	Ferro-chromium containing 1,5 % or more but not more than 4 % by weight	1.131.12.	50 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			of carbon and not more than 70 % of chromium			
09.2652	ex 7409 11 00	20	Refined copper foil	1.131.12.	1 020 tonnes	0 %
	ex 7410 11 00	30	and strips, electrolytica coated	lly		
09.2734	ex 7409 19 00	20	niticer with a thic of 0,3 mm (± 0,1 mm or mothat 1,0 mm or m	con ride amic th ckness 2 n n) re th	7 000 000 pieces	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

				a foil of refined copper with a thickness of 0,8 mm (± 0,1 mm), and on one side partially covered with a coating of silver		
09.2662	ex 7410 21 00	55	Plates:	1.131.12. consisting of at least one layer of fibreglass fabric impregnated with epoxide resin, covered on one or both sides with copper foil	80 000 square meters	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the ad valorem duty is suspended. The specific duty shall continue to apply.

with a thickness of not more than 0,15 mm, with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5,5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5,5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5,5.2, and with a			
a thickness of not more than 0,15 mm, with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, and with	wit	h	
thickness of not more than 0,15 mm, with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with	a		
of not more than 0,15 mm, with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5,5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5,5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5,5.2, and with		kness	
not more than 0,15 mm, with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5,5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5,5.2, with a		KIICSS	
more than 0,15 mm, with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, and with			
than 0,15 mm, with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a			
— with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
mm, with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5,5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5,5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5,5.2, and with			
— with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
— with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with	mn	n,	
dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, as measured according to IPC- TM-650 2.5.5.2, and with	— wit	h	
dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, as measured according to IPC- TM-650 2.5.5.2, and with	a		
constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5,5,2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5,5,2, as measured according to IPC- TM-650 2.5,5,2, and with		lectric	
(DK) of less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, and with			
less than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with		<b>(</b> )	
than 5,4 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
1 MHz, as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with	5,4		
as measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
measured according to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with	1 N	IHz,	
according to IPC- TM-650 2.5.5.2,  with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with	as		
according to IPC- TM-650 2.5.5.2,  with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with	me	asured	
to IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
IPC- TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with		-	
TM-650 2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
2.5.5.2, with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
<ul> <li>with</li> <li>a</li> <li>loss</li> <li>tangent</li> <li>of</li> <li>less</li> <li>than</li> <li>0,035</li> <li>at</li> <li>1 MHz,</li> <li>as</li> <li>measured</li> <li>according</li> <li>to</li> <li>IPC-</li> <li>TM-650</li> <li>2.5.5.2,</li> <li>and</li> <li>with</li> </ul>			
a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, and with			
loss tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with		n	
tangent of less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, and with			
less than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with		gent	
than 0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with	of		
0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with	les	5	
0,035 at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with	tha	n	
at 1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
1 MHz, as measured according to IPC- TM-650 2.5.5.2, and with			
as measured according to IPC- TM-650 2.5.5.2, and with		ПН	
measured according to IPC- TM-650 2.5.5.2, and with		, , , , , , , , , , , , , , , , , , ,	
according to IPC- TM-650 2.5.5.2, and with		agurad	
to IPC- TM-650 2.5.5.2, and with			
IPC- TM-650 2.5.5.2, and — with		ording	
TM-650 2.5.5.2, and with			
2.5.5.2, and — with			
and — with			
— with			
a	— wit	h	
	a		

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			cor trac ind (C' of 600 or mo	ΓΙ) )		
09.2834	ex 7604 29 10	20	Aluminium alloy rods with a diameter of 200 mm or more but not exceeding 300 mm	1.131.12.	2 000 tonnes	0 %
09.2835	ex 7604 29 10	30	Aluminium alloy rods with a diameter of 300,1 mm or more but not more than 533,4 mm	1.131.12.	1 000 tonnes	0 %
09.2736	ex 7607 11 90	83	to sta	nforming ndards 32- 9 52- 9,	600 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

	an	
	outside	
	diameter	
	of	
	minimum	
	1	
	250	
	mm	
	but	
	not	
	more	
	than	
	1	
	350	
	mm,	
	of	
	a	
	thickness	
	(tolerance	
	-	
	0,006	
	mm)	
	of	
	0,15 mm,	
	0,16	
	mm,	
	0,18	
	mm	
	or	
	0,20	
	mm,	
	of ,	
	a	
	width	
	( tolerance	
	±	
	0,3	
	mm)	
	of	
	12,5	
	12,0 mm	
	mm,	
	15,0	
	mm,	
	16,0	
	mm,	
	25,0	
	mm,	
	,	

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the ad valorem duty is suspended. The specific duty shall continue to apply.

	35,0	
	mm,	
	50,0 mm	
	or or	
	356	
	mm,	
_	having	
	a	
	camber	
	tolerance	
	of	
	not	
	more	
	than	
	0,4	
	mm/750	
	mm,	
_	of	
	a	
	flatness	
	measurement:	
	I-	
	unit	
	±	
	4,	
	having	
	a	
	tensile	
	strength	
	of	
	more	
	than	
	(5182-	
	H19)	
	365	
	MPa	
	or	
	(5052-	
	H19)	
	320	
	MPa,	
	and	
	of	
	an	
	elongation	
	A50	
	of	

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			H1 3 % or	n 82- 9) 052- 9)		
09.2906	ex 7609 00 00	20	Aluminium tube or pipe fittings for affixing to radiators of motor bikes <sup>b</sup>	1.131.12.	3 000 000 pieces	0 %
09.2722	8104 11 00		Unwrought magnesium, containing at least 99,8 % by weight of magnesium	1.131.12.	80 000 tonnes	0 %
09.2840	ex 8104 30 00	20	Magnesium powder:  — of put by we of 98 % or mo but not	ity ight re	2 000 tonnes	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			99, %, and wit a par size of 0,2 mn or mo but not mo tha 0,8 mn	ticle e n re re		
09.2629	ex 8302 49 00	91	Aluminium telescopic handle for use in the manufacture of luggage <sup>b</sup>	1.131.12.	1 500 000 pieces	0 %
09.2720	ex 8413 91 00	50	fitt wit a dia of	eaded ings h meter mm	65 000 pieces	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			fue cha wit a dia of	8 n, l lled l nnnels h meter mm re ire n		
09.2850	ex 8414 90 00	70	Aluminium alloy compressor wheel with:  — a dia of 20 mm or mo but not mo tha 130 mm and	re re n )	5 900 000 pieces	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)


c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			— a we of 55 g or mo but not mo tha 800 g, for use in the assembly of turbocharger without further machining <sup>b</sup>	re n		
09.2909	ex 8481 80 85	40	Exhaust valve for use in the manufacture of motorcycle exhaust gas systems <sup>b</sup>	1.131.12.	1 000 000 pieces	0 %
09.2738	ex 8482 99 00	20	Brass cages:  cor or cer cas  turi cor by	ned, itaining ight re	35 000 pieces	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.



a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the ad valorem duty is suspended. The specific duty shall continue to apply.

			in the manufacture of ball bearings			
09.2690	ex 8483 30 80	20	Wave slide bearing for axial applications, of FeP01 steel (according to EN 10130-1991) with a sliding layer of porous sinter bronze and poly(tetraflu suitable for installation into motor bike suspension units		1 500 000 pieces	0 %
09.2763	ex 8501 40 20 ex 8501 40 80	30	Electric AC commutator motor, single-phase, with an output of 250 W or more, an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm (± 0,2 mm) but not	1.131.12.	2 000 000 pieces	0 %

**a** However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			more than 135 mm (± 0,2 mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with airinducting ventilator, for use in the manufacture of vacuum cleaners <sup>b</sup>			
09.2633	ex 8504 40 82	20	Electric rectifier, with a capacity of not more than 1 kVA, for use in the manufacture of appliances falling within subheading 8509 80 and heading 8510		4 500 000 pieces	0 %
09.2643	ex 8504 40 82	30	Power supply boards for use in the manufacture of goods falling under	1.131.12.	15 000 000 pieces	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			heading 8521 and 8528 <sup>b</sup>			
09.2620	ex 8526 91 20	20	Assembly for GPS system having a position determinatio function, without display, and a weight of not more than 2 500 g, whether or not incorporated in a housing		1 500 000 pieces	0 %
09.2672	ex 8529 90 92 ex 9405 40 39	75 70	or not equ wit pris len and — wh or not fitt	nipped h sms/ s, t ether ed h nnector(s),	115 000 000 pieces	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			heading 8528 <sup>b</sup>			
09.2003	ex 8543 70 90	63	Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 mm × 30 mm	1.131.12.	1 400 000 pieces	0 %
09.2910	ex 8708 99 97	75	Aluminium alloy support bracket, with mounting holes, whether or not with fixation nuts, for indirect connection of the gearbox to the car body for use in the manufacture of goods of Chapter 87 <sup>b</sup>	1.131.12.	200 000 pieces	0 %
09.2694	ex 8714 10 90	30	Axle clamps, housings,	1.131.12.	1 000 000 pieces	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

			fork bridges and clamping pieces, of aluminium alloy of a kind for use in the manufacture of motor bikes			
09.2868	ex 8714 10 90	60	Pistons for suspension systems, having a diameter of not more than 55 mm, of sintered steel	1.131.12.	2 000 000 pieces	0 %
09.2668	ex 8714 91 10 ex 8714 91 10 ex 8714 91	<ul><li>21</li><li>31</li><li>75</li></ul>	Bicycle frame, constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles	1.131.12.	350 000 pieces	0 %
09.2631	ex 9001 90 00	80	(including e-bikes) <sup>b</sup> Unmounted glass lenses, prisms and cemented elements for use in the manufacture or repair of goods of		5 000 000 pieces	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering

b Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the ad valorem duty is suspended. The specific duty shall continue to apply.

opening...
Document Generated: 2023-09-23

			CN codes 9002, 9005, 9013 10 and 9015 <sup>b</sup>			
09.2932	ex 9027 10 90	20	Lambda sensors for permanent incorporation into motor cycle exhaust systems <sup>b</sup>	1.131.12.	1 000 000 pieces	0 %

a However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

c Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

- (1) Council Regulation (EU) No 1388/2013 of 17 December 2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products, and repealing Regulation (EU) No 7/2010 (OJ L 354, 28.12.2013, p. 319).
- (2) Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1).
- (**3**) OJ C 363, 13.12.2011, p. 6.

opening...
Document Generated: 2023-09-23

## **Changes to legislation:**

There are currently no known outstanding effects for the Council Regulation (EU) 2018/2070.