

## SCOTTISH STATUTORY INSTRUMENTS

**2000 No. 22**

### **AGRICULTURE**

#### **PESTICIDES**

### **The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000**

*Made* - - - - *31st January 2000*

*Coming into force* - - *1st February 2000*

The Scottish Ministers, in exercise of the powers conferred on them by section 2(2) of the European Communities Act 1972<sup>F1</sup> and by section 16(2) of the Food and Environment Protection Act 1985<sup>F2</sup>, and of all other powers enabling them in that behalf, after consultation in accordance with section 16(9) of the said Act of 1985 with the Advisory Committee on Pesticides established under section 16(7) of that Act<sup>F3</sup>, hereby make the following Regulations, a draft of which has been laid before and approved by resolution of the Scottish Parliament:

- F1** 1972 c.68. Section 2(2) was amended by the [Scotland Act 1998 \(c.46\)](#), [Schedule 8](#), paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.
- F2** 1985 c.48; see [section 24\(1\)](#) for a definition of “the Ministers” and section 24(3) on the exercise of the power conferred by section 16. Section 16 was amended by the [Pesticides \(Fees and Enforcement\) Act 1989 \(c.27\)](#), [section 1\(2\)](#) and by the [Pesticides Act 1998 \(c.26\)](#), [section 1](#). The functions of “the Ministers” were transferred to the Scottish Ministers by virtue of section 53 of the [Scotland Act 1998 \(c.46\)](#).
- F3** Established by [S.I. 1985/1516](#).

#### **Citation, commencement and extent**

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000 and shall come into force on 1st February 2000.

(2) These Regulations extend to Scotland only.

#### **Interpretation**

2.—(1) In these Regulations—

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

“EEA State” means a State which is a Contracting Party to the Agreement on the European Economic Area signed at Oporto on 2nd May 1992 <sup>F4</sup> as adjusted by the Protocol signed at Brussels on 17 March 1993 <sup>F5</sup>;

“product” means any crop, food or feeding stuff specified in Schedules 2 or 3;

“putting into circulation” means any handing over, whether or not for a consideration of any product—

(a) in the case of fruit and vegetables, after they have been harvested, and

(b) in any other case, at any time; and

“the Residues Directives” means Council Directive 86/362/EEC<sup>F6</sup> (as amended by Council Directives 88/298/EEC<sup>F7</sup>, 90/654/EEC<sup>F8</sup>, 93/57/EEC<sup>F9</sup>, 94/29/EC<sup>F10</sup>, 95/39/EC<sup>F11</sup>, 96/33/EC<sup>F12</sup>, 97/41/EC<sup>F13</sup> and Commission Directives 97/71/EC<sup>F14</sup>, 98/82/EC<sup>F15</sup>, 1999/65/EC<sup>F16</sup> and 1999/71/EC<sup>F17</sup>, together with Council Directive 86/363/EEC<sup>F18</sup> (as amended by Council Directives 93/57/EEC, 94/29/EC, 95/39/EC, 96/33/EC, 97/41/EC and Commission Directives 97/71/EC, 98/82/EC and 1999/71/EC) and Council Directive 90/642/EEC<sup>F19</sup> (as amended by Council Directives 93/58/EEC<sup>F20</sup>, 94/30/EC<sup>F21</sup>, 95/38/EC<sup>F22</sup>, 95/61/EC<sup>F23</sup>, 96/32/EC<sup>F24</sup>, 97/41/EC and Commission Directives 97/71/EC, 98/82/EC, 1999/65/EC and 1999/71/EC).

(2) The words and expressions “dried”, “processed”, “composite food”, “drying” and “processing”, when used either in regulation 4 or in paragraphs (d) and (e) of regulation 6 shall have the same meaning as when used in the Residues Directives and any related expressions shall be construed accordingly.

(3) Any reference in these Regulations to a pesticide residue is a reference to the substance named in column 2 of Schedule 1 opposite the pesticide named in column 1 of that Schedule from which, or from the metabolites and breakdown or reaction products of which, it can be derived.

(4) Any reference in these Regulations to a numbered Schedule or regulation shall be construed as a reference to the Schedule or, as the case may be, regulation so numbered in these Regulations.

(5) Any reference in any Schedule to these Regulations to any product, figure or pesticide includes any qualifying words relating to that product, figure or pesticide in that Schedule.

**F4** O.J. No. L1, 3.1.94, p.3.

**F5** O.J. No. L1, 3.1.94, p.572.

**F6** O.J. No. L221, 7.8.86, p.37.

**F7** O.J. No. L126, 20.5.88, p.53.

**F8** O.J. No. L353, 17.12.90, p.48.

**F9** O.J. No. L211, 23.8.93, p.1.

**F10** O.J. No. L189, 23.7.94, p.67.

**F11** O.J. No. L197, 22.8.95, p.29.

**F12** O.J. No. L144, 18.6.96, p.35.

**F13** O.J. No. L184, 12.7.97, p.33.

**F14** O.J. No. L347, 18.12.97, p.42.

**F15** O.J. No. L290, 29.10.98, p.25.

**F16** O.J. No. L172, 8.7.99, p.40.

**F17** O.J. No. L194, 27.7.99, p.36.

**F18** O.J. No. L221, 7.8.86, p.43.

**F19** O.J. No. L350, 14.12.90, p.71.

**F20** O.J. No. L211, 23.8.93, p.6.

**F21** O.J. No. L189, 23.7.94, p.70.

**F22** O.J. No. L197, 22.8.95, p.14.

**F23** O.J. No. L292, 7.12.95, p.27.

**F24** O.J. No. L144, 18.6.96, p.12.

### Maximum residue levels

3. The maximum level of any pesticide residue which may be left in any product named in Part I of Schedule 2 shall be the number of milligrams of the pesticide residue per kilogram of the product (if any) specified opposite the name of that product under the name of the pesticide concerned.

4.—(1) No person shall put into circulation any product named in Part 2 of Schedule 2 which contains a level of pesticide residue greater than the number of milligrams of that pesticide residue per kilogram of the product (if any) specified opposite the name of that product under the name of the pesticide concerned.

(2) Subject to the provisions of regulation 6, the provisions of this regulation shall apply—

- (a) to any products which after drying or processing are obtained from any of the products named in Part 2 of Schedule 2; and
- (b) to any composite foods which include any of the products named in that Part of that Schedule,

notwithstanding that no maximum permitted level has been expressly specified therein for the amount of pesticide residue which may be contained in that dried or processed product or composite food.

(3) Any person who, without reasonable excuse, contravenes or causes or permits any other person to contravene any provision of this regulation shall be guilty of an offence, and shall be liable—

- (a) on summary conviction, to a fine not exceeding the statutory maximum; and
- (b) on conviction on indictment, to a fine.

(4) In any proceedings for an offence under this regulation, it is a defence for the person charged to prove that when the product in question was put into circulation—

- (a) it was so put with the intention of its being exported to a country which is not an EEA State and the offence was caused by a treatment applied to that product being a treatment—
  - (i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory; or
  - (ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or
- (b) it was so put with the intention that—
  - (i) it be used in the manufacture of things other than foodstuffs and animal feed; or
  - (ii) it be used for sowing or planting.

(5) Sections 19 and 22 of, and Schedule 2 to, the Food and Environment Protection Act 1985 shall apply for the purposes of this regulation as they apply for the purposes of that Act taking references therein to that Act or any Part of it to be references to this regulation.

(6) In paragraph (4)(a) “country which is not an EEA state” does not include any part of the United Kingdom.

### Seizure or disposal of crops, food or feeding stuffs

5. If any product contains a level of pesticide residue above that permitted under either regulations 3 or 4(1), the Scottish Ministers shall have the power—

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

- (a) to seize or dispose of the consignment containing that product, or any part of it, or to require that some other person shall dispose of it, or
- (b) to direct some other person to take such remedial action as appears to the Scottish Ministers to be necessary.

### Sampling and analysis

6. In determining for the purposes of regulations 3 or 4(1) whether the level of pesticide residue left or contained in any product exceeds the maximum permitted—

- (a) the whole or such part only of that product shall, so far as is practicable, be taken into account as specified in column 3 of Schedule 3 opposite the name of that product in column 2 of that Schedule;
- (b) the procedure laid down in the Codex Recommended Method of Sampling for the Determination of Pesticide Residues <sup>F25</sup> shall so far as is practicable be followed;
- (c) in the case of any product named in paragraphs 3, 4, or 5 of Part 1 of Schedule 2 which has been dried, that Part of that Schedule shall have effect as if for the number of milligrams of each pesticide residue specified opposite the name of that product there were substituted that number of milligrams divided by the fraction of 1 kilogram to which 1 kilogram of the product is reduced by the drying process;
- (d) in the case of any product named in Part 2 of Schedule 2 which has been dried or processed, that Part of that Schedule shall have effect where no such maximum permitted level of pesticide residue is specified therein for the product in its dried or processed form as if the maximum permitted level of pesticide residue specified opposite the name of the product in that Part of that Schedule has been modified to take account of the concentration of the product caused by the drying process or, as the case may be, the dilution or concentration of the product caused by the processing; and
- (e) in a case where two or more products have been mixed to form a single composite food in relation to which no such maximum permitted levels are specified in Part 2 of Schedule 2, that Part of that Schedule shall have effect as if such maximum permitted levels had been specified in relation to that composite food for each of the pesticide residues which are specified therein opposite the names of each of the products which have been mixed to form the composite food, taking into account—
  - (i) the relative concentrations of each of the constituent products in the mixture; and
  - (ii) the provisions of paragraph (d) above.

**F25** Food and Agriculture Organisation of the United Nations and World Health Organisation Joint Food Standards Programme Codex Alimentarius Commission, Recommended Method of Sampling for the Determination of Pesticides Residues, *Volume 2 Section 3 Codex Alimentarius*, 1993

### Revocations

7. The Regulations specified in Schedule 4 are hereby revoked.

St Andrew's House, Edinburgh  
31st January 2000

ROSS FINNIE  
A member of the Scottish Executive

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

## SCHEDULE 1

Regulation 2

<b>Column 1</b> <b>Pesticide</b>	<b>Column 2</b> <b>Residues</b>
Acephate	Acephate
Aldrin & Dieldrin	singly or combined, expressed as dieldrin (HEOD)
2-Aminobutane	2-aminobutane
Aminotriazole	Aminotriazole
Atrazine	Atrazine
Azinphos-methyl	azinphos-methyl
Benalaxyl	Benalaxyl
Benfuracarb	Benfuracarb
Binapacryl	Binapacryl
Biphenthrin	Biphenthrin
Bitertanol	Bitertanol
Bromophos-ethyl	bromophos-ethyl
Camphechlor (Toxaphene)	camphechlor (toxaphene)
Captafol	Captafol
Captan	Captan
Carbaryl	Carbaryl
Carbendazim, Benomyl and Thiophanate-methyl	carbendazim, benomyl and thiophanate-methyl (expressed as carbendazim)
Carbon disulphide	carbon disulphide
Carbon Tetrachloride	carbon tetrachloride
Carbofuran	sum of carbofuran and 3-hydroxy-carbofuran, expressed as carbofuran
Carbophenothion	sum of carbophenothion, its sulphoxide and its sulphone, expressed as carbophenothion
Carbosulfan	Carbosulfan
Cartap	Cartap
Chlordane	(1)for products of animal origin: sum of <i>cis</i> - and <i>trans</i> -isomers and oxychlordane expressed as chlordane;  (2)for cereals, fruit and vegetables: sum of <i>cis</i> - and <i>trans</i> - isomers expressed as chlordane
Chlorfenvinphos	sum of E-and Z-isomers of chlorfenvinphos
Chlormequat	Chlormequat

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Chlorothalonil	Chlorothalonil
Chlorobenzilate	Chlorobenzilate
Chlorpyrifos	Chlorpyrifos
Chlorpyrifos-methyl	chlorpyrifos-methyl
Cyfluthrin	cyfluthrin, including other mixed isomeric constituents (sum of isomers)
Cypermethrin	cypermethrin (sum of isomers)
Daminozide	sum of daminozide and 1,1-dimethyl-hydrazine expressed as daminozide
DDT	sum of pp'-DDT, op'-DDT, pp'-DDE and pp'-TDE (DDD) expressed as DDT
Deltamethrin	Deltamethrin
Diazinon	Diazinon
1,2-Dibromoethane	1,2-dibromoethane
Dichlofluanid	Dichlofluanid
Dichlorvos	Dichlorvos
Dichlorprop	dichlorprop (including dichlorprop P)
Dicofol	Dicofol
Diiflubenzuron	Diiflubenzuron
Dimethipin	Dimethipin
Dimethoate	Dimethoate
Dinoseb	Dinoseb
Dioxathion	Dioxathion
Disulfoton	sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton
Endosulfan	sum of alpha-and beta-isomers and of endosulfan sulphate, expressed as endosulfan
Endrin	Endrin
Ethephon	Ethephon
Ethion	Ethion
Etrimfos	Etrimfos
Fenarimol	Fenarimol
Fenbutatin oxide	fenbutatin oxide
Fenchlorphos	fenchlorphos (sum of fenchlorphos and fenchlorphos oxon, expressed as fenchlorphos)
Fenitrothion	Fenitrothion
Fentin	fentin expressed as triphenyltin cation

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Fenvalerate	fenvalerate (sum of isomers)
Fluazifop	fluazifop and esters (including conjugates) of fluazifop, expressed as free acid
Flurochloridone	Flurochloridone
Furathiocarb	Furathiocarb
Glyphosate	Glyphosate
Haloxifop	haloxifop and esters (including conjugates) of haloxifop, expressed as free acid
Hexachlorobenzene (HCB)	Hexachlorobenzene
Hexachlorocyclohexane (HCH)	Hexachlorocyclohexane (HCH) alpha, beta and gamma isomers individually or summed as in Schedule 2
Heptachlor	sum of heptachlor and heptachlor epoxide, expressed as heptachlor
Hydrogen cyanide	cyanides expressed as hydrogen cyanide
Hydrogen phosphide	phosphides expressed as hydrogen phosphide
Imazalil	Imazalil
Inorganic bromide	determined and expressed as total bromine from all sources
Ioxynil	Ioxynil
Iprodione	Iprodione
Lambda-cyhalothrin	lambda-cyhalothrin
Malathion	sum of malathion and malaoxon, expressed as malathion
Maleic hydrazide	maleic hydrazide
Maneb, Mancozeb, Metiram Propineb and Zineb	determined and expressed as carbon disulphide (CS <sub>2</sub> )
Mecarbam	Mecarbam
Mercury compounds	determined as total mercury and expressed as mercury
Metalaxyl	metalaxyl
Methacrifos	methacrifos
Methamidophos	methamidophos
Methyl bromide (bromomethane)	methyl bromide (bromomethane)
Mevinphos	sum of <i>cis</i> - and <i>trans</i> - mevinphos
Monocrotophos	monocrotophos
Omethoate	omethoate (from use of formothion, dimethoate and omethoate)

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Paraquat	paraquat
Parathion	parathion
Parathion-methyl	parathion-methyl
Permethrin	permethrin (and sum of isomers)
Phorate	sum of phorate, its oxygen analogue and their sulfoxides and sulphones expressed as phorate
Phosalone	phosalone
Phosmet	phosmet
Phosphamidon	sum of phosphamidon (E-and Z-isomers) and N-desethylphosphamidon (E-and Z-isomers) expressed as phosphamidon
Pirimiphos-methyl	pirimiphos-methyl
Procymidone	procymidone
Propargite	propargite
Propiconazole	propiconazole
Propoxur	propoxur
Propyzamide	propyzamide
Pyrethrins	sum of pyrethrins I and II, cinerins I and II, jasmolins I and II
Quinalphos	quinalphos
Quintozene	sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulphide expressed as quintozene
Tecnazene	tecnazene
TEPP	TEPP
Thiabendazole	thiabendazole
Triazophos	triazophos
Trichlorfon	trichlorfon
Triforine	triforine
2, 4, 5-T	2, 4, 5-T
Vinclozolin	sum of vinclozolin and all metabolites containing 3, 5-dichloroaniline moiety, expressed as vinclozolin



**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Aldrin & Dieldrin	2-Aminobutane	Azinphos-methyl	Bifenthrin	PART I									
						Captaon	Carbaryl	Carbendazim	Carbophenothion	Chlordane	Chlorfenvinphos	Chlorobenzilate	Diazinon	Dichlorofluorid	
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts															
i) CITRUS FRUIT															
	Grapefruit	0.05	5	2		0.1	7		2	0.02*	1	1		5	
	Lemons	0.05	5	2		0.1	7		2	0.02*	1	1		5	
	Limes	0.05	5	2		0.1	7		2	0.02*	1	1		5	
	Mandarins (inc clementines & similar hybrids)	0.05	5	2		0.1	7		2	0.02*	1	1		5	
	Oranges	0.05	5	2		0.1	7		2	0.02*	1	1		5	
	Pomelos	0.05	5	2		0.1	7		2	0.02*	1	1		5	
	Others	0.05	5	2		0.1	7		2	0.02*	1	1		5	
ii) TREE NUTS (shelled or unshelled)															
	Almonds														
	Brazil nuts														
	Cashew nuts														
	Chestnuts														
	Coconuts														
	Hazelnuts														
	Macadamia nuts														
	Pecans														
	Pine nuts														
	Pistachios														
	Walnuts														
	Others														
iii) POME FRUIT															
	Apples	0.05		1	1	3	5		1	0.02*	0.05			5	
	Pears	0.05		1	1	3	5		1	0.02*	0.05			5	
	Quinces	0.05		1	1	3	5		1	0.02*	0.05			5	
	Others	0.05		1	1	3	5		1	0.02*	0.05			5	
iv) STONE FRUIT															
	Aplonuts	0.05		4	1	2	10		1	0.02*	0.05			5	
	Cherries														
	Peaches (incl nectarines & similar hybrids)	0.05		4	1	2	10		1	0.02*	0.05			5	
	Plums	0.05		1	1	2	10		1	0.02*	0.05			5	
	Others														
v) BERRIES AND SMALL FRUIT															
a) Table & wine grapes															
	Table grapes	0.05		2		3	5			0.02*	0.05			15	
	Wine grapes	0.05		2		3	5			0.02*	0.05			15	

Group to which food belongs	Groups include the following products	Azin & Dieldrin	2-Aminobutane	Azinphos-methyl	Bifenthrin	Captaon	Carbaryl	Carbendazim	Carbophenothion	Chlordane	Chlorfenvinphos	Chlorobenzilate	Diazinon	Dichlorofluorid
<hr/>														
b) Strawberries (other than wild)	0.05				1		3	7	5	0.02*	0.05			10
c) Cane Fruit (other than wild)														
Blackberries	0.05				1		3	10		0.02*	0.05			15
Loganberries	0.05				1		3	10		0.02*	0.05			15
Raspberries	0.05				1		3	10	5	0.02*	0.05			15
Others	0.05				1		3	10		0.02*	0.05			15
d) Other small fruit & berries (other than wild)														
Bilberries	0.05				1		3	10		0.02*	0.05			15
Cranberries	0.05				1		3	10		0.02*	0.05			15
Currents (red, black & white)	0.05				1		3	10		0.02*	0.05			15
Gooseberries	0.05				1		3	10		0.02*	0.05			15
Others	0.05				1		3	10		0.02*	0.05			15
e) Wild berries & wild fruit														
v) MISCELLANEOUS FRUIT														
Avocados														
Bananas	0.05			1		0.5	0.1	5		0.02*	0.05			5
Dates														
Figs														
Kiwifruit														
Kumquats														
Litchis														
Mangoes														
Olives														
Passion fruit														
Pineapples														
Pomegranates														
Others														
2. Vegetables, fresh or uncooked, frozen or dry														
i) ROOT AND TUBER VEGETABLES														
Beetroot														
Carrots	0.05			0.5		0.1	2			0.02*	0.5			5
Celeriac														
Horseradish	0.05			0.5		0.1	2			0.02*	0.5			5
Jerusalem artichokes														
Parsnips	0.05			0.5		0.1	2			0.02*	0.5			5
Parsley root	0.05			0.5		0.1	2			0.02*	0.5			5
Radishes														
Salsify	0.05			0.5		0.1	2			0.02*	0.5			5
Sweet potatoes														
Swedes	0.05			0.5		0.1	2			0.02*	0.5			5

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Aldrin & Dieldrin	2-Aminobutane	Azinphos-methyl	Bifenthrin	Captan	Carbaryl	Carbendazim	Carbophenothion	Chlorodane	Chlorfenvinphos	Chloro benzoate	Diazinon	Dichlorofenid
	Turnips	0.05	0.5		0.1	1				0.02*	0.5			5
	Yams													
	Others													
ii) BULB VEGETABLES														
	Garlic	0.05	0.5		0.1	1				0.02*	0.5			5
	Onions	0.05	0.5		0.1	1				0.02*	0.5			5
	Shallots	0.05	0.5		0.1	1				0.02*	0.5			5
	Spring onions													
	Others													
iii) FRUITING VEGETABLES														
	a) Solanaceae													
	Tomatoes	0.05	0.5		3	5				0.02*	0.1			5
	Peppers	0.05	0.5		3	5				0.02*	0.1			5
	Aubergines	0.05	0.5		3	5				0.02*	0.1			5
	Others	0.05	0.5		3	5				0.02*	0.1			5
	b) Cucurbitaceae													
	Cucumbers	0.05	0.5		0.1	3				0.02*	0.1			5
	Citron	0.05	0.5		0.1	3				0.02*	0.1			5
	Courgettes	0.05	0.5		0.1	3				0.02*	0.1			5
	Others	0.05	0.5		0.1	3				0.02*	0.1			5
	c) Cucurbitaceae													
	Melons													
	Squashes													
	Watermelons													
	Others													
	d) Sweet corn													
iv) BRASSICA VEGETABLES														
	a) Flowering Brassicas													
	Broccoli	0.05	0.5		0.1	1			0.5	0.02*	0.1			5
	Cauliflower													
	Others													
	b) Head Brassicas													
	Brussels sprouts	0.05	1		0.1	1			0.5	0.02*	0.1			5
	Head cabbage	0.05	0.5		0.1	5				0.02*	0.1			5
	Others													
	c) Leafy Brassicas													
	Chinese cabbage													
	Kale													
	Others													
	d) Kohlrabi													
v) LEAF VEGETABLES AND FRESH HERBS														
	a) Lettuce & similar													
	Cress													

Group to which food belongs	Groups include the following products	Aldrin & Dieldrin	2-Aminobutane	Azinphos-methyl	Bifenthrin	Captan	Carbaryl	Carbendazim	Carbophenothion	Chlorodane	Chlorfenvinphos	Chloro benzoate	Diazinon	Dichlorofenid
	Lentils	0.05	0.5		2	10				0.02*	0.1			10
	Letts													
	Others													
	b) Spinach & similar													
	Beet leaves (chard)													
	c) Watercress													
	d) Wildrad													
	e) Herbs													
	Chervil													
	Chives													
	Parsley													
	Celery leaves													
	Others													
vi) LEGUME VEGETABLES (fresh)														
	Beans (with pods)	0.5	0.5		2	5				0.02*	0.1			5
	Beans (without pods)													
	Pears (with pods)	0.5	0.5		2	5				0.02*	0.1			5
	Pears (without pods)													
	Others													
vii) STEM VEGETABLES														
	Asparagus													
	Cardoons													
	Celery	0.5	2		0.1	3				0.02*	0.5			
	Fennel													
	Globe artichokes													
	Leeks	0.5	0.5		2	1				0.02*	0.1			5
	Rhubarb	0.5	2		0.1	3				0.02*	0.5			
	Others													
viii) FUNGI														
	a) Cultivated mushrooms	0.05			0.1	1				0.02*	0.05			
	b) Wild mushrooms													
3. PULSES														
	Beans													
	Lentils													
	Pears													
	Others													
4. OILSEEDS														
	Linseed													
	Peanuts													
	Papaya seed													
	Sesame seed													
	Sunflower seed													
	Rape seed													
	Soya beans													
	Mustard seed													
	Cotton seed													

[illegible]11

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Dichlorvos	Disulfoton	Disulfoton	Dimethipin	Dimethoate	Endosulfan	Ethion	Fenitrothion	Flusulfop	Flurochloridone	Haloxypip	Hexachloro cyclopentadiene (HCH)	Inorganic boron	Isomyl	Malathion
	b) Strawberries (other than wild)	0.1				1	2	0.1	0.5				1	20		0.5
	c) Citrus fruit (other than wild)	0.1				1	2	0.1	0.5				1	20		0.5
	Blackberries	0.1				1	2	0.1	0.5				1	20		0.5
	Loganberries	0.1				1	2	0.1	0.5				1	20		0.5
	Raspberries	0.1				1	2	0.1	0.5				1	20		0.5
	Others	0.1				1	2	0.1	0.5				1	20		0.5
	d) Other small fruit & berries (other than wild)	0.1				1	2	0.1	0.5				1	20		0.5
	Bilberries	0.1				2		0.1	0.5				1	20		0.5
	Cranberries	0.1				2		0.1	0.5				1	20		0.5
	Currents (red, black & white)	0.1	5			2	2	0.1	0.5				1	20		0.5
	Gooseberries	0.1				2	2	0.1	0.5				1	20		0.5
	Others	0.1				2	2	0.1	0.5				1	20		0.5
	e) Wild berries & wild fruit	0.1				2		0.1	0.5				1	20		0.5
	vi) MISCELLANEOUS FRUIT															
	Avocado															
	Bananas	0.1				1		0.1	0.5				1	20		0.5
	Dates															
	Figs															
	Kiwi fruit															
	Kumquats															
	Lichee															
	Mangoes															
	Olives															
	Passion fruit															
	Pineapples															
	Pomegranates															
	Others															
	2. Vegetables, fresh or uncooked, frozen or dry															
	i) ROOT AND TUBER VEGETABLES															
	Beetroot															
	Carrots	0.5				1		0.1	0.5		0.01*		0.2			0.5
	Celeriac															
	Hieracium	0.5				1		0.1	0.5		0.01*		0.2			0.5
	Jerusalem artichokes															
	Parsnips	0.5				1		0.1	0.5		0.01*		0.2			0.5
	Parsley root	0.5				1		0.1	0.5		0.01*		0.2			0.5
	Radishes															
	Salsify	0.5				1		0.1	0.5		0.01*		0.2			0.5
	Sweet potatoes															
	Swedes	0.5				1		0.1	0.5		0.01*		1			0.5

Group to which food belongs	Groups include the following products	Dichlorvos	Disulfoton	Disulfoton	Dimethipin	Dimethoate	Endosulfan	Ethion	Fenitrothion	Flusulfop	Flurochloridone	Haloxypip	Hexachloro cyclopentadiene (HCH)	Inorganic boron	Isomyl	Malathion
	Turnips	0.5				1		0.1	0.5		0.01*		1			0.5
	Yams															
	Others															
	ii) BULB VEGETABLES															
	Garlic	0.5	5			1		0.1	0.5		0.01*		1		0.1	3
	Onions	0.5				1		0.1	0.5		0.01*		1		0.1	3
	Shallots	0.5				1		0.1	0.5		0.01*		1		0.1	3
	Spring onions															
	Others															
	iii) FRUITING VEGETABLES															
	a) Solanaceae															
	Tomatoes	0.5		1		1		0.1	0.5				2	75		3
	Peppers	0.5		1		1		0.1	0.5				2	75		3
	Aubergines	0.5		1		1		0.1	0.5				2	75		3
	Others	0.5		1		1		0.1	0.5				2	75		3
	b) Cucurbitaceae															
	Cucumbers	0.5				2		0.1	0.5				1	50		3
	Gherkins	0.5				2		0.1	0.5				1	50		3
	Courgettes	0.5				2		0.1	0.5				1	50		3
	Others	0.5				2		0.1	0.5				1	50		3
	c) Cucurbitaceae-inedible peel															
	Melons															
	Squashes															
	Watermelons															
	Others															
	d) Sweet corn															
	iv) BRASSICA VEGETABLES															
	a) Flowering Brassicas															
	Broccoli															
	Cauliflower	0.5				2		0.1	0.5				2			3
	Others															
	b) Head Brassicas															
	Brussels sprouts	0.5		1		2		0.1	0.5				2			3
	Head cabbage	0.5		1		2		0.1	0.5				2	100		3
	Others															
	c) Leafy Brassicas															
	Chinese cabbage															
	Kale															
	Others															
	d) Kifunda															
	v) LEAF VEGETABLES AND FRESH HERBS															
	a) Lettuce & similar															
	Cress															

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Dichlorvos	Dicofol	Diflubenzuron	Dinethipin	Dimethoate	Endosulfan	Ethion	Fenitrothion	Flusulfop	Flurochloridone	Malathion	Hexachlorocyclopentadiene (HCH)	Inorganic boron compounds	Isopropyl	Malathion
	Lamb's lettuce												7			
	Lettuce															
	Scorpio	1				2		0.1	0.5				2			9
	Others															
	b) Spinach & similar															
	Best leaves (chard)															
	c) Watercress															
	d) Wildroot															
	e) Herbs															
	Chervil															
	Chives															
	Parsley															
	Celery leaves															
	Others															
vi) LEGUME VEGETABLES (fresh)																
	Beans (with pods)	0.5				2		0.1	0.5				1			3
	Beans (without pods)															
	Peas (with pods)	0.5				1		0.1	0.5				0.1			3
	Peas (without pods)															
	Others															
vii) STEM VEGETABLES																
	Asparagus															
	Cardoons															
	Celery	0.5				1		0.1	0.5				1	300		3
	Fennel															
	Globe artichokes															
	Leeks	0.5				1		0.1	0.5				1			3
	Rhubarb	0.5				1		0.1	0.5				1			3
	Others															
viii) FUNGI																
	a) Cultivated mushrooms	0.5	5	0.1		1		0.1	0.5				1			3
	b) Wild mushrooms															
3. PULSES																
	Beans															
	Lentils															
	Peas															
	Others															
4. OILSEEDS																
	Linseed															
	Peanuts															
	Poppy seed															
	Sesame seed															
	Sunflower seed															
	Rape seed															
	Soya bean															
	Mustard seed															
	Cotton seed															

Group to which food belongs	Groups include the following products	Dichlorvos	Dicofol	Diflubenzuron	Dinethipin	Dimethoate	Endosulfan	Ethion	Fenitrothion	Flusulfop	Flurochloridone	Malathion	Hexachlorocyclopentadiene (HCH)	Inorganic boron compounds	Isopropyl	Malathion
	Others												7			
5. POTATOES																
	Early potatoes	0.5			0.1*	0.05	0.2		0.05*	0.1	0.01*		0.05*			0.5
	Ware potatoes	0.5			0.1*	0.05	0.2		0.05*	0.1	0.01*		0.05*			0.5
6. TEA																
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)															
7. HOPS (dried)																
	including hop pellets & unconcentrated powder															

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Mercury compounds	Metalaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosalone	Quintozene	Tecnazene	Thiabendazole	Triazophos	Vindoxzin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts													
i) CITRUS FRUIT													
	Grapefruit	5	0.2	1	1	0.2	1						
	Lemons	5	0.2	1	1	0.2	1						
	Limes	5	0.2	1	1	0.2	1						
	Mandarine (no clementines & similar hybrids)	5	0.2	1	1	0.2	1						
	Oranges	5	0.2	1	1	0.2	1						
	Pomelos	5	0.2	1	1	0.2	1						
	Others	5	0.2	1	1	0.2	1						
ii) TREE NUTS (shelled or unshelled)													
	Almonds												
	Brazil nuts												
	Cashew nuts												
	Chestnuts												
	Coconuts												
	Hazelnuts												
	Macadamia nuts												
	Pecans												
	Pine nuts												
	Pistachios												
	Walnuts												
	Others												
iii) POME FRUIT													
	Apples	0.02		0.2	0.2							2	
	Pears	0.02		0.2	0.2							2	
	Quinces	0.02		0.2	0.2							2	
	Others	0.02		0.2	0.2							2	
iv) STONE FRUIT													
	Apricots			0.2	1							2	
	Cherries												
	Peaches (incl nectarines & similar hybrids)			0.5	1							2	
	Plums			0.5	1							1	
	Others												
v) BERRIES AND SMALL FRUIT													
	a) Table & wine grapes												
	Table grapes			0.1	1							1	
	Wine grapes			0.1	1							1	

Group to which food belongs	Groups include the following products	Mercury compounds	Metalaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosalone	Quintozene	Tecnazene	Thiabendazole	Triazophos	Vindoxzin
b) Strawberries (other than wild)													
c) Cave Fruit (other than wild)													
	Blackberries			0.1	1							1	
	Loganberries			0.1	1							1	
	Raspberries			0.1	1							1	
	Others			0.1	1							1	
d) Other small fruit & berries (other than wild)													
	Bilberries			0.1	1							1	
	Cranberries			0.1	1							1	
	Currants (red, black & white)			0.1	1							1	
	Gooseberries			0.1	1							1	
	Others			0.1	1							1	
e) Wild berries & wild fruit													
vi) MISCELLANEOUS FRUIT													
	Avocados												
	Bananas												
	Dates				0.2				1		1		
	Figs												
	Kiwi fruit												
	Kumquats												
	Litchis												
	Mangos												
	Olives												
	Passion fruit												
	Pineapples												
	Pomegranates												
	Others												
2. Vegetables, fresh or uncooked, frozen or dry													
i) ROOT AND TUBER VEGETABLES													
	Beetroot												
	Carrots	0.02		0.1	0.2							0.1	
	Celeriac												
	Horseradish	0.02		0.1	0.2							0.1	
	Jerusalem artichokes												
	Parsnips	0.02		0.1	0.2							0.1	
	Parsley root	0.02		0.1	0.2							0.1	
	Radishes												
	Salsify	0.02		0.1	0.2							0.1	
	Sweet potatoes												
	Swedes	0.02		0.1	2							0.1	



**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Mercury compounds	Metolaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosphamidon	Quintozene	Tecnazene	Thiabendazole	Triazophos	Vinclozolin
	Turnips	0.02		0.1	0.2			0.1					
	Yams												
	Others												
ii) BULB VEGETABLES													
	Garlic	0.02		0.1	0.1			1				0.05*	
	Onions	0.02		0.1	0.1			1				0.05*	
	Shallots	0.02		0.1	0.1			1				0.05*	
	Spring onions												
	Others												
iii) FRUITING VEGETABLES													
	a) Solanaceous												
	Tomatoes	0.02		0.1	1			1	0.1				
	Peppers	0.02		0.1	1			1	0.1				
	Aubergines	0.02		0.1	1			1	0.1				
	Others	0.02		0.1	1			1	0.1				
	b) Cucurbitaceae												
	Cucumbers	0.02		0.1	0.2			1	1				
	Gherkins	0.02		0.1	0.2			1					
	Courgettes	0.02		0.1	0.2			1					
	Others	0.02		0.1	0.2			1					
	c) Cucurbitaceae-inedible peel												
	Melons												
	Squashes												
	Watermelons												
	Others												
	d) Sweet corn												
iv) BRASSICA VEGETABLES													
	a) Flowering Brassicas												
	Broccoli												
	Cauliflower	0.02		0.1	0.2			1	0.02				
	Others												
	b) Head Brassicas												
	Brussels sprouts	0.02		0.1	0.2			1				0.1	
	Head cabbage	0.02		0.1	0.2			1	0.02			0.1	
	Others												
	c) Leafy Brassicas												
	Chinese cabbage												
	Kale												
	Others												
	d) Kohlrabi												
v) LEAF VEGETABLES AND FRESH HERBS													
	a) Lettuce & similar												
	Cress												

Group to which food belongs	Groups include the following products	Mercury compounds	Metolaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosphamidon	Quintozene	Tecnazene	Thiabendazole	Triazophos	Vinclozolin
	Lamb's lettuce												
	Lettuce	0.02		0.5	0.2			1	3	2			
	Scarole												
	Others												
	b) Spinach & similar												
	Beet leaves (chard)												
	c) Watercress												
	d) Wildcress												
	e) Herbs												
	Chervil												
	Chives												
	Parsley												
	Celery leaves												
	Others												
vi) LEGUME VEGETABLES (fresh)													
	Beans (with pods)			0.1	0.2			1	0.01				
	Beans (without pods)								1				
	Peas (with pods)			0.1	0.2								
	Peas (without pods)												
	Others												
vii) STEM VEGETABLES													
	Asparagus												
	Cardoons												
	Celery	0.02		0.1	0.2			1					5
	Fennel												
	Globe artichokes												
	Leeks	0.02		0.1	2			1					
	Rhubarb	0.02		0.1	0.2			1					
	Others												
viii) FUNGI													
	a) Cultivated mushrooms	0.02		0.1	0.2			1					
	b) Wild mushrooms												
3. PULSES													
	Beans												
	Lentils												
	Peas												
	Others												
4. OILSEEDS													
	Linseed												
	Peanuts												
	Poppy seed												
	Sesame seed												
	Sunflower seed												
	Rape seed												
	Soya bean												
	Mustard seed												
	Cotton seed												

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Mercury compounds	Metolaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosalone	Quinazoline	Tecnazene	Thiabendazole	Triazophos	Vinclozolin
<hr/>													
5. POTATOES	Others												
	Early potatoes	0.02		0.1	0.05			0.1*	0.2		5	0.05*	
	Ware potatoes	0.02		0.1	0.05			0.1*	0.2			0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )												
7. HOPS (dried)	Including hop pellets & unconcentrated powder												

Group to which food belongs	Groups include the following products	Chlorpyrifos	Diazinon	Dichlorvos	Diflubenzuron	Ethion	Fenitrothion	Mercury compounds	Methacrylates
<hr/>									
8. CEREALS									
	Wheat					5	5	0.02	5
	Rye					5	5	0.02	5
	Barley					5	5	0.02	5
	Oats					5	5	0.02	5
	Triticale					5	5	0.02	5
	Maize					5	5	0.02	5
	Rice <sup>(1)</sup>								
	Other cereals <sup>(2)</sup>					5	5	0.02	5
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat <sup>(3)</sup>	0.2	0.7	0.05	0.05*				
	Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>	0.005	0.02	0.02	0.05*				
	Eggs <sup>(6)</sup>			0.05*	0.05*				



**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

**FOOTNOTES****UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

**FOOTNOTES:**

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice

2. Other cereals do not include rice

3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.

In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01mg/kg.

4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

5. For preserved, concentrated or sweetened cow's milk, for raw milk and whole cream milk of another animal origin: and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;

- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk

6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)

**Regulation 4 (1)****SCHEDULE 2  
PART 2**

Group to which the food belongs	Groups include the following products	Acyphate	Adicarb	Adon & dactin	Azinphosmethyl (Azinphos)	Acetaz	Atrazine	Acyrinthrin	Bendiaryl	Berthosul	Bispyrrol	Ephedrin	Bromophosethyl	Bromoprophyll	Camphorol (Terphenyl)	Capitol	Cyfluthrin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																	
i) CITRUS FRUIT																	
	Orange	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
	Lemon	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
	Lime	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
	Mandarin (inc. clementine & similar hybrids)	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
	Orange	1	0.2		0.05*	1	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
	Pomelo	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
	Others	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
ii) TREE NUTS (shelled or unshelled)																	
	Almonds	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*
	Brazil nuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*
	Cashew nuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*
	Coconuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*
	Custards	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*
	Hazelnuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*
	Macadamia nuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*
	Peanuts	0.02*	0.2		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*
	Pine nuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*
	Pistachios	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*
	Walnuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*
iii) POME FRUIT																	
	Apples	1	0.05*		0.05*	1	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	2
	Pears	1	0.05*		0.05*	1	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	2
	Quinces	1	0.05*		0.05*	1	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	2
	Others	1	0.05*		0.05*	1	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	2
iv) STONE FRUIT																	
	Apricots	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	1
	Cherries	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	1
	Peaches (incl. nectarines & similar hybrids)	0.2	0.05*		0.05*	1	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	1
	Plums	2	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.5
	Others	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

[illegible]

Group to which the food belongs	Groups include the following products	Asparagus	Aubergine	Kidney & beans	Amorfraccio (Mortadella)	Artichoke	Asparagus	Avocado	Broccoli	Brussels sprouts	Cauliflower	Corn	Cucumber	Eggplant	Fennel	Garlic	Lentils	Mushrooms	Potatoes	Squash	Tomatoes
2. Vegetables, fresh or uncooked, frozen or dry																					
i) ROOT AND TUBER VEGETABLES																					
	Beetroot	0.02*			0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Carrots	0.02*			0.02*	0.02*	0.1*	0.02*	0.05*	0.05*	0.05*		0.02*		0.1*	0.02*	0.1*				
	Celery	0.02*	0.02*		0.02*	0.02*	0.1*	0.02*	0.05*	0.05*	0.05*		0.02*		0.1*	0.02*	0.1*				
	Horse radish	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Jerusalem artichokes	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Parsnips	0.02*			0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Parsley root	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Radicchio	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Salsify	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Sweet potatoes	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Swedes	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Turnips	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Yams	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Others	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
ii) BULB VEGETABLES																					
	Garlic	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Onions	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.2	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Shallots	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Spring onions	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Others	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
iii) FRUITING VEGETABLES																					
a) Solanaceae																					
	Tomatoes	0.5			0.05*	0.5	0.1*	0.0	0.0	0.0	0.0		0.02*		0.1*	0.02*	0.1*				
	Peppers	0.02*			0.02*	0.02*	0.1*	0.02*	0.2	0.05*	0.05*		0.02*		0.1*	0.02*	0.1*				
	Aubergines	0.3	0.02*		0.1*	0.02*	0.05*	0.09*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
	Others	0.02*	0.02*		0.02*	0.02*	0.1*	0.05*	0.09*	0.09*	0.09*		0.02*		0.1*	0.02*	0.1*				
b) Cucurbitaceae																					
	Cucumbers	0.02*	0.02*		0.02*	0.02*	0.1*	0.02*	0.05*	0.05*	0.05*		0.02*		0.1*	0.02*	0.1*				
	Gherkins	0.02*	0.02*		0.02*	0.02*	0.1*	0.02*	0.05*	0.05*	0.05*		0.02*		0.1*	0.02*	0.1*				
	Cauliflowers	0.02*	0.02*		0.02*	0.02*	0.1*	0.02*	0.05*	0.05*	0.05*		0.02*		0.1*	0.02*	0.1*				
	Others	0.02*	0.02*		0.02*	0.02*	0.1*	0.02*	0.05*	0.05*	0.05*		0.02*		0.1*	0.02*	0.1*				
c) Cucurbitaceae																					
	Melons	0.02*	0.02*		0.02*	0.02*	0.1*	0.02*	0.05*	0.05*	0.05*		0.02*		0.1*	0.02*	0.1*				
	Squashes	0.02*	0.02*		0.02*	0.02*	0.1*	0.02*	0.05*	0.05*	0.05*		0.02*		0.1*	0.02*	0.1*				
	Watermelons	0.02*	0.02*		0.02*	0.02*	0.1*	0.02*	0.05*	0.05*	0.05*		0.02*		0.1*	0.02*	0.1*				
	Others	0.02*	0.02*		0.02*	0.02*	0.1*	0.02*	0.05*	0.05*	0.05*		0.02*		0.1*	0.02*	0.1*				
	d) Sweet corn	0.02*	0.02*		0.02*	0.02*	0.1*	0.02*	0.05*	0.05*	0.05*		0.02*		0.1*	0.02*	0.1*				

**Status:** Point in time view as at 01/02/2000

**Changes to legislation:** There are outstanding changes not yet made by the [legislation.gov.uk](http://legislation.gov.uk) editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which Groupa include the leaf beetles	Asaphate	Alicarb	Alden & deatin	Amorinazole (Amiride)	Amirax	Astrocine	Azoxystrobin	Benaloxyl	Benfuracarb	Bisopropyl	Biphenyl	Bromophenyl	Bromopropyl	Camphester (Terphenyl)	Captan	Carbendazim
ii) BRASSICA VEGETABLES																
a) Flowering Brassicas																
Broccoli	2			0.02*	0.02*	0.1*	0.08*	0.08*		0.05*		0.08*		0.1*	0.02*	0.1*
Cauliflower	2	0.2		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Others	2	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
b) Head Brassicas																
Brussels sprouts	2	0.2		0.02*	0.02*	0.1*	0.08*	0.08*		0.05*				0.1*	0.02*	0.1*
Head cabbages	2			0.02*	0.02*	0.1*	0.08*	0.08*		0.05*				0.1*	0.02*	0.1*
Others	2	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*		0.05*				0.1*	0.02*	0.1*
c) Leafy Brassicas																
Chinese cabbage	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Kale	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Others	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
d) Kohlrabi																
Kohlrabi	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
iii) LEAF VEGETABLES AND FRESH HERBS																
a) Lettuce & similar																
Cress	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Lettuce's lettuce	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Lettuce	1	0.02*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Spinach	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Others	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
b) Sprout & similar																
Sprout	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Swiss chard (chard)	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Others	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
c) Watercress																
Watercress	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Others	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
d) Herbs																
Chard	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Cress	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Parsley	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Cilantro leaves	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Others	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
iv) LEGUME VEGETABLES (fresh)																
Beans (with pods)	3	0.20*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Beans (without pods)	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Peas (with pods)	3	0.20*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Peas (without pods)	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Others	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
vii) STEM VEGETABLES																
Asparagus	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Cardoons	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Celery	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Fennel	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Green asparagus	0.2	0.2		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Lettuce	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Rhubarb	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*
Others	0.02*	0.05*		0.02*	0.02*	0.1*	0.08*	0.08*	0.05*					0.1*	0.02*	0.1*

[illegible]

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Carbofuran	Carbofuran	Carbap	Chlorfenvinphos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Cyfluthrin	Cypermethrin	Deltamethrin	DDT	Deltamethrin	Diazinon	1,2-Dibromo-ethane	Dichloroprop
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																	
i) CITRUS FRUIT																	
	Grapefruit					0.05*	0.01*	0.3	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	Lemons					0.05*	0.01*	0.3	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	Limes					0.05*	0.01*	0.3	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	Mandarin (incl. clementines & similar hybrids)					0.05*	0.01*	2	1	0.02*	2	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	Oranges					0.05*	0.01*	0.3	0.5	0.02*	2	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	Pomelos					0.05*	0.01*	0.3	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	Others					0.05*	0.01*	0.3	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
ii) TREE NUTS (shelled or unshelled)																	
	Almonds	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Brazil nuts	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Cashew nuts	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Chestnuts	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Coccoloba	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Hazelnuts	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Macadamia nuts	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Pecans	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Pine nuts	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Pistachios	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Walnuts	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Others	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
iii) POME FRUIT																	
	Apples							1	0.5	0.5	0.2	1	0.02*	0.05*	0.1	0.5	0.01*
	Pears							1	0.5	0.5	0.2	1	0.02*	0.05*	0.1	0.5	0.01*
	Quinces							1	0.5	0.5	0.2	1	0.02*	0.05*	0.1	0.5	0.01*
	Others							1	0.5	0.5	0.2	1	0.02*	0.05*	0.1	0.5	0.01*
iv) STONE FRUIT																	
	Apricots					0.05*	1	0.05*	0.05*		2	0.02*	0.05*	0.1	0.5	0.01*	0.05*
	Cherries					0.05*	0.01*	0.3	0.05*	0.3	1	0.02*	0.05*	0.1	0.5	0.01*	0.05*
	Peaches (incl. nectarines & similar hybrids)					0.05*	1	0.3	0.5		2	0.02*	0.05*	0.1	0.5	0.01*	0.05*
	Plums					0.05*	0.01*	0.3	0.05*	0.3	1	0.02*	0.05*	0.1	0.5	0.01*	0.05*
	Others					0.05*	0.01*	0.05*	0.05*		0.05*	0.02*	0.05*	0.1	0.5	0.01*	0.05*
v) BERRIES AND SMALL FRUIT																	
	(a) Table & wine grapes																
	Table grapes	0.1*	0.05*			1	1	0.5	0.3	0.3	0.5	0.02*	0.05*	0.1	0.5	0.01*	0.05*
	Wine grapes	0.1*	0.05*			1	1	0.5	0.3	0.3	0.5	0.02*	0.05*	0.1	0.5	0.01*	0.05*
	(b) Strawberries (other than wild)							3	0.3	0.3		0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	(c) Cane Fruit (other than wild)																
	Blackberries	0.1*	0.05*			0.05*	10	0.5	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	Cranberries	0.1*	0.05*			0.05*	10	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	Luganberries	0.1*	0.05*			0.05*	10	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	Raspberries	0.1*	0.05*			0.05*	10	0.5	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	Others	0.1*	0.05*			0.05*	10	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	(d) Other small fruit & berries (other than wild)																
	Bilberries	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.2	0.01*	0.05*
	Cranberries	0.1*	0.05*			0.05*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*
	Currents (incl. black & white)	0.1*	0.05*			0.05*	10	1	0.05*		0.05*	0.02*	0.05*	0.05*	0.2	0.01*	0.05*
	Gooseberries	0.1*	0.05*			0.05*	10	1	0.05*		0.05*	0.02*	0.05*	0.05*	0.2	0.01*	0.05*
	Others	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*
	(e) Wild berries & wild fruit	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*
vi) MISCELLANEOUS FRUIT																	
	Avocado	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*
	Bananas	0.1*	0.05*			0.05*	0.3	3	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	Dates	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*
	Figs	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*
	Kiwi fruit	0.1*	0.05*			0.05*	0.01*	2	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
	Kumquats	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*
	Lemons	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*
	Mangos	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*
	Olives (table consumption)	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.1	0.5	0.01*
	Olives (oil extract)	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.1	0.5	0.01*
	Peaches (incl. nectarines & similar hybrids)	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*
	Pineapples	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*
	Pomegranates	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*
	Others	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*



**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which the food belongs	Groups include the following products	Carbendazim	Carbosulfan	Carotap	Chlorfenvinphos	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diazinon	1,2-Dibromo-ethane	Dichlorprop
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>															
<b>i) ROOT AND TUBER VEGETABLES</b>															
	Beetroot	0.1*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Carrots	0.3	0.1			0.05*	1	0.1	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Celeriac		0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Horseradish	0.1*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Jerusalem artichokes	0.1*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Parsnips	0.3	0.1			0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Parsley root	0.1*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Rapeseeds	0.5	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Salsify	0.1*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Sweet potatoes	0.1*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Swedes		0.05*			0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Turnips		0.05*			0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Yams	0.1*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Others	0.1*	0.05*			0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
<b>ii) BULB VEGETABLES</b>															
	Garlic	0.3	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Onions	0.3	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Shallots	0.3	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Spring onions	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Others	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
<b>iii) FRUITING VEGETABLES</b>															
	a) Solanaceae														
	Tomatoes	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Peppers	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Aubergines	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Others	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	b) Cucurbitaceae														
	Cucumbers	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Gherkins	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Courgettes	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Others	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	c) Cucurbitaceae (edible peel)														
	Melons	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Squashes	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Watermelons	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	Others	0.1*	0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*
	d) Sweet corn		0.05*			0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.05*

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which drugs include the food belongs		Following products															
		Cefixime	Cefuroxime	Cefazolin	Chloramphenicol	Chloramphenicol	Chloramphenicol	Chloramphenicol	Chloramphenicol	Cyfluthrin	Cypermethrin	Deltamethrin	DDT	Deltamethrin	Diazinon	1,2-Dichloroethane	Dichloropropane
viii) FUNGI																	
	a) Cultivated mushrooms	0.1*	0.20*				2	0.05*	0.05*	0.22*	0.22*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	b) Wild mushrooms	0.1*	0.20*		0.05*	0.05*	0.05*	0.05*	0.22*		1	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
3. PULSES																	
	Beans		0.05*		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	1		0.02*	0.02*	0.02*
	Lentils	0.1*	0.05*		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	1		0.02*	0.02*	0.02*
	Pisum	0.1*	0.05*		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	1		0.02*	0.02*	0.02*
	Others	0.1*	0.05*		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	1		0.02*	0.02*	0.02*
4. OILSEEDS																	
	Linseed		0.05*			0.01*	0.01*	0.05*	0.02*		0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
	Peas		0.05*		0.1*	0.05	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Peanut seed	0.1*	0.05*		0.1*	0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Sesame seed	0.1*	0.05*		0.1*	0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Sunflower seed		0.05*		0.1*	0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Soybean		0.05*		0.1*	0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Soybean		0.05*		0.1*	0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Mustard seed	0.1*	0.05*		0.1*	0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Cotton seed					0.01*	0.05*	0.05*	0.02*			0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.1*	0.05*		0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
5. POTATOES																	
	Early potatoes		0.05*			0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*		0.01*	0.05*
	Waxy potatoes (other leaves and stalks)		0.05*			0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*		0.01*	0.05*
6. TEA																	
	herbaceous or otherwise, Camellia sinensis	0.2*	0.1*	20	0.02*	0.1*	0.1*	0.1*	0.1*	0.05	0.1*	0.2	5	0.05*	0.1*	0.1*	0.1*
7. HOPS (dried)																	
	including hop pellets & unconcentrated powder	10				0.1*	80	0.1*	0.1*	20	20	0.1*	0.05*	5		0.01*	0.1*

Group to which the food belongs	Groups include the following products	Dulciferes	Cucurbi	Cornaceae	Convolv	Dioscorea	Dipsacales	Endosulfan	Endrin	Etheophan	Ethion	Fenitrothion	Fenbutatin Oxide	Fenchitophos	Fenitrothion	Fenrin	Fenvalerate
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																	
i) CITRUS FRUIT																	
	Grapefruit	2		0.05*	0.05*	0.02*	1	0.01*				0.02*		0.01*		0.05*	0.05*
	Lemons	2		0.05*	0.05*	0.02*	1	0.01*				0.02*		0.01*		0.05*	0.05*
	Limes	2		0.05*	0.05*	0.02*	1	0.01*				0.02*		0.01*		0.05*	0.05*
	Mandarin (inc clementine & similar hybrids)	2		0.05*	0.05*	0.02*	1	0.01*				0.02*		0.01*		0.05*	0.05*
	Oranges	2		0.05*	0.05*	0.02*	1	0.01*				0.02*		0.01*		0.05*	0.05*
	Pomelos	2		0.05*	0.05*	0.02*	1	0.01*				0.02*		0.01*		0.05*	0.05*
	Others	2		0.05*	0.05*	0.02*	1	0.01*				0.02*		0.01*		0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)																	
	Almonds	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*			0.02*	0.05*	0.01*		0.05*	0.05*
	Brazil nuts	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*			0.02*	0.05*	0.01*		0.05*	0.05*
	Cashew nuts	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*			0.02*	0.05*	0.01*		0.05*	0.05*
	Chestnuts	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*			0.02*	0.05*	0.01*		0.05*	0.05*
	Cocoons	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*			0.02*	0.05*	0.01*		0.05*	0.05*
	Hazelnuts	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*			0.02*	0.05*	0.01*		0.05*	0.05*
	Macadamia nuts	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*			0.02*	0.05*	0.01*		0.05*	0.05*
	Pecans	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*			0.02*	0.05*	0.01*		0.05*	0.05*
	Pine nuts	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*			0.02*	0.05*	0.01*		0.05*	0.05*
	Pistachios	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*			0.02*	0.05*	0.01*		0.05*	0.05*
	Walnuts	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*			0.02*	0.05*	0.01*		0.05*	0.05*
	Others	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*			0.02*	0.05*	0.01*		0.05*	0.05*
iii) POME FRUIT																	
	Apples	1		0.05*	0.05*	0.02*	1	0.01*	3			0.3	2	0.01*		0.05*	1
	Pears	1		0.05*	0.05*	0.02*	1	0.01*	3			0.3	2	0.01*		0.05*	1
	Quinces	1		0.05*	0.05*	0.02*	1	0.01*	3			0.3	2	0.01*		0.05*	1
	Others	1		0.05*	0.05*	0.02*	1	0.01*	3			0.3	2	0.01*		0.05*	1
iv) STONE FRUIT																	
	Apriots			0.05*	0.05*	0.02*	1	0.01*	0.05*					0.01*		0.05*	0.05*
	Cherries			0.05*	0.05*	0.02*	1	0.01*	3					0.01*		0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)			0.05*	0.05*	0.02*	1	0.01*	0.05*					0.01*		0.05*	0.05*
	Persimmons			0.05*	0.05*	0.02*	1	0.01*	0.05*					0.01*		0.05*	0.05*
	Others			0.05*	0.05*	0.02*	1	0.01*	0.05*					0.01*		0.05*	0.05*

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which the food belongs	Groups include the following products	Dichlorvos	Diazinon	Dimefthate	Droscab	Doxathion	Diazinon	Endosulfan	Endrin	Ethion	Ethion	Fenitrothion	Fenitrothion	Fenitrothion	Fenitrothion	Fenitrothion	Fenitrothion
<b>v) BERRIES AND SMALL FRUIT</b>																	
<b>a) Table &amp; wine grapes</b>																	
	Table grapes	1		0.05*	0.05*	0.05*	1	0.01*				0.3	2	0.01*		0.05*	1
	Wine grapes	1		0.05*	0.05*	0.05*	1	0.01*				0.3	2	0.01*		0.05*	1
<b>b) Strawberries (other than wild)</b>																	
	Strawberries	2		0.05*	0.05*			0.01*	0.05*			0.3		0.01*		0.05*	0.05*
<b>c) Other Fruit (other than wild)</b>																	
	Blackberries	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Blueberries	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Loganberries	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Raspberries	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Others	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
<b>d) Other small fruit &amp; berries (other than wild)</b>																	
	Gilberries	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Cranberries	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Currants (red, black & white)	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Gooseberries	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Others	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
<b>e) Wild berries &amp; wild fruit</b>																	
	Wild berries & wild fruit	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
<b>v) MISCELLANEOUS FRUIT</b>																	
	Avocados	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Bananas	2		0.05*	0.05*	0.05*		0.01*	0.05*			0.3		0.01*		0.05*	0.05*
	Dates	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Figs	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Kiwifruit	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Kumquats	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Litchis	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Mangoes	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Olives (table consumption)	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Olives (oil extract)	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Passion fruit	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Pineapples	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Pomegranates	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Others	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>																	
<b>i) ROOT AND TUBER VEGETABLES</b>																	
	Beetroots	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Carrots	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Celeriac	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Horseradish	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Jerusalem artichokes	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Parsnips	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Potatoes (new)	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Radishes	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Salsify	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Sweet potatoes	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Swedes	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Turnips	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Yams	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Others	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
<b>ii) BULB VEGETABLES</b>																	
	Garlic			0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Onions	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Shallots	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Spring onions	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
	Others	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*
<b>iii) FRUITING VEGETABLES</b>																	
<b>a) Solanaceae</b>																	
	Tomatoes	0.5		0.05*	0.05*	0.05*		0.01*	0.05*					0.01*		0.05*	1
	Peppers	0.5		0.05*	0.05*	0.05*		0.01*	0.05*					0.01*		0.05*	2.2
	Aubergines	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*					0.01*		0.05*	0.05*
	Others	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*					0.01*		0.05*	0.05*
<b>b) Cucurbitaceae - edible part</b>																	
	Cucumbers	0.5		0.05*	0.05*	0.05*		0.01*	0.05*					0.01*		0.05*	0.2
	Gherkins	0.5		0.05*	0.05*	0.05*		0.01*	0.05*					0.01*		0.05*	0.05*
	Courgettes	0.5		0.05*	0.05*	0.05*		0.01*	0.05*					0.01*		0.05*	0.05*
	Others	0.5		0.05*	0.05*	0.05*		0.01*	0.05*					0.01*		0.05*	0.05*
<b>c) Cucurbitaceae - inedible part</b>																	
	Melons	0.5		0.05*	0.05*	0.05*		0.01*	0.05*					0.01*		0.05*	0.2
	Squashes	0.5		0.05*	0.05*	0.05*		0.01*	0.05*					0.01*		0.05*	0.5
	Watermelons	0.5		0.05*	0.05*	0.05*		0.01*	0.05*					0.01*		0.05*	0.05*
	Others	0.5		0.05*	0.05*	0.05*		0.01*	0.05*					0.01*		0.05*	0.05*
<b>d) Sweet corn</b>																	
	Sweet corn	0.05*		0.05*	0.05*	0.05*		0.01*	0.05*			0.05*	0.05*	0.01*		0.05*	0.05*

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which the food belongs	Groups include the following products	Dichlorvos	Disulfoton	Dinoseb	Diazinon	Dibutyltin	Endosulfan	Enthion	Ethion	Fenitrothion	Fenprophos	Fenitrothion	Fenitrothion	Fenitrothion
<b>iv) BRASSICA VEGETABLES</b>														
<b>a) Flowering Brassicas</b>														
	Broccoli	0.02*		0.05*	0.05*		1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	1
	Cauliflower	0.02*		0.05*	0.05*		1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	1
	Others	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	1
<b>b) Head Brassicas</b>														
	Brussels sprouts	0.02*		0.05*	0.05*		1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Head cabbage	0.02*		0.05*	0.05*		1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
<b>c) Leafy Brassicas</b>														
	Chinese cabbage	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	1
	Kale	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>														
<b>a) Lettuce &amp; similar</b>														
	Cress	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Let's lettuce	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Let's lettuce	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Spinach	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
<b>b) Spinach &amp; similar</b>														
	Spinach	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Beet leaves (chard)	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
<b>c) Watercress</b>														
	Watercress	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
<b>d) Wild radish</b>														
	Wild radish	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
<b>e) Herbs</b>														
	Chervil	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Cilantro	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Parsley	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Coriander leaves	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
<b>vi) LEGUME VEGETABLES (fresh)</b>														
	Beans (with pods)	0.5		0.05*	0.05*		1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Beans (without pods)	0.5		0.05*	0.05*		1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Peas (with pods)	0.5		0.05*	0.05*		1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Peas (without pods)	0.5		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
<b>vii) STEM VEGETABLES</b>														
	Asparagus	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Cardoons	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Celery	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Fennel	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Globe artichokes	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Leeks	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Radishes	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
<b>viii) FUNGI</b>														
<b>a) Cultivated mushrooms</b>														
	Wild mushrooms	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
<b>3. PULSES</b>														
	Beans			0.05*	0.05*		0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Lentils	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Peas	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.05*
<b>4. OILSEEDS</b>														
	Unseed	0.05*		0.05*	0.05*	0.02*		0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.1
	Peanuts	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.1
	Poppy seed	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.1
	Sesame seed	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.1
	Sunflower seed	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.1
	Rape seed	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.1
	Soya bean	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.1
	Mustard seed	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.1
	Cotton seed	0.1		0.05*	0.05*	0.02*	0.3	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.1
	Others	0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05*	0.1
<b>5. POTATOES</b>														
	Early potatoes	0.02*		0.05*	0.05*		0.01*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.05*
	Main potatoes (seed potatoes and tubers)	0.02*		0.05*	0.05*		0.01*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.05*
<b>6. TEA</b>														
	Unfermented or otherwise (Camellia sinensis)	0.1*	20	0.2	0.1*	0.1*	0.05*	30	0.01*	0.1*	0.1*	0.1*	0.1*	10
<b>7. HOPS (dried)</b>														
	Including hop pellets & unconcentrated powder	90			0.1*	0.1*		0.1*	0.1*			0.1*	0.1*	0



**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which the food belongs	Groups include the following products	Fluopyrusate	Fluothiazate	Glyphosate	Hexachloro-benzene (HCB)	Hexachloro-cyclopentadiene (HCH)	Hexachloro-cyclopentadiene (HCH)	Hexachloro-cyclopentadiene (HCH)	Imazalil	Iprodione	Lambda-cyhalothrin	Malathion	Methyl-Hydrazide	Methyl-Mercaptan Phosphate (Zn)	Mecarbam	Metalaxyl	Methamidophos
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																	
i) CITRUS FRUIT																	
	Grapefruit	0.05*	0.1*	0.01*					5	0.02*			1*	5	2		0.2
	Lemons	0.05*	0.1*	0.01*					5	0.02*			1*	5	2		0.2
	Limes	0.05*	0.1*	0.01*					5	0.02*			1*	5	2		0.2
	Mandarin (inc. clementines & similar hybrids)	0.05*	0.1*	0.01*					5	2			1*	5	2		0.2
	Oranges	0.05*	0.1*	0.01*					5	0.02*			1*	5	2		0.2
	Pomelos	0.05*	0.1*	0.01*					5	0.02*			1*	5	2		0.2
	Others	0.05*	0.1*	0.01*					5	0.02*			1*	5	2		0.2
ii) TREE NUTS (shelled or unshelled)																	
	Almonds	0.02*	0.1*	0.01*					0.02*	0.02*	0.05*		1*	0.1*	0.05*	0.05*	0.01*
	Cashew nuts	0.02*	0.1*	0.01*					0.02*	0.02*	0.05*		1*	0.1*	0.05*	0.05*	0.01*
	Chestnuts	0.05*	0.1*	0.01*					0.02*	0.02*	0.05*		1*	0.1*	0.05*	0.05*	0.01*
	Coconuts	0.05*	0.1*	0.01*					0.02*	0.02*	0.05*		1*	0.1*	0.05*	0.05*	0.01*
	Hazelnuts	0.02*	0.1*	0.01*					0.02*	0.02*	0.05*		1*	0.1*	0.05*	0.05*	0.01*
	Macadamia nuts	0.05*	0.1*	0.01*					0.02*	0.02*	0.05*		1*	0.1*	0.05*	0.05*	0.01*
	Pecans	0.05*	0.1*	0.01*					0.02*	0.02*	0.05*		1*	0.1*	0.05*	0.05*	0.01*
	Pine nuts	0.05*	0.1*	0.01*					0.02*	0.02*	0.05*		1*	0.1*	0.05*	0.05*	0.01*
	Pistachios	0.05*	0.1*	0.01*					0.02*	0.02*	0.05*		1*	0.1*	0.05*	0.05*	0.01*
	Walnuts	0.05*	0.1*	0.01*					0.02*	0.02*	0.05*		1*	0.1*	0.05*	0.05*	0.01*
	Others	0.05*	0.1*	0.01*					0.02*	0.02*	0.05*		1*	0.1*	0.05*	0.05*	0.01*
iii) POME FRUIT																	
	Apples	0.05*	0.1*	0.01*					5	10	0.1		1*	3	0.05*	1	0.05
	Pears	0.05*	0.1*	0.01*					5	10	0.1		1*	3	0.05*	1	0.05
	Quinces	0.05*	0.1*	0.01*					5	10	0.1		1*	3	0.05*	1	0.05
	Others	0.05*	0.1*	0.01*					5	10	0.1		1*	3	0.05*	1	0.05
iv) STONE FRUIT																	
	Apricots	0.05*	0.1*	0.01*					0.02*	5	0.2		1*	2	0.05*	0.05*	0.1
	Cherries	0.05*	0.1*	0.01*					0.02*	5	0.1		1*	1	0.05*	0.05*	0.1
	Peaches (incl. nectarines & similar hybrids)	0.05*	0.1*	0.01*					0.02*	5	0.2		1*	2	0.05*	0.05*	0.1
	Plums	0.05*	0.1*	0.01*					0.02*	5	0.1		1*	1	0.05*	0.05*	0.1
	Others	0.05*	0.1*	0.01*					0.02*	5	0.1		1*	0.05*	0.05*	0.05*	0.01*

Group to which the food belongs	Groups include the following products	Fluopyrusate	Fluothiazate	Glyphosate	Hexachloro-benzene (HCB)	Hexachloro-cyclopentadiene (HCH)	Hexachloro-cyclopentadiene (HCH)	Hexachloro-cyclopentadiene (HCH)	Imazalil	Iprodione	Lambda-cyhalothrin	Malathion	Methyl-Hydrazide	Methyl-Mercaptan Phosphate (Zn)	Mecarbam	Metalaxyl	Methamidophos
v) BERRIES AND SMALL FRUIT																	
a) Table & wine grapes																	
	Table grapes	0.05*	0.1*	0.01*					0.02*	10	0.2		1*	2	0.05*	2	0.05*
	Wine grapes	0.05*	0.1*	0.01*					0.02*	10	0.2		1*	2	0.05*	1	0.05*
b) Strawberries (other than wild)																	
	Strawberries	0.05*	0.1*	0.01*					0.02*	5	0.02*		1*	0.05*	0.05*	0.05*	0.01*
c) Raspberries (other than wild)																	
	Raspberries	0.05*	0.1*	0.01*					0.02*	5	0.02*		1*	0.05*	0.05*	0.05*	0.01*
d) Other small fruit & berries																	
	Others	0.05*	0.1*	0.01*					0.02*	5	0.02*		1*	0.05*	0.05*	0.05*	0.01*
e) Wild berries & wild fruit																	
	Wild berries	0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*
vi) MISCELLANEOUS FRUIT																	
	Avocado	0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Bananas	0.05*	0.1*	0.01*					2	2	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Citrus	0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Figs	0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Kiwi fruit	0.05*	0.1*	0.01*					0.02*	2	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Kumquats	0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Lichis	0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Mangoes	0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Olives (table consumption)	0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Olives (oil extract)	0.05*	2	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Passion fruit	0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Pineapples	0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Pomegranates	0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*
	Others	0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which the food belongs	Groups include the following products	Fluorfenacetate	Fenitrothion	Glyphosate	Imidacloprid	Hexachloro-benzene (HCB)	Hexachloro-cyclopentadiene (HCH)	Hexachloro-cyclohexene (HCH)	Hexachloro-cyclopentadiene (HCH)	Imazalil	Imidacloprid	Lambda-cyhalothrin	Methidathion	Malathion	Malic-Hydroxide	Manganese Propionate	Manganese Zinc	Mecarbox	Methidathion	Methidathion
2. Vegetables, fresh or uncooked, frozen or dry																				
i) ROOT AND TUBER VEGETABLES																				
	Beetroot	0.02*	0.1*	0.02*						0.02*	0.5	0.02*		1*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Carrots	0.02*	0.02*	0.1*	0.02*					0.02*	0.3	0.02*		1*	0.2	0.02*	0.1	0.02*	0.1	0.02*
	Celery	0.02*	0.1*	0.02*						0.02*	0.02*	0.02*		1*	0.2	0.02*	0.02*	0.02*	0.02*	0.02*
	Horseradish	0.02*	0.1*	0.02*						0.02*	0.1	0.02*		1*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Jerusalem artichokes	0.02*	0.1*	0.02*						0.02*	0.02*	0.02*		1*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Pumpkins	0.02*	0.1*	0.02*						0.02*	0.1	0.02*		1*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Potatoes	0.02*	0.1*	0.02*						0.02*	0.02*	0.02*		1*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Radishes	0.02*	0.1*	0.02*						0.02*	0.3	0.02*		1*	0.2	0.02*	0.02*	0.02*	0.02*	0.02*
	Salsify	0.02*	0.1*	0.02*						0.02*	0.02*	0.02*		1*	0.2	0.02*	0.02*	0.02*	0.02*	0.02*
	Swiss potatoes	0.02*	0.1*	0.02*						0.02*	0.02*	0.02*		1*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Turnips	0.02*	0.1*	0.02*						0.02*	0.02*	0.02*		1*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Yams	0.02*	0.1*	0.02*						0.02*	0.02*	0.02*		1*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Others	0.02*	0.1*	0.02*						0.02*	0.02*	0.02*		1*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
ii) BULB VEGETABLES																				
	Onions	0.02*	0.1*	0.02*						0.02*	5	0.02*		10	0.5	0.02*		0.02*		0.02*
	Shallots	0.02*	0.1*	0.02*						0.02*	5	0.02*		10	0.5	0.02*		0.02*		0.02*
	Spring onions	0.02*	0.1*	0.02*						0.02*	3	0.02*		1*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Others	0.02*	0.1*	0.02*						0.02*	0.02*	0.02*		10	0.02*	0.02*		0.02*		0.02*
iii) FRUITING VEGETABLES																				
a) Solanaceae																				
	Tomatoes	0.02*	0.1*	0.02*						0.5	5			1*	3	0.02*		0.02*		0.02*
	Peppers	0.02*	0.1*	0.02*						0.02*	5			1*	3	0.02*		0.02*		0.02*
	Aubergines	0.02*	0.1*	0.02*						0.02*	5			1*	3	0.02*		0.02*		0.02*
	Others	0.02*	0.1*	0.02*						0.02*	5			1*	3	0.02*		0.02*		0.02*
b) Cucurbitaceae																				
	Cucumbers	0.02*	0.1*	0.02*						0.2	2	0.1		1*	0.5	0.02*		0.02*		0.02*
	Gherkins	0.02*	0.1*	0.02*						0.2	2	0.1		1*	0.5	0.02*		0.02*		0.02*
	Courgettes	0.02*	0.1*	0.02*						0.2	2	0.1		1*	0.5	0.02*		0.02*		0.02*
	Others	0.02*	0.1*	0.02*						0.2	2	0.1		1*	0.02*	0.02*		0.02*		0.02*
c) Cucurbitaceae																				
	Melons	0.02*	0.1*	0.02*						2	0.3			1*	0.5	0.02*		0.02*		0.02*
	Squashes	0.02*	0.1*	0.02*						0.02*	0.02*			1*	0.5	0.02*		0.02*		0.02*
	Watermelons	0.02*	0.1*	0.02*						0.02*	0.02*			1*	0.5	0.02*		0.02*		0.02*
	Others	0.02*	0.1*	0.02*						0.02*	0.02*			1*	0.5	0.02*		0.02*		0.02*
	Sweet corn	0.02*	0.1*	0.02*						0.02*	0.02*	0.02*		1*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Fluorothiazide	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-terylene (HCH)	Hexachloro-cyclohexene (HCH)	Hexachloro-cyclohexene (HCH)	Hexachloro-cyclohexene (HCH)	Imidacloprid	Isprometh	Lambda-cyhalothrin	Malathion	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor
vii) FUNGI																			
	a) Cultivated mushrooms		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	b) Wild mushrooms		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
3. PULSES																			
	Beans		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Lentils		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Peas		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Others		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
4. OILSEEDS																			
	Unseed		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Peanuts		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Peanut seed		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Soybean seed		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Sunflower seed		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Rape seed		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Soya bean		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Mustard seed		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Cotton seed		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Others		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
5. POTATOES																			
	Sally potatoes		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	Waxy potatoes		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
	(dried leaves and stalks)		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*	0.01*
6. TEA	(fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.02*	0.01*	0.2	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (Stems)	Including hop pellets & unconcentrated powder		5	0.1*	0.01*					0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																			
i) CITRUS FRUIT																			
	Orange fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Lemons	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Limes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Mandarin (inc clementines & similar hybrids)	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Oranges	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pomelos	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)																			
	Almonds	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Walnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Coconuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Macadamia nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pistachios	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pine nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
iii) POME FRUIT																			
	Apples	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pears	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Quinces	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
iv) STONE FRUIT																			
	Apricots	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cherries	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Plums	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which the food belongs	Groups include the following products	Methidathion	Methomyl thiodicarb	Methyl bromide	Monocrotophos	Oximechoate	Paraquat	Permethrin	Phosalone	Phosmet	Phoxin	Phosphor-methyl	Procyridione	Prothionaphos	Propargite	Propiconazole	Propoxur	Proprazine
<b>v) BERRIES AND SMALL FRUIT</b>																		
<b>(i) Table &amp; wine grapes</b>																		
	Table grapes	0.5	3				0.05*	1	0.05*				5			0.5	3	0.02*
	Wine grapes	0.5	3				0.05*	1	0.05*				5			0.5	3	0.02*
<b>(ii) Strawberry (other than wild)</b>																		
	Strawberry	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
<b>(iii) Other small fruit &amp; berries (other than wild)</b>																		
	Blackberries	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Deerberries	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Loganberries	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Raspberries	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Others	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
<b>v) MISCELLANEOUS FRUIT</b>																		
	Avocado	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Bananas	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Citrus (incl. black & white)	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Gooseberries	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Others	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*

Group to which the food belongs	Groups include the following products	Methidathion	Methomyl thiodicarb	Methyl bromide	Monocrotophos	Oximechoate	Paraquat	Permethrin	Phosalone	Phosmet	Phoxin	Phosphor-methyl	Procyridione	Prothionaphos	Propargite	Propiconazole	Propoxur	Proprazine
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>																		
<b>(i) ROOT AND TUBER VEGETABLES</b>																		
	Beetroot	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Carrots	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Celery	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Horseradish	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Jerusalem artichokes	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Parsnips	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Parsley root	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Radishes	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Salsify	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Sweet potatoes	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Swedes	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Turnips	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Yams	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Others	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
<b>(ii) BULB VEGETABLES</b>																		
	Garlic	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Onions	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Shallots	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Spring onions	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Others	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
<b>(iii) FRUITING VEGETABLES</b>																		
<b>(a) Solanaceae</b>																		
	Tomatoes	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Peppers	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Aubergines	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Others	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
<b>(b) Cucurbitaceae</b>																		
	Cucumbers	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Cherries	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Courgettes	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Others	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
<b>(c) Cucurbitaceae</b>																		
	Melons	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Squashes	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Watermelons	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
	Others	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*
<b>(d) Sweet corn</b>																		
	Sweet corn	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3	0.02*

Group to which the feed belongs	Groups include the following products	Methionine	Methionyl thiodicarb	Methyl boronic	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phosin	Permethrin-methyl	Prorcyperidone	Proflinophos	Propargite	Propacarbamate	Propanox	Propoximide
<b>(v) BRASSICA VEGETABLES</b>																		
<b>a) Flowering brassicas</b>																		
	Broccoli	0.02*		0.08*		0.08*	0.05*						0.03*			0.05*	3	0.02*
	Cauliflower	0.02*		0.08*		0.08*	0.1					1	0.03*			0.05*	3	0.02*
	Others	0.02*		0.08*		0.08*	0.05*					1	0.03*			0.05*	3	0.02*
<b>b) Head brassicas</b>																		
	Woolly sprouts	0.02*		0.08*		0.08*	0.05*					2	0.03*			0.05*	3	0.02*
	Head cabbage	0.02*		0.08*		0.08*	1					0.02*				0.05*	3	0.02*
	Others	0.02*		0.08*		0.08*	0.05*	0.05*				0.02*				0.05*	3	0.02*
<b>c) Leafy brassicas</b>																		
	Chinese cabbage	0.02*		0.08*		0.08*	1					0.03*				0.05*	3	0.02*
	Kale	0.02*		0.08*		0.08*	1					0.02*				0.05*	3	0.02*
	Others	0.02*		0.08*		0.08*	1					0.05*				0.05*	3	0.02*
<b>d) Kinnabi</b>																		
		0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.05*				0.02*			0.05*	3	0.02*
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>																		
<b>a) Lettuce &amp; similar</b>																		
	Cress	0.02*		0.05*		0.05*	2						5			0.05*	0.05*	
	Lettuce & lettuce	0.02*		0.05*		0.05*	2						5			0.05*	3	
	Lettuce	0.02*		0.05*		0.05*	2						5			0.05*	3	
	Scarlet	0.02*		0.05*		0.05*	2						5			0.05*	3	
	Others	0.02*		0.05*		0.05*	2						5			0.05*	3	
<b>b) Spinach &amp; similar</b>																		
	Spinach	0.02*	2	0.05*		0.05*	1	0.05*					0.02*			0.05*	3	0.02*
	Swiss chard (chard)	0.02*	2	0.05*		0.05*	1	0.05*					0.02*			0.05*	3	0.02*
	Others	0.02*	2	0.05*		0.05*	1	0.05*					0.02*			0.05*	3	0.02*
<b>c) Watercress</b>																		
		0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*

29



**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff)s (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Quinalphos	TEPP	Thiabendazole	Triazophos	Trietamine	2,4,5-T	Vinclozolin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
	Grapefruit	0.01*	5		0.05*	0.05*	0.05*	
	Lemons	0.01*	5		0.05*	0.05*	0.05*	
	Limes	0.01*	5		0.05*	0.05*	0.05*	
	Mandarin (inc. clementines & similar hybrids)	0.01*	5		0.05*	0.05*	0.05*	
	Oranges	0.01*	5		0.05*	0.05*	0.05*	
	Pomelos	0.01*	5		0.05*	0.05*	0.05*	
	Others	0.01*	5		0.05*	0.05*	0.05*	
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.01*	5.1*			0.05*	0.05*	0.05*
	Brazil nuts	0.01*	5.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Cashew nuts	0.01*	5.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Chestnuts	0.01*	5.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Coconuts	0.01*	5.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Hazelnuts	0.01*	5.1*		0.05*	0.05*	0.05*	0.05*
	Macadamia nuts	0.01*	5.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Pecans	0.01*	5.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Pine nuts	0.01*	5.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Pistachios	0.01*	5.1*		0.05*	0.05*	0.05*	0.05*
	Walnuts	0.01*	5.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.01*	5.1*	0.02*	0.05*	0.05*	0.05*	0.05*
iii) POME FRUIT								
	Apples	0.01*	5		2	0.05*	1	
	Pears	0.01*	5		2	0.05*	1	
	Quinces	0.01*	5		2	0.05*	1	
	Others	0.01*	5		2	0.05*	1	
iv) STONE FRUIT								
	Apricots	0.01*	0.05*			0.05*	2	
	Cherries	0.01*		0.02*	2	0.05*	0.5	
	Peaches (incl. nectarines & similar hybrids)	0.01*	0.05*			0.05*	2	
	Plums	0.01*	0.05*	0.02*	1	0.05*	2	
	Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Quinalphos	TEPP	Thiabendazole	Triazophos	Trietamine	2,4,5-T	Vinclozolin
v) BERRIES AND SMALL FRUIT								
	a) Table & wine grapes							
	Table grapes	0.01*		0.02*		0.05*	5	
	Wine grapes	0.01*		0.02*		0.05*	5	
	b) Strawberries (other than wild)	0.01*	5			0.05*	5	
	c) Stone Fruit (other than wild)							
	Blackberries	0.01*	0.05*	0.02*	0.05*	0.05*	5	
	Dewberries	0.01*	0.05*	0.02*	0.05*	0.05*	5	
	Luganberries	0.01*	0.05*	0.02*	0.05*	0.05*	5	
	Raspberries	0.01*	0.05*	0.02*	0.05*	0.05*	5	
	Others	0.01*	0.05*	0.02*	0.05*	0.05*	5	
	d) Other small fruit & berries (other than wild)							
	Bilberries	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
	Cranberries	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
	Currants (red, black & white)	0.01*		0.02*	2	0.05*	15	
	Roseberries	0.01*		0.02*	2	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
	e) Wild berries & wild fruit	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
vi) MISCELLANEOUS FRUIT								
	Avocado	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
	Bananas	0.01*	2	0.02*	0.05*	0.05*	0.05*	
	Dates	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
	Figs	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
	Kiwi fruit	0.01*	0.05*	0.02*	0.05*	0.05*	15	
	Kiwifruit	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
	Lichee	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
	Mangoes	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
	Olives (table consumption)	0.01*	0.05*		0.05*	0.05*	0.05*	
	Olives (oil extract)	0.01*	0.05*		0.05*	0.05*	0.05*	
	Passion fruit	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
	Pineapples	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
	Pomegranates	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which the food belongs	Groups include the following products	Quinethalox	TEPP	Thiabendazole	Triazophos	Tributyltin	2,4,5-T	Vinylcarbazole
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>								
<b>i) ROOT AND TUBER VEGETABLES</b>								
	Beetroot	0.01*			0.05*	0.05*	0.05*	
	Carrots	0.01*	0.05*	1	0.05*	0.05*	0.05*	0.5
	Celery	0.01*	0.05*		0.05*	0.05*	0.05*	
	Horseradish	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Jerusalem artichokes	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Parsnips	0.01*	0.05*	1	0.05*	0.05*	0.05*	
	Potato root	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Radishes	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Savoy	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Sweet potatoes	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Sweeties	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Turnips	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Yams	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
<b>ii) BULB VEGETABLES</b>								
	Onion	0.01*				0.05*	1	
	Onions	0.01*				0.05*	1	
	Shallots	0.01*				0.05*	1	
	Spring onions	0.01*	0.05*	0.05*		0.05*	1	
	Others	0.01*	0.05*	0.05*		0.05*	1	
<b>iii) FRUITING VEGETABLES</b>								
<b>a) Solanaceae</b>								
	Tomatoes	0.01*		0.05*		0.05*	3	
	Peppers	0.01*		0.05*		0.05*	3	
	Aubergines	0.01*	0.05*	0.05*		0.05*	3	
	Others	0.01*	0.05*	0.05*		0.05*	3	
<b>b) Cucurbitaceae</b>								
	Cucumbers	0.01*			0.5	0.05*	1	
	Gherkins	0.01*	0.05*		0.5	0.05*	1	
	Courgettes	0.01*	0.05*		0.5	0.05*	1	
	Others	0.01*	0.05*		0.5	0.05*	1	
<b>c) Cucurbitaceae</b>								
	Melons	0.01*				0.05*	1	
	Squashes	0.01*	0.05*			0.05*	1	
	Watermelons	0.01*				0.05*	1	
	Others	0.01*	0.05*			0.05*	1	
<b>d) Sweet corn</b>								
		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	

Group to which the food belongs	Groups include the following products	Quinethalox	TEPP	Thiabendazole	Triazophos	Tributyltin	2,4,5-T	Vinylcarbazole
<b>iv) BRASSICA VEGETABLES</b>								
<b>a) Flowering Brassicas</b>								
	Broccoli	0.01*	1			0.05*	0.05*	
	Caiflower	0.01*	0.05*			0.05*	0.05*	
	Others	0.01*	0.05*			0.05*	0.05*	
<b>b) Head Brassicas</b>								
	Brussels sprouts	0.01*	0.05*			0.05*	0.05*	
	Head cabbage	0.01*				0.05*	0.05*	
	Others	0.01*	0.05*			0.05*	0.05*	
<b>c) Leafy Brassicas</b>								
	Chinese cabbage	0.01*	0.05*			0.05*	2	
	Kale	0.01*	0.05*			0.05*	0.05*	
	Others	0.01*	0.05*			0.05*	0.05*	
<b>d) Kohlrabi</b>								
		0.01*	0.05*	0.05*		0.05*	0.05*	
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>								
<b>a) Lettuce &amp; similar</b>								
	Cress	0.01*	0.05*	0.05*		0.05*	5	
	Lamb's lettuce	0.01*	0.05*	0.05*	0.05*	0.05*	5	
	Lettuce	0.01*	0.05*	0.05*	0.05*	0.05*	5	
	Scarfes	0.01*	0.05*	0.05*	0.05*	0.05*	5	
	Others	0.01*	0.05*	0.05*	0.05*	0.05*	5	
<b>b) Spinach &amp; similar</b>								
	Spinach	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Beet leaves (chard)	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
<b>c) Watercress</b>								
		0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
<b>d) Wildrad</b>								
		0.01*	0.05*	0.05*	0.05*	0.05*	2	
<b>e) Herbs</b>								
	Chervil	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Chives	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Parsley	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Culinary herbs	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
<b>vi) LEGUME VEGETABLES (fresh)</b>								
	Beans (with pods)	0.01*				0.05*	2	
	Beans (without pods)	0.01*				0.05*	0.5	
	Peas (with pods)	0.01*	0.05*			0.05*	2	
	Peas (without pods)	0.01*	0.05*			0.05*	0.5	
	Others	0.01*	0.05*	0.05*		0.05*	0.05*	
<b>vii) STEM VEGETABLES</b>								
	Asparagus	0.01*				0.05*	0.05*	
	Cardoons	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	
	Celery	0.01*			0.05*	0.05*	0.05*	
	Fennel	0.01*	0.05*		0.05*	0.05*	0.05*	
	Other artichokes	0.01*	0.05*		0.05*	0.05*	0.05*	
	Leeks	0.01*			0.05*	0.05*	0.05*	
	Rhubarb	0.01*	0.05*		0.05*	0.05*	0.05*	
	Others	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Group to which food belongs	Cyfluthrin	TEPP	Thiobenzotol	Thiazophos	Titanium	2,4,5-T	Virbaculin
3. PULSES								
4. OLSEEDS								
5. POTATOES								
6. TEA								
7. HOPS (dried)								

Group to which food belongs	Group to which food belongs	Acetophenone	Adjuvant	Adjuvant & Dieldrin	Amtraz	Acetylcholine	Benazoxyl	Benfluracarb	Captafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide
8. CEREALS													
9. PRODUCTS OF ANIMAL ORIGIN													



**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Carbaryl (hydrochloride)	Carbendazim	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Deltamethrin	Demeton-methyl
<b>1. CEREALS</b>									
	Wheat	0.1	0.05*	0.02	2	0.1	0.05*	3	0.02*
	Rye	0.1	0.05*	0.02	2	0.1	0.05*	3	0.02*
	Barley	0.1	0.05*	0.02	2	0.1	0.02	3	0.02*
	Sorghum	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*
	Oats	0.1	0.05*	0.02	8	0.1	0.05*	3	0.02*
	Triticale	0.1	0.05*	0.02	2	0.1	0.05*	3	0.02*
	Maize	0.1	0.05*	0.02	0.01*	0.02*	3	0.05*	0.02*
	Buckwheat	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*
	Millet	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*
	Rice <sup>(1)</sup>	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*
	Other cereals <sup>(2)</sup>	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*
<b>2. PRODUCTS OF ANIMAL ORIGIN</b>									
	Meat, fat & preparations of meat <sup>(3)</sup>		0.05*	0.05		0.01*	0.05* <sup>(4)</sup>	0.05	0.05* <sup>(4)</sup>
	Milk <sup>(5)</sup> & Dairy produce <sup>(6)</sup>		0.05*	0.02		0.01*	0.01*	0.02*	0.05*
	Eggs <sup>(7)</sup>		0.05*	0.05		0.01*	0.01*	0.02*	0.05*

Group to which food belongs	Groups include the following products	DDT	Deltamethrin	Disulfoton	1,2-Dibromo ethane	Dithionates	Dieldrin	Disulfoton	Endosulfan	Endrin	Ethionex	Fenitrothion	Fenitrothion oxide
<b>3. CEREALS</b>													
	Wheat	0.05	1	0.05	0.01*	2	0.02*	0.1	0.1	0.01	0.2		0.05*
	Rye	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.1	0.01	0.5	0.02*	0.05*
	Barley	0.05	1	0.05	0.01*	2	0.02*	0.2	0.1	0.01	0.5		0.05*
	Sorghum	0.05	1	0.05	0.01*	2	0.02*	0.2	0.05*	0.01	0.05*	0.02*	0.05*
	Oats	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.1	0.01	0.05*	0.02*	0.05*
	Triticale	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.1	0.01	0.2	0.02*	0.05*
	Maize	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.2	0.01		0.02*	0.05*
	Buckwheat	0.05	1	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.01	0.05*	0.02*	0.05*
	Millet	0.05	1	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.01	0.05*	0.02*	0.05*
	Rice <sup>(1)</sup>	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.05*	0.01	0.05*	0.02*	0.05*
	Other cereals <sup>(2)</sup>	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.05*	0.01	0.05*	0.02*	0.05*
<b>4. PRODUCTS OF ANIMAL ORIGIN</b>													
	Meat, fat & preparations of meat <sup>(3)</sup>	1	0.05* <sup>(4)</sup>				0.5 <sup>(5)</sup>	0.02*	0.1 <sup>(6)</sup>	0.05	0.05*	0.02* <sup>(7)</sup>	0.05*
	Milk <sup>(8)</sup> & Dairy produce <sup>(9)</sup>	0.04					1 <sup>(10)</sup>	0.02	0.02	0.004	0.005	0.02*	0.05*
	Eggs <sup>(11)</sup>	0.1	0.05*				0.05*	0.02*		0.005	0.05*	0.02*	0.05*

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Fenitro	Fenvalerate	Fenitrothion	Glyphosate	Heptachlor	Hexachlor benzene (HCB)	Hexachlor cyclopentadiene (HCH) α	Hexachlor cyclopentadiene (HCH) β	Hexachlor cyclopentadiene (HCH) γ	Hydrogen cyanide	Hydrogen phosphide
8. CEREALS												
	Wheat	0.05*	0.05*	0.05*	5	0.01	0.01	0.02	sum of alpha & beta	0.1	15	0.1
	Rye	0.05*	0.05*	0.05*	5	0.01	0.01	0.02		0.1	15	0.1
	Barley	0.05*	0.2	0.05*	20	0.01	0.01	0.02		0.1	15	0.1
	Sorghum	0.05*	0.05*	0.05*	20	0.01	0.01	0.02		0.1	15	0.1
	Oats	0.05*	0.2	0.05*	20	0.01	0.01	0.02		0.1	15	0.1
	Triticale	0.05*	0.05*	0.05*	5	0.01	0.01	0.02		0.1	15	0.1
	Milo	0.05*	0.05*	0.05*	5.1*	0.01	0.01	0.02		0.1	15	0.1
	Buckwheat	0.05*	0.05*	0.05*	5.1*	0.01	0.01	0.02		0.1	15	0.1
	Millet	0.05*	0.05*	0.05*	0.1*	0.01	0.01	0.02		0.1	15	0.1
	Rice <sup>(1)</sup>	0.05*	0.05*	0.05*	0.1*	0.01	0.01	0.02		0.1	15	0.1
	Other cereals <sup>(2)</sup>	0.05*	0.05*	0.05*	0.1*	0.01	0.01	0.02	0.1	15	0.1	
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat <sup>(3)</sup>	0.05*	0.5 <sup>(4)</sup>	0.05*	0.5 <sup>(10)</sup>	0.2	0.2	0.2	0.1	2 <sup>(7)</sup>		
			0.22 <sup>(8)</sup>		0.1 <sup>(9)</sup>					1 <sup>(6)</sup>		
	Milk <sup>(5)</sup> & Dairy produce <sup>(6)</sup>	0.05*	0.05	0.05*	0.1*	0.004	0.01	0.004	0.003	0.003		
	Eggs <sup>(6)</sup>	0.05*	0.05*	0.05*	0.1*	0.02	0.02	0.02	0.01	0.1		

Group to which food belongs	Groups include the following products	Insecticide	Inorganic bromide	Spinosad	Lambda-cyhalothrin <sup>(10)</sup>	Malathion	Isobutyl Malonate	Mecarbut	Methidathion	Methidathion	Methidathion
<b>8. CEREALS</b>											
	Wheat	0.02*	50	0.5	0.02*	5	1	0.05*	0.05*	0.01*	0.02*
	Rye	0.02*	50	0.02*	0.02*	5	1	0.05*	0.05*	0.01*	0.02*
	Barley	0.02*	50	1	0.05	5	2	0.05*	0.05*	0.01*	0.02*
	Sorghum	0.02*	50	0.02*	0.02*	5	0.05*	0.05*	0.05*	0.01*	0.02*
	Oats	0.02*	50	0.02*	0.02*	5	2	0.05*	0.05*	0.01*	0.02*
	Triticale	0.02*	50	0.02*	0.02*	5	0.05*	0.05*	0.05*	0.01*	0.02*
	Milo	0.02*	50	0.02*	0.02*	5	0.05*	0.05*	0.05*	0.01*	0.02*
	Buckwheat	0.02*	50	0.02*	0.02*	5	0.05*	0.05*	0.05*	0.01*	0.02*
	Millet	0.02*	50	0.02*	0.02*	5	0.05*	0.05*	0.05*	0.01*	0.02*
	Rice <sup>(1)</sup>	0.02*	50	3	0.02*	5	0.05*	0.05*	0.05*	0.01*	0.02*
	Other cereals <sup>(2)</sup>	0.02*	50	0.02*	0.02*	5	0.05*	0.05*	0.05*	0.01*	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>											
	Meat, fat & preparations of meat <sup>(3)</sup>	0.02*		0.05*	0.5 <sup>(10)</sup>		0.05*		0.05*	0.01*	0.02*
					0.02 <sup>(9)</sup>						
	Milk <sup>(5)</sup> & Dairy produce <sup>(6)</sup>	0.02*		0.05*	0.05		0.05*		0.05*	0.01*	0.02*
	Eggs <sup>(6)</sup>	0.02*		0.05*	0.02*		0.05*		0.05*	0.01*	0.02*

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff)s* (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Group to which food belongs	Groups include the following products	Methyl bromide	Permethrin	Phosalone	Phosphamidon	Phosphoromethyl	Prochloraz	Propiconazole	Propanil	Propyridate	Pyrethrin
<b>8. CEREALS</b>											
	Wheat	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Rye	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Barley	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Sorghum	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Oats	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Triticale	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Maize	0.1	0.2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Buckwheat	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Millet	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Rice <sup>(1)</sup>	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Other cereals <sup>(2)</sup>	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>											
	Meat, fat & preparations of meat <sup>(3)</sup>		0.5	0.05*		0.02*	0.05*	0.1 <sup>(2)</sup>	0.05*	0.05* <sup>(2)(3)</sup>	
	Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>		0.05	0.02*		0.05*	0.05*	0.01*	0.05*	0.01* <sup>(3)</sup>	
	Eggs <sup>(6)</sup>		0.05	0.02*		0.05*	0.05*	0.05*	0.05*	0.02* <sup>(3)</sup>	

Group to which food belongs	Groups include the following products	Thiabendazole	Triazophos	Ticlofenol	Trifluoromethyl	Vinylcarbazole
<b>8. CEREALS</b>						
	Wheat			0.1	0.1	0.05*
	Rye	0.05*		0.1	0.1	0.05*
	Barley	0.05*		0.1	0.1	0.05*
	Sorghum	0.05*	0.02*	0.1	0.05*	0.05*
	Oats	0.05*		0.1	0.1	0.05*
	Triticale	0.05*		0.1	0.1	0.05*
	Maize	0.05*		0.1	0.05*	0.05*
	Buckwheat	0.05*	0.02*	0.1	0.05*	0.05*
	Millet	0.05*	0.02*	0.1	0.05*	0.05*
	Rice <sup>(1)</sup>		0.02*	0.1	0.05*	0.05*
	Other cereals <sup>(2)</sup>	0.05*	0.02*	0.1	0.05*	0.05*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>						
	Meat, fat & preparations of meat <sup>(3)</sup>	0.1 <sup>(3)</sup>	0.01* <sup>(1)(2)</sup>		0.05*	0.05*
	Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>		0.01*		0.05*	0.05*
	Eggs <sup>(6)</sup>	0.1*			0.05*	0.05*

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

## FOOTNOTES

### UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

### KEY:

\* Level at or about the limit of determination.

### FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice
2. Other cereals do not include rice
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the bonded foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)
7. Sheepmeat only.
8. Poultrymeat only
9. All meat except sheepmeat.
10. Other meat products
11. All meat except poultrymeat
12. Pig kidney
13. Cattle, goat and sheep kidney
14. Procymidone: 1mg/kg applies to whole seed  
0.05 mg/kg applies to seed without shell
15. All meat except liver and kidney.
16. Ruminant liver.
17. All meat except ruminant liver
18. For animal products MRLs relate to cyhalothrin (sum of isomers).
19. With the exception of meat and other ovine, bovine and caprine products.
20. Footnotes 3, 5 and 6 do not apply in cases where the lower limit of analytical determination is indicated.
21. Meat of cattle sheep and goats.
22. Other than meat or liver of cattle, sheep and goats, and poultry meat.
23. Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol (PP'-FW152), expressed as dicofol.
24. Fat, liver and kidney.
25. Other than fat, liver and kidney.
26. The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamid

## SCHEDULE 3

Regulation 6

Note: The word 'fresh' is taken to extend to products which have been chilled.

<b>Column 1</b> <b>Group of products</b>	<b>Column 2</b> <b>Products included in the groups</b>	<b>Column 3</b> <b>Part of product to which maximum residue levels apply</b>
1.Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts		
(i) CITRUS FRUIT	Grapefruit	Whole Product.
	Lemons	
	Limes	
	Mandarins (including clementines and similar hybrids)	
	Oranges	
	Pomelos	
	Others	

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

(ii)TREE NUTS (shelled or unshelled)	Almonds	Whole product after removal of shell.
	Brazil nuts	
	Cashew nuts	
	Chestnuts	
	Coconuts	
	Hazelnuts	
	Macadamia nuts	
	Pecans	
	Pine nuts	
	Pistachios	
	Walnuts	
(iii)POME FRUIT	Others	Whole product after removal of stems.
	Apples	
	Pears	
	Quinces	
(iv)STONE FRUIT	Others	Whole product after removal of stems.
	Apricots	
	Cherries	
	Peaches (including nectarines and similar hybrids)	
	Plums	
(v)BERRIES AND SMALL FRUIT	Others	Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems.
	(a)Table and wine grapes	
	Table grapes	
	Wine grapes	
	(b)Strawberries	
	(other than wild)	
	(c)Cane fruit	

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

(other than wild)

Blackberries

Dewberries

Loganberries

Raspberries

Others

(d) *Other small fruit and berries*

(other than wild)

Bilberries

Cranberries

Currants (red, black and white)

Gooseberries

Others

(e) *Wild berries and wild fruit*

(vi) MISCELLANEOUS  
FRUIT

Avocados

Whole fruit after removal of stems (if any) and in the case of pineapple, after removal of the crown.

Bananas

Dates

Figs

{ Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water.

Kiwi fruit

Kumquats

Litchis

Mangoes

Olives (table consumption){

Olives (oil extract)

Passion fruit

Pineapples

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

	Pomegranates	
	Others	
(i)ROOT AND TUBER VEGETABLES	Beetroot	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product).
	Carrots	
	Celeriac	
	Horseradish	
	Jerusalem artichokes	
	Parsnips	
	Parsley root	
	Radishes	
	Salsify	
	Sweet potatoes	
	Swedes	
	Turnips	
	Yams	
	Others	
2.Vegetables, fresh or uncooked, frozen or dry	Garlic	For dry onions, shallots and garlic: whole product after removal of easily detachable skin and soil (if any). Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any).
	Onions	
	Shallots	
	Spring Onions	
	Others	
(ii)BULB VEGETABLES	(a) <i>Solanacea</i>	Whole product after removal of stems.
	Tomatoes	
	Peppers	
	Aubergines	
	Others	
	(b) <i>Cucurbits-edible peel</i>	
(iii)FRUITING VEGETABLES		

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

	Cucumbers	
	Gherkin	
	Courgettes	
	Others	
	(c) <i>Cucurbits-inedible peel</i>	
	Melons	
	Squashes	
	Watermelons	
	Others	
	(d) <i>Sweet corn</i>	Kernels or cobs without husks.
(iv)BRASSICA VEGETABLES	(a) <i>Flowering brassicas</i>	Product after removal of decayed leaves (if any).
	Broccoli	
	Cauliflower	
	Others	
	(b) <i>Head brassicas</i>	
	Brussels sprouts	
	Head cabbage	
	Others	
	(c) <i>Leafy brassicas</i>	
	Chinese cabbage	
	Kale	
	Others	
	(d) <i>Kohlrabi</i>	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product).
(v)LEAF VEGETABLES AND FRESH HERBS	(a) <i>Lettuce and similar</i>	Whole product after removal of decayed outer leaves, root and soil (if any).
	Cress	



**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

	Lamb's lettuce	
	Lettuce	
	Scarole	
	Others	
	(b)Spinach and similar	
	Spinach	
	Beet leaves (chard)	
	Others	
	(c)Watercress	
	(d)Witloof	
	(e)Herbs	
	Chervil	
	Chives	
	Parsley	
	Celery leaves	
	Others	
(vi)LEGUME VEGETABLES (FRESH)	Beans with pods	Whole product after removal of pods or with pods if they are intended to be eaten.
	Beans without pods	
	Peas with pods	
	Peas without pods	
	Others	
(vii)STEM VEGETABLES	Asparagus	Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any).
	Cardoons	
	Celery	
	Fennel	
	Globe artichokes	
	Leeks	

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

	Rhubarb	
	Others	
(viii) FUNGI	Mushrooms (other than wild)	Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any).
	Wild Mushrooms	
3. Pulses	Beans	Whole product.
	Lentils	
	Peas	
	Others	
4. Oil seeds	Linseed	Whole seed or kernel after removal of shell and husk, when possible.
	Peanuts	
	Poppy seed	*Whole seed including shell, when present, and whole seed without shell, when shell is absent.
	Rape seed	
	Sesame seed	
	Sunflower seed*	
	Soya bean	
	Others	
5. Potatoes	Early potatoes	Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product).
	Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )		Whole product.
7. Hops (dried), including hop pellets and unconcentrated powder		Whole product.
8. Cereal grains	Wheat	Whole commodity without husk.
	Rye	
	Barley	
	Oats	
	Triticale	

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

	Maize	
	Rice	
	Other cereals	
9.Products of animal origin	Meat, fat and preparations of meat	Whole commodity (For fat soluble pesticides a portion of carcass fat is analysed and MRLs apply to carcass fat.
	Milk	Whole commodity.
	Eggs	Whole egg whites and yolks combined after removal of shells.
10.Spices	Cumin seed	Whole product.
	Juniper berries	
	Nutmeg	
	Pepper, black and white	
	Vanilla pods	
	Others	

## SCHEDULE 4

Regulation 7

## REVOCATIONS

<i>Title</i>	<i>S.I. Number</i>
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) Regulations 1994	S.I. 1994/1985.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1995	S.I. 1995/1483.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1996	S.I. 1996/1487
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1997	S.I. 1997/567.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1998	S.I. 1998/2922.

**Status:** Point in time view as at 01/02/2000.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff)s (Scotland) Regulations 2000*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff)s (Amendment) Regulations 1999 S.I. 1999/1109.

---

## EXPLANATORY NOTE

*(This note is not part of the Regulations)*

These Regulations are made under section 2(2) of the European Communities Act 1972 and Part III of the Food and Environment Protection Act 1985 and consolidate and replace the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff)s Regulations 1994 (S.I. 1994/1985) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff)s (Amendment) Regulations 1995 to 1999 (S.I. 1995/1483, 1996/1487, 1997/567, 1998/2922 and 1999/1109).

To the extent that the Regulations are made under the European Communities Act 1972, regulation 4 and Schedule 2 Part 2 specify maximum levels of pesticide residues which may be left in crops, food and feeding stuffs in implementation of Council Directive [86/362/EEC](#) (O.J. No. L221, 7.8.86, p.37) and Council Directive [86/363/EEC](#) (O.J. No. L221, 7.8.86, p.43) as regards cereals and products of animal origin, and Council Directive [90/642/EEC](#) (O.J. No. L350, 14.12.90, p.71) as regards certain products of plant origin (including fruit and vegetables), each as last amended by Commission Directive [1999/71/EC](#) (O.J. No. L194, 27.7.99, p.36) (these Directives as so amended being referred to in these Regulations as “the Residues Directives”). In particular, these Regulations specify for the first time maximum residue levels for the pesticide Azoxystrobin in implementation of Commission Directive [1999/71/EC](#). Regulation 4 also creates offences, specifies penalties, provides defences and confers enforcement powers where these maximum residue levels have been exceeded in respect of products put into circulation.

To the extent that these Regulations are made under the Food and Environment Protection Act 1985, they specify maximum levels of pesticides residues which may be left in crops, food and feeding stuffs which are not the subject of the Residues Directives. Since they are made under section 16(2)(k) of that Act, regulation 3 and Schedule 2 Part 1 do no more than specify the maximum residue level which may be left in a particular product. Offences and penalties for contravention of regulation 3 are prescribed respectively by sections 16(12) and 21(3) of that Act. The Regulations also confer powers to seize and dispose of products where maximum residue levels have been exceeded (regulation 5) and prescribe how much of a particular product is to be taken into account in determining whether a maximum residue level has been exceeded in accordance with Council Directive [90/642/EEC](#) (regulation 6 and Schedule 3). Provision is also made with regard to the manner for determining whether maximum residue levels have been exceeded when found in dried or processed products or composite foods, so far as these are the subject of the Residues Directives (regulation 6).

These Regulations revoke the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff)s Regulations 1994 (S.I. 1994/1985) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff)s (Amendment) Regulations 1995 to 1999 (S.I. 1995/1483, 1996/1487, 1997/567, 1998/2922 and 1999/1109) (regulation 7 and Schedule 4).

**Status:**

Point in time view as at 01/02/2000.

**Changes to legislation:**

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations.