Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

### SCOTTISH STATUTORY INSTRUMENTS

# 2000 No. 22

# **AGRICULTURE**

# **PESTICIDES**

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000

Made - - - - 31st January 2000 Coming into force - - 1st February 2000

The Scottish Ministers, in exercise of the powers conferred on them by section 2(2) of the European Communities Act 1972<sup>M1</sup> and by section 16(2) of the Food and Environment Protection Act 1985<sup>M2</sup>, and of all other powers enabling them in that behalf, after consultation in accordance with section 16(9) of the said Act of 1985 with the Advisory Committee on Pesticides established under section 16(7) of that Act<sup>M3</sup>, hereby make the following Regulations, a draft of which has been laid before and approved by resolution of the Scottish Parliament:

### **Marginal Citations**

- M1 1972 c.68. Section 2(2) was amended by the Scotland Act 1998 (c.46), Schedule 8, paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scotlish Ministers by virtue of section 53 of the Scotland Act 1998.
- M2 1985 c.48; see section 24(1) for a definition of "the Ministers" and section 24(3) on the exercise of the power conferred by section 16. Section 16 was amended by the Pesticides (Fees and Enforcement) Act 1989 (c.27), section 1(2) and by the Pesticides Act 1998 (c.26), section 1. The functions of "the Ministers" were transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998 (c.46).
- **M3** Established by S.I. 1985/1516.

# Citation, commencement and extent

- 1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000 and shall come into force on 1st February 2000.
  - (2) These Regulations extend to Scotland only.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

# Interpretation

2.—(1) In these Regulations—

"EEA State" means a State which is a Contracting Party to the Agreement on the European Economic Area signed at Oporto on 2nd May 1992 M4 as adjusted by the Protocol signed at Brussels on 17 March 1993 M5;

"product" means any crop, food or feeding stuff specified in Schedules 2 or 3;

"putting into circulation" means any handing over, whether or not for a consideration of any

- in the case of fruit and vegetables, after they have been harvested, and (a)
- in any other case, at any time; and

"the Residues Directives" means Council Directive 86/362/EECM6 (as amended by Council Directives 88/298/EEC<sup>M7</sup>, 90/654/EEC<sup>M8</sup>, 93/57/EEC<sup>M9</sup>, 94/29/EC<sup>M10</sup>, 95/39/EC<sup>M11</sup>, 96/33/EC<sup>M12</sup>, 97/41/EC<sup>M13</sup> and Commission Directives 97/71/EC<sup>M14</sup>, 98/82/EC<sup>M15</sup>, 1999/65/EC<sup>M16</sup> and 1999/71/ECM17, together with Council Directive 86/363/EECM18 (as amended by Council Directives 93/57/EEC, 94/29/EC, 95/39/EC, 96/33/EC, 97/41/EC and Commission Directives 97/71/EC, 98/82/EC and 1999/71/EC) and Council Directive 90/642/EECM19 (as amended by Council Directives 93/58/EEC<sup>M20</sup>, 94/30/EC<sup>M21</sup>, 95/38/EC<sup>M22</sup>, 95/61/EC<sup>M23</sup>, 96/32/EC<sup>M24</sup>, 97/41/EC and Commission Directives 97/71/EC, 98/82/EC, 1999/65/EC and 1999/71/EC).

- The words and expressions "dried", "processed", "composite food", "drying" and "processing", when used either in regulation 4 or in paragraphs (d) and (e) of regulation 6 shall have the same meaning as when used in the Residues Directives and any related expressions shall be construed accordingly.
- (3) Any reference in these Regulations to a pesticide residue is a reference to the substance named in column 2 of Schedule 1 opposite the pesticide named in column 1 of that Schedule from which, or from the metabolites and breakdown or reaction products of which, it can be derived.
- (4) Any reference in these Regulations to a numbered Schedule or regulation shall be construed as a reference to the Schedule or, as the case may be, regulation so numbered in these Regulations.
- (5) Any reference in any Schedule to these Regulations to any product, figure or pesticide includes any qualifying words relating to that product, figure or pesticide in that Schedule.

```
Marginal Citations
 M4 O.J. No. L1, 3.1.94, p.3.
 M5 O.J. No. L1, 3.1.94, p.572.
 M6 O.J. No. L221, 7.8.86, p.37.
 M7 O.J. No. L126, 20.5.88, p.53.
 M8 O.J. No. L353, 17.12.90, p.48.
 M9 O.J. No. L211, 23.8.93, p.1.
 M10 O.J. No. L189, 23.7.94, p.67.
 M11 O.J. No. L197, 22.8.95, p.29.
 M12 O.J. No. L144, 18.6.96, p.35.
 M13 O.J. No. L184, 12.7.97, p.33.
 M14 O.J. No. L347, 18.12.97, p.42.
 M15 O.J. No. L290, 29.10.98, p.25.
 M16 O.J. No. L172, 8.7.99, p.40.
 M17 O.J. No. L194, 27.7.99, p.36.
 M18 O.J. No. L221, 7.8.86, p.43.
 M19 O.J. No. L350, 14.12.90, p.71.
```

Changes to legislation: There are outstanding changes not yet made by the legislation gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

```
M20 O.J. No. L211, 23.8.93, p.6.
M21 O.J. No. L189, 23.7.94, p.70.
M22 O.J. No. L197, 22.8.95, p.14.
M23 O.J. No. L292, 7.12.95, p.27.
M24 O.J. No. L144, 18.6.96, p.12.
```

#### Maximum residue levels

- **3.** The maximum level of any pesticide residue which may be left in any product named in Part I of Schedule 2 shall be the number of milligrams of the pesticide residue per kilogram of the product (if any) specified opposite the name of that product under the name of the pesticide concerned.
- **4.**—(1) No person shall put into circulation any product named in Part 2 of Schedule 2 which contains a level of pesticide residue greater than the number of milligrams of that pesticide residue per kilogram of the product (if any) specified opposite the name of that product under the name of the pesticide concerned.
  - (2) Subject to the provisions of regulation 6, the provisions of this regulation shall apply—
    - (a) to any products which after drying or processing are obtained from any of the products named in Part 2 of Schedule 2; and
    - (b) to any composite foods which include any of the products named in that Part of that Schedule,

notwithstanding that no maximum permitted level has been expressly specified therein for the amount of pesticide residue which may be contained in that dried or processed product or composite food.

- (3) Any person who, without reasonable excuse, contravenes or causes or permits any other person to contravene any provision of this regulation shall be guilty of an offence, and shall be liable—
  - (a) on summary conviction, to a fine not exceeding the statutory maximum; and
  - (b) on conviction on indictment, to a fine.
- (4) In any proceedings for an offence under this regulation, it is a defence for the person charged to prove that when the product in question was put into circulation—
  - (a) it was so put with the intention of its being exported to a country which is not an EEA State and the offence was caused by a treatment applied to that product being a treatment—
    - (i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory; or
    - (ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or
  - (b) it was so put with the intention that-
    - (i) it be used in the manufacture of things other than foodstuffs and animal feed; or
    - (ii) it be used for sowing or planting.
- (5) Sections 19 and 22 of, and Schedule 2 to, the Food and Environment Protection Act 1985 shall apply for the purposes of this regulation as they apply for the purposes of that Act taking references therein to that Act or any Part of it to be references to this regulation.
- (6) In paragraph (4)(a) "country which is not an EEA state" does not include any part of the United Kingdom.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

### Seizure or disposal of crops, food or feeding stuffs

- **5.** If any product contains a level of pesticide residue above that permitted under either regulations 3 or 4(1), the Scottish Ministers shall have the power—
  - (a) to seize or dispose of the consignment containing that product, or any part of it, or to require that some other person shall dispose of it, or
  - (b) to direct some other person to take such remedial action as appears to the Scottish Ministers to be necessary.

### Sampling and analysis

- **6.** In determining for the purposes of regulations 3 or 4(1) whether the level of pesticide residue left or contained in any product exceeds the maximum permitted—
  - (a) the whole or such part only of that product shall, so far as is practicable, be taken into account as specified in column 3 of Schedule 3 opposite the name of that product in column 2 of that Schedule;
  - (b) the procedure laid down in the Codex Recommended Method of Sampling for the Determination of Pesticide Residues M25 shall so far as is practicable be followed;
  - (c) in the case of any product named in paragraphs 3, 4, or 5 of Part 1 of Schedule 2 which has been dried, that Part of that Schedule shall have effect as if for the number of milligrams of each pesticide residue specified opposite the name of that product there were substituted that number of milligrams divided by the fraction of 1 kilogram to which 1 kilogram of the product is reduced by the drying process;
  - (d) in the case of any product named in Part 2 of Schedule 2 which has been dried or processed, that Part of that Schedule shall have effect where no such maximum permitted level of pesticide residue is specified therein for the product in its dried or processed form as if the maximum permitted level of pesticide residue specified opposite the name of the product in that Part of that Schedule has been modified to take account of the concentration of the product caused by the drying process or, as the case may be, the dilution or concentration of the product caused by the processing; and
  - (e) in a case where two or more products have been mixed to form a single composite food in relation to which no such maximum permitted levels are specified in Part 2 of Schedule 2, that Part of that Schedule shall have effect as if such maximum permitted levels had been specified in relation to that composite food for each of the pesticide residues which are specified therein opposite the names of each of the products which have been mixed to form the composite food, taking into account—
    - (i) the relative concentrations of each of the constituent products in the mixture; and
    - (ii) the provisions of paragraph (d) above.

#### **Marginal Citations**

M25 Food and Agriculture Organisation of the United Nations and World Health Organisation Joint Food Standards Programme Codex Alimentarius Commission, Recommended Method of Sampling for the Determination of Pesticides Residues, *Volume 2 Section 3 Codex Alimentarius*, 1993

#### Revocations

**7.** The Regulations specified in Schedule 4 are hereby revoked.

Document Generated: 2023-11-19

Status: Point in time view as at 01/02/2000.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

St Andrew's House, Edinburgh 31st January 2000

ROSS FINNIE
A member of the Scottish Executive

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

#### SCHEDULE 1

Regulation 2

Column 1Column 2PesticideResiduesAcephateAcephate

Aldrin & Dieldrin singly or combined, expressed as dieldrin

(HEOD)

2-Aminobutane 2-aminobutane Aminotriazole Aminotriazole

Atrazine Atrazine

Azinphos-methyl azinphos-methyl

Benalaxyl
Benfuracarb
Benfuracarb
Binapacryl
Biphenthrin
Bitertanol
Benalaxyl
Benfuracarb
Binapacryl
Binapacryl
Biphenthrin

Bromophos-ethyl bromophos-ethyl

Camphechlor (Toxaphene) camphechlor (toxaphene)

Captafol Captafol
Captan Captan
Carbaryl Carbaryl

Carbendazim, Benomyl and Thiophanate-

methyl

carbendazim, benomyl and thiophanate-methyl

(expressed as carbendazim)

Carbon disulphide carbon disulphide
Carbon Tetrachloride carbon tetrachloride

Carbofuran sum of carbofuran and 3-hydroxy-carbofuran,

expressed as carbofuran

Carbophenothion sum of carbophenothion, its sulphoxide and its

sulphone, expressed as carbophenothion

Carbosulfan Carbosulfan

Cartap

Chlordane (1) for products of animal origin: sum of cis-

and trans-isomers and oxychlordane expressed

as chlordane;

(2) for cereals, fruit and vegetables: sum of *cis*-and *trans*-isomers expressed as chlordane

Chlorfenvinphos sum of E-and Z-isomers of chlorfenvinphos

Chlormequat Chlormequat

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Chlorothalonil Chlorobenzilate Chlorpyrifos Chlorpyrifos

Chlorpyrifos-methyl chlorpyrifos-methyl

Cyfluthrin cyfluthrin, including other mixed isomeric

constituents (sum of isomers)

Cypermethrin (sum of isomers)

Daminozide sum of daminozide and 1,1-dimethyl-hydrazine

expressed as daminozide

DDT sum of pp'-DDT, op'-DDE and pp'-

TDE (DDD) expressed as DDT

Deltamethrin
Diazinon
Diazinon
Diazinon

1,2-Dibromoethane1,2-dibromoethaneDichlofluanidDichlofluanidDichlorvosDichlorvos

Dichlorprop (including dichlorprop P)

Dicofol Dicofol

Diflubenzuron
Dimethipin
Dimethoate
Dinoseb
Dioxathion
Diflubenzuron
Dimethipin
Dimethoate
Dinoseb
Dioxathion

Disulfoton sum of disulfoton, disulfoton sulphoxide and

disulfoton sulphone expressed as disulfoton

Endosulfan sum of alpha-and beta-isomers and of

endosulfan sulphate, expressed as endosulfan

Endrin Endrin
Ethephon Ethephon
Ethion Ethion
Etrimfos Etrimfos
Fenarimol Fenarimol

Fenbutatin oxide

Fenchlorphos fenchlorphos (sum of fenchlorphos and

fenchlorphos oxon, expressed as fenchlorphos)

Fenitrothion Fenitrothion

Fentin fentin expressed as triphenyltin cation

fenbutatin oxide

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Fenvalerate fenvalerate (sum of isomers)

Fluazifop fluazifop and esters (including conjugates) of

fluazifop, expressed as free acid

Flurochloridone Flurochloridone
Furathiocarb Furathiocarb
Glyphosate Glyphosate

Haloxyfop haloxyfop and esters (including conjugates) of

haloxyfop, expressed as free acid

Hexachlorobenzene (HCB) Hexachlorobenzene

Hexachlorocyclohexane (HCH) Hexachlorocyclohexane (HCH) alpha, beta and

gamma isomers individually or summed as in

Schedule 2

Heptachlor sum of heptachlor and heptachlor epoxide,

expressed as heptachlor

Hydrogen cyanide cyanides expressed as hydrogen cyanide

Hydrogen phosphide phosphides expressed as hydrogen phosphide

Imazalil Imazalil

Inorganic bromide determined and expressed as total bromine

from all sources

Ioxynil Ioxynil
Iprodione Iprodione

Lambda-cyhalothrin lambda-cyhalothrin

Malathion sum of malathion and malaoxon, expressed as

malathion

Maleic hydrazide maleic hydrazide

Maneb, Mancozeb, Metiram Propineb and determined and expressed as carbon disulphide

(CS2)

Mecarbam Mecarbam

Zineb

Mercury compounds determined as total mercury and expressed as

mercury

Metalaxyl metalaxyl
Methacrifos methacrifos
Methamidophos methamidophos

Methyl bromide (bromomethane) methyl bromide (bromomethane)

Mevinphos sum of cis- and trans- mevinphos

Monocrotophos monocrotophos

Omethoate omethoate (from use of formothion, dimethoate

and omethoate)

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Paraquat paraquat
Parathion parathion

Parathion-methyl parathion-methyl

Permethrin permethrin (and sum of isomers)

Phorate sum of phorate, its oxygen analogue and their

sulfoxides and sulphones expressed as phorate

Phosalone phosalone
Phosmet phosmet

Phosphamidon sum of phosphamidon (E-and Z-isomers) and

N-desethylphosphamidon (E-and Z-isomers)

expressed as phosphamidon

Pirimiphos-methyl pirimiphos-methyl procymidone procymidone

Propargite propargite
Propiconazole propiconazole

Propoxur propoxur
Propyzamide propyzamide

Pyrethrins Sum of pyrethrins I and II, cinerins I and II,

jasmolins I and II

Quinalphos quinalphos

Quintozene sum of quintozene, pentachloroaniline and

methyl pentachlorophenyl sulphide expressed

as quintozene

Tecnazene tecnazene
TEPP TEPP

Thiabendazole thiabendazole
Triazophos triazophos
Trichlorfon trichlorfon
Triforine triforine
2, 4, 5-T 2, 4, 5-T

Vinclozolin sum of vinclozolin and all metabolites

containing 3, 5-dichloroaniline moiety,

expressed as vinclozolin

SCHEDULE 2

Regulation 3

Group to which lood belongs	Groups include the following products	Aldrin & Dieldrin	2- Amirobutane	Azinphos-methyl	Bitertanol	Captan	Carbayl	Carberdazim Carbophenothion	Chlordane	Chlorlanvinghas	Chloro benzillate	Diazinon	Dichlo fluani
. Fruit, fresh, dried	or uncooked, preserved by freezin	g not con	taining added su	gar: nuts									
CITRUS FRUI	п												
	Grapefruit Lemons Limes	0.05 0.05 0.05	5 5 5	2 2 2		0.1 0.1 0.1	7 7 7	2 2 2	0.05. 0.05. 0.05.	1	1		5 5 5
	Mandarins (inc clementines & similar hybrids)	0.05	5	2		0.1	7	2	0.02"	1	1		5
	Oranges Pomelos Othera	0.05 0.05 0.05	5 5	2 2 2		0.1 0.1 0.1	7 7 7	2 2 2	0.02"	1	1		5 5 6
	Almonda Brazil nuts Cashew nuts Chashkuts Coconiuts Haselmuts Haselmuts Haselmuts Peccine Penorus Pistachios Walturis Others Others							,					
) POME FRUIT													
	Apples Pears Quinces Others	0.05 0.05 0.05 0.05		-	1	3 3 3	5 5 5		0.05,	0.05 0.05 0.05			5 5 5
) STONE FRUI													
	Apricots Chemics Peaches (incl nectarines &	0.05		4	1	2	10	1	0.02*	0.05			5
	similar hybrids) Plums	0.05		1	1	2 2	10	;	0.02"	0.05			5
BERRIES ANI	Others D SMALL FRUIT								***				
0	Table & wine grapes												
	Table grapes Wine grapes	0.05		2 2		3	5		0.05*	0.05 0.05			15 15

	b) Strawberries (other than wild)	0.05	1		3	7	5	0.02*	0.05	10
	c) Cane Fruit (other than wild)									15
	Blackberries	0.05	!		3	10		0.02*	0.05	15
	Loganberries	0.05	1		3	10	5	0.02*	0.05	15
	Raspberries Others	0.05	!		3	10	2	0.03*	0.05	15
		0.05	1		3	10		6.02	6.00	15
	<li>c) Other small fruit &amp; berries. (other than wild)</li>									
	(other than wild) Bilborries	0.05			3	10		0.02*	0.05	15
	Cranberries	0.05			á	10		0.05.	0.05	15
	Crancernes									
	Currants (red, black & white)	0.05	1		3	10		0.02*	0.05	15
	Gooseberries	0.05	,		3	10		0.02*	0.05	15
	Others	0.06	i		3	10		0.02*	0.05	15
	e) Wild berries & wild fruit					-				
O MISCRITA	NEOUS FRUIT									
i) MISCELLIA										
	Avocados Bananas	0.05	1	0.5	0.1	6		0.02*	0.05	
	Dates Dates	0.05	1	0.5	0.1	9		6002	4700	
	Figs									
	Kiwi fruit									
	Kumquata									
	Litchis									
	Mangoes									
	Olives									
	Passion fruit									
	Pineapples									
	Pomegranates									
	Others									
. Vegetables, Ire	sh or uncooked, frozen or dry									
ROOT AND	TUBER VEGETABLES									
	Bestroot									
	Carrets	0.05	0.5		0.1	2		0.02"	0.5	5
	Celeriac									
	Horseradish	0.05	0.5		0.1	2		0.02"	0.5	5
	Jerusalem artichokes									
	Paranips	0.05	0.5		0.1	2		0.02"	0.5	5
	Paraley root	0.05	0.5		0.1	2		0.02"	0.5	5
	Radishes									
	Salsity	0.06	0.5		0.1	2		0.02"	0.6	5
	Sweet potaloes									
	Swedes	0.05	0.5		0.1	2		0.02"	0.5	5

cod belongs	products	Dieldrin							
	Turnips Yarra	0.05	0.5	0.1	1		0.02*	0.5	5
	Others								
BULB VEGET	TABLES								
	Garlic	0.05	0.5	0.1	1		0.02*	0.5	
	Onlone	0.05	0.5	0.1	i		0.02*	0.5	5
	Shallota	0.05	0.5	0.1	1		9.02"	0.5	5
	Spring onions Others								-
FRUITING VI									
	n) Solanacea Tomatoes	0.05		_					
	Pagoers	0.05	0.5 0.5	3	5		0.02*	0.1	5
	Aubergines	0.05	0.5	á	5		0.02*	0.1 0.1	5
	Others	0.05	0.6	3	5		0.02*	0.1	5
b	t) Cucurbits-edible peel					1	****	4.1	
	Guoumbers	0.05	0.5	0.1	3		0.02*	0.1	5
	Gherkins	0.05	0.5	0.1	3		0.02"	0.1	5
	Courgettes Others	0.05	0.5 0.5	0.1	3		0.02"	0.1	5
6	C) Cucurbits inedible peel Metons Squashes Watermetons Others	4.00	¥.3	6.1	,		0.02*	0.1	5
0	1) Sweet com								
BRASSICA V									
	Flowering Brassicas Brocceli								
	Cauliflower Others Head Brassicas	0.05	0.5	0.1	1	0.5	0.02*	0.1	8
-	Brussels sprouts	0.05	1	0.1	1	0.5	0.02"	0.1	
	Head cabbage Offers	0.05	0.5	0.1	5		0.02"	0.1	5
0	) Leafy Brassicas Chinese cabbage Kale Others								
d	Others Kohlrabi								
	ABLES AND FRESH HERBS								
	Letuce & similar								
	Crees								

roup to which od belongs	Groups include the follow products	Ving Aldrin 8 2 Dieldrin	2- Aminobutane Adaphos-methyl Bitertanol	Captan	Carbaryl	Carbendazim Carbophenothion	Chlordane	Chierlenvinphes Chie	vo benzilate Diszinon	Dichio fluani
	Lamb's lettuce									
	Lettuce Scarole Others b) Spinach & similar	0.05	0.5	2	10		0.02*	0.1		10
	Boot leaves (chard) c) Watercress									
	d) Witted e) Herbs									
	Chervil Chives Parsiev									
	Celery leaves Others									
LEGUME V	/EGETABLES (fresh)									
	Beans (with pods) Beans (without pods) Peas (with pods)	0.5	0.5	2	5	1	0.02*	0.1		5
	Peas (without pods) Others	0.5	0.5	2	5		0.02*	0.1		5
STEM VEG	GETABLES									
	Asperagus Cantoons Colory	0.5								
	Fennel Globe articholos	6.5	2	0.1	3		0.00*	0.5		
	Leeks Rhuberb	0.5	0.5 2	0.1	1 3		0.02*	0.1 0.5		5
FUNGI	Others									
	a) Cultivated mushrooms b) Wild mushrooms	0.05		0.1	1		0.02*	0.05		
PULSES	Beans									
	Lentils Pose									
OILSEEDS	Others									
	Linseed Peanuts									
	Poppy seed Sesame seed Surflower seed									
	Rape seed Soya bean Mustard seed									
	Cotton seed									

5.	POTATOES	Others									
		Early potatoes Ware potatoes	0.05	1	0.2 0.2	0.1	0.2 0.2	0.02*	0.5 0.5	0.5 0.5	0.1
6.	TEA	(dried leaves and stalks, fermented or otherwise, Carnellia sinensis)									
7.	HOPS (dried)	including hop poliets & unconcentrated powder									

		Regulation	1											
Group to which food belongs	Groups include the following products	Dichlorves	Disofel	Diffuberization	Dimethipin	Dimethouse	Endo sultan Ethi	on Fenitro	othion Readtop	Flurochloridone	Haloxytop	Hexachioro cyclohexane (HCH)	Inorganic loxynili bromide	Malathio
1. Fruit, fresh, dried	or uncooked, preserved by freezin	e not contain	nino adde	f super outs								7		
CITRUS FRUI			- 4	ougus, nato										
	Crapetruit Lemons Limes	0.1 0.1 0.1		1		2 2 2	2 2 2 2	2				1	30 30 30	2 2
	Mandarins (inc clementness & similar hybrids)	0.1		,		2	2	2				1	30	2
	Oranges Porreios Otrars	0.1 0.1 0.1		1		2 2 2	2 2 2	2				1	30 30 30	2 2 2
ii POME FRUIT	Almonds Brazill muts Cast have muts Contentual Coconets Hozelmuts Macadamia muts Peolima Peolima Peolima Peolima Peolima Othero Varius Cothero Cothero Cothero							,						
,	Apples Pears Quinces	0.1 0.1 0.1		1		1	0.1 0.1 0.5	0.5			0.05° 0.05° 0.05°	1	20 20 20	0.5 0.5 0.5
V) STONE FRUI	Others	0.1		1		1	0.5	0.5			0.05*	1	20	0.5
ry oronermo	Apricots Cherries	0.1	6			2	0.5	0.5				1	20	0.5
	Peaches (incl nectarines & similar hybrids) Plums	0.1	5			2	0.5					1	20	0.5
) BERRIES ANI	Others	0.1	6	1		2	0.5	0.5				'	20	0.5
	Table & wine grapes													
	Table grapes Wine grapes	0.1				1	0.5					0.5	20 20	0.5

iraup to which ood belongs	Groups include the following products	L-CHIDTHOS	Licorei	LANDONESION DIRE	mpri Umendale	Endo sultan	Ethion	rendomon Pluso	rup metochionopore Haloxylog	cyclohexana (HCH)	Inorganic loxynil bromide	Matario
										7		
	b) Strawberries (other than wild)	0.1			1	2	0.1	0.5		3	30	0.5
	<ul> <li>c) Cane Fruit (other than wild)</li> <li>Blackberries</li> </ul>	0.1				2	0.1	0.5				
	Logarberries	0.1			1	2	0.1	0.5		3	20	0.5
	Raspberries	0.1			,		0.1	0.5		3	20	0.5
	Others	0.1			,		0.1	0.5		3	20	0.5
	d) Other small fruit & berries							***		2	20	9.5
	(other than wild)											
	Bilberries	0.1			2		0.1	0.5		3	20	0.5
	Cranberries	0.1			2		0.1	0.5		3	20	0.5
		0.1	5		2	2						
	Currants (red, black & white)				2	2	0.1	0.5		3	20	0.5
	Gooseberries	0.1			2	2	0.1	0.5		3	20	0.5
	Others	0.1			2		0.1	0.5		3	20	0.5
	e) Wild berries & wild fruit											
) MISCELLA	NEOUS FRUIT											
	Avocados							1				
	Bananas	0.1			1		0.1	0.5		1	20	0.5
	Dates										20	6/0
	Figs											
	Kiwi fruit											
	Kumquato											
	Litchis											
	Mangoes											
	Clives											
	Passion fruit											
	Pineapples											
	Pomegranates											
	Others											
Vegetables, fres	h or uncooked, frozen or dry											
ROOT AND T	UBER VEGETABLES											
	Bootroot											
	Cavots	0.5			1		0.1	0.5	0.01*	0.2		0.5
	Celeriac											
	Horseradish	0.6			1		0.1	0.5	0.01*	0.2		0.5
	Jerusalem artichokes											
	Paranips	0.5			1		0.1	0.5	0.01"	0.2		0.5
	Parsiey root	0.5			1		0.1	0.5	0.01*	0.2		0.5
	Radishes											
	Salsity	0.5			1		0.1	0.5	0.01"	0.2		0.5
	Sweet potatoes											
	Swedes	0.5			1		0.1	0.5	0.01*	1		0.5

Group to which good belongs	Groups include the following products	Dichloryos	Dicatal	Diffubenzaron	Dimetripin	Dimethoale	Endo sultan	Bhion	Fenitrathion	Fluazifop I	FluredNoridone	Halaxylop	Hexachloro cyclohexane (HCH)	Inorganic bromide	laxynil	Malathio
													γ			
	Tumips Yams Others	0.5				'		0.1	0.5		0.01*		1			0.5
) BULB VEGETA	ABLES															
	Gartic	0.5				1		0.1	0.5		0.01*				0.1	3
	Onions	0.5				1		0.1	0.5		0.01*		1		0.1	3
	Shallots Spring onlons	0.5				1		0.1	0.5		0.01*		i		0.1	3
FRUITING VE	Others OCTABLES															
	Solanacea															
41	Tomatoes	0.5		1		1		0.1	0.5				2	75		3
	Peppers	0.5		i		1		0.1	0.5				2	75		í
	Aubergines	0.5		i		1		0.1	6.5				2	75		3
	Others	0.5		1		1		0.1	0.5				2	75		3
b)	Gucurbits-edible peel															
	Gucumbers	0.5				2		0.1	0.5				1	50		3
	Gherkins	0.5				2		0.1	0.5				1	50		3
	Courgettes Others	0.5				2 2		0.1	0.5				1	50 50		3
d)	Cucurbits-inedible peel Melons Squashes Watermelons Others Sweet com	***				,		0.1	0.5					50		3
BRASSICA VE																
	Flowering Brassicas															
	Broccoli Cauliflower															
	Others	0.5				2		0.1	0.5				2			3
	Head Brassicas															
	Brussels sprouts	0.5		1		2		0.1	0.5				2			3
	Head cabbage Others	0.5		1		2		0.1	0.5				2	100		3
	Leaty Brassicas Chinese cabbage Kate Others															
	Kohirabi															
	BLES AND FRESH HERBS															
	Lettuce & similar Cress															

Group to which lood belongs	Groups include the following products	Dichlorves Dicolo	Difluberaturon	Dimethipin	Dimethoate	Endo sultan	Ethion	Fenitrothion Fluazil	top Flurochloridone Haloxylo	P Hexachioro cyclohexane (HCH)	Inorganic loxynil bromide	Matathior
										Y		
	Lamb's lettuce Letuce Sourcle Others Is Spirach & similar Beet leaves (chard)  () Watercreas	1			2		0.1	0.5		2		3
	d) Willout e) Herbs Charvi Chives Passiny Celory leaves Others											
rl) LEGUME V	/EGETABLES (fresh)											
	Beans (with pods) Beans (without pods)	0.5			2		0.1	0.5		1		3
	Peas (with pods) Peas (without pods) Others	0.5			1		0.1	0.5		0.1		3
(i) STEM VEO												
	Asperagus											
	Cardoons Colony	0.5										
	Fennel	4.5			1		0.1	0.5		1	300	3
	Globe artichokes Leeks	0.5			,		0.1	0.5				
	Phubarb	0.5			i		0.1	0.5		1		3
ii) FUNGI	Others											
iii) PONGI	a) Cultivated mustrooms	0.5 5	0,1				0.1	0.5				
	b) Wild mushrooms		4.1				0.1	0.3		1		3
8. PULSES												
	Beans Lentils											
	Peas											
	Others											
. OILSEEDS												
	Lineed Pouruts											
	Poppy seed											
	Sesame seed											
	Sunflower seed Rape seed											
	Soya bean											
	Mustard seed											
	Cotton seed											

Others         0.1°           5. POTATOES         Early potatoes         6.5         0.1°					γ	
Ware potations 0.5 0.1*	0.05 0.05	0.2 0.2	0.05*	0.1 0.01° 0.1 0.01°	0.05*	0.5 0.5
TEA (dried leaves and stalks, leaves and stalks, leaves and stalks, careful athereits)						
HOPS (dried) including hop polices a unconcentrated previer						

) CITRUS FRUIT	snoooked, preserved by freezing	g not contains	en selelari -							
			of special printers or	agar: nuts						
	Grapetruit Lerrors Lirres		5 5 5	0.2 0.2 0.2	1	1 1	0.2 0.2 0.2	1 1		
	Mandarins (inc demonstres & similar hybrids)		\$	0.2	1	1	0.2	1		
	Oranges Pomelos Others		5 5	0.2 0.2 0.2	1	1	0.2 0.2 0.2	1		
	hallod or unshellod) Ahronds Bradi nate Cashew nate Chestnate Cocenta Hazefuds Hazefuds Hazefuds Hazefuds Placams Placams Placams Placams Potatilios Walnurs Others									
	Apples Pears Quinces Others	0.02 0.02 0.02 0.02		0.2 0.2 0.2 0.2	0.2 0.2 0.2 0.2			2 2 2		
) STONE FRUIT										
	Apricots Cherries Peaches (incl nectarinos &			0.2	1			2		
	similar hybrids) Plums Others			0.5	1			1		
	Fable & wine grapes									
	Fable grapes Wine grapes			0.1	1			1		

roup to which od belongs	Groups include the following I products	Mercury Metalaxyl compounds	Mempro	Cinesidae Paramon	methyl	ane c	Juintozene Tecnazene	Thaddidazore Thazo	1100	
b)	Strawberries (other than wild)		0.1	1	1	_				_
G)	Cane Fruit (other than wild)									
	Blackberries		0.1	1	1					
	Loganberries		0.1	1	1					
	Raspberries		0.1	1	1					
	Others		0.1	1	1					
0)	Other small fruit & berries									
	(other than wild) Bilberries			1	1					
	Experies Cranberries		0.1		1					
	Cranderies		0.1	1						
	Currants (red, black 8 white)		0.1	1	1					
	Gooseberries		0.1	1	1					
	Others		0.1	;	,					
	Wild berries & wild fruit		0.1	,	,					
							1			
MISCELLANE										
	Avocados									
	Bananas			0.2	1		1			
	Dates									
	Figs									
	KGwi fruit									
	Kumquats									
	Litchis									
	Mangoes									
	Olives									
	Passion truit									
	Pineapples									
	Pornegranates									
	Others									
Vegetables, fresh o	r uncooked, frozen or dry									
ROOT AND TUE	SER VEGETABLES									
	Beetroot									
	Carrots	0.02	0.1	0.2	0.1					
	Celeriac									
	Horseradish	0.02	0.1	0.2	0.1					
	Jerusalem artichokes									
	Paranips	0.02	0.1	0.2	0.1					
	Parsley root	0.02	0.1	0.2	0.1					
	Radishes									
	Salaify	0.02	0.1	0.2	0.1					
	Sweet potatoes									
	Swedes	0.02	0.1	2	0.1					

Group to which lood belongs	Groups include the following ly products	Aercury Metalaxyl ompounds	Mevinghos	Omerhoate Paratrion	Parathion- Phose methyl	done C	Duintozene Tecnszene 1	Nabendazole Triazophos Vinciozolin	
	Turnips	0.02	0.1	0.2	0.	1			
	Yams Others								
BULB VEGET									
) BULB VEGE	Garic								
	Oniona	0.02	0.1	0.1	1			0.05*	
	Shalos	0.02	0.1	0.1 0.1	1			0.05*	
	Spring onions Others	****	4.1	4.1	,			0.05"	
i) FRUITING V	EGETARI ES								
	a) Solanacea								
	Tomatoes	0.02	0.1	1	1		0.1		
	Peppers	0.02	0.1	1	1		0.1		
	Aubergines	0.02	0.1	1	i		0.1		
	Others	0.02	0.1	1	1		0.1		
	b) Cucurbits-edible peel								
	Cucumbers	0.02	0.1	0.2	1				
	Gherkins Courgettes	0.02	0.1	0.2	1				
	Others	0.02	0.1	0.2	1				
	c) Cucurbits-inedible peel Melons Squashes Watermelons Others (f) Sweet com	voc.		0.2	,				
) BRASSICA V	/EGETABLES								
	a) Flowering Brassicas Broccoli								
	Cauliflower Others b) Head Brassicas	0.02	0.1	0.2	1		0.02		
	Brussels sprouts	0.02	0.1	0.2	1			0.1	
	Head cabbage Others	0.02	0.1	0.2	1		0.02	0.1	
	:) Leafy Brassicas Chinese cabbage Kale Others								
	() Kohirabi								
	ABLES AND FRESH HERBS								
	Cress								

Group to which lood belongs	Groups include the followi products	ing Mercury Metaloxy compounds	Mevinphos.	Omethode Parathion	Parathion Phosalone methyl	Quintazene	Tecnazene Thiabendazole	Triszophos Vinclazolin	
	Lamb's lettuce		0.5	0.2	1	3	2		
	Lettuce Scarole	0.02	0.5	0.2	,	,	*		
	Others								
	b) Spinach & similar								
	Beet leaves (chard)								
	c) Watercress								
	d) Witloof								
	e) Herbs								
	Chervil Chives								
	Parakry								
	Celery leaves								
	Others								
() LEGUME	VEGETABLES (fresh)								
	Beans (with pods)		0.1	0.2	1	0.01			
	Beans (without pods)					1			
	Peas (with pods)		0.1	0.2	1				
	Peas (without peds)								
	Others								
vii) STEM VE									
	Asparagus								
	Cardoons	0.02	0.1	0.2	1			5	
	Colory Fermal	0.02	0.1	0.2	,				
	Globe artichokes								
	Leeks	0.02	0.1	2	1				
	Rhuberb	0.02	0.1	0.2	1				
	Others								
iii) FUNGI									
	a) Cultivated mushrooms	0.02	0.1	0.2	1				
	b) Wild mushrooms								
B. PULSES									
	Bears								
	Lentis								
	Peas								
	Others								
CILSEEDS									
	Linseed								
	Peanute								
	Poppy seed								
	Sesame seed								
	Sunflower seed								
	Rape seed								
	Soya bean								
	Mustard seed								
	Catton seed								

5. POTATOES	Others								
	Early potatoes Ware potatoes	0.02 0.02	0.1 0.1	0.05 0.05	0.1° 0.1°	0.2	5	0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, Carnellia sinensis)								
7. HOPS (dried)	including hop pellets & unconcentrated powder								
	an contain trains portion								

B. CEREALS								
Wheat					5		0.02	5
Flye					5	5	0.02	5
Barley					5	5	0.02	5 5 5 5
Oats					5	5	0.02	5
Triticale					5	5	0.02	5
Maize					5	5	0.02	5
Rice <sup>rs</sup>								-
Other cereals (4)					5	5	0.02	5
PRODUCTS OF ANIM	0.2	0.7	0.05	0.05*				
Most, fat & preparations of meat <sup>on</sup>								
preparations	0.008	0.02	0.02	0.05*			1	

Changes to legislation: There are outstanding changes not yet made by the legislation gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

#### FOOTNOTES

#### UNITS

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

#### KEY:

\* Level at or about the limit of determination.

#### DOOTNOTE

- 1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice
- 2. Other cereals do not include rice
- 3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.
- In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01mg/kg.
- 4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- 5. For preserved, concentrated or sweetened cow's milk, for raw milk and whole cream milk of another animal origin: and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk
- 6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)

				90HEDULE 2 PART 2										Re	gulation	4 (1)
Droup to which Croups include the load belongs. Totowing products	Acaphate	Adicelo	Aldrin & deldrin	Aminotriscole (Anitrale)	Anima	Atracine	Acceyotration	Bendanyl	Berlyasark	Binapacryl	Sighenthrin	Dromaphosethyl	Enomopro- pylate	Camphedor (Taxaphene)	Captafol	Carbendazii
Fruit, fresh, dried or uncooked, prese     CITRUS FRUIT	rved by freez	ting not cont	sining adde	d sugar: nuts												
								0.65		0.05"		0.00*		0.7"	0.02"	
Grapefruit	1	0.2		0.05"		0.1"	0.85"	0.05"		0.05		8.00*		0.7"	0.02"	- 1
Lemons	1	0.2		0.05"		0.1	0.85"	0.05"		0.00		6.00*		0.7"	0.02"	
Limes Mandarins (inc diamentines &		0.2					0.80									
similar hybridgo	1	0.2		0.05"		0.1*	0.05"	0.05"		0.05		8.00*		0.4"	0.02	,
Oranges		6.2		0.05"	1	0.1*	0.85"	0.05"		0.05"		6.00*		0.1"	0.02"	5
Pometos	,	0.2		0.05"		0.1*	0.05"	0.05"		0.05"		0.00*		0.1"	0.02"	
Others	1	0.2		0.05"		0.1"	0.05"	0.05"		0.05"		0.00*		0.7*	0.02"	
i) TREE NUTS (shelled or unshelled)																
Almonds	0.82*	0.05*		0.05"	0.02*	0.1*	0.1*	0.05"	6.05*	0.05"		0.00*		0.1*	0.02*	0.1"
Brazil nuts	0.82*	0.08*		0.08"	0.00*	0.1*	0.1*	0.05"	6.05"	0.05"		0.00*		0.1*	0.02"	0.1"
Cerhev ruts	0.80*	0.08*		0.05*	0.00*	0.1*	0.1"	0.05"	0.087	0.08"		0.00*		0.1"	0.02"	0.1"
Chestruts	0.02*	0.08*		0.05*	0.00*	0.1*	0.1"	0.05"	6.05*	0.08"		0.00*		0.1"	0.02"	0.1"
Caconuts	0.80*	0.05*		0.05*	0.00*	0.1"	0.1*	0.08*	0.05*	0.05		0.05*		0.7*	0.02*	0.1*
Hazainuts	0.02*	0.00*		0.05"	0.02*	0.1*	0.1*	0.05*		0.05"		0.06*		0.1*	0.02*	0.1"
Macadamia nuts	0.82"	0.05*		0.08"	0.00*	0.1*	0.1*	0.05"	6.05*	0.05"		0.00*		0.1"	0.02"	0.1"
Fecans	0.00*	6.2		0.05*	0.00*	0.1*	0.1"	0.05"	0.08*	0.05"		0.05*		0.7*	0.02*	0.1*
Pine ruts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.06*	6.05*	0.05"		0.06*		0.1"	0.02*	0.1"
Pietachics	0.02*	0.05*		0.08"	0.02*	0.1*	0.1*	0.05"	6.05*	0.05"		0.00*		0.1"	0.02	0.1
Walnuts	0.02*	0.06*		0.08*	0.00*	0.1*	0.1"	0.05"	6.06	0.08"		6.00*		0.1"	0.02	0.1*
Others	0.82*	0.08*		0.05*	8.00*	0.1"	0.1"	0.08"	6.08*	0.05"		6.05*		0.7"	0.02	0.1
ii) POME FRUIT																
Apples	1	0.05*		0.05"	1	0.1"	0.05"	0.05"	6.05*	0.05"		6.06*		0.1"	0.02"	. 1
Form	1	0.05*		0.08"	1	0.1*	0.05"	0.05"	6.05*	0.05"		0.00*		0.1"	0.02"	
Quinois	1	0.08*		0.06"	1	0.1*	0.05"	0.05"	0.06*	0.06"		0.00*		0.7"	0.02	2
Others	1	0.08*		0.05*	1	0.1"	0.05"	0.05"	6.06*	0.06*		0.00*		0.7"	0.02	2
k) STONE FRUIT																
Apricata	0.00*	0.05*		0.05"		0.11	0.05"	0.05"	6.05*	0.05"		6.08*		8.5"	0.62"	1
Churies	0.02*	0.05*		0.05"		0.1*	0.05"	0.05"	0.06*	0.05"		0.05*		6.5"	0.62	0.1"
Peaches (ind nectarines & similar hybrids)	0.2	6.05*		0.05*	1	0.1*	0.05"	0.05"	6.05*	0.05"		6.00*		0.1"	0.02"	1
Pluns	2	0.05*		0.05"		0.1*	0.05"	0.05"	8.05*	0.05"		9.08*		8.7"	0.02"	0.5
Others	0.02*	0.00*		0.05"		0.1*	0.05"	0.05"	6.05*	0.05"		0.08*		8.5"	0.02"	0.1

	Acephate	Aldicarb	Alain & deidin	Aminotriazola (Aminola)	Amitraz	Atrazine	Azoxyatrobin	Densitaryi	Denturacarb	Brapacyl	Bijmenthilin	Branophosethyl	Bramspro- pylate	Comphector (Texaphone)	Captalis	Carbendadir
BEFFRIES AND SMALL FRUIT																
a) Table & wine gropes																
Table grapes	0.02*	0.05"		0.85*		0.7"	2	0.2	0.05*	0.85*		6.08*		0.5*	0.02"	
Wire grapes	0.02*	0.00*		0.85*		8.5"	2	0.2	0.08*	0.85*		6.00*		6.5"	0.02	2
<ul> <li>b) Strawberries (other than wild)</li> <li>c) Gane Pruit (other than wild)</li> </ul>	0.00*			0.85*		0.7"	0.00*	0.86*	0.06*	0.85*		0.00*		6.5"	0.02	
Disckberies	0.02*	0.86*		0.00*	0.82*	0.17	0.00*	0.00*	0.05"	0.00*		0.08*		8.5"	0.00*	0.57
Dowbories	0.02*	0.86*		0.00*	0.82*	0.1"	0.00*	0.00*	0.05"	0.00*		0.08*		8.17	0.82*	6.1"
Loganbertos	0.02"	0.00*		0.00*	0.82*	0.1"	0.00*	0.00*	0.05"	0.08*		0.05"		0.15	0.82*	6.1"
Raspberries	0.62"	6.00*		8.00*	0.82*	0.1"	0.05"	0.007	0.05"	0.00*		0.05"		0.1*	0.02*	0.1"
Others	0.62"	0.00*		0.00*	0.82	0.1"	0.08*	0.08*	0.05"	0.08*		0.05"		0.1*	6.02*	0.1"
<li>Other arrest trut &amp; borries (other than wild)</li>																
Biberies	0.83*	0.06"		0.05*	0.02*	0.1*	0.05"	0.05"	9.00"	0.05"		0.86*		0.1*	0.02*	0.1*
Charbertos	0.02*	0.06*		0.05"	0.02*	0.1*	0.05"	0.08"	6.00	0.05"		0.06*		0.1*	0.00*	0.1*
Gurrants (red, black & white) Georgeography	0.02*	0.05"		0.06"		0.1"	0.05*	0.05"	0.06*	0.05"		0.05*		0.1"	0.02*	0.1*
Others	9.02*	0.05"		0.05"	0.02*	0.1	0.05"	0.05"	8.00*	0.65*		0.05*		0.7*	0.021	0.1*
o) Wild bernoe & wild truit	0.02*	0.05"		0.05"	0.05.	0.4"	0.00*	0.05"	9.05	0.86"		8.00*		0.7"	0.02"	0.1*
MISCELLANEOUS FRUIT	4.00	0.00		0.05	0.02	0.1"	0.05*	0.00*	0.08*	0.85		8.05*		6.1"	0.02*	0.1*
Avocados	0.02*	0.88*		0.85*	0.02"	0.5"	0.097	0.08*	0.08"	0.007		0.08*		4.1"	0.827	9.7"
Bananas	0.02*			0.85*	0.00*	0.57	0.1	0.85*	0.05"	0.00*		0.09		4.1"	0.82*	
Duties.	0.02"	0.85*		6.00*	0.02*	4.1"	0.05	6.05*	0.05"	0.09*		0.05"		0.1*	0.02	8.17
Figs	0.02"	0.00*		0.00*	0.62*	0.1*	0.09*	6.00*	0.05"	0.097		0.05		0.11	6.00*	0.17
Kiwi Irali	9.02*	0.00*		0.08*	0.02*	0.1*	0.09*	0.09*	0.08*	0.08*		0.05*		0.1*	6.00*	
Kumquets	0.02*	0.00*		0.08*	8.02*	0.1*	0.05"	0.09*	0.00*	0.05		0.80*		0.1"	8.00*	0.1"
Literies	0.82*	0.06*		0.05"	8.02*	0.1*	0.05"	0.09*	0.00*	0.08*		0.85*		0.1	0.00*	0.1*
Mangoes	0.02*	0.05*		0.05"	0.02*	0.11	0.05"	0.05*	6.007	0.05		0.85*		0.11	0.02*	0.1*
Olives (table consumption)	8.02*	0.05"		0.05"	0.02*	0.11	0.05"	0.05"	6.00	0.05"		0.007		0.7	0.02	0.1
Olives (oil extract)	8.02*	0.05"		0.05*	0.021	0.11	0.05"	0.05"	0.00*	0.00*		8.00*		0.7	0.02"	0.1"
	9.02*	0.05"		0.05"	0.02"	0.7*	0.85*	0.05"	0.06*	0.05*		8.00*		8.5	0.02	0.1"
Pression fruit		0.05"		0.05*	0.02"	0.11	0.85*	0.05"	0.00*	0.85*		9.05*		8.7"	0.62	0.7"
	0.02*							0.05"	0.05	0.85*						
Pleasion Pruti	0.02*	0.05"		0.05*	0.02"	0.7"	0.00*					0.09*		8.57	0.02*	8.5"

roup to which. Groups include the ood belongs tollowing products	Aceptata	Adeato	Aldrin & dieldrin	Aminotriazole (Aminoto)	Amiras	Assoine	Azovyetrobin	Benalooyi	Benkracarb	Brapacryl	Sphenthrin	Brancahasetyl	Bromopro- pylete	Comphector (Texaphene)	Copratol	Carbendazi
Vegetables, fresh or uncooked, froz	en or dry															
ROOT AND TUBER VEGETABLES																
Bestopt	0.02			0.007	0.02*	0.57	0.05"	0.00	0.08*	0.08"		0.85*		0.1*	0.82*	0.1*
Caron	0.02			0.007	0.02*	0.17	0.65*	0.00*	0.05'	0.05		0.06*		0.1*	0.02*	0.1*
Catorine	0.02"	0.05"		0.00*	0.02*	0.17	0.00*	0.00*	0.05*	0.05*		0.85*		0.1*	0.02*	0.1*
Horsenadish	0.02"	0.05"		0.85	0.02*	9.1"	0.05"	0.007	0.09*	0.05"		0.85*		0.1"	0.02*	0.1
Januasiem artichokea	0.02*	0.05*		0.89	0.02*	0.57	0.05"	0.007	0.087	0.08*		0.85*		0.1*	0.02*	0.1"
Parsnips	0.02			0.897	0.02*	0.5"	0.05"	6.00	0.05	0.08"		0.86*		0.1*	0.02*	0.1*
Partiley ract	0.02	0.05*		0.00*	0.02*	0.5"	0.05*	0.00*	0.05	0.05"		0.05*		0.1*	0.02*	0.1*
Radishes	0.02"	0.05"		0.057	0.02*	0.17	98.0	0.00*	0.05*	0.05"		0.85*		0.1*	0.02*	0.1*
Salaify	0.02	0.05*		0.00	0.02*	4.0	0.05*		0.08*	0.08"		988		0.1*	0.02*	0.11
Sweet optatoes	0.02	0.007		0.007	0.00*	0.1*	0.05*	0.00*	0.05"	0.05"		0.08*		0.1"	0.02*	0.1
Sweden	0.02"	0.05*		0.007	0.02*	0.17	0.00*	0.00*	0.05*	0.05"		0.05*		0.1*	0.02*	0.1*
Turnige	0.02*	0.05		0.007	0.02*	0.1"	0.05*	0.00*	a.od-	0.05"		0.05*		0.7"	0.02*	0.1
Yara	0.82*	0.85		9.85	0.02*	4.1"	0.05"	0.00	0.00"	0.05		0.00*		0.1"	6.02"	0.11
Others	0.02	0.05		0.85	0.02*	0.0"	0.05*	0.00*	0.05	0.05"		0.007		0.1"	0.02*	0.1
BULB VEGETABLES	0.02	0.20			0.02		0.00	4.40	0.00	0.00						
						9.5"	0.05*		0.06"	0.05"		0.00*		0.1"	0.02*	0.1
Gartic	0.02*	0.85*		0.007	0.02*	9.17		0.00*	0.08"	0.09"		6.00*		0.1"	8.02*	0.7
Orions Shallets	0.02	0.05		0.007	0.02*	8.17	0.05	0.00*	0.09*	0.05		600		0.1	8.02*	0.1
Spring priors	0.02	0.00		8.00	0.02*	0.1"	0.85*	0.00*	0.05	0.05		6.05"		0.1"	8.02*	0.1"
Others	0.02	0.00		0.00	0.02*	9.1"	0.85*	0.00*	0.05	0.05"		0.007		0.7"	8.02*	0.1
FRUITING VEGETABLES		0.00		***	0.00					0.00				-		
a) Solanaceo										0.05"		0.05*		0.07	0.02*	4.5
Tomatoes	0.5			0.06*	0.5	0.1"	0.00	0.2	0.05	0.85		0.00		4.7	0.02*	6.7
Propers Aubergines	0.02*	98.9		0.00*		0.1"	6.02	0.05	0.05"	0.05		0.00		8.57	0.02*	8.5
Others	0.02*	0.00		0.05*		0.1*	6.00	0.08"	0.08"	0.05		0.05*		8.57	0.02*	6.0
to Cucurbits odible poel	e ar	6.80		8.00		4.1	8.00	0.00	0.00	0.00				-		-
Cucumbers	6.62*	0.05*		0.00*		0.1*	8.00*	0.09*	0.05"	0.85		0.05*		4.1"	0.02*	0.5
Ghoriero	6.02"	0.00		0.087		0.1*	8.00*	0.05"	0.05"	0.85"		0.08*		0.1"	0.02*	6.5"
Courgettes	6.82*	0.05*		0.06*		9.1*	0.00*	0.05*	0.05"	0.05"		0.08*		0.17	0.02*	0.0
Others	6.02"	0.80		0.08*		0.1*	6.00*	0.05*	0.05"	0.85"		0.08*		0.17	0.02*	6.5"
4) Cucurbits-ineditio peel																
Melora	0.02*	0.85*		0.007		0.1"	6.05*			0.05*		0.05*		0.1"	0.02"	0.6
Squarkes	0.02"	0.05*		0.05*		0.1*	8.08*	0.05"		0.85*		0.08"		0.1"	0.02*	0.5
Waterwellers	6.02"	0.00*		0.08*		0.1*	8.00*			0.85*		0.08"		0.1*	0.02"	0.1"
Others	6.02*	0.09*		0.06*		0.1*	8.00*	0.05"		0.85"		0.08"		0.1*	0.02"	0.5"
	0.03*	0.00		0.05*	0.02"	0.1*	6.00*	0.05"	0.05"	0.86*		0.05*		0.1"	0.02"	0.1"

Group to which Groups include the lood belongs following products	Acephate	Addicarb	Aldrin & delarin	Aminotriazole (Aminose)	Amtruz	Ainszine	Azosystrabin	Denotocyl	Bentuscarb	Binapacryl	Sphorthen	Bromaphosethyl	Bramapeo- pylote	Campheolor (Toxaphene)	Captafol	Carbandazi
M) BRASSICA VEGETABLES																
a) Flowering Brassicas																
Broscoti	2			0.85*	0.02*	0.1*	0.08*	0.06*		0.05"		0.09*		0.1*	0.02*	
Cauliflower	2	6.2		0.85*	0.02"	0.1*	0.08*	0.85		0.05		0.09*		0.1*		6.1"
Others	1	0.00		0.85*	0.02	0.1"	0.05"	0.00		0.05"		0.05*		0.1*	8.02*	4.1"
b) Head Brassicas							4.00	***				4.00		0.1	8.00	4.1-
Brussels sprouts	2	6.2		0.007	0.02"	0.1*	0.05"	0.007		98.0		0.05"				
Head rebbogs	2			9.09*	0.02	0.7"	0.05"	0.00*		0.00*		0.05"		0.7"	0.02*	0.5
Others	2	0.05"		0.09*	0.02	0.7"	0.05"	0.00		0.007		0.05		6.7	0.02*	3
t) Leely Bressicus						-	0.00	4.00				4.40		8.1	0.02"	9
Chinese cabbage	0.02*	0.05"		0.08*	0.82*	8.77	0.00*	0.09*	0.06*	0.007		0.05*				
Hale	0.02	0.66*		0.05	0.82*	8.7	0.00*	0.00*	0.00	1.00				6.1"	0.02"	0.1*
Others	0.02	0.00		0.05	0.02*	4.5	6.00*	0.09"	0.00*	8.00		0.85*		0.1"	0.02"	0.1*
di Kotembi	9.00	0.85*		0.08*	0.02*							6.00*		0.1"	0.82*	0.1*
		0.80		0.09	6.05	6.1"	6.00*	0.05"	6.89	0.09*		6.00		0.1"	0.82*	0.1"
LEAF VEGETABLES AND FRESH	HEMBS															
a) Lettuce à similar																
Oress	0.02*	0.01*		0.05"	6.02*	0.1*	0.09*	0.05*	0.00*	0.05"		0.00*		0.11	0.00*	0.5"
Lamb's lettuce	0.02*	0.00*		0.05"	0.02*	0.1"	0.09*	0.85*	0.00*	0.08"		0.05*		0.1"	0.02*	4.5"
Letture	1	8.00*		0.05*	0.02"	0.1"	9.05*		0.00*	0.09"		0.08"		0.1"	0.02*	5
Scardia	0.02*	0.00*		0.86*	0.02*	0.1"	0.05"	0.85*	0.00*	0.05"		0.05"		0.1"	0.02*	0.1"
Others	6.02*	0.09*		0.00*	0.02"	0.1"	0.05"	0.00*	9.09*	0.00"		0.05"		0.7"	0.02	0.1"
b) Spinach & similar									,							
Spinach	0.02*	0.08*		0.007	0.62"	0.1"	0.05"	0.08*	0.08*	0.06*		0.05"		0.7"	0.02"	0.1*
Beet leaves (chard)	0.03*	0.08*		0.007	0.02"	0.1*	0.05"	0.00*	0.05"	0.05*		0.85*		6.5"	0.02"	0.1*
Others	0.02*	0.08"		0.007	0.02"	0.1*	0.05"	0.09*	789.0	0.05*		980		4.5	0.02"	0.1*
t) Watercrees	0.02*	0.05"		0.00*	0.60*	0.5"	0.05"	0.00*	0.05*	0.00*		0.85*		0.1"	0.02"	0.1"
© William	0.02"	0.05"		0.08*	0.62*	0.1"	0.06"	0.05*	0.65*	0.007		0.85*				
et Hartis						-						0.00		0.1"	0.62*	0.1*
Chand	0.02"	0.05"		0.05"	0.03*	0.5"	0.00*	0.08"	0.06*	6.00		8.00*				
China	0.02	9.85		0.05"	0.02*	4.5"	6.00*	0.05	0.00	0.00		8.00*		0.1*	0.82*	0.1"
Parsing	0.02	0.85*		0.09"	0.02*	0.1"	6.00	0.05"	0.007	0.00*		0.00*		0.11	0.82*	0.1"
Colory loaves	0.82"	0.85*		0.05"	0.02"	0.1"	6.00	0.05"	6.02	0.00*				0.1*	0.02*	6.1"
Others	0.82*	0.007		0.05*	8.00*	0.1*	0.00	0.05"	6.00	0.05*		0.08*		0.1*	0.02*	8.5"
LEGUME VEGETABLES (fresh)				0.00	8.00	4.1	8.96	0.60	8.00	0.00		0.08*		0.1*	0.02*	0.1"
Beans (with pods)	3	0.007		0.06*	0.02*	0.1*	0.00*	0.85*	0.05*	0.05"		0.05"		0.1"	0.02*	0.1"
Beans (without posts)	6.02*	0.05		0.85*	0.02*	0.11	0.08"	0.057	0.05*	0.05"		0.05"		0.1"	0.02"	0.1"
Pess (with pads)	3	0.08*		0.85*	0.02*	0.1*	0.09*	0.007	0.08*	0.05"		0.05"		0.7"	0.02"	0.1"
Pass (without pods)	6.02*	0.00*		0.86*	0.02	0.1"	0.05"	8.007	0.05"	789.0		0.05"		0.5"	0.02"	0.1*
Oters		0.05*		0.00*	0.02"	0.11	0.05"	8.00*	0.05"	0.85*		0.05"		8.0"	0.02"	0.1*
i) STEM VEGETABLES														_		-
Aspenspus	0.02*	0.05*		0.08*	0.02"	0.11	0.65*	0.09*	0.05"	0.00		0.85				
Cardonne	0.02*	0.05"		0.00*	0.02	0.1"	0.85"	0.05	0.05"	0.00*		0.05		0.1"	0.02"	0.1*
Callery	0.02	0.05"		0.00*	0.02	0.7"	0.85*	0.05	0.85*	0.00*		6.00			0.62*	0.1"
Fennel	0.02*	0.05"		9.00*	0.02	B.1"	0.86	0.08"	0.85	8.00*		1.00		0.1*	0.62*	5
Globe artichokes	9.2	0.05		0.05	0.82*	8.5"	0.00*	0.08"	0.00	8.00				0.1*	0.02*	0.1"
Levin	0.62*			0.05"	0.82	8.5	0.05*	0.05	0.00	0.08*		0.00*		0.1*	0.02*	6.1"
Rebet	0.62	0.85*		0.05"	0.02	4.0	8.00*	0.05"	0.00*			0.00*		0.1*	6.02*	6.5"
Others	0.65	0.85*		0.05"	0.00	411	8100	0.00	2.00	0.09*		0.05		0.1*	8.02*	2

eed belongs following produ	the cts Aughore	Aldreso	Algrin & dielbrin	(Amitrole)	Ambraz	Atrazine	Azzvystobin	Benatasyl	Bertussarb	Binapacryl	Ripherthrin	Bromophesettyl	Bramageo- pylate	Camphedor (Texaphene)	Captatol	Carbandazz
(i) FUNGI																
a) Cultivated mustre	com 8.02°	0.05*		0.08*	0.02*	0.7"	8.08*	6.05*	0.002	0.85*		0.05*		0.1"	0.00*	1
b) Wild mushrooms	8.00*	0.05*		0.05*	0.02*	0.1"	8.00*	0.05*	0.00*	0.85*		0.05*		0.7"	0.80*	4.1"
. PULSES														-		
Beans	9.02*	0.85*		0.05"	0.02	8.77	0.08*	0.08*	0.007	0.007		0.85*		8.5"	0.00*	2
Lontile	0.021	0.85*		0.05"	0.02	0.37	0.05"	0.05	0.00	0.007		0.85*		6.5"	0.00*	0.1*
Pens	0.021	0.85*		0.05"	0.02	8.0	0.05"	0.05	0.00*	0.05*		0.85*		8.5"	0.00*	0.1*
Others	0.02*	0.00*		0.05"	0.62	6.17	9.05"	0.05	0.05	0.007		0.00		4.1"	0.00*	0.1*
OLSTEDS							4.00	0.00	1	****						4.1
Unseed	0.02*			0.85*		9.1"										
Powers	0.02	0.00*		0.85*	0.62*	9.1"	0.05"	0.05"	0.05*	8.05*		0.05*		0.1"	8.02*	0.1*
Poppy seed	0.02	0.00*		0.85*	0.02*	0.1"	0.00*	0.05"	0.05"	8.08		8.05*		0.1*	0.00*	0.1*
Seame seed	0.02	0.00		0.85*	0.82*	0.1"	0.05*	0.05*	0.05"	0.00		8.00		0.1*	9.02*	0.1"
Sumfower sand	9.00	0.00*		0.00	0.02*	0.1	0.85*	0.85	0.05"	0.05		0.00.		0.1*	0.05.	6.1
Rape seed	0.80"			6.00	0.00*	0.1	0.80	0.80	0.85"	0.05		0.05		0.1"	0.05.	0.1
Sove been	0.82"	0.05"		6.00*	0.03*	0.1*	6.85		6.60	0.09		0.08*		0.1	0.02"	6.2
Musterd seed	0.02	0.05"		6.00*	0.02*	0.1	0.002	0.85*	0.85*	0.05"		0.05		0.1"	0.02"	6.17
Cotton swed	0.82*			6.08*	****	0.1	6.05	0.05*	0.00	0.05"		0.05		0.1"	0.02	6.0
Others	0.00*	0.65*		0.00*	0.00*	0.7	6.007	0.007	0.00*	0.05		0.05		0.7	0.82*	6.17
POTATOES										****		****			0.88	
Early perseous	6.00*			0.08*	0.02*	0.0"	6.05'	0.05*	6.00*	0.85*		0.85*		6.17	0.02*	
Ware potatoes	8.00*			0.05	0.05	0.5"	6.05	8.00.	0.00*	0.00*		0.85		6.1"	6.03*	3
johied leaves and				0.00	0.02	6.7	8.00	0.00	8.00	6.80		0.00		6.1"	6.02	,
TEA fermented or oth Camella sinensis		0.85*	0.02	0.1*	0.1*	8.5"	6.17	6.1"	6.0"	0.4*	6	0.1*	0.4*	0.1*	0.1"	0.1*
HOPS including hos put	on 5 ceder 6.1"			0.1*	68	8.1"	8.1*	0.17		0.1"		0.4*		0.1*	0.5"	0.1*

od belongs foliowing products	Carbotuson	Carbesullan	Cartes	Chlordone	Ohlomequat	Chlorothalonii	Chlospyritas	Chlorperitos- matityl	Cyfluthrin	Oppermethrin	Daminoside	TOO	Deltamethrin	Diszinan	1,2-Dibramo- athone	Dichlorpro
Fruit, fresh, dried or uncooked, pre	served by free	zing not conta	ining adde	f sugar: nuts												_
CITRUS FRUIT																
Cooperuit					0.00*	gar	6.3	0.00*	0.02*	2	0.00*	0.00*	0.007	0.5	0.01*	0.00*
Lamons					0.09*	0.01"	0.2	9.3	0.02"	2	0.02*	0.00*	0.097	0.5	6.01*	6.00
Limes					0.05"	0.01"	0.3	0.09*	0.02"	2	0.02*	0.05*	6.007	0.8	6.01"	6.00
Mandarins (inc olementines similar hybrids)	1.5				0.66"	0.07	2	1	0.02"	2	0.02*	0.05*	0.00*	6.5	6.01*	0.00*
Oranges					0.05"	0.017	0.9	0.5	0.02"	2	0.02*	0.05	0.05*	0.5	0.01*	0.09*
Pomelos					0.05"	9.01"	0.0	0.05"	0.02"	2	0.62*	0.05"	0.05	8.5	0.01*	0.08*
Others					0.05"	0.01*	0.3	0.05"	0.02"	2	0.62*	0.05"	0.05	0.5	0.01*	0.08*
TREE NUTS (shelled or unshelled	1															0.00
Almonds	0.1"	6.00*			0.1"	0.01*	0.85*	0.00*	0.00*	10.0	0.05"	0.85"	0.05"	0.09*	0.07	0.05"
Breck muta	0.1"	0.00*			0.1"	0.81*	0.85*	0.05*	0.00*	0.007	0.00	0.05*	0.05	0.05	0.01	0.08"
Cashow nuts	0.1"	0.00*			0.1"	0.011	0.05"	0.05*	0.00*	0.007	0.00	0.00*	0.05	0.05"	0.01	0.08
Chestruts	0.5"	0.00*			0.1"	0.011	0.007	8.65*	9.00*	0.007	0.85*	0.00*	0.05	0.05"	9.017	0.05
Cacanuts	8.0	0.00*			0.1*	0.01*	0.007	8.007	0.02*	6.05*	0.00*	0.00*	0.86*	0.05"	0.017	90.0
Hazelnuts		0.06"			0.1*	0.01*	0.00*	0.00*	0.02*	8.05*	0.05*	6.00*	0.86*	0.05	0.017	0.00
Macadamia nuts	0.1"	0.08*			0.1*	0.01*	0.00*	0.08*	0.02*	8.05*	0.05*	0.00*	0.00	0.00	0.01	0.86*
Pacana	0.1"	0.08*			0.1*	0.01*	0.00*	0.09*	0.00*	0.08*	9.05*	0.00*	8.80*	0.00	6.81*	0.85
Pine tuts	0.1"	0.08*			0.1"	0.01"	0.00*	0.00*	0.02*	0.08*	0.08*	0.00*	9.00*	6.00	6.01*	0.05
Platachics	0.1"	0.06*			0.1*	0.01"	0.00*	0.05*	0.02*	0.09*	0.08*	0.08*	0.007	6.00*	6.01*	0.007
Walnuts	0.1"	0.05"			0.1*	0.01"	0.05*	0.05*	0.02*	0.09*	0.08*	0.08*	0.05*	0.00*	6.01*	0.00
Others	0.1"	0.05"			0.1*	0.01"	0.06*	0.06*	9.02"	0.05*	0.05"	0.08*	9.05"	0.00*	0.01*	0.00
POME PRUIT																
Applem						,	0.5	0.5	0.2	1	0.60*	0.05"	0.1	6.5	0.011	
Pears					. 3	,	0.5	0.5	0.2	1	0.62*	0.05"	0.1	0.5	0.01	0.05
Quinces					600	1	0.5	0.5	9.0	,	0.62	0.09	9.1	0.5	0.01*	0.05
Others.					8.09*	1	0.6	0.6	0.2	,	0.62*	0.05	0.1	0.5	0.01*	0.09"
STONE PRUIT					-							0.00		0.0	0.01	0.00
Aprixos					8.08*	1	0.86"	0.09*		2	0.02*	0.89*	0.1	0.5	0.61"	93.0
Charries					8.05*	0.81*	0.3	0.09*	0.2	1	0.02*	0.89*	0.1	0.6	0.01"	0.65*
Peaches (indirectorines & similar hybrids)					0.00*	1	0.2	0.6		2	6.02*	0.00*	0.1	0.6	0.01"	0.00*
Plums Others					0.08"	0.01*	0.2	6.05*	6.2	1	0.02*	0.06"	0.1	0.5	0.01*	0.05*
					0.05"	0.011	0.05*	0.007		0.00*	0.02*	0.08*	0.1	0.5	0.01*	0.00*

Group to which Groups include the cool belongs following products	Carboluran	Carborullan	Cartap	Chlordene	Chlorrequet	Chorofisionii	Chlorpyritos	Chlorpynlos- methyl	Cyfluthin	Cypermethrin	Daminocide	001	Detametivin	Diazinon	1,2 Dibromo- ethane	Dichlorprop
BERRIES AND SMALL FRUIT																
at Table & wine gropes																
Table grapes	0.1*	0.00*			1	1	0.5	0.2	0.3	0.5	0.02*	0.05"	0.1	0.8	6.01*	0.05*
Wine grapes	0.1*	0.05*			1	3	0.5	0.2	0.3	0.5	0.02*	0.05"	0.1	0.6	6.01*	0.05*
b) Strawberries (other than wild)		0.05*				3	6.2	0.6		8.00*	0.02*	0.05"	0.86"	6.8	6.01	0.00
(I Cane Fruit (other than wild)												0.05"	0.6	0.5	6.01*	0.05*
Blackberries	0.1*	0.05*			0.057	10	6.05*	0.05	0.02*	0.5	0.05,	0.05"	0.65"	0.5	6.011	0.00*
Dewberries	0.1*	0.85*			0.00*				0.02	0.5	0.02*	0.05*	0.00	0.5	6.01*	0.00
Logardenies	0.1*	0.85*			0.00	10	0.5	0.06,	0.02"	0.5	0.00*	0.05	0.5	0.0	6.01	0.00
Respitories Others	0.1*	0.85*			0.007	10	6.5	0.00*	0.02	0.5	0.00*	0.05"	0.86"	0.5	6.01*	0.05
Other small fruit & berries of coher than width	0.1*	0.86*			6.00			2.00	1				-	-		
Dibertes	0.1*	0.05*			0.07	0.81*	0.002	0.05*	0.02"	0.08*	0.02*	0.05"	0.85"	9.0	6.01"	0.08*
Cranteries	0.1*	0.05*			0.00	2	0.057	0.05"	0.00*	0.08*	0.02*	0.05"	0.05"	0.02"	6.01*	0.09*
Currents (red, black & white)	0.1*	0.05*			0.05*	10	1	0.06*		0.00*	0.02*	0.05"	9.0	0.2	6.01*	0.05*
Gopseberries	0.1*	0.85*			0.05*	10	1	0.06*		0.05*	0.02*	0.05"	0.2	0.2	6.01*	0.05*
Othors	0.1*	0.05*			0.00*	0.81*	8.05*	0.06*	0.00*	0.05*	0.02*	0.05"	0.85"	0.03*	6.01*	0.05*
or Wild barnes & wild huit	0.1*	0.06*			0.00*	0.81*	6.05*	0.06*	0.02"	2	0.02*	0.05"	0.05"	6.05*	6.01*	0.05*
() MISCELLANEOUS FRUIT																
Avopados	0.1*	0.85*			0.00	0.81*	0.00*	0.06*	0.82*	0.00*	0.02"	0.05"	0.86*	6.03*	0.01*	0.05"
Barratias	0.1*	28.0			0.85	9.2	3	0.08*	0.831	0.00*	0.02*	0.05"	0.86*	0.6	6.01*	0.05*
Dates	0.1*	0.040			0.85*	0.61*	0.05*	0.05"	0.00*	0.00*	0.02*	0.05"	0.85"	6.02*	6.01*	0.05*
Fign	0.1"	0.85"			0.00*	0.81*	6.00*	0.05"	0.00*	0.08*	0.02*	0.05"	0.85*	0.00*	6.01*	0.06*
Kind fruit	0.1*	0.85*			0.00*	0.61*	2	0.05*	0.02"	0.08*	0.02*	0.05"	0.85*	0.5	0.01*	0.06*
Kumquate	0.1*	0.85*			0.007	0.81*	0.09*	0.05"	0.82*	0.05*	0.02"	0.05"	0.00*	0.01*	0.01*	0.05"
Limbs	0.1*	0.85*			0.85	0.81*	8.00*	0.00*	0.00*	0.00*	0.02"	0.05"	0.05*	0.03*	0.01*	0.05*
Managers	0.1*	0.85*			0.007	0.81*	0.00*	0.06"	0.80*	0.06*	0.02"	0.06*	0.05*	0.03*	0.01*	0.05"
Olives (table consumption)	0.1*	0.85*			0.7*	0.81*	0.00*	0.05"	0.82*	0.05*	0.02"	0.00"	0.1*	0.5	0.01*	0.05"
Olives (oil extract)	0.1*	0.05*			0.1"	0.81*	0.09*	0.05"	0.02*	0.00*	0.02"	0.05"	0.1*	0.5	0.01*	0.05"
Peoples Suit	0.1*	0.86*			0.00	0.81*	1.00*	0.08*	0.00*	0.05*	0.02"	0.85"	0.05*	0.03*	0.01*	0.05"
Pinesapples	0.1*	0.05*			0.85*	0.61*	1.09*	0.08*	0.00*	9.00*	0.02"	0.05"	0.05*	0.02*	0.01*	0.05"
Pomegranates	0.1*	0.85"			0.85*	0.81*	0.00*	0.00*	9.80*	0.00*	0.02"	10.00	989	6.00*	0.011	0.06"
Others	0.1*	0.65*			0.85*	0.817	0.00*	0.09*	0.83*	6.00*	0.02*	0.05"	0.08*	0.03*	0.011	0.06"

	Groups include the fullowing products	Cerboluses	Carbonulian	Cartop	Chlordane	Chlormoqual	Chlerothatenii	Chlorpyritos	Chlospyritos- mathyl	Oyluthrin	Cypemetrin	Daminoside	DOT	Deltamethrin	Dispinon	1.2-Dibromo- ethane	Distriorpro
2. Vegetables	, fresh ar uncooked, fras	oen or dry															
ROOT AND	TUBER VEGETABLES																
	Bestract	0.1*	0.05*			0.00*	0.01"	0.05*	0.05*	0.00*	0.00*	0.02"	0.08*	0.002	0.5		
	Caveta	0.3	0.1			0.00*	1	0.1	0.00*	8.02*	989	0.02	0.05	0.007	0.5	0.01"	0.05
	Celerisc		0.08*			0.00*	0.5	0.09*	0.08*	8.02*	0.00*	0.82	0.05*	0.00*	0.5		0.05
	Horseradish	0.1*	0.05"			0.09*	0.817	0.08"	0.08*	8.02*	6.007	0.02	0.08"	0.00*	0.5	0.01"	0.05*
	Jerusalem artichokes	0.11	0.05"			0.08*	0.81*	0.05"	0.05*	8.02*	8.007	0.02	0.05"	0.00*		0.01"	0.05"
	Parariga	0.3	0.1			0.05	0.81*	0.00*	0.09*	0.02*	8.007	0.85	0.05"	0.09*	0.00*	0.81*	0.05"
	Parsley ract	0.1*	0.05"			0.00*	0.81*	0.05	0.05	0.021	0.05*	0.82*	0.05"		0.5	0.81*	0.85*
	Radistres	9.5	0.05*			0.00	0.011	0.0	0.05	0.05	0.00*	0.02*	0.85*	0.05*	0.02*	0.81*	0.05"
	Salary	0.1"	0.007			0.05"	0.011	0.05*	0.05"	0.02	0.08*				0.5	4.01*	6.85
	Sweet optaines	8.1"	0.00*			0.05"	601*	0.00	0.00			0.02*	0.85*	0.05"	0.02*	0.01*	0.00*
	Swedes					0.00	601	0.007		0.02	0.06	0.00*	0.85*	0.06"	0.02*	0.01*	0.00*
	Turrigo					0.85"	801	6.00	0.05"	0.02"	0.05*	0.02*	0.00*	0.05"	0.5	0.01*	6.05*
	Yama	0.1"	0.007			0.05*	0.01*	6.00	0.00	0.02"	0.08*	0.02*	0.05*	0.85*	0.6	0.01*	0.00*
	Others	9.1"	1.00			9.80	0.011	6.00			0.05"	0.02*	0.00*	0.86*	0.02"	0.01*	0.09*
BULB VEG		**	4.00			6.00	2011	6.00	6.00*	éus.	0.05"	0.02*	0.08*	0.86*	0.02*	0.01*	0.08*
	Garic	0.3	0.08*			6.02	0.5		0.00*	0.02*	0.1	0.02"	0.05*	6.1			
	Onions	0.3				6.02	0.5	0.2	0.00*	6.02*	0.1	0.02"	0.05"	6.1	0.6	0.01"	0.05*
	Shalos	0.8	0.08*			0.00*	0.5		0.08*	0.02*	0.1	0.02	0.05"	41	0.5	0.01"	0.05*
	Spring onions	0.1*	0.08"			0.00*			0.08*	0.02*	6.00"	0.02	0.05"	41	0.5		0.05"
	Others	0.1*	0.08"			0.09*	0.01"	0.09*	0.08*	0.02*	0.00*	0.02*	0.05"	0.08*	0.5	0.01*	180.0
FRUITING	VEGETABLES												0.00	4.00	6.5	641-	0.89
40	Solamanoa																
	Tomatoee	0.1*	0.05*					0.5	0.5	0.05	9.5	0.02*	0.02	0.2	0.6	0.01*	0.02
	Poppers	0.1"	0.85*			0.05"	2	0.5	0.5		0.5	0.02*	6.02	0.2	0.5	0.01*	0.00*
	Auborgnes	8.7"	0.00*			0.05"	2	0.5	0.5	0.02"	0.6	0.02*	0.00*	0.2	0.6	0.01*	9.00*
	Others	0.7"	6.00*			0.05"	2	0.5	0.5	0.02*	0.6	0.02*	0.00*	0.2	0.6	0.01*	0.00
	Cusurbits-edible peel																
	Cusumbers.	0.1"	0.06*			0.00*	1	0.05*	0.05*		0.2	0.02"	0.08*	0.1	0.5	0.01"	0.051
	Ginerkins	0.1"	0.08*			0.007	5	0.08*	0.05*		0.0	0.02	0.08*	0.1	0.5	0.01"	0.05"
	Courgettes	0.1"	0.08			0.007	0.01*	0.08*	0.05*		0.2	0.02	0.08*	0.1	0.5	0.01*	0.05"
	Others	0.1"	0.08*			8.00	0.01*	0.08*	0.08*		0.2	0.02*	0.05"	0.1	0.5	0.017	0.05"
	Cucurbits-inedible peel																
	Melons					0.00*	1	0.06*	0.08*	0.02*	0.2	0.82*	0.05"	0.08*	0.5	0.01*	0.05*
	Squarhee	0.1*				0.05*	1	0.05*	0.06*	0.02*	6.2	0.02*	0.05"	0.08"	9.5	0.01*	0.85*
	Watermalons Others	0.1*				0.05	1	0.05"	0.05*	0.02*	0.2	0.00*	0.05*	0.05"	9.5	0.01*	0.00*
		0.1*	0.00			0.06	1	0.05"	0.05*	0.02*	6.2	0.02*	0.85*	0.05"	9.5	0.01*	0.00*
- 0	Sweet com		0.05			0.08	0.81*	0.05"	0.05"	0.02*	0.05*	0.05*	0.05*	0.05*	0.6	0.01*	0.00*

od belongs – following products	Carbolusan	Cortosulfan	Cortop	Chlordene	Chanusolne	Chlorothalanii	Chlopyritas	Chlorpyritos- methyl	Cytherin	Cypermethrin	Caminopide	DDT	Deternetive	Distance	etrane	Dichlorprop
BRASSICA VEGETABLES																
a) Flowering Brassicas																
Broomi	6.2				0.86*	3	0.05*	0.05"		0.6	0.00*	6.00*	0.1	0.6	0.01"	0.00*
Cauttower	6.2				0.86*	3	0.05*	0.05	0.08	0.6	0.00*	6.05*	0.1	0.8	0.01"	0.05
Others	0.2				0.86*	3	0.05"	9.05"	6.02*	0.6	0.02*	0.85	0.1	0.5	9.01	8.00
t) Head Bressloss															0.017	0.09*
Brussels sprouts					0.85*	0.5	0.06"	0.05*	6.2	0.6	0.02*	0.85*	0.1	0.6	0.017	1.00
Head sabbage					0.05"	3	1	8.05	6.2	0.6	8.00.	0.85*	9.1	0.6	0.01"	6.00*
Ottes					0.05"	0.81*	0.05"	8.00	0.2	0.6	8.00*	0.00	4.1	0.0		
c) Leafy Brassicas										,	6.02*	0.88*	0.5	0.5	9.01"	0.00*
Chinese cabbage					0.05"	0.84*	0.5	8.00		;	0.02*	0.85*	9.5	0.5	9.07	0.00*
Kale					0.05"	0.81*	0.06"	6.007		;	0.03*	0.85*	0.5	0.8	0.01*	0.00*
Others					0.09"	0.01*	0.05	8.00	0.82*	0.2	6.00*	0.05*	0.06*	0.5	0.01*	0.007
dj Karlinabi	9.0				0.05	0.01	4.00	440	4.44							
LEAF VEGETABLES AND FRESH	HERBS															
a) Lettuce & sirellar									0.5 ,	2	0.82*	0.05"	0.5	0.6	0.01*	0.00*
Cruss	0.1*	8.05			0.06*	0.01"	8.06	0.06	0.5	2	0.027	0.00	0.5	0.5	0.01"	0.00*
Lamb's lettuce	0.1*	8.08*			0.05*	0.01"	8.06*	0.85	0.5	,	0.00*	0.05"	0.5	0.5	0.011	0.85*
Latture	0.1"	8.08*			0.05	0.01"	8.00*	0.85*	0.6	;	0.82*	0.05"	0.5	0.6	8.011	0.85*
Scanole Others	0.1*	0.007			0.08*	0.01"	8.00*	0.85	0.5	;	0.82*	0.05"	0.5	0.6	0.01*	0.85*
	0.1*	6.00			8.08	4.01		0.00	***							
to Opmech & similar	0.1*	0.00*			9.09	0.01"	8.00*	0.05*	0.02"	0.6	0.82*	0.05"	0.5	0.6	0.01*	0.85*
Spreach	0.1*	6.057			8.08*	9.01"	8.00*	0.85*	0.02	0.5	0.80*	0.05"	0.5	0.6	8.01*	0.86*
Beet leaves (chard)					0.08*	0.01"	6.00*	0.85*	0.02	0.5	0.82*	0.05"	0.5	0.5	6.01*	0.85*
Others	8.1"	0.00*			8.09	0.07	6.00*	0.00	0.02"	0.00*	0.83*	0.08"	0.00*	0.5	4.01*	0.86*
d) Watercress d) Withol	8.1"	0.007			8.05	0.01"	0.00*	0.05*	0.02"	0.00*	0.82*	0.05"	6.00*	0.6	0.011	0.85*
a) Webbs	4.1				800	4.01			-							
Chenil	4.0"	0.05*			8.05*	5	0.04*	0.06*	0.02"	2	0.82*	0.08"	0.5	0.5	6.01*	0.06*
Chines	6.1"	0.897			6.057		0.007	0.05"	0.02"	2	0.02*	0.05"	0.5	9.6	8.01*	0.05*
Parties	8.5"	0.85*			8.097	5	0.85*	0.05"	0.02"	2	0.02*	0.05"	0.6	0.5	0.01*	0.05*
Colory leaves	0.5"	0.05*			0.007	5	0.85*	0.08"	0.02"	2	0.02*	0.06"	0.6	0.5	0.01*	0.06*
Others	0.5"	0.85*			0.007	5	0.86*	0.05"	0.02"	2	0.02*	0.08"	0.5	0.5	6.01.	0.06*
LEGUIVE VEGETABLES (hosh)																
		0.88*				801"	0.86*	0.05"	0.05	0.5	0.02"	0.09*	0.2	6.5	0.01*	0.05"
Beans (with pods) Beans (without pods)		0.65*				0.00	0.85*	0.05"	0.05	0.00*	0.00	0.05*	0.86*	0.6	0.01*	0.05"
Francisch pode)	0.9"	0.05"				2	0.05"	0.05"	0.00	0.5	0.02"	0.00*	0.1	0.5	0.81*	0.06"
Page (without point)	0.1"	98.0				0.011	0.86*	0.05"	0.05	0.007	0.02"	0.09*	0.85*	6.5	0.01*	0.05*
Ores	0.1"	0.05			0.85*	0.011	0.65*	0.05"	0.05	0.06*	0.02	0.05"	0.85*	0.5	0.21*	0.05"
STEM VEGETABLES																
Asperagus	0.7"	0.05*			0.85*	0.011	98.0	0.05"	9.02*	0.06*	0.02	0.05*	0.85*	6.5	0.01*	0.05"
Cardons	0.1	0.05"			0.80*	0.01*	0.05"	0.05	0.02*	0.89*	0.02"	9.06*	0.86*	0.02*	0.81*	0.05
Celery	0.1	0.00			0.65*	10	0.05"	0.08*	8.02*	0.85*	0.02"	0.06*	0.85*	0.5	0.81*	0.05"
Formal	0.11	0.05*			0.05*	0.81*	0.08"	0.05*	0.02*	0.86*	0.02"	0.09*	0.05*	0.02"	0.01*	0.05"
Gote artichiles	0.1	0.05"			0.05"	0.01*	1	0.05*	8.02*	2	0.02	6.00*	0.1	6.5	0.01*	0.05"
Leeks					100.0	10	0.05"	0.05*		0.5	0.02"	0.00*	0.2	6.5	0.01*	0.05"
Bhubarb	0.1*	0.08"			0.65*	0.81*	0.05"	0.08*	0.02*	0.85*	0.02	0.08*	0.85*	0.00*	0.01*	0.06"
Others	0.1"	0.05"			0.05"	0.81*	0.05"	0.05*	8.02"	0.86*	0.02"	0.00*	0.85*	0.02"	0.01*	0.05"

11 6.85° 12 0.66° 13 0.66° 14 0.66° 15 0.66° 16 0.66° 17 0.66° 18 0.66° 18 0.66° 19 0.66° 10 0.66° 10 0.66° 10 0.66° 11 0.66°			0.85° 6.85° 6.85° 6.05° 6.11° 6.11° 6.11° 6.11°	0.01* 0.05* 0.01* 0.05* 0.01* 0.01*	0.00, 0.00, 0.00, 0.00, 0.00, 0.00,	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.05- 0.05- 0.05- 0.05- 0.05- 0.05- 0.05- 0.05- 0.05- 0.05-	0.2 0.2 0.05 0.05 0.05 0.05 1	6.65° 6.65° 6.02° 6.02° 6.02°	6'85, 6'85, 6'85, 6'86, 6'08, 6'08,	0.09* 0.06* 1 1 1 1 6.00* 6.00*	2.5 0.02*	6.01° 6.01° 6.01° 6.01° 6.01°	908, 908, 908, 908, 908, 908, 908,
1, 630, 630, 630, 630, 630, 630, 630, 630			6.85° 6.85° 6.00° 0.11° 0.11°	0.01* 0.05* 0.05* 0.05* 0.05*	0.00, 0.00, 0.00, 0.00, 0.00, 0.00,	0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.05- 0.05- 0.05- 0.05- 0.05- 0.05- 0.05- 0.05- 0.05-	0.05° 0.05° 0.05° 0.05°	6.85, 6.95, 6.05, 6.05, 6.05,	6'85, 6'85, 6'85, 0'08, 0'08, 0'08,	0.00°	2.05*	6.01° 6.01° 6.01° 6.01° 6.01°	0.00, 0.00, 0.00, 0.00, 0.00,
0.85° 11' 0.86° 12' 0.08' 12' 0.08' 14' 0.88'			6.85° 6.85° 6.00° 0.11° 0.11°	0.01* 0.01* 0.01* 0.01* 0.01*	0.00, 0.00, 0.00, 0.00, 0.00, 0.00,	0.05° 0.05° 0.05°	0.05- 0.05- 0.05- 0.05- 0.05- 0.05- 0.05-	0.08° 0.05° 0.05° 0.05°	6.85° 6.85° 6.02° 6.02° 6.02°	6'80, 6'80, 6'80, 0'00, 0'00,	1 1 1 1 6.00* 6.00*	2.05*	6.01° 6.01° 6.01° 6.01° 6.01°	0.00°, 0.00°, 0.00°, 0.00°, 0.00°,
1, 0'82, 1, 0'82, 1, 0'82, 1, 0'82, 1, 0'82,			6.80° 6.00° 6.00° 0.1° 0.1°	8.91* 9.05 8.91* 9.05 9.01*	0.00, 0.00, 0.00, 0.00, 0.00, 0.00,	0.00° 0.00° 0.00° 0.00° 0.00°	0.05. 0.05. 0.05. 0.05. 0.05.	0.2 0.20 0.00 0.00 0.00	0.02° 0.02° 0.02° 0.03°	6.85° 6.85° 6.00° 0.00°	6.80° 6.80° 6.80°	0.05*	0.01* 0.01* 0.01* 0.01*	0.00°, 0.00°, 0.00°, 0.00°, 0.00°,
1, 0'82, 1, 0'82, 1, 0'82, 1, 0'82, 1, 0'82,			6.80° 6.00° 6.00° 0.1° 0.1°	8.91* 9.05 8.91* 9.05 9.01*	0.00, 0.00, 0.00, 0.00, 0.00, 0.00,	0.00° 0.00° 0.00° 0.00° 0.00°	0.05. 0.05. 0.05. 0.05. 0.05.	0.2 0.20 0.00 0.00 0.00	0.02° 0.02° 0.02° 0.03°	6.85° 6.85° 6.00° 0.00°	6.80° 6.80° 6.80°	0.05*	0.01. 0.01. 0.01. 0.01.	8'00, 8'00, 8'00, 8'00,
1" 0.85" 1" 0.85" 1" 0.85" 1" 0.85"			8.00° 8.00° 8.1° 8.1° 8.1°	8.81° 8.81° 8.81° 8.81°	0.00, 0.00, 0.00, 0.00, 0.00,	0.00, 0.00, 0.00, 0.00, 0.00,	0.05. 0.05. 0.05. 0.05.	0.2 0.2 0.2 0.05	0.02° 0.02° 0.02° 0.03°	6.85° 6.85° 6.00° 0.00°	6.80° 6.80° 6.80°	0.05*	0.01. 0.01. 0.01. 0.01.	8'00, 8'00, 8'00, 8'00,
0.85° 1° 0.85° 1° 0.85° 1° 0.85°			0.1° 0.1° 0.1°	8.91* 8.91* 8.91* 8.91*	0.00, 0.00, 0.00, 0.00,	0.00, 0.00, 0.00, 0.00,	0.00-	0.00*	0.00"	6.85° 6.85° 0.00°	6.00° 6.00°	0.05*	0.01° 0.01° 0.01°	0.00, 0.00, 0.00, 0.00,
0.65° 1° 0.65° 1° 0.65°			0.1° 0.1° 0.1°	8.91* 8.91* 9.05	0.08, 0.08, 0.08, 0.08,	0.05° 0.05° 0.06°	0.00-	0.00*	0.00"	6.85° 6.85° 0.00°	6.00° 6.00°	0.05*	0.01° 0.01° 0.01°	0.02, 0.02, 0.02,
0.65° 1° 0.65° 1° 0.65° 0.65°			0.1°	0.05 0.01* 0.05	0.06,	0.05"	0.02	0.00*	0.00° 0.00°	6.85° 6.85°	6.00	0.05*	0.01° 0.01°	0.06,
0.65° 1° 0.65° 1° 0.65° 0.65°			0.1°	0.05 0.01* 0.05	0.06,	0.05"	0.02	0.00*	0.00"	0.05"	6.00	0.05*	0.011	0.05*
0.85° 1° 0.85°			0.1°	0.05 0.01* 0.05	0.06,	0.05"	0.02	0.00*	0.00"	0.05"	6.00	0.05*	0.011	0.05*
0.85° 0.85°			0.1°	0.01°	0.06	0.05"	0.02"	0.2	0.00*	0.05*	6.00*		0.011	0.05
6.80°				0.01*	0.06*	0.05"								
0.85*			0.1*		0.06*	****				0.097	0.06*		0.01*	0.08*
0.85*							0.80*	0.2	0.007	0.00*	0.00*	2.00	0.011	0.05
				0.01*	0.05*	0.65"	0.86	0.2	0.007	0.00*	8.1	0.08*	0.01	0.05"
1" 0.05"			0.1*	0.011	0.05"	0.05"	0.03*	0.00*	0.08*	0.06	0.05*	0.00*	0.011	0.05
			0.1*	0.01*	0.05"	0.85"	6.02*	0.05*	0.09*	0.08*	0.05*	0.05*	0.61*	0.05
				0.01*	0.05"	0.05"	0.02*	6.2	0.09*	0.08*	0.05"		0.617	0.00
27 0.007			0.1*	0.01"	0.86"	0.05*	4.02*	0.05*	0.05*	0.05"	0.66"	0.05"	0.01"	0.00
														6.00
0.05*				0.01"	0.05*	0.00*	0.02*	0.08*	0.02"	0.85*	98.0		0.011	6.00*
0.05*				0.01*	0.00*	9.08*	0.02*	0.05"	0.62"					0.007
														4.00
2" 0.1"	20	0.02*	4.1"	0.1*	6.1*	6.1"		0.6	0.1*	0.0		0.00*	0.1*	6.5"
9			91*		4.00	411	90							4.1"
	0.05*	5. 01. 30	0.05*	2° 0.1° 20 0.57° 0.1°	0.06° 0.07° 0.0° 0.0° 0.0°	0.05° 52° 52° 52° 52° 52° 52° 52° 52° 52° 5	0.00° 0.00° 0.0° 0.0° 0.0° 0.0° 0.0° 0.	0.05° 0.02° 0.01° 0.02° 0.02° 0.02° 0.02° 0.02° 0.02° 0.02° 0.03°	0.05°	0.05°	0.08°	0.05° 0.1° 0.1° 0.1° 0.1° 0.1° 0.0° 0.0° 0.2° 0.2° 0.2° 0.2° 0.2° 0.2	0.05°	0.05°

ched, preserved by clemerines & unshelled)	thesizing not con	raining added	0.85° 0.85° 0.85° 0.85° 0.85°	0.08, 0.08, 0.08, 0.08, 0.08,	0.02° 0.02° 0.02°	:	0.01° 0.01° 0.01°			0.05, 0.05, 0.05, 0.05,		0.01° 0.01° 0.01°	4.07 4.07 4.07	0.08"
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		0.05° 0.05° 0.05° 0.05°	0.08, 0.08, 0.08, 0.08,	0.02° 0.02° 0.02°	:	0.01"			0.05.		0.01*	0.07 0.07	0.08
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		0.05° 0.05° 0.05° 0.05°	0.08, 0.08, 0.08, 0.08,	0.02° 0.02° 0.02°	:	0.01"			0.05.		0.01*	0.07 0.07	0.08"
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		0.05° 0.05° 0.05° 0.05°	0.08, 0.08, 0.08, 0.08,	0.02° 0.02° 0.02°	;	0.01"			0.05.		0.01*	0.05"	0.08*
	0.05° 0.05° 2 2 2 2 3		0.05° 0.05° 0.05° 0.05°	0.08, 0.08, 0.08, 0.08, 0.08,	0.02*	;	0.011							
	2 2 2 2 2,00° 0.00°		0.05° 0.05° 0.05°	0.08*	0.02*	1	0.01*			0.62*		0.00	0.05	0.000
unshelled)	0.00, 0.00, 5 5		0.05	0.08*								0.01		
unshelled)	0'00. 0'00. 0'00.		0.05*			1	0.01*			0.02*		0.01"	0.007	0.05*
unshelled)	0'02, 0'02, 0'02,			0.061	0.02*	1	0.01*			0.02*		0.01*	0.00*	0.05*
unshelled)	0.05*		0.05"		0.02*	1	0.01*			0.02*		0.01*	0.00*	0.05*
	0.05*		0.05"											
	0.05*			0.05*	0.02*	0.1*	0.01*	0.1*		0.02*	0.05*	0.01*	0.05*	0.08*
			0.05"	0.05*	9.02*	0.1*	0.01*	0.11		0.02*	0.05*	0.01	0.05*	0.09*
	0.000		0.05"	0.05*	0.02*	0.1*	0.01*	0.1*		0.02"	0.05	0.01	0.00*	0.05*
	0.00		0.05"	0.05	0.02*	0.1*	0.01*	0.1*		0.05.	0.05	0.01"	0.007	0.05*
	0.05*		0.05"	0.06*	0.02*	0.1*	0.01*	0.1*		0.02"	0.05*	0.01"	0.00	0.05*
	0.05*		0.05"	0.06*	0.02*	0.1*	0.01*	0.1*		0.02"	0.05	0.01"	0.00	0.05"
8	0.05*		0.05"	0.05*	0.02*	0.1*	0.01*	0.1*		0.02"	0.05*	0.01"	0.05*	0.05"
	0.05*		0.85"	0.05*	0.02*	0.1*	0.01*	0.1*		0.02"	0.05	0.01"	0.05*	0.65"
	0.05*		0.85"	0.05	0.02*	0.1*	0.01*	0.1"		0.65	0.05"	0.01"	0.05*	0.05"
	0.05"		0.05"	0.08*	0.02*	0.1*	0.011	6.1"		0.05.	0.05	0.01"	0.00*	0.05"
	0.05"		0.85"											0.85"
	0.05"		0.05"	0.05"	0.02*	0.1*	0.01*	0.1"		0.62"	0.05"	0.01"	0.00*	0.05"
	1		0.05*	0.05*	0.02*	1	0.01"	3						1
	1		0.05*	0.05*	0.00*	1	0.011	3						1
	1		0.05*	0.06*	0.02*		0.011							1
	1		0.05"	0.05*	0.02*	1	0.01"	3		0.3	2	0.01"	0.06*	1
			0.05"	0.08*	0.03*	1	0.01"	0.05*				0.01"		0.85"
			0.05"	0.08*	0.00*	1	0.01"	3				6.61"	0.05*	0.85"
			0.05"	0.05*	0.02*	1	0.01*	0.05*				6.81"	0.00*	0.85*
			98.0	0.05*	0.02*									0.85*
			0.06"	0.05*	0.02*	1	0.011	0.00*				0.01"	0.08*	0.85*
	ectavines &	0.65° 0.65° 1 1 1 1	0.65° 0.65° 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.00° 0.00°	0.65° 8.85° 0.65° 0.65° 8.85° 0.65° 1 8.85° 0.65° 1 8.85° 0.65° 1 8.85° 0.65° 1 8.85° 0.65° 8.85° 0.65° 8.85° 0.65°	0.60° 0.80° 0.00°	0.60° 0.60° 0.00° 0.00° 0.10°	0.66° 0.66° 0.66° 0.62° 0.7° 0.57° 0.60° 0	0.65° 0.65° 0.65° 0.65° 0.65° 0.67° 0.57°	0.66° 0.69° 0.69° 0.60° 0.1° 0.60° 0.51° 0.60° 0.51° 0.60° 0.51° 0.60° 0.51° 0.60° 0.51° 0.60° 0.51° 0.60° 0.51° 0.50° 0.51° 0.50° 0	0.66° 0.69° 0.69° 0.62° 0.61° 0.61° 0.61° 0.61° 0.62°	0.65° 0.65° 0.67° 0.67° 0.67° 0.67° 0.65°	0.66° 0.66° 0.66° 0.62° 0.7° 0.67° 0.7° 0.67° 0.7° 0.67° 0.87° 0.86° 0.8	0.60° 0.60°

ad belongs - following products	Dichloryes	Dicold	Dimethaste	Dimpsab	Diousthian	Disulfators	Endosultan	Entirin	Ethephon	Ethion	Fenerimol	Ferbutatin Oxide	Fenchlophas Fenitration	Forte	Fervalorate
BERRIES AND SMALL FRUIT															
a) Table & wine grapes															
Table grapes		1		0.05*	0.05"	0.02*	1	0.01*			0.3	2	0.01*	0.05*	1
Wine grapes		1		0.06*	0.85"	0.02*	1	0.011			0.3	2	9.01*	0.05"	1
b) Strawberries (other than wild		2		0.05*	0.05*			0.011*	9.05*		0.0		0.01*	0.05"	0.05*
<li>Cane Fruit (other than wild)</li>															
Disciberries		0.02*		0.05*	0.05*	0.02*		0.01"	0.05*		0.02*	0.06*	0.01*	0.05"	0.08*
Dowberries		0.02*		0.05*	0.00*	0.02"	0.05*	0.01"	0.05*		0.02*	0.08*	0.01*	0.00*	0.05*
Logarberies		0.02*		0.08*	0.05*	0.05.	0.05*	0.01"	0.05*		0.02"	0.08*	0.01"	0.05*	0.08*
Flaspberries Others		0.02*		0.05*	0.05*	0.05.	1	0.01"	0.05*			0.05*	0.01"	0.00*	0.08*
_ Other small fruit & bernos		0.02*		0.00	0.05*	0.82*	0.05*	0.01*	0.05*		0.02*	0.05"	0.01*	0.08*	0.05*
(f) oother than wild)															
Gibonies		0.02*		0.05"	0.05*	0.02*	0.05*	0.01*	0.05*		6.02*	0.05"	6.81*	0.08*	0.05"
Crarberies		0.02		0.05"	0.05*	0.00*	0.05*	0.01*	0.007		0.02*	0.85*	631.	0.08*	6.85
Currents (red, black & white)				0.05"	0.05*	0.02*		0.01*	5		1	0.00*	691	0.08*	0.00
Geoseberries		9837		0.05"	0.05"	0.02*		0.01*	0.05"		1	0.00*	6.01*	0.00*	6.00
Others		0.02		0.00*	0.05*	0.02*	0.05"	0.01*	0.05"		0.02*	0.05*	0.01*	0.05*	6.00*
<ul> <li>o) Wild berrien &amp; wild fruit.</li> </ul>		0.02*		0.06*	0.05"	0.02*	0.85"	0.01*	0.05*		0.02*	0.05*	0.01*	0.05"	0.00*
MISCELLANEOUS FRUIT															
Avocados		0.02*		0.06*	0.05"	0.02*	4.00	0.01*	0.05*		0.02*	0.08*	0.01*	0.00	0.08*
Bananas		2		0.05*	9.85	0.02*		0.00*	0.08*		0.0		0.01*	0.85"	0.05*
Dieters		0.02*		0.08*	0.00"	0.02*	0.05*	0.01"	0.05*		0.02*	0.09*	0.01*	0.05*	0.00*
Figs				0.08*	0.05*	0.02*	0.00*	0.01"			0.62*	0.08*	0.01*	0.05*	0.05*
Kini fruit		0.02*		0.05*	0.05*	0.02*	1	0.01"	0.06*		0.02*	0.05*	0.01*	0.05	0.05*
Kuregunts		0.02*		0.051	0.05*	0.02"	0.05*	0.01"	0.05*		0.62*	0.05"	0.01*	0.05*	0.00*
Litatis		0.02*		0.05*	0.05*	0.02"	0.05*	0.01*	0.08*		0.65	0.05"	0.01"	0.057	0.05
Mangoes		0.021		0.06*	0.05*	0.02"	0.06*	0.01*	0.08*		0.62"	0.05*	0.01"	0.087	0.05"
Olives (table consumption)		0.02*		0.06"	0.06*	0.02"	1	0.01*			0.02*	0.05"	0.81*	0.08*	0.05"
Olives (oil extract)		0.021		0.05"	0.05*	0.02"	1	0.01*			8.02*	0.85"	0.81*	0.051	0.05"
Passion fruit		0.02"		0.05"	0.08*	0.02*	0.08*	0.01*	0.05"		8.02*	0.867	0.01*	0.05*	0.05"
Proteoples		0.02*		0.06*	0.08*		0.05"	0.01*			0.02*	0.00*	0.01*	0.05*	0.05*
r-mapping		0.02"		0.05*	0.08*	0.02*	0.05"	0.01"	0.05"		0.02*	0.09*	4.01*	0.05"	0.05*
Pomeganales Others		0.02"		0.05"	0.051	0.02*	0.05*	0.01*	0.05"		0.02*	0.057	0.01*	0.05*	0.007

iroup to which Groups include the ood belongs following products	Dichlaryos	Disolol	Dimethoste	Dinoseb	Disxathlon	Dauloten	Entimulian	Endrin	Ethephan	Ethion	Fenarimol	Dedo Dedo	Functiorphos Funitrothion	Fentin	Fervalerate
. Vegetables, fresh or uncooked, fro	izen ar dry														
ROOT AND TUBER VEGETABLE	8														
Restruct		0.02*		0.05*	6.05*	0.02"	0.2	0.017	0.08*		0.02"	0.05"	0.01"	0.05"	0.00*
Carreta		0.00*		0.05	0.00*		0.2	0.01"	0.05*		0.02"	0.08*	0.01*	0.05"	0.05*
Coloriac		0.02*		0.05*	4.05*	0.02"	0.2	0.017	0.08*		0.02"	0.05*	0.01"	10.00	0.00*
Horseradish		0.02*		0.08*	0.05*	0.02"	0.05*	0.01*	0.06*		0.02"	0.05*	0.01*	0.05"	0.08*
Jenusien artichokes		0.00*		0.05	0.05*	0.02*	0.09*	0.01"	0.05*		0.02"	0.08*	0.01*	0.05"	0.05*
Parenips		0.02*		0.05	0.05		0.00*	0.017	0.05*		0.02"	0.06*	0.01*	0.05"	0.00*
Parales root		0.02*		0.06*	0.00	0.02*	0.2	0.01"	0.05*		0.02*	0.09*	0.01*	0.05"	0.05*
Radishea		0.02*		0.05	0.05"	0.02*	9.00	0.01"	0.05*		0.02"	0.08*	0.01*	0.05"	0.05*
Suisity		0.02*		0.05*	0.05	0.02*	0.05*	0.01*	0.007		0.02"	0.06*	0.01*	0.05"	0.00*
Sweet potetoes		0.02*		0.08*	98.0	0.02*	6.007	0.01"	0.05*		0.02*	0.06*	0.01*	0.05"	0.05*
Seveles		0.02*		0.05*	0.05	0.02*	0.2	0.01*	0.00*		0.02"	0.08*	0.01*	0.05"	0.05*
Turnips.		0.02*		0.05*	0.05	0.02*	0.2	0.011	0.00*		0.02*	0.00*	9.01*	0.05"	0.00*
Yerra		0.02*		0.08*	0.05"	0.02*	0.05*	0.01*	9.057		0.02*	0.00*	0.01*	0.05"	0.05*
Others		0.02*		0.05*	0.05	0.02*	9.86*	0.01*	0.007		0.02*	0.08*	0.01*	0.05"	0.05*
BULB VEGETABLES				2.00											
						0.02*	0.00*	0.01*	0.00*		0.02*	0.05*	0.01*	0.05*	0.00*
Garlic Onions		0.02*		0.05*	0.05	0.02*	1	0.01*			0.02	0.007	0.01*	0.05"	0.00*
Shallots		0.02		0.05	0.05	0.02*	98.0	0.01*	6.00		0.02*	0.08*	0.01*	0.05"	0.05*
Spring priors		0.02*		0.05*	0.05"	0.02*	0.00*	0.01*	0.00		0.02	0.08*	0.01*	0.05"	0.05*
Others		6.02		0.00	0.05	0.02*	0.007	0.01*	0.057		0.02*	0.08*	0.01*	0.05"	0.00*
FRUITING VEGETABLES		***		****											
,															
n) Solanaces						0.02*	,	0.011	3				0.01"	0.05"	1
Tomatoes		0.6		0.05*	0.05"	0.02*	;	0.01*	,				0.01"	0.05*	0.2
Poppers		0.6		0.05*	0.05*	0.02*	;	0.01"	0.00*				0.01"	0.05"	0.00*
Autorgines Others		0.02		0.05*	0.05	0.02*	,	0.01*	0.08*				0.01"	0.00*	0.05*
b) Cupubits-edible peel		442		0.00	0.00	0.02		0.01							
Cupurbers		0.5		0.05*	0.05"	0.02*	1	0.011	0.002			0.8*	0.01*	0.05"	6.2
Gherins		0.5		0.05*	0.05	0.02*	1	0.01*	0.05*				0.01"	0.05"	0.05*
Courgettes		0.5		0.05*	0.05"	0.02*	1	0.01*	0.05*				0.61*	0.00*	0.05*
Others		0.5		0.05*	0.05"	0.02*	1	0.01"	0.00*				0.01"	6.00*	0.00*
4 Guoubits-inedible peel															
Melora		0.5		0.08*	0.05"	0.02*	1	0.01*	0.06*				0.01*	0.05"	0.2
Squarives		0.8		0.00*	0.05"		1	0.01"	4.05*				0.01*	0.05"	0.5
Watermelone		0.6		0.06*	0.05"	0.02*	1	0.01*	0.05*				0.01*	0.05"	9.5
Others		0.5		0.09*	0.08*	0.02*	1	0.01*	0.05*				0.01*	0.05"	0.05*
d) Sweet com		0.02"		0.05	0.05"	0.02*	0.05*	0.01*			0.02"	0.08*	0.01*	0.05"	0.05*

Group to which Groups include the ood belongs - following products	Dichlowos Dicolo	Directouse	Dinoseti	Dioxattion	Deutstan	Endosultan	Endrin	Ethephon	Ethion	Fenanmol	Fenbutatin Oxide	Fendrosphas Fenirodo	n Fentin	Ferryslerate
VI BRASSICA VEGETABLES														-
a) Flowering Brassicas														
Brocesi	0.02		0.05"	0.05"			0.01*	0.06*		0.02*	0.05*	0.01"	0.00*	1
Caulifower	0.02		0.05"	0.05"		i	0.01*	0.06"		0.02*	0.05*	0.01"	0.002	1
Others	0.02		0.06"	0.05"	0.02*	1	0.01*	0.06*		0.02*	0.08*	0.01"	0.00*	1
b) Head Braseloss														
Brussels sprouts	0.82		0.85"	0.85*		1	0.01*	0.00*		0.00*	0.05*	0.01*	0.08*	0.05*
Head cabbage	0.82		0.85"	0.85*		1	0.01"	0.05*		0.02*	0.05*	0.01*	0.08*	9.08*
Others	0.82		0.05*	0.85*	0.02*	1	0.01*	0.05"		0.02*	0.05*	0.01"	0.09*	0.08*
c) Leafy Brassicas														
Chinese colitage	0.02		0.05*	6.05*	8.02*	1	0.01*	0.00*		0.02*	0.05*	0.01*	0.08*	1
Kale	0.02		0.00*	6.08*	0.02*	1	0.01*	0.06*		0.02"	0.05"	8.01*	0.09*	0.05*
Others	0.02		0.00*	6.06*	0.02*	1	0.01*	0.06*		0.02*	0.08*	8.01*	0.05*	0.05*
d) Kahindai	0.02		6.00*	0.00*		0.05*	0.01*	0.05*		0.02*	0.05*	0.01*	0.05"	0.05*
<ul> <li>LEAF VEGETABLES AND FRESH</li> </ul>	HERBS													
a) Lettuce & similar														
Cross	0.02		4.08*	0.00*	9.02*		0.01*	0.08*		0.02"	0.05"	0.01*	0.05"	0.08*
Lamins lettuce	9.02		0.06*	0.00*	0.02*	1	0.011	0.05*		0.02"	0.05"	0.01*	0.05"	0.08*
Letture	0.03		0.087	0.08*	0.02*	1	0.011	0.08*		0.02*	0.05"	0.01*	0.05"	0.08*
Scarole	0.02		0.00*	0.00*	0.02*	1	0.01*	0.00*		0.02*	0.00"	9.011	0.05	0.05*
Others	0.02		0.09*	0.09*	0.02*	1	0.01*	o.ds*		0.02"	0.05*	0.01*	0.85"	0.05"
by Spinach & similar														
Spireon	0.02		0.08*	0.08*	0.02"	1	0.01*	0.05"		0.02"	0.85*	0.01*	0.85"	0.05*
Beet loaves (chard)	0.02		0.08*	0.06*	0.02*	1	0.01"	0.06"		0.02"	0.85*	0.01*	0.05*	0.05"
Others	0.02		0.08*	0.05*	0.02*	1	0.01"	0.05"		0.02"	0.85*	0.01*	0.85*	0.05"
c) Watercrees	0.02		0.09*	0.08*	0.02"	0.08"	0.01*	0.08"		0.62	0.00*	0.01"	0.85*	0.85*
d) Willoof	0.02		0.05*	0.05*	0.02"	0.05"	0.01"	0.05"		9.82	0.00*	0.01*	0.85*	0.85"
a) Hwite														
Chervil	9.02		0.05"	0.05"		0.05"	0.01"	0.05"		0.82*	0.05*	0.01"	0.05*	0.05*
Chives	0.02		0.05"	0.05"		0.85"	0.01"	0.05"		0.82*	6.05*	*****	0.06*	0.00*
Parsky	9.02		0.05"	0.05"		0.85"	0.01"	0.05"		0.82*	0.05*	*****	0.06*	0.05*
Celery leaves	0.62		0.08"	0.05"		0.86"	0.81"	0.05"		0.02*	0.05*	0.01"	0.08*	0.06*
Others	0.02		0.05"	0.05"		0.85*	0.01*	180.0		0.02*	0.08*	0.01"	0.05*	0.00*
i) LEGUME VEGETABLES (fresh)														
Beans (with peds)	0.6		0.05"	0.85"		1	0.01*	0.00*		9.00*		6.01*	0.00*	0.00*
Beans (without pods)	0.6		0.05"	0.86"		1	0.01*	0.05*		0.02*		6.01*	0.05*	0.05*
Peas (with pods)	0.6		0.05"	0.86*		1	6.01*	8.05*			0.05"	6.01*	0.05*	0.05*
Peas (without pods)	0.6		0.05"	0.05*	0.02*	1	8.01*	1.05*			0.05"	6.01*	0.05*	0.05*
Others	0.82*		0.05"	0.06*		1	8.01*	0.08*		0.02*	0.05"	8.01*	0.05*	0.05*
(I) STEM VEGETABLES														
Asperagus	0.62*		0.05"	0.05*	0.02*	0.087	0.011	9.08*		0.02*	0.05"	0.01*	0.08*	0.08*
Cardeons	0.62*		0.05*	0.00*	6.02*	1	0.01*	0.08*		0.02	0.05"	0.01*	0.05*	0.08*
Collecy	6.62*		0.00	0.00*		1	0.01*	0.08*		0.02*	0.05"	0.01*	0.00"	0.08*
Fennel	0.03*		0.00*	0.00*	0.02*	0.08*	0.01*	0.00*		0.02	0.05"	0.01*	0.05"	0.08*
Stobe artisholes	-		0.007	0.00*	0.02*	1	0.01*	9.09*			0.05"	0.01*	0.05"	0.09
Louis	0.00*		0.007	6.08*	0.02*	1	0.01*	9.09*		0.02*	0.05"	0.01*	0.05*	0.09
Fitubarb	1.02*		0.007	0.00*	0.00*	0.05*	0.01*	0.05*		0.02"	0.00	0.01*	0.85*	0.05
Others	1.02*		0.007	8.00*	0.00*	0.05	0.011	0.08*		0.02"	0.80*	0.01*	0.00*	0.05

ood belongs	Groups instude the following products	Dichlaryos	Dicolal	Dimethoste	Dinaseb	Dioxathion	Disulictors	Endesulten	Enden	Ethephon	Ethion	Fenerimol	Ferbutatin Oxide	Fenchlorphos	Fenitrothion	Pentin	Forvelerate
rii) FUNGI																	
40	Cultivated mushrooms				0.06*	0.00*	0.02*	1	8,01"	8.05*		9.02"	0.05"	8.01*		0.05"	0.05*
56	Wild mushrooms		0.82*		0.057	0.05*	0.02*	0.06*	0.01*	0.00*		0.02"	0.05"	0.01*		0.05"	0.05*
8. PULSES																	
	Dearw				0.00*	0.00*		6.00*	8.01*	9.00*		0.02"	0.06*	0.01*		0.05"	0.05*
	Lerdis		0.82*		0.007	0.00*	0.02*	0.00*	8.01*	9.00*		9.02"	0.06"	0.01*		0.05"	0.05"
	Pean		0.82		0.007	0.00*	0.03*	0.09*	0.01*	0.09*		0.02"	0.05"	0.01*		0.05"	0.05*
	Others		0.82*		0.85*	0.05*	0.02*	0.08*	0.011	0.08"		0.02"	0.05"	0.01"		0.05"	0.05"
4. OILSEEDS			-														
	Limone		0.05*		0.00	0.00*	0.02*		8.011	0.00*		0.02"	0.05*	0.01*		0.05*	0.1
	Unseed Peanuts		0.00		0.00	6.00*	8.02*	6.5	8.01*	0.00		0.02"	0.00	0.01*		0.05*	0.1
	Poppy need		0.00		6.00	6.02	6.02*	6.7	4.01*	0.08*		0.02	0.86*	9.01"		0.05"	0.1
	Secarno need		0.85		0.85*	6.07	602	4.11	401	9.08*		0.02	0.85*	9.01"		0.05"	0.1
	Sunflower seed		0.85		0.057	0.027	0.02*		0.01*	0.09*		0.02"	0.85*	0.01"		0.05"	0.1
	Rope seed		0.85		0.057	6.00	8.02*		0.011	0.09*		0.00*	0.85*	0.01		0.08*	0.1
	Soys boars		0.85*		0.057	6.05*	8.02*		0.01*	0.05*		0.02"	0.85*	9.01"		0.00*	0.1
	Mustard seed		0.05		0.00	6.00*	0.00*		0.01*	0.05*		0.02"	0.05*	0.07		0.05*	0.1
	Cotton seed		0.1		6.00*	9.00*	0.05	6.3	0.01*	0.06*		0.02"		0.07*		0.05*	0.1
	Others		0.00		6.007	0.00*	0.02*	6.1"	0.011	0.08"		0.02	0.00*	0.07		0.85*	0.1
5. POTATOE								_									
	Early potatoes		0.82*		0.02	0.027			0.01*	0.06*		0.02"	6.65*	9.07		0.1	0.05*
	Witre patatoes		0.02*		6.007	0.00*			0.011	0.05"		0.00*	6.00*	0.07		0.1	0.05*
	(dried leaves and stalks,		***						401	****		-					
S. TEA	formerited or otherwise, Camellia sinensis)	0.1*	20	0.2	0.1*	0.1*	8.06*	50	0.01*	4.1"	2	0.00*	6.5*	0.1*	0.5	0.1*	10
7. HÖPS (dried)	including http pellets 8. unconcentrated powder		50		0.1*	0.1*			0.1"	8.5"		5		0.1"		4.5	

	Groups include the following products	Rucythrinase	Futatriacato	Glyphosass	Haptacritor	Hexachtore- bencene (HGB)	Hexachloro- cyclonexane (HCH)	inazali	lpredione	Lambda- cyhalothrin	Malatrian	Maleic- Nydrazide	Maneb Manecesto Medicam Propineb Zineto	Mocerbarn	Metabacyl	Methaniclophy
	dried or uncooked, prese	rved by freez	ring not cons	aining added	sugar: nutr											
) CITRUS FE	TILIF															
	Grapehut		0.05"	0.1"	0.01*			6	0.02*			7*	5	2		0.2
	Lemens		0.05*	0.1*	6.011				8			*		2		0.2
	Limes		0.05*	0.1*	0.011			5	0.00*			*		,		0.2
	Mandarins (inc clementines & similar hybrids)		0.06*	0.11	0.011				2					2		0.2
	Oranges		0.05"	0.1*	9.01"				0.02"				5	2		0.2
	Formios		0.65*	0.1"	0.01"				0.82*			P		1		0.2
TREE NUT	Others S (shelled or unshelled)		0.65*	0.1*	0.01"			5	0.82*			*		. 2		0.2
	Almonds		0.05*	6.1"	0.01*			0.02*	0.00*	0.04*						
	Brazil n.as		0.05*	6.5"	0.01*			0.02*	0.00*	0.00		1"	0.1*	0.86	0.05*	0.01*
	Coshew rute		0.057	6.5"	6.01*			0.00*	0.00*	0.00*		1"	0.1*	0.06.	0.05"	0.01*
	Chwatruts		0.087	6.1"	6.01*			9.02%	0.02*	0.00*		P.	0.1*	6.00*	0.05"	0.011
	Coconuts		9.09*	4.1"	6.01"			0.02	0.02*	6.05*		1.	0.4*	6.00*	0.05"	0.01*
	Happinuts		0.09*	0.1"	6.01*			0.02	0.2	8.05*		1.	0.4*	6.00*	0.86*	0.011*
	Macadamia ruts		0.09*	0.1*	0.011			0.02	0.02	0.00*			0.7"	0.05*	0.86*	0.61*
	Pecans		0.05*	0.1*	0.011			0.82*	0.02	0.08*		4.	6.1"	0.05*	0.85*	0.01"
	Pine rute		0.08*	0.11	0.01*			0.82*	0.05	0.05*		P.	8.5"	0.08*	0.05*	0.01"
	Pistachica		9.08*	0.1*	0.01"			0.82*	0.65	0.05"			0.1"	0.05"	0.08*	0.81*
	Welnuts		0.05"	0.11	0.01*			0.00*	0.82	0.05		P.	0.1"	0.05"	0.05*	0.01.
	Others		0.05"	0.1*	0.01"			6.02*	0.02	0.05"		12	0.1"	0.65*	0.09*	0.01*
) POME FRI	JIT				-			****	eac.	0.00		P	0.11	0.85*	0.00*	601.
	Apples		0.86*	0.1*	0.01"				10	0.1		1*		0.85*		0.06
	Pears		0.05"	0.1"	0.81*			5	10	0.1		1.	,	0.00		0.05
	Quinoss		0.00*	9.1"	0.01*			5	10	0.1		11	3	8.05*	,	0.05
	Others		0.00*	0.1"	681"				10	0.1		1"	1	0.00*	1	0.05
) STONE FR																0.00
	Apricota		0.08*	0.1"	8.01*			0.02"	5	6.2		9*	2	0.05*	0.00*	0.1
	Charries		0.08*	0.1"	4.01*			0.62"	5	0.1		9"	1	0.05*		4.1
	Pesches (incl nectarines & similar hybrids)		0.09*	0.1*	0.01*			0.82*	6	0.2		9*	2	0.05		0.00
	Plume		0.06"	0.1"	0.01*			0.82*	5	0.1		10		0.05"	0.00*	0.3
	Others		0.06"	0.1*	0.01*			0.02" -	6	0.1		12	0.05"	0.05"	0.09*	0.011

roup to which Chaups include the od belongs. Inflowing products	Puojiteinas	Furationarb	Olyghosato	Hoptachiar	Hexachloro- bensene (HCR)	Hexachloro- cystonexane (HCH)		Imazali	Iprodione	Lambda- cyhalothrin	Matorhion	Malero- Hydrazide	Manusolo Manusolo Metinam Propineto Zineto	Mecarbam	Metalaxyl	Mathamidoph
BERRIES AND SMALL FRUIT																
a) Table 5, wine grapes																
Table grapes		0.05"	0.11	0.011				0.00*	10	0.2		11	2	0.06*	2	0.01"
Wine-grapes		0.08*	0.1*	0.01*				0.02*	10	0.2		1"	2	0.00*	1	0.01"
<ol> <li>Strawborries (other than white)</li> <li>Cane Fruit (other than white)</li> </ol>		0.06*	0.11	0.01"				0.00*	10				3	0.08*	0.5	0.01"
Blackberries		0.05"	0.11	0.01"				8.02*	5	0.02*		1,	0.08*	0.06*		0.01"
Dowberton		0.08*	0.1*	0.01"				0.00*	5	0.05*		4.	0.06*	0.06*		0.01"
Logardenies		0.05*	0.1*	0.01*				8.05		0.03*		1"	0.05*	0.05*		0.01"
Raspborries		0.05*	0.1*	0.01*				0.02*		0.02*		1.		0.05*		9.01"
Others Other small fruit & berries (other than wild)		0.05	0.11	0.01*				8.02*	٠,	0.00*			0.06*	0.06*		
Otheries		0.05*	0.1*	0.01*				0.02*	10	0.03*		4*	0.00*	0.05*	0.05*	0.01"
Cranberries		0.05*	0.1*	0.01*				0.02*	8.03*	0.03*		1"	0.05*	0.05"	0.057	0.01"
Currents (red, black & white)		0.00*	0.1*	0.01"				0.00*	10	0.1		9"	5	0.08"	0.08*	0.01*
Cooseberries		0.05*	0.1*	0.01"				0.02*	10	0.1		4"		0.08*	0.00*	0.01"
Others		0.06*	0.1*	0.01*				0.02*	8.03*	0.02*		1"	0.05*	0.08*	6.05*	0.01"
e) Wild benies & wild huit		0.05*	0.1*	0.01*				8.02	8.02*	0.03*		1"	0.05*	0.05*	6.05	0.01"
MISCELLANEOUS FRUIT																
Avocados		0.05*	0.1*	0.01*				0.02*	8.02*	0.02*		1"	0.05*	0.05*		0.01"
Bananas		0.06*	0.1*	0.01*				5	3	0.02*		1"	0.05*	0.05*	6.05*	0.01"
Conce		0.08*	0.1*	0.01*				0.00*	0.02*	0.02*		4.	0.08*	0.08*	0.00*	0.01*
Figs		0.05*	0.1*	0.01"				0.00*	8.02*	0.00*		4.	0.05"	0.08"	0.09*	0.01*
Kirel truit		0.05*	0.1*	0.01*				0.02*		0.02*		4.	0.05	0.05"		0.01*
Kumquata		0.05*	0.1*	0.01*				0.02*	0.02*	0.03*		4.	0.05*	0.05"	9.05*	0.01*
Literina		0.05"	0.1"	0.01"				0.02"	0.02*	0.00*		4.	0.05"	0.05"	0.05*	0.01*
Mangoes		0.05*	0.1*	0.01*				0.00*	0.02*	8.00*		4.	0.05"	0.06"	0.09*	0.01
Olives Eable consumption)		9.05	0.11	0.01*				0.00*	0.02*	8.02*		4.	0.06"	0.06"	0.09*	6.31*
Olives (oil extract)		0.05*	2	0.011				0.02*	0.02*	0.02*		4.	0.05"	0.06"	0.08*	631,
Passion fruit		0.05*	0.1"	0.011				0.02*	0.021	0.00*		F	0.05"	0.05"	0.00*	6.01*
Prospptes		0.08*	0.1*	0.01*				0.05	0.05	8.05			0.05"	0.05"	0.05	6.01
Pomegranase Others		0.00*	0.1*	0.01"				0.05.	0.05	8.05			0.05	0.85"	0.05*	6.011
			-													

Group to which Groups include the cod belongs following products	Fluightinate Fundhiosets	Cityphosate	Heptachilor	Havastiony- berzene (HCD)	Hexachtoro- cyclohexane (HCH)	Hexachtero- cyclohexane (HGH)	Imazalii	gradiane	Lambda- cyfleisthein	Malathon	Maleic- Hydradicle	Mancoseb Metrere Propineti Zineb	Mecarban	Metalaxyl	Mathamatophee
2. Vegetables, fresh or uncooked, froz	en or dry														
ROOT AND TUBER VEGETABLES															
Bestoot	0.05*	0.11	0.01"				0.00*	0.5	0.02*			0.05			
Carole	980	0.1	0.01"				0.00*	0.3	0.02*		-	0.00	0.05"	6.00*	0.81*
Calorina	0.85"	0.7	0.01"				0.03*	0.82*	0.02"			0.2		8.1	0.81*
Harteradish	0.85*	0.1"	0.01"				8.05						0.05"	0.08*	6.91
Januarien erteholea	0.85*	0.5"	0.01*					0.1	0.02"			0.06"	0.05"	0.08*	6.91*
Paranipa	685	6.5"	0.01*				0.02*	0.00*	0.62*		P	0.06"	0.85*	0.05*	6.01*
Parsies root	685	6.5"	0.01				0.05	6.1	0.82*		1*	0.06	0.86	0.1	0.01*
Radishee	800	6.7	0.01.				0.05	6.00*	0.82*		1,	0.00	0.85*	0.05"	6.01*
							0.02*	6.3	0.02*		1,	0.2	0.85*	0.05"	0.01*
Salally	0.00*	0.1"	0.01.				0.02*	0.00*	0.02*		4.	0.2	0.00	0.05"	0.01*
Sweet potatoes	0.00*	0.1"	0.011				0.62*	9.02*	0.02*		1*	0.01*	6.05*	0.05"	0.01*
Sweden	0.09*	0.1"	6.01.				0.02"	0.00*	0.00*		1.	0.05*	6.00*	0.65*	0.01*
Turnipe	0.06*	0.1*	6.011				0.02"	0.02*	8.02*		4.	0.05*	0.05*	0.85*	0.01*
Yams.	0.08*	0.1"	0.01*				0.89	0.02*	0.02*		4.	0.05*	0.05*	0.86*	0.01"
Others	0.08*	0.1"	0.01*				0.02	0.02"	0.02*		4.	0.05*	0.06*	0.05*	0.01"
BULB VEGETABLES															
Garlio	0.05*	0.1*	0.011				0.80*	6	9.02*		10	0.0	0.05"		0.61*
Onlens	0.05"	0.1"	0.01"				0.02*		0.02*		10	0.6	0.05"		0.81*
Shallets	0.05"	0.1*	0.01"				0.02*		0.02"		18	0.6	0.00		0.01*
Spring unions	0.00"	0.1"	0.01"				0.00*	3			1"	0.05"	0.00		601.
Others	0.86*	0.1"	0.01"				8.00*	6.02*	9.82		10	0.85"	0.85*		8.01*
) FRUITING VEGETABLES															
a) Solamacea															
Tornatoes	0.00*	0.17	0.011				0.5	5			-	,			
Peopers	8.802	6.5"	0.01*				0.02	5			11	,	8.007		4.6
Authorpinos	1.00	0.17	0.01*				0.02	,			11	,	8.05*	0.05"	0.01*
Others	0.007	4.1"	601"				0.02*				**	,	8.05	0.05"	0.01*
toj Comurbito adible pesti													mon.	0.05	and.
Cusumbers	0.061	0.1"	8.01*				0.2	2	4.1		1"	0.5	0.08*		
Gherkins	0.00*	0.1*	0.01*				0.2	2	0.1		91	2	0.05		0.01"
Courgettes	0.00*	0.1*	4.01"				2.0	2	6.1		91	2	0.05		0.81"
Others	0.05*	0.1*	0.01*				0.2	2	0.1		9*	0.08"	0.05		0.01*
t) Cucurtits-ineditie peel															
Melons	0.05"	0.1"	0.01*				2	0.3			9*	0.6	0.05"		0.81*
Squaries	0.06"	0.1*	0.01*				0.82*	0.69*			9"	0.5	0.00"	0.00*	0.01*
Watermelons	0.05"	0.1*	0.01*				0.02*	0.82*			1*	0.5	0.05"		0.01*
	0.05"	0.1*	0.01"				0.02*	0.62*			1*	0.8	0.05"	0.05*	8.01*
Others d) Sweet corn	0.05"		0.011				6.03*	0.63*	0.02"		1*	9.00	0.05"	0.06"	8.01*

Group to which Groups include the sod belongs following products	Rusyttrinete	Funativacerb	Obphosine	Preparation	Hexachloro- bencene (HCB)	Haxachioro- cyclohexane (HCH)	Hexachlors- cyclahexane (HCH)	Inazoli	tprodione	Lambda- cyhalothrin	Malatrion	Maleic- Hydracide	Manab Manoceste Metiram Propinab Zineb	Mecarbani	Metalaryi	Methanisophoe
v) BRASSICA VEGETABLES																
a) Flowering Brassicas																
Droccoli		0.1	0.1"	0.01*				6.02*	6.05			g.	1	0.06"		0.6
Coulifower		0.1	0.57	0.01*				0.02*	0.05			Tr.	1	0.08"		0.6
Others		0.1	0.1"	0.01*				0.02*	0.05			111	,	0.05"		0.6
b) Head Brassicas																
Drussels sprouts		0.08*	4.1"	0.011				0.02*	0.5	0.85		1.	1	0.05"	0.08*	0.5
Head cabbage Others		6.00*	8.1"	0.01*				0.02	6.02*	0.82		12	1	0.05	0.00*	0.5
		6.00*	0.1*	0.011				0.00	8.05	0.02				0.05	4.00	0.0
<ul> <li>c) Leafy Brassichs</li> <li>Chinese cráthage</li> </ul>		6.00*		0.01*				0.00*				10	0.5	0.05"		0.81*
Kale		0.00*	8.1"	0.011				0.02	8.02*			12	0.5	0.05		0.01*
Others		0.00	0.1"	0.01.				0.05	8.02*			1.	0.5	0.05	0.08*	0.81*
d Kineatri		0.00	0.1"	6.01				0.02	8.1			1"	0.1*	0.05*	0.00*	0.81*
LEAF VEGETABLES AND FRESH	urrne	8.00	4.1	101				0.00					6.1	0.00	4.00	0.41
	HEHBS															
a) Lattuce & similar													-	0.00		0.01*
Gress		6.05*	0.1"	0.01*				0.02	10	1		1.		0.00		0.81*
Lamb's lettuce Latinos		6.00*	0.1"	0.01*				0.02	10	1		1.		0.05		0.2
Signole		0.00*	4.1"	0.011				0.02*	10	,		11		0.05		0.01*
Others		0.00*	0.1"	8.011				0.02*	10	- 1		11		0.00*		0.01*
b) Spinach & similar													-			
Sprace		0.08*	0.1"	8.01*				0.02*	0.02*			4*	0.057	0.00		0.011
Sheet issaves (chand)		0.00*	0.1"	8.011				0.00*	0.02*			*	8.857	6.00		6.011
Others		0.06*	0.1"	8.011				0.62*	0.03*			*	8.857	0.00		6.01*
c) Materowas		0.05*	0.1*	8.01*				0.02	0.02*	6.02*		į,	0.3	0.007		8.01*
d Wilder		0.05	0.1*	8.01*				0.62	5			1"	0.2	0.00*		8.01*
et Hotto		0.00														
Chervil		0.00*	0.1*	0.011				0.60*	10	1		4.		0.00*		0.011
Chiven		0.05*	0.1*	0.011				0.62"	10			1.		0.06*		0.01*
Paraley		0.05"	0.1*	0.01*				0.62*	10	1		1"		0.09*		0.011
Celory leaves		0.05"	0.1*	0.01*				0.62*	10	1		1"		0.05*		0.011
Others		0.05"	0.1"	0.011				0.62*	10	1		4.	5	0.00*		0.011
) LEGUME VEGETABLES (fresh)																
Beans (with gods)			0.1*	0.011				0.62*	5	0.2		9"	1	0.06*	0.86*	0.5
Beans (without pode)			0.1*	0.01"				0.62*		0.02*		5"	0.1	0.05*	0.85*	0.01"
Pixes (with pads)		0.05"	0.1*	0.011				0.82*	1	0.2		5"	1	0.05*	0.85*	0.6
Peas (without pads)		0.05"	0.1*	0.01*				0.89*	9.2	0.02*		8"	0.1	0.08*	0.85*	0.01"
Others		0.05"	0.1*	0.01"				0.82*	0.02"	0.02"		th.	0.08"	0.06*	0.00*	
II) STEM VEGETABLES																
Asparagus		0.05"	0.1*	0.01"				0.02*	0.00*	0.02"		5"	0.05"	0.05"	0.05*	0.01"
Cardopris		0.00"	0.11	0.011				0.89*	0.02"			*	0.05"	0.05"	0.00*	0.01"
Calory			0.1*	0.011				0.69*	0.02"			No.	0.6	0.08*	0.06*	0.01"
Formal		0.05"	0.1*	0.01"				0.62*	0.00*			1"	0.05"	0.06*	0.00*	0.01"
Globe articholass		0.05"	0.1"	0.01"				0.82*	0.00*			1"	0.05"	0.05*		0.1
Lorens		0.05"	0.1"	0.011				0.83*	0.00*			ga .	9	0.05*		0.01"
Rhubarb		0.05"	0.1*	0.01*				0.82*	0.2			P	0.05"	0.08*	0.00*	0.01"
Others		0.05"	0.1*	0.01"				0.62*	0.00*			100	0.05*	0.06"	0.00*	0.01"

Group to white tood belongs	th Groups include the following products	Flucythrinate	Furathiosatb	Glyphosata	Haptactics	Hexactiono- benzene (HCR)		Hexachlare- cyclehexane (HCH)		Imazali	Iprodona	Lambda- cyhalathrin	Malatrion	Maleic- Hydrazide	Maneb Manecosis Motivari Propineb Zineb	Mecarbare	Matologi	Methamidepho
vii) FUNGI																		
	a) Cultivated must voores		0.08*	0.1"	0.01*					0.02*	0.82*			1*	*80.0	0.05"	0.05*	0.01"
	b) Wild mustreoms		0.08*	50	0.81*					0.02*	0.82*	0.02*		1*	0.06*	0.05"	0.06*	0.01"
<ol><li>PULSES</li></ol>																		
	Deare			2	0.01*					0.02*	0.2	0.02"		11	0.00*	0.05*	0.08*	0.017
	Loreis		0.08*	0.1"	0.01*					0.02*	0.2	0.02"		1*	0.00*	0.05"	9.00*	0.01"
	Peas		0.08"	3	0.01*					0.00*	0.2	0.00*		11	0.00*	0.05"	9.00*	0.01"
	Others		0.05"	4.1"	0.01*					0.00*	0.2	0.02*		1*	0.00*	0.05"	8.00*	0.01"
4. OILSEED	8																	-
	Linesed		0.05*	10	6.011					0.001	6.1	0.02"		41	0.1*	0.05*		0.017
	Peanuts		0.05"	0.1*	6.01*					0.02	0.02*	0.02		*	0.1	0.00	0.09*	10.0
	Pappy seed		0.65"	0.1*	6.01*					0.02	0.00*	0.02		*	0.1	0.85	0.00	0.81*
	Secone seed		0.65"	0.11	6.01*					0.02"	0.00*	0.02"		91	0.7	6.85	9.05	0.81*
	Sunfower seed		0.00*	0.1"	0.011					0.62"	0.02*	0.02"		9*	0.71	0.00*	0.00	0.01*
	Place seed			10	0.01*					0.60"	6.5	0.60*		91	0.5	6.00*	0.05	681*
	Says bean			20	0.01*					0.00*	0.00*	0.00*		91	0.01	6.00*	0.05*	601*
	Mustard seed		0.85"	10	0.01*					0.00*	0.02*	0.027		9"	0.07	0.007	0.05*	691*
	Catton seed			0.1"	0.01*					100.0	0.02*	0.82*		9"	0.5"	0.00*	0.05*	0.1
	Others		0.05*	0.1"	0.01*					0.82*	0.02*	0.03*		1"	0.1"	0.00*	0.05"	801*
s. POTATO	ES																	
	Sarty potatoes		0.007	0.1"	0.011					0.02*	0.02"	0.03*		1*	0.08*	0.08*	0.05"	0.01*
	Ware petatoes		0.00*	0.7"	0.017					6	0.02"	0.02*		50	0.00	0.08"	0.85"	9.01"
	(third leaves and stalks,						1	sum of										
6. TEA	fermented or otherwise, Cornellia sinensis)	8.1*	6.1"	6.1"	0.60*	6.01*		elpha and beta	0.2	0.1"	0.1*	1	0.5	1*	0.1*	0.69"	0.1*	6.1"
7. HQPS (dried)	including hop pellets & unconcentrated powder		5	6.1"	0.81*					6.1"	0.1*	18			25	0.1*	10	2

and belongs following products	Mathidathian	Mathomyl thiodicarb	Mothyl bromide	Manacrotophes Omethods	Paraquet	Permetirin	Phorate	Phosmat	Phasim	Piriniphos- methyl	Procymidane Proferophas	Propergite	Propiomezole	Proposur	Propyramid
. Fruit, fresh, dried or uncooked, prese	rved by frees	ring not con	taining a	dded sugar: nuts											
CITRUS FRUIT															
Orapotruit	2		9.00*		0.05	0.8	0.00*			1	0.00"		0.05*	3	0.02"
Lamins	2		9.00		0.05"	0.8	0.00*			1	0.02"		0.05*	3	0.02"
Limes	2		9.95"		0.05"	0.8	0.00*			1	0.02"		0.05*	3	0.02"
Mandarins (inc dementines & similar hybrids)	2		0.00*		0.05"	0.5	0.05*			2	0.02"		0.09*	3	0.02*
Oranges .	2		0.067		90.0	0.5	0.00*			1	0.02"		0.05*	3	0.02"
Pomelos	2		0.087		0.05*	0.6	0.00*			1	0.00"		0.05	3	0.02*
Others	2		0.05*		0.05*	0.5	0.007			1	0.02"		0.05*	3	0.02
) TREE NUTS (shelled or unshelled)															
Almends	0.08*	0.05"			0.05*	0.1	0.00*		1		0.00"		0.05"	0.05*	0.02"
Engel muts	0.08*	0.08"			0.007	0.057	0.05*			0.00*	0.05"		0.05"	0.05*	0.62
Cashew nuts	0.05*	0.05"			0.05*	0.00*	0.05*			0.05*	0.05"		0.08"	0.01*	0.62
Chestruts	0.05*	0.05"			0.85*	0.05*	0.05*			0.05*	0.05"		0.08"	0.00*	0.02
Coconuts	0.05"	0.05"			0.05*	0.05*	9.05"			0.08*	0.06"		0.05"	0.00*	0.82
Hapsinute	0.05*	0.05"			0.05*	0.05*	0.05*				0.05"		0.05"	0.00*	0.82
Macadamia nuts	0.05"	0.05"			0.05*	0.05*	0.05			0.06*	0.06*		0.05"	0.00*	0.82*
Pecens	0.05"	0.05"			0.057	0.06*	0.05"			0.08*	0.00*		0.85*	0.05*	0.82*
Pine nuts	0.05"	0.05"			0.007	0.06*	0.08*			0.06*	0.00*		0.85	0.05*	0.82*
Pistochius	0.05"	0.05"			0.007	0.06*	0.05"				6.00*		0.85*	0.05	0.02*
Welnuts	0.05"	0.05"			0.007	0.08*	0.05"				6.00*		0.05*	0.05*	0.02*
Others	0.08*	0.05"			0.00*	0.05*	0.05"			0.05*	6.00*		0.05	0.08*	0.02*
POME FRUIT															
Apples	0.5	1	0.05*		0.05*	1	0.05"				8.02*		0.05*	9	0.02*
Feors	0.3		0.05		0.06*	1	0.05"				1		6.05*	3	0.02*
Quinces	0.3	0.05*	0.05"		0.08*	1	0.05"				0.02*		6.06*	3	0.02*
Others	0.3	0.05*	0.05"		0.06*	1	0.05"				0.02*		0.06*	3	0.02*
y) STONE FRUIT															
Apricota	0.2				0.05*	1	0.05"				2		6.2	3	0.02*
Chorries					0.05*	1	0.05"				0.02*			3	0.02*
Peaches (incl nectorines & similar hybrids)	0.2				0.00*	1	0.05"				2		6.2	9	0.02*
Puris	0.2				0.08*	1	0.05"				1			3	0.02*
Others	0.2				0.08*	1	0.05"				2		0.08*	3	0.02*

DERRIES AND SMAL	products Meth	hidathion	Methoripi thiodicars	Methyl bromide	Monocrotophas	Omethoare	Paraquet	Permethin	Phorate	Phosmet	Phoxim	Pirmiphos- methyl	Procymidone Profenophus	Proporgile	Propiosnazole	Proposur	Propyzamide
DEHNES AND SMA	AL FRUIT																
of Table & win	ne grapes																
Table grape		0.5	3				0.05*	1	0.05*						9.5	3	0.82*
Wine grape		0.5	3				0.00*	1	0.05*				5		9.6	3	0.02"
	is (other than wild) 0 (other than wild)	0.02"	0.00	0.05"			4.06	'							0.05*	3	
Blackberrios		0.02"	6.00*	0.05"			0.05*	0.05"	0.05"			0.06*	0.02*		0.05*	3	0.02*
Dewberries		0.02"	0.06*	0.05"			0.05*	0.05"	0.06*			0.05*	6.02*		0.05*	0.007	8.02*
Logarberie		0.01"	0.00*	0.00*			0.00*	0.05"	0.00*			0.05*	8.02*		0.05"	9.05	6.02*
Raspherres		0.05*	0.00*	0.05*			0.05*	0.05"	0.00*			0.08*	10		0.05"	3	0.02*
Others Other small other than a	Thuit & borries	0.00*	0.00	0.00*			0.06*	0.05"	0.00*			0.08*	8.02*		0.05*	0.08*	4.02*
Siberies		0.00*	0.00*	0.00			0.05*	0.05"	0.00			0.05*	6.00*		0.65"	0.09*	0.02*
Cxamperies		0.01*	0.00*	0.00*			0.05*	0.00	0.00		1	0.05*	0.02*		0.05"	0.05	0.02*
		1.01*		0.00*			0.05	0.00*	0.00*			0.05*	0.02*		0.05"	9.2	0.00
Gosseberrie		0.00*	0.00*	0.00*			0.05*	0.05"	0.00*			0.05*	0.02*		0.05"	4.2	
Others		8.00°	0.00*	0.00*			0.08*	0.05"	0.00*			0.05*	0.00*		0.00	0.08*	0.02*
e) Wild bernies		1.02*	0.08*	0.05*			0.05"	0.05"	0.00*			0.05"	0.02*		0.05*	0.09*	0.02*
MISCELLANEOUS F	FRUIT																
Avecades		2.03*	0.08*	0.05*			0.08*	0.05*	0.08*			0.06*	0.02*		0.85*	0.05*	0.02*
Bonones		3.02*	0.05"	0.09*			0.05"	0.05"	0.00*			0.05"	0.02"		0.1	0.05"	0.02*
Cates		0.02*	0.05*	0.08*			0.05"	0.00*	0.00*			0.05"	0.00*		0.000	0.08"	0.02"
Fios	0	3.02*	0.05*				0.05"	0.00*	0.09*			0.85"	0.02"		8.007	0.05"	0.02"
Kiwi Iruit	a	3.00*	0.08*	0.05*			0.05"	1	0.08*			2	8		8.002	0.85*	0.00*
Numquats	0	0.021	0.05"	0.05*			0.85"	0.007	0.05"			0.05"	0.02"		0.05*	0.85"	0.02
Litchia		0.021	0.05"	0.09*			0.85*	0.05*	0.05			0.057	0.02"		0.05*	0.00	0.02
Manpoes	0	0.021	0.05"	0.09*			0.95*	0.05*	0.05"			0.057	0.02"		0.05*	0.00	0.02
		1		0.05*			0.00*	0.08*	0.05"				0.02*		0.09*	3	0.02
		1		0.08*			0.05*	0.05*	0.05"				0.02"		0.09*	3	0.02*
		0.00"	0.85*	0.05"			0.00*	0.05*	0.05"			0.002	0.02*		0.09*	0.007	0.02*
Olives (oil er Passion fruit		0.00*	0.85*	0.08"			6.00*	0.05*	0.05"			8.00*	0.02*		0.08*	0.00*	0.00*
	0.			0.05"			0.00*	0.09*	0.65"			0.09*	6.83*		0.08*	0.06*	0.00*
Passion fruit		0.00*	0.85*						0.05*			0.09*	6.02*				

	Groups include the following products	Methidathion	triedicarb	Methyl bromide	Moneorotophos	Onethoda	Paraquat	Permetron	Phorate	Phoemet	Phosim	Primphas- methyl	Procymictone Profenoghos	Propergite	Prepioonszole	Proposur	Рупрудаги
Vegetables,	fresh or uncooked, froze	an or dry															
ROOT AND	TUBER VEGETABLES																
	Seetost	0.02*	0.05*	0.00*			0.00*	0.05*				0.85"	0.02*		0.05"	3	0.02*
	Carross	0.02*	0.08*	0.00*			0.08*	0.08*				1	0.02*		0.05"	0.05*	0.82*
	Catorios	0.02*	0.051	0.05*			0.067	0.1	0.05"			0.05*	0.02*		0.05*	3	0.02*
	Horsenadish	0.02*	0.05*	0.00*			0.05*	0.05*	0.05"			0.05"	0.02"		0.05"	0.06*	8.00*
	Jerusalem artichokes	0.02*	0.05*	0.06*			0.05*	0.05*	0.05"			0.85*	0.02"		0.05"	0.05*	0.02*
1	Parenips	0.02*	0.08*	0.00*			0.08*	0.08*				0.85*	0.02"		0.05"	0.05*	6.02*
	Paraley root	0.02*	0.05	0.00*			0.05*	0.05"	0.05"			0.85*	0.02"		0.06"	0.06*	0.02*
	Radishes	0.02*	0.6	0.06*			0.06*	0.1	0.05"			0.05*	0.00"		0.05"	0.05*	0.02*
	Soluty	0.02*	0.081	0.08*			0.08*	0.08*	0.05"			0.05*	0.00*		0.05"	0.05*	8.02*
	Sweet paratoes	0.02*	0.05	0.05*			0.08*	0.08"	0.05"			0.00*	0.02"		0.05"	0.05*	0.02*
	Swedes	0.02*	0.05*	0.05*			0.051	0.05"	0.85"			0.00*	0.02"		0.00*	0.00*	0.02*
	Turriga	0.02*	0.05*	0.05*			0.05*	0.05"	0.85"			0.05*	0.02"		0.05"	0.06*	0.02*
	Yams	0.02*	0.08*	0.08*			0.06*	0.05"	0.86*			0.00*	0.02"		0.85*	0.05*	0.02*
	Otters	0.02*	0.05"	0.05*			0.05	0.05"	0.85"		•	0.00*	0.02"		0.00*	0.05*	0.02*
BULB VEGE	ETABLES																
	Cartis	0.02*	0.05*	0.05*			0.05"	0.05"	0.85*				0.2		6.00	0.05*	0.02*
	Onione	****	0.05*	0.06*			0.08*	0.08*	0.86*				0.2		0.80*	0.05"	0.02*
	Sinations		0.05*	0.08*			0.08*	0.05*	0.86*				0.2		0.00*	0.05*	0.02*
	Spring onlene	0.02*	0.05*	0.08*			0.09*	0.05"	0.85*				0.02*		6.05*	0.05"	9.02*
	Others	0.02*	0.05*	0.06*			0.05*	0.05"	0.85"				0.02"		0.00*	0.06"	0.02*
FRUITING	VEGETABLES																
46.1	Solaneces																
	Tornatous	0.02*		0.05*			0.051	0.5					2		0.00		0.02*
	Poppers	0.02*		0.05*			0.05	0.6					2			9	0.02*
	Aubergines	0.021		0.08*			0.06*	0.6					2		0.00*	3	0.02*
	Others	0.02*		0.06*			0.09*	0.6					2		0.06*	3	0.02*
60 (	Cucurbits-edible peel																
	Outumbers.	0.02*		0.05*			0.05*	0.1	0.85*				1				0.02*
	Cherkins	0.02*	0.05"	0.05*			0.05*	0.1					1			3	0.02*
	Courgeties	0.02*		0.05*			0.05*	0.1					1				0.02"
	Others	0.02*	0.05"	0.05*			0.05*	0.1					1			3	0.02**
	Cucurtrits-mediate peet																
	Matons	0.02	0.2	0.05*			0.05"	0.1	0.06*				1			3	0.02"
	Squashos	0.02*	0.2	0.05*			0.09"	0.1	0.05*				1			3	9.02"
	Maternature Others	0.02	0.2	0.05*			0.09"	0.1	0.05*				1			3	0.02
	Others Sweet rom	0.02	0.05"	0.05			0.09"	0.1	8.00			0.05*	0.00*		0.05*	8.00*	0.02

roup to which Groups include the red belongs tollowing products	Metridatrion	Methomyl thiodicarb	Methyl bromide	Monocratophes	Omethoase	Paraquat	Parmethin	Phorate	Presmet	Phosim	Permiphos- metryl	Procymidone Profesophos	Propergite	Propiosnazale	Proposur	Ртируалти
) BRASSICA VEGETABLES																
a) Rowering Brassicas																
Breccoli	0.02"		0.09*			0.05	0.85"					6.02*		0.007	3	0.00*
Caulifower	0.82*		0.09*			0.08*	0.1				1	0.02*		4.05*	3	8.02*
Others	0.82"		0.05*			0.05	0.85"				1	0.02*		0.08*	3	0.02*
to Head Brassicas																
Brussels sprouts	0.02*		0.05"			0.05*	0.007				2	0.02*		0.00*	3	0.02*
Head cabbage	8.02*		0.08*			0.05"	1					0.02*		0.05	9	
Others	0.02*		0.08"			0.05"	9.00*					0.02*		0.08*		0.02*
o) Leely Bressices																
Chineso colibage	9.02*		0.05"			0.05"	1					0.02"		0.09*	2	0.021
Kale	0.02*		0.06"			0.05"	1					0.02"		0.05"	9	0.02*
Others	0.02*		0.05"			0.05"	1					0.02"		0.05"	9	0.02"
c) Konksbi	0.02*	0.05"	0.06"			0.85"	0.05*	0.85"				0.02"		0.05"	9	0.00*
LEAF VEGETABLES AND FRESH	HEFIDS															
s) Lettuce & similar																
Cress	0.02*		0.85*			0.05*	2					5		0.06*		
Lamb's lettuce	0.02*		0.002			0.00*	2							0.00	0.05*	
Letture	0.02"		0.007			0.00*	2							6.00	3	
Stande	0.02"		0.007			8.05*	2					i		6.00*		
Otrers	0.02"		6.00*			0.00*	2							6.00*	,	
to Spinach & similar							-									
Spinech	0.02"	2	0.00*			0.05*	1	0.05*				0.00*		0.00*		
Seet leaves (chard)	0.00	2	0.00			0.05	,	0.05*				0.00*			3	0.00*
Others	0.00*	2	0.08*			0.05	,	0.05				0.00*		0.05	3	0.00*
of Watercreen	6.00*	0.05*	0.05*			0.00*	0.00*	0.00			0.08"	0.021		0.06	9	0.02*
d Willo	6.02*	0.05*	0.05*			0.05*	0.00*	0.05"			0.08"	8		0.09*	0.08*	0.02*
of Horbs		4.00	0.00					4.00			4.44			0.00	0.08*	0.02
Chand	0.02*		0.08"			0.05"						0.02"		0.05*		
Chies	0.03*		0.08"			0.05"						0.02*		0.65*		
Parales	0.00*		0.00*			0.05"						0.05			3	
Colory touves	0.02*		0.05"			0.05"	,					0.05.		0.05"	9	
Othors	0.02*		0.05"			0.00*	,					0.05		0.06"	3	
LEGUME VEGETABLES (hosh)	0.00		0.00			0.00						0.02		0.05"	3	
Beans (with pods)	0.02*		0.05*			0.05"	0.5					2		0.85*	3	
Beans (without pools)	0.02	0.05"	0.85"			0.06*	0.08*					0.82"		0.06*	0.05*	
Pass (with pads)	0.02		0.85*			0.05*	0.1					1		0.05*	3	0.82*
Peas (without pods)	0.02*	0.01.	0.86*			0.05*	0.05"				0.00	0.3		0.05*	0.00*	0.02*
Others	0.02*	0.06	0.86*			0.05*	0.05"					0.83*		6.05*	0.00*	0.02*
STEM VEGETABLES																
Asponagus	0.62"	6.05*	0.05*			0.00*	0.05"	0.00*				0.02*		0.06*	0.08*	0.02*
Cardoons	0.62"	0.05*	0.05*			8.05*	0.05"	0.09*				0.02*		0.05*	3	0.021
Celery	0.63*	0.06*	0.08*			9.05*	2					0.00*			3	0.02*
Ferrel	0.62**		0.00*			0.08*	0.05"	9.08*				0.00*		0.06*	0	0.02*
Olotoe artichenas	0.85		0.05*			0.09*	0.05*	0.09*				0.021			3	
Laoks		0.08*	0.08*			0.05*	0.5	0.09*				0.021		0.05"	1	0.021
Rhubarb	0.02*	0.00*	0.08*			0.05"	2	0.05"				0.02*		0.05"	0.05*	0.02"
Others	0.03*	0.05*	0.05*			0.08*	0.05*	0.05"				0.02*		0.05"	0.65"	0.02"

	th Groups include the following products	Methidathion	Methornyl thiodicarb	Methyl bromide	Monocratophos	Omethoate	Personn	Pernetvin	Phorate	Phosmot	Phosim	Primiphos- methyl	Procymidone P	halunaphos	Propergite	Prepiconazole	Рюракия	Propyzanio
rii) FUNGI																		
	a) Cultivated mustraoms	0.00*	0.00*	0.85"			0.08*	0.08*	0.08*			2	0.02"			0.05	0.05	0.02*
	b) Wild mushrooms	0.00*	0.05*	0.05"			0.05*	0.05	0.05"			0.08*	0.02"			0.05*	0.05	0.05
. PULSES																		
	Beans	0.00*	0.00*				0.05*	0.051					0.02			0.05"	0.05	0.02*
	Lentils	0.02*	0.00*				0.05*	0.05*	0.05"				0.02"			0.05*	6.05	0.65
	Poss	9.02*	0.00*				0.08*	0.09*	0.05"				0.2			0.08*	6.05	0.00*
	Others	0.02*	0.00*				0.05*	0.05	0.08"				0.02"			0.05*	0.00	0.02*
. OILSEED	18																	
	Lineard	0.02*	0.00*	0.1"			0.08*	0.08*					6.65"				0.00*	0.05*
	Prenuts	0.02*	0.00*	0.1"			0.08*	0.1	0.1				0.05"			0.08*	0.007	
	Poppy seed	0.02*	0.05*	0.1"			0.09*	0.05*	0.05"			0.05"	6.65"			0.05*	6.05*	0.62*
	Sosame seed	4.02*	0.00*	0.1"			0.08*	0.05*	0.05*			0.05	0.05"			0.05*	0.05*	0.02*
	Sunflower seed	8.02*	0.00*	0.1"			0.09*	0.05*	0.05"				10.00-74			0.05*	6.05*	0.62*
	Rape seed	0.05	0.00*	0.1"			0.05*	0.1					1			0.05*	8.05*	0.02*
	Soya bean	0.02*	6.2	0.1"			0.05*	0.05*	0.05			0.08*	100			0.05*	105	0.05
	Mustard seed Cotton seed	8.02*	0.5	0.1"			0.05*	0.2	0.05"			0.04	100			0.05*	4.05*	0.66
	Others	6.00*	6.007	0.1*			0.05*	0.08*	0.08*			0.05*	6.05			0.05"	0.087	0.02"
POTATO			***				0.00	2.00	0.00									
. FUININ		6.02*	6.002	0.05*			0.05*	0.08*				0.05*	1.02			0.05"	0.08*	0.02"
	Early potatoes Ware positives	4.02*	0.007	0.05"			0.05*	0.05				0.05*	8.02*			0.05"	0.05*	0.65
	garied leaves and stalks,	8.02	6.00	0.00			0.00	0.00								-		-
. TEA	fermented or otherwise, Comello sinensis)	8.1*	0.11*	0.05*	6.1*	0.1	8.5"	5	0.1'	0.1*	0.1*	0.05*	0.1*	0.5"		0.1*	4.1"	0.86*
HOPS dried)	including hop pellets & unconcentrated powder	3	19	0.05"			4.0"	4.9"	0.1"			0.05*	0.1*			0.1*	0.1"	

ced belongs fullowing products			Thiabendazolo			2,4,5-T	Vinelesslin
1. Fruit, fresh, dried or uncooked, preser	ved by freez	ing not	containing add	ed sugar: nut	ts		
CITRUS FRUIT							
Grapehut		0.01*	6		0.05*	0.05*	0.05"
Lamore		0.01*	6		0.05*	0.05*	0.09"
Limin		0.01*	. 6		0.05*	0.05"	0.05"
Mandarins (inc dementines &							
similar hybrids)		0.01*			0.08*	0.08"	0.05"
Oranges		0.01*	6		0.05*	0.05"	0.85"
Parelas		0.011*			0.08"	0.05"	0.65"
Others		0.01"			0.05"	0.05"	0.85*
) TREE NUTS (shelled or unshelled)							
Almonds		0.01"	0.1"			0.05"	0.86*
Brasil nuts		0.01"	0.1"	0.02*	0.05"	0.05"	0.86*
Cashow nuts		0.01"	0.1"	0.02*	0.05"	100.0	0.00*
Chestruts		0.01"	0.1"	0.02"	0.05"	0.05*	0.05*
Ceconuts		0.01"	0.1"	0.02"	0.05"	0.05"	0.05*
Hazelnuts		0.01*	0.1"		0.05"	0.05"	9.00*
Macadamia nuts		0.01*	0.1"	0.02"	0.05"	8.05"	0.05*
Pecane		0.01*	0.1*	0.02"	0.05*	8.08*	0.08*
Pine rute		0.01*	0.1*	0.00	0.80*	0.00*	0.00*
Physiothes		0.01*	0.1*		0.05*	0.00*	0.05*
Walnuts		0.01*	0.1*	0.82"	0.05*	0.00*	0.05*
Others		0.01*	0.1*	0.027	0.097	0.08*	0.06*
) POME FRUIT							
Apples		0.01*			2	0.08*	
Pears		0.01*	5		2	0.08*	,
Quinque		0.01*	5		2	0.08*	,
Others		0.01*	6		,	0.08*	,
STONE FRUIT		-				4.00	
Apricots		0.01*	0.05*			0.05*	2
Charles		0.01*		0.02*	2	0.05"	0.5
Peaches (incl nectarines & similar hybrids)		0.01*	0.05*			0.05"	2
Plants		0.01*	0.08*	0.02*	1	0.05"	2
Others		0.61*	0.08*	0.02*	0.08*	0.05"	0.05"

	Groups include the following products	Quinalphos	TEPP	Thabondazele	Triazophos	Tritorine	2,4,5-T	Vindozelin
) BERRIES /	AND SMALL FRUIT							
n)	Table & wine grapes							
	Table grapes		0.01"		0.82"		0.05"	5
	Wine grapes		0.01"		0.82"		0.05"	
	Strawberries (other than wild) Cone Fruit jother than wild)		0.01"				0.05"	5
	Blackberras		0.011	0.08*	0.02	0.05"	0.08*	
	Dueberies		0.01"	0.08*	0.62	0.09	0.05	
	Logarberries		0.01*	0.09*	0.02	0.05"	0.05*	5
	Resphenies		0.01"		0.02"	0.05"	0.05*	5
	Others		0.01*	0.00*	0.02	0.05"	0.00*	5
4	Other small truit & berries (other than wild)							
	Diberies		0.01"	0.00*	0.02"	0.05"	0.05	0.08*
	Cramberries		0.01"	0.00*	0.62*	0.05"	0.05"	0.08"
	Currents (red, black & white)		0.01"		0.02*	2	0.05"	10
	Gooseberries		0.01"		0.62"	2	0.08*	0.06*
	Others Wild berries & wild truit		0.01"	0.08*	0.02	0.05"	0.05	0.06
			0.01	0.09	0.02	0.09	0.00	0.00
	NECUS FRUIT							
	Avocados Bananas		0.01"	0.05*	082	0.85"	0.05	0.05*
	Dates		0.01"	0.08*	045	0.05"	0.05	0.08"
	Figs		0.01"	0.00,	0.02	0.85	0.05"	0.05"
	Kini tuit		0.01"	0.00*	osr	0.05	0.05"	19
	Kumquats		0.01"	0.09*	0.02	0.66"	0.09"	0.05"
	Litchia		0.01"	0.05	0.02"	0.85"	0.05"	0.05"
	Marigoes		0.01"	0.05"	0.02"	0.05"	0.05"	0.05"
	Olives (table consumption)		0.01"	0.05*		0.85"	0.05"	0.05"
	Oliver (oil estract)		0.01"	0.05"		0.85*	0.05"	0.05"
	Passion fruit		0.617	0.05*	0.027	0.85"	0.05"	0.05"
	Pineappies Pomegranates		0.01"	0.05*	0.02*	0.85"	0.05"	0.05"
	Others		0.01"	0.08*	002	0.89*	0.05	0.05
	Commis		0.01	0.09	une	0.00	0.00	0.00

nood belangs	Groups include the tollowing products	Quinalphos	TEPP	Thisbendazale	Triszophos	Triflorine	2.4.5-T	Vinelopolin
2. Vegetables,	heah or uncooked, fro	aen ar dry						
	TUBER VEGETABLES							
	Seetroot		0.61*			0.08*	0.00*	0.05*
	Carrots		0.01"	0.05*	1	0.05*	0.00*	0.6
	Catoriao		0.81*	0.00*		0.06"	0.05"	0.05"
	Horsenadish		0.81*	0.08*	0.02*	0.05"	0.00*	0.05"
	Jerusalem artichokes		0.01*	0.06*	0.02*	0.05*	0.09*	0.05*
	Parenips Pareliev root		8.01*	0.05*	1	0.06*	0.08*	0.05*
	Radishes		0.011	0.05	0.02*	0.00*	0.05*	6.00*
	Salary		0.011	0.05*	0.02	0.05*	0.05"	8.06*
	Sweet paratises		0.011	0.05	0.02"	0.00*	0.00	0.007
	Swedon		0.01*	0.05*	0.02	2.00	0.05	0.05*
	Turripa		0.01*	90.0	0.02	0.05*	0.05"	0.05*
1	Yarns		0.01*	0.05"	0.02"	0.00*	0.05	0.08*
	Others		0.01"	0.05*	0.02*	0.08*	0.05"	0.05"
I) BULB VEGE	TABLES							
	Saric		0.01"				0.00*	1
	Orions		0.01"				0.06*	1
	Shallots Spring onlone		0.01*				0.05*	1
	oping criticis Others		0.011	0.08*	0.05,		0.05*	1
	VEGETABLES			0.00	0.06		0.00	,
	Stangon							
	Comunicies.		0.011		0.02"		0.05*	3
	appers		0.01*		0.02		0.05"	,
	luberginos		0.01*	0.05"	0.02"		0.00*	3
	Yes		0.01*	0.06*	6.62"		0.00*	3
	acurtins editia poel							
	Sucumbers Shorkins		0.01"	0.00		0.5	0.00*	1
	Courgettes		0.81*	0.007		0.5	0.00*	1
	Others		0.01*	0.08*		0.5	0.05*	1
	usurbits-inadible peel							
	None		0.01"				0.05*	1
	quartes		0.01"	0.08*			0.05*	1
	fatomelons thers		0.011	0.05"			0.05*	1
	American		0.011	0.05	0.02"	0.00*	0.05"	9.08*
d) 5				0.00	2000	2.00	0.00	4.00

ood belongs - following products	Curregres	1E/PP	Thiabendatole	inazignes	Ingrite	24,5·T	Vindozotn
() BRASSICA VEGETABLES							
s) Flowering Brassicas							
Broccali		0.01*				0.09*	0.00*
Cauliforer		0.01*	0.05"			0.05*	0.00*
Others		0.01"	0.05*			0.08*	0.00*
b) Head Brassicas							
Drusseln sprouts		0.01*	0.05*			0.05*	0.00*
Head cabbage		0.01*				0.05*	0.00*
Others		0.01*	0.05"			0.05*	0.00*
c) Leafy Brassicas							
Chinese cabbage		0.01*	0.05"			0.09*	2
Kala		0.01*	0.05"			0.05*	0.00*
Others		0.01*	0.05"			0.05*	0.00*
dj Kohirabi		0.01*	0.85"	0.02*		0.05	0.05*
LEAF VEGETABLES AND FRESH	HERBS						
al Lettuce & similar							
Cruss		0.01*	0.85"	0.02"		0.05	5
Lambia lettupe		0.01*	0.05"	0.02*	0.05"	0.05"	5
Lettuce		0.01*		0.00*	0.05"	0.05"	5
Scarole		0.01*	0.05*	0.00*	0.05"	0.05"	5
Others		0.01*	0.85*	0.02*	0.05"	0.05"	5
b) Spinach & similar							
Spirach		0.011	0.85*	0.02*	0.05"	0.08*	0.05*
Best learnes (chant)		0.01"	0.05"	0.02*	0.05"	0.08*	0.08*
Others		0.01*	0.85*	0.02*	0.05"	0.05"	0.09*
c) Watercress		0.011	0.85"	0.02*	0.05"	0.08*	0.06*
d) Willoof		0.011	0.85*	0.02"	0.05"	0.05*	2
e) Herbs							
Chervil		0.01*	0.86*	a.au-	0.05	0.05"	0.05*
Chives		0.01*	0.85*	0.03*	0.05"	0.05"	0.05*
Pareley		0.01*	0.05*	0.00*		0.05*	0.05*
Celery leaves		0.01*	0.00	0.00*	0.05	0.05"	0.05*
Others		0.01*	0.86*	0.00*	0.00	0.05"	0.05*
() LEGUME VEGETABLES (fresh)							
Bearla (with pode)		0.01*				0.05"	2
Beans (without gods)		0.01*				0.05"	0.5
Pleas (with gods)		0.01*	0.85*			0.05"	5
Pleas (without pods)		0.01*	0.85*			0.05"	0.0
Others		0.01*	0.85*	0.02*		0.05"	0.05"
(I) STEM VEGETABLES							
Asperague		0.011				0.08"	0.08*
Cardoons		0.011	0.05*	0.02*	0.00	0.05	0.09*
Cetery		0.011		med.		0.05"	0.05*
Fornel		0.011	0.057		0.05	0.05"	0.06*
Globe articholus		0.011	0.057			0.05"	0.06*
Leeks		0.01				0.05"	0.08*
Phyberb		0.01	6.007		0.05	0.05"	0.08*
Others		0.01	6.05*	0.02*	6.05	0.00	0.08*
to sed		100011		wat.		00	

viii) FUNGI								
	a) Cultivated mustrooms		0.01"		0.00*	0.05*	0.05"	0.05*
	b) Wild mushrooms		0.01*	6.65*	0.02*	0.05"	0.05"	0.05*
<ol><li>PULSES</li></ol>								
	Beans		0.01*	0.05*	0.02*	0.05*	0.05"	0.5
	Lentis		0.01*	0.05*	0.02*	0.05*	0.06*	0.08"
	Peas		0.01"	0.05*	0.02*	0.08*	0.05"	0.5
	Others		0.01"	0.08*	0.02"	9.00*	0.00	0.05"
4. OILSEED								
	Linseed		0.017	0.08*		0.08*	0.05*	8.85*
	Peanuts		0.01"	0.05*	0.02	0.08*	0.05	8.05*
	Propy seed Secamo seed		6.01*	0.06*	0.82*	0.06*	0.00*	6.05*
	Sunflower seed		0.01"	0.05"	0.82*	0.05"	0.05*	8.05*
	Rape seed		0.01*	0.05"	642	0.00	0.08*	0.05*
	Saya bean		0.01*	0.05"	0.02*	0.05	0.05"	0.08*
	Mustard seed		0.01*	0.05*		105	0.05	0.06
	Cutton seed		0.01*	0.05*	0.1	1.05	0.05"	0.05
	Others		0.01*	0.00*	0.02*	0.007	0.05"	0.05
5. POTATO	ES							
	Early potatoes		0.01"			0.05*	4.05	0.05"
	Ware potetoes (dried loaves and stalks,		0.81"	6		0.08*	0.05*	0.85"
B. TEA	formented or otherwise, Corretta smense)	1	882	0.1"	0.00*	0.1"	0.05*	0.1*
7. HOPS dried)	including hop pallets & unconcentrated powder		4.02*	9.1"	680	30	0.08*	40

Group to which lood belongs	Groups include the tollowing products	Acephata	Alchowla	Aldrin & Dieldrin	Ambraz	Aconystratin	Benalavyl	Berturacerts	Captalor	Carboyi	Carbendoolre	Carbeturan	Carbon disulphid
. CEREALS													
	Wheat	0.02*	0.08*	0.01	0.02*	6.3	6.00*	0.66*	0.00*	0.5	0.1"	0.1*	0.1
	Rye	0.05*	0.05	0.01	0.02*	6.3	6.00	0.66"	0.08*	0.8	0.1*	0.1*	0.1
	Barley	6.02*	0.05*	0.01	0.02*	63	0.00*	0.66	0.05	6.5	0.1"	0.1*	8.1
	Sorghum	6.01*	0.08*	0.01	0.02*	0.05*	0.00*	0.66"	0.00*	6.5	0.1"	0.4*	0.1
	Own	6.02*	0.08*	0.01	0.02*	0.00*	0.00*	0.66"	0.00*	6.5	0.1*		6.1
	Triticale	6.05.	0.08	0.01	0.02*	6.3	0.01	obs-	0.00*	6.5	0.1*	0.1*	6.1
	Malzo	0.02"	0.05	0.01	0.02*	0.05*	6.05*		0.08*	6.5	0.1*	0.1*	0.1
	Buckeheat	0.02*	0.05*	0.01	0.02*	0.05*	6.05*	0.65"	0.05	6.5	0.1"	0.7*	6.1
	Milet	6.027	0.08*	19.0	0.02*	0.06*	0.00	0.65"	0.00*	6.5	0.1"	0.7*	0.1
	Rice (F)	0.02*	0.08*	0.01	0.02*	0.08*	0.08*	0.86*	0.08*	1	0.1*		0.1
	Other coreals <sup>(1)</sup>	0.02*	0.08*	0.01	0.02"	0.08*	0.08*	0.86*	0.08*	0.5	0.1*	6.1"	0.1
PRODUCT	S OF ANIMAL ORIGIN												
	Most, for &	0.02*	0.01*	0.2	0.02***	0.05*	0.08*	0.05"			0.1*	4.0"	
	preparations												
	of meat <sup>(t)</sup>												
	MIR ** A	0.02*	0.01"	0.006		0.01"	0.08"	6.08*			6.1"	0.1*	
	Dairy produce (R)		0.01"										
	Faos <sup>40</sup>	0.02*	0.01"	0.02	0.02*	0.05"	0.05"	0.05*			0.1"	0.1*	

	Carbon tetrachleride	Corbosultan	Chlordane	Chlormequat	Chlorothalonii	Chlopyrilos	Chlorpyritos-muthyl	Cylluthrin	Cypermethin	Daminople
West	6.1	0.05	0.02	2	0.1	0.08*	9	0.02	0.08*	0.02*
tys:	0.1	0.05*	0.02	2	0.1	0.06"	9	0.82*	0.05"	0.02*
larley		0.09*	9.02	2	0.1	0.2	3	0.02*	0.2	0.02*
leighum		0.05*	90.02	0.85*	6.01"	0.06"	3	0.02*	0.08"	0.02*
Notes .			0.02		6.1	0.05*	9	0.02*	9.0	0.02
Hose		0.05*	0.02	2	0.1	0.05*	3	0.02*	0.05"	0.02
halou		0.00*	0.62		0.01*	0.05*	3	0.08*	0.05*	0.02*
uchwheat		0.06*			0.01*	0.08*	3	0.02*	0.05"	0.02*
Met			0.02		0.01"	0.05*	3	0.02*	0.05*	0.02*
toe P1			0.02		0.01*	0.05*	3	0.02"	0.08*	0.02"
ther cereals 19	6.1	0.06"	0.02	0.05*	0.01*	0.08*	9	-0.02	0.08*	0.02*
F ANIMAL ORIGIN										
lead, Bal &		0.00*	0.05		0.01"	0.09***	0.05*	0.08	0.05**	9.85*
eperations									6.2 ***	
meat <sup>(b)</sup>										
IIIn <sup>pa</sup> &		0.08*	0.002		0.01*	0.01*	0.01*	0.00*	0.02	0.05*
ely produce <sup>(N)</sup>										
	proprietary programs  and  and  and  and  and  and  and  an	Treatment  Tre  Tre  Tre  Tre  Tre  Tre  Tre  Tr	Termination	### 6.1 6.8° 0.00   ### 6.1 6.8° 0.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   ### 6.1 6.00   #### 6.1 6.00   #### 6.1 6.00   ###################################	### 6.1 6.29" 0.02 2   ### 6.1 6.29" 0.02 2   ### 6.1 6.29" 0.02 0.29" 0	### 8.1 8.89* 0.02 2 0.1  ### 0.1 8.89* 0.02 2 0.1  ### 0.1 8.09* 0.02 2 0.89*  ### 0.1 8.09* 0.02 8 6.1  ### 0.1 8.09* 0.02 8 6.1  ### 0.1 8.09* 0.02 8 6.1  ### 0.1 8.09* 0.02 8 6.1  ### 0.1 8.09* 0.02 8 6.1  ### 0.1 8.09* 0.02 8 6.1  ### 0.1 8.09* 0.02 8.09* 0.09*  ### 0.1 8.09* 0.02 8.09* 0.09*  #### 0.1 8.09* 0.00* 0.00*  #################################	### 8.1 8.89* 0.02 2 0.1 0.09* ### 0.1 8.09* 0.02 2 0.1 0.09* ### 0.1 8.09* 0.02 8 0.1 0.2 ### 0.1 0.09* 0.02 8 0.1 0.09* #### 0.1 0.09* 0.02 8 0.1 0.09* #### 0.1 0.09* 0.02 8 0.1 0.09* ####################################	### 6.1 6.69* 0.09 2 0.1 0.09* 3  ### 6.1 6.69* 0.09 2 0.1 0.09* 3  ### 6.1 6.69* 0.00 2 0.60* 6.31* 6.89* 3  ### 6.1 6.69* 0.00 8 6.1 6.89* 3  ### 6.1 6.69* 0.00 8 6.1 6.89* 3  ### 6.1 6.69* 0.00 8 6.1 6.89* 3  ### 6.1 6.00* 0.00 8.2 0.01* 0.09* 3  ### 6.1 0.00* 0.00* 0.00* 0.00* 0.00* 0.00* 3  ### 6.1 0.00* 0.00* 0.00* 0.00* 0.00* 3  ### 6.1 0.00* 0.00* 0.00* 0.00* 0.00* 3  ### 6.1 0.00* 0.00* 0.00* 0.00* 0.00* 3  #### 6.1 0.00* 0.00* 0.00* 0.00* 0.00* 3  ###################################	## 8.5	## 8.5

aroup to which and belongs	Groups include the following products	001	Deltamethrin	Diazinon	1,3-Dibromo ethone	Dichlorvas	Dicarlel	Disulfiction	Endosulfan	Endrin	Ethephon	Fenerimol	Ferbutatin oxide
CEREALS													
	Whost	0.05	1	0.06	0.01*	2	0.02*	0.1	0.1	0.01	0.2		0.05*
	Plye	0.08	1	0.05	0.01*	2	0.02*	0.02*	0.1	0.81	0.5	0.02*	0.08*
	Darley	0.05	1	0.05	0.01*	2	0.02"	0.2	0.1	0.01	0.5		0.08*
	Soighuri	0.05	1	0.05	0.01*	2	0.02*	0.2	0.08*	0.01	0.05"	0.02*	0.05*
	Own	80.0	1	0.08	0.01*	2	0.02*	0.02*	0.1	0.01	0.05"	0.02*	0.05*
	Triticale	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.1	0.01	0.2	0.02*	0.08*
	Maize	0.05	1	0.05	0.01*	2	0.02*	0.02"	0.2	0.01		0.02*	0.05*
	Budwheat	80.0	1	0.02*	0.01*	2	0.02*	0.02*	0.08*	0.01	0.05"	0.02*	0.05*
	Milet	0.05	1	9.82*	0.01*	2	0.02*	0.02*	0.05*	0.01	0.05"	0.02*	0.08*
	Plop FI	0.05	1	0.05	0.01*	2	0.02*	0.02"	0.08*	0.01	0.00*	0.02*	0.05*
	Other cereals <sup>(0)</sup>	0.06	1	0.06	0.01*	2	0.02*	0.02*	0.08*	0.01	0.05"	0.02*	0.08*
PRODUCT	S OF ANIMAL ORIGIN												
	Meat, for 6	1	0.08**				0.5 (74	0.02*	0.1 ***	0.05	0.05*	0.02* (10)	0.08*
	preparations						0.1 75						
	of most <sup>(N)</sup>						0.06* (44)						
							100						
	MIN <sup>FF</sup> &	0.64					0.02	0.02	0.004	8000.0	0.05"	0.02"	0.08*
	Dairy produce <sup>(6)</sup>												
	Eggs. <sup>69</sup>	0.1	0.05*				0.05*	0.02*		0.006	0.08*	0.00*	0.05"

inoug to which and belongs	Croups include the following products	Fortin	Fernstlerate	Fundhissarb	Olyphosala	Heptachior	Hexachiors become (HCB)	Hexachioro oyolohexane (HCH) ox	Hexachloro cyclohexane (HCH) p	Hexachioro cyclohoxane (HCH) Y	Hydrogen opende	Hydragen phosphide
CEREALS												
	Wheat	0.05	0.00*	0.00"	5	0.01	0.01	0.82	1	0.1	16	0.1
	Rys	0.08*	0.05*	0.05*		0.01	0.01	99.0	1	6.1	15	0.1
	Earley	0.08*	0.2	0.05*	20	0.01	0.01	0.82	1	0.1	15	0.1
	Seighum	0.05	0.05	0.05*	20	0.01	0.01	0.02	1	0.1	16	0.1
	Oats	0.05*	0.2	0.06*	20	0.01	0.01	0.82	sum	0.1	16	0.1
	Triticale	0.05*	0.08*	0.05*	5	0.01	0.01	0.82	of alpha	0.1	15	0.1
	Maize	0.05"	0.08*	0.05*	0.1"	0.01	0.01	0.02	& beta	0.1	15	0.1
	Buckeheat	0.05	0.08"	0.06*	0.1"	0.01	0.01	0.02	1	0.1	15	0.1
	Millet	0.06*	0.05"	0.06*	0.1"	0.01	0.01	0.02	1	0.1	15	0.1
	Rice (f)	0.06*	6.85*	0.08*	0.1"	6.01	0.01	0.02	1	0.1	15	0.1
	Other coveres <sup>ris</sup>	0.08*	0.06*	0.05"	0.1*	0.01	0.01	0.02	/	0.1	15	0.1
PRODUCTS	S OF ANIMAL ORIGIN											
	Most, fat &	0.05"	0.5 **	0.05"	0.51%	0.2	0.2	0.2	0.1	20		
	preparations		0.00***		210				-	100		
	of meat <sup>ER</sup>				0.1* ***							
	Mak ** A	0.05*	6.05	0.08*	0.1"	0.004	0.01	0.084	0.003	0.009		
	Dairy produce <sup>ds</sup> Eggs <sup>81</sup>	0.08	0.05*	0.00*	0.1*	9.02	9.00	0.02	0.01	4.1		

Group to which fixed belongs	Groups include the following products	Imazalii	broride broride	Iprodone	Lambda-cyhalothen <sup>res</sup>	Materials	Maneb Mancoselo Metivarii Proginelo Zineb	Mecabam	Motolacyl	Methamidophos	Multicathion	Mathomyl thiodicart
8. CEREALS												
	Wheat	0.02*	50	0.5	0.02*		1	90.0	0.00*	0.01*	0.02*	0.08*
	Pye	0.02*	50	0.02*	0.02*		1	0.05"	0.05*	0.01*	0.02*	0.05*
	Barley	0.02*	80	1	0.06		2	0.05"	0.05*	0.01*	0.02*	0.08*
	Sorghum	0.02*	50	0.05	0.02*		0.06*	0.00*	0.00*	0.01*	0.02*	0.08*
	Orts	0.02*	50	0.02*	0.02*	8	2	0.05*	0.06*	0.01*	0.02*	0.08*
	Triticale	0.02*	50	0.02"	0.02*	8	0.05"	0.00"	0.00*	0.01*	0.02*	0.05*
	Majon	0.00*	50	0.02"	0.02*		0.05"	0.05"	0.05*	0.01*	0.02*	0.08*
	Buckehed	0.02*	80	0.02"	0.02*		0.09*	0.00*	0.05*	0.01*	0.00*	0.08*
	Milet	0.02*	50	0.02"	0.02"	8	0.05"	0.00	0.08*	0.01*	0.02*	0.05*
	Rese FT	0.02*	50	3	0.02*		0.05"	0.00*	0.08*	0.01*	0.02*	0.65*
	Other careats <sup>(4)</sup>	0.00*	50	0.00*	0.00*		0.85*	0.00*	0.08*	0.01*	0.02*	0.08*
9. PRODUCT	'S OF ANIMAL ORIGIN											
	Most, for 8.	0.02*		0.05"	0.5179		0.09*		0.08*	0.01*	0.02*	0.02"
	preparations				0.02* 75							
	of most <sup>(i)</sup>											
	htts: "Ca	0.02*		0.05*	0.05		0.00*		0.08*	0.01*	0.02*	0.02*
	Dairy produce (f)										6.82*	0.02*
	Figur <sup>(4)</sup>	0.02*		0.05*	0.02"		0.06*		0.08*	0.01"	0.02"	0.02*

aroup to which load belongs	Groups include the following products	Methyl branide	Permethin	Phorate	Phosphamides	Pirimiphos-methyl	Procymidone	Propiconapole	Proposur	Propyramide	Pyrathrins
. CEREALS											
	Wheat	0.1	2	0.00*	0.05	5	0.02*	0.05"	0.05*	0.02"	3
	Rye	0.1	2	0.05"	0.05	5	0.00*	0.05"	0.08*	0.02*	3
	Darley	0.1	2	0.05"	0.05		0.02*	0.05*	0.08*	0.02*	3
	Sorphum	0.1	2	0.06*	0.08	5	0.02*	0.06"	0.08*	0.02*	3
	Clairs	0.1	2	0.06*	0.05		0.02*	0.06*	0.08*	0.02*	3
	Tritlosia	0.1	2	0.05*	0.05	5	0.02*	0.08*	0.05*	0.02*	3
	Maloe	0.1	0.2		0.05	5	0.02"	0.08*	0.05*	0.02*	3
	Buckwheat	0.1	2	0.05*	0.05	8	0.02"	0.05*	0.05"	0.02	3
	Milet	0.1	2	0.06"	0.05	5	0.02*	0.05"	0.05*	0.02*	3
	Rice FT	0.1	2	0.05"	0.08	5	0.02*	0.05"	0.05*	0.02*	3
	Other carwals <sup>(2)</sup>	0.1	2	0.05*	0.08	5	0.00*	0.05"	0.00*	0.02*	3
PRODUCTS	S OF ANIMAL ORIGIN										
	Most, let &		0.5	0.08*		0.00*	0.05*	0.1 (0)	0.05*	0.06+ P909	
	preparations							0.00*110		0.02 - 04544	
	of meat <sup>(8)</sup>										
	Milk <sup>101</sup> A		0.05	0.02		0.06*	0.00*	0.01*	0.00	0.011 (79)	
	Dairy produce <sup>rej</sup>					0.08"					
	Eggs <sup>86</sup>		0.05	0.05"		0.05"	0.05*	0.06*	0.05*	6.62° (m)	

Croup to which lood belongs	Groups include the following products	Thiatendazole	Trisuspinos	Trichlortan	Triforine	Vindozolin			
a. CEREALS									
	West			0.1	0.1	0.05"			
	Plya	0.05"		0.1	0.1	0.05"			
	Darley	0.05*		0.1	0.1	0.08"			
	Sorghum	6.85*	0.02*	0.1	0.05*	0.05"			
	Oats	0.00*		0.1	0.1	0.05*			
	Triticale	0.05"		0.1	0.1	0.08"			
	Malaw	0.05*		0.1	0.05	0.09"			
	Buckwheat	6.05*	0.02*	0.1	6.85*	0.05"			
	Milet	0.05"	0.02"	0.1	0.00*	0.05"			
	Plice <sup>(II)</sup>		0.02*	0.1	0.05"	0.05"			
	Other persons <sup>(1)</sup>	0.00*	0.02*	0.1	6.89*	0.05			
9. PRODUCT	S OF ANIMAL ORIGIN								
	Meat, lot &	0.1 rm	0.01****		0.05*	0.05"			
	preparations								
	of meat (5)								
	MIR <sup>10</sup> S				0.00*	0.05*			
	Dairy produce <sup>(6)</sup>		0.01*						
	Eggs <sup>(6)</sup>	0.1*			0.05*	0.05"			

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

FO	OTNOTES	
UNI	TS:	KEY:
Max	rimum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of tood.	* Level at or about the limit of determination.
FOO	DTNOTES:	
1.	Paddy or rough rice, husked rice and semi-milled or wholly milled rice	
	Other cereals do not include rice	
3.	Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight	
	In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one to	tenth of the value given in the table,.
	but must be no less than 0.01mg/kg	16
	These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole	
D.	For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of anothe	er animai origin; and for butter, cheese or curd
	whether made from cow's milk or other milk of a combination, the following levels apply:	and whele economically
	<ul> <li>If the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk</li> <li>If the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is se</li> </ul>	
6.		imprier irean, dried or otherwise prepared)
7.	Sheepmeat only.	
	Poultrymeat only	
	All meat except sheepmeat.	
	Other meat products	
	All meat except poultrymeat	
	Pig kidney	
	Cattle, goat and sheep kidney	
14.	Procymidone: 1mg/kg applies to whole seed	
1.5	0.05 mg/kg applies to seed without shell All meat except liver and kidney.	
	Ruminant liver.	
	All meat except ruminant liver	
	For animal products MRLs relate to cyhalothrin (sum of isomers).	
	With the exception of meat and other ovine, bovine and caprine products.	
	Footnotes 3, 5 and 6 do not apply in cases where the lower limit of analytical determination is indicated by the control of th	atad
	Meat of cattle sheep and goats.	MANU.
	Other than meat or liver of cattle, sheep and goals, and poultry meat.	
	Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-	2 2-dichlospethanni (PP'-EW152), expressed as diceful
	Fat, liver and kidney.	e,e united section (FF -FW toe), expression as district.
	Other than fat, liver and kidney.	
200	The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3.	

SCHEDULE 3

Regulation 6

Note: The word 'fresh' is taken to extend to products which have been chilled.

Column 1 Group of products	Column 2 Products included in the groups	Column 3 Part of product to which maximum residue levels apply
1.Fruit, fresh, dried or uncoo	oked, preserved by freezing, not co	ntaining added sugar: nuts
(i)CITRUS FRUIT	Grapefruit	Whole Product.
	Lemons	
	Limes	
	Mandarins (including clementines and similar hybrids)	
	Oranges	
	Pomelos	
	Others	

(ii)TREE NUTS (shelled or	Almonds	Whole product after removal		
unshelled)	Brazil nuts	of shell.		
	Cashew nuts			
	Chestnuts			
	Coconuts			
	Hazelnuts			
	Macadamia nuts			
	Pecans			
	Pine nuts			
	Pistachios			
	Walnuts			
	Others			
(iii)POME FRUIT	Apples	Whole product after removal of stems.		
	Pears	of stems.		
	Quinces			
	Others			
(iv)STONE FRUIT	Apricots	Whole product after removal of stems.		
	Cherries			
	Peaches (including nectarines and similar hybrids)			
	Plums			
	Others			
(v)BERRIES AND SMALL FRUIT	(a) Table and wine grapes	Whole product after removal of caps and stems (if any) and,		
	Table grapes	in the case of currants, fruits with stems.		
	Wine grapes			
	(b)Strawberries			
	(other than wild)			
	(c)Cane fruit			
	3.9			

(vi)MISCELLANEOUS

**FRUIT** 

Status: Point in time view as at 01/02/2000.

Changes to legislation: There are outstanding changes not yet made by the legislation gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

(other than wild)

Blackberries Dewberries Loganberries Raspberries Others (d)Other small fruit and berries (other than wild) Bilberries Cranberries Currants (red, black and white) Gooseberries Others (e)Wild berries and wild fruit Whole fruit after removal of Avocados stems (if any) and in the case of pineapple, after removal of Bananas the crown. Dates {Whole fruit after removal of Figs stems (if any) after removal of soil (if any) by rinsing in Kiwi fruit running water. Kumquats Litchis Mangoes Olives (table consumption){ Olives (oil extract) Passion fruit Pineapples

	Pomegranates					
	Others					
(i)ROOT AND TUBER	Beetroot	Whole product after removal				
VEGETABLES	Carrots	of tops and adhering soil (if any) (removal of soil by				
	Celeriac	rinsing in running water or by gentle brushing of the dry				
	Horseradish	product).				
	Jerusalem artichokes					
	Parsnips					
	Parsley root					
	Radishes					
	Salsify					
	Sweet potatoes					
	Swedes					
	Turnips					
	Yams					
	Others					
2. Vegetables, fresh or uncooked, frozen or dry	Garlic	For dry onions, shallots and garlic: whole product after				
(ii)BULB VEGETABLES	Onions	removal of easily detachable skin and soil (if any). Onions,				
(II)BOLD VEGETABLES	Shallots	shallots and garlic other than dry, spring onions: whole				
	Spring Onions	product after removal of roots and soil (if any).				
	Others	und 3011 (If unly).				
(iii)FRUITING VEGETABLES	(a)Solanacea	Whole product after removal of stems.				
VEGET/IBEES	Tomatoes	or stems.				
	Peppers					
	Aubergines					
	Others					
	(b)Cucurbits-edible peel					

Changes to legislation: There are outstanding changes not yet made by the legislation gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

Cucumbers Gherkin Courgettes Others (c) Cucurbits-inedible peel Melons Squashes Watermelons Others (d)Sweet corn Kernels or cobs without husks. (iv)BRASSICA (a)Flowering brassicas Product after removal of VEGETABLES decayed leaves (if any). Broccoli Cauliflower Others (b)*Head brassicas* Brussels sprouts Head cabbage Others (c)Leafy brassicas Chinese cabbage Kale Others (d)Kohlrabi Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product). (v)LEAF VEGETABLES (a)Lettuce and similar Whole product after removal of decayed outer leaves, root AND FRESH HERBS Cress and soil (if any).

	Lamb's lettuce							
	Lettuce							
	Scarole							
	Others							
	(b)Spinach and similar							
	Spinach							
	Beet leaves (chard)							
	Others							
	(c)Watercress							
	(d)Witloof							
	(e)Herbs							
	Chervil							
	Chives							
	Parsley							
	Celery leaves							
	Others							
(vi)LEGUME VEGETABLES (FRESH)	Beans with pods	Whole product after removal of pods or with pods if they are						
	Beans without pods	intended to be eaten.						
	Peas with pods							
	Peas without pods							
	Others							
(vii)STEM VEGETABLES	Asparagus	Whole product after removal of decayed tissue and soil (if						
	Cardoons	any); leeks and fennel: whole product after removal of roots						
	Celery	and soil (if any).						
	Fennel							
	Globe artichokes							
	Leeks							

	Rhubarb	
	Others	
(viii)FUNGI	Mushrooms (other than wild)	Whole product after removal of decayed tissue and soil (if
	Wild Mushrooms	any); leeks and fennel: whole product after removal of roots and soil (if any).
3.Pulses	Beans	Whole product.
	Lentils	
	Peas	
	Others	
4.Oil seeds	Linseed	Whole seed or kernel after
	Peanuts	removal of shell and husk, when possible.
	Poppy seed	*Whole seed including shell,
	Rape seed	when present, and whole seed without shell, when shell is absent.
	Sesame seed	dosciit.
	Sunflower seed*	
	Soya bean	
	Others	
5.Potatoes	Early potatoes	Whole product after removal
	Ware potatoes	of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product).
6.Tea (dried leaves and stalks, fe	ermented or otherwise, Camellia	sinensis)
		Whole product.
7. Hops (dried), including hop pe	ellets and unconcentrated powder	
		Whole product.
8.Cereal grains	Wheat	Whole commodity without husk.
	Rye	
	Barley	
	Oats	
	Triticale	

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

	Maize	
	Rice	
	Other cereals	
9.Products of animal origin	Meat, fat and preparations of meat	Whole commodity (For fat soluble pesticides a portion of carcass fat is analysed and MRLs apply to carcass fat.
	Milk	Whole commodity.
	Eggs	Whole egg whites and yolks combined after removal of shells.
10.Spices	Cumin seed	Whole product.
	Juniper berries	
	Nutmeg	
	Pepper, black and white	
	Vanilla pods	
	Others	

# SCHEDULE 4

Regulation 7

# REVOCATIONS

Title	S.I. Number
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994	S.I. 1994/1985.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995	S.I. 1995/1483.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1996	S.I. 1996/1487
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1997	S.I. 1997/567.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1998	S.I. 1998/2922.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details)

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment)
Regulations 1999

#### **EXPLANATORY NOTE**

(This note is not part of the Regulations)

These Regulations are made under section 2(2) of the European Communities Act 1972 and Part III of the Food and Environment Protection Act 1985 and consolidate and replace the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994 (S.I. 1994/1985) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995 to 1999 (S.I. 1995/1483, 1996/1487, 1997/567, 1998/2922 and 1999/1109).

To the extent that the Regulations are made under the European Communities Act 1972, regulation 4 and Schedule 2 Part 2 specify maximum levels of pesticide residues which may be left in crops, food and feeding stuffs in implementation of Council Directive 86/362/EEC (O.J. No. L221, 7.8.86, p.37) and Council Directive 86/363/EEC (O.J. No. L221, 7.8.86, p.43) as regards cereals and products of animal origin, and Council Directive 90/642/EEC (O.J. No. L350, 14.12.90, p.71) as regards certain products of plant origin (including fruit and vegetables), each as last amended by Commission Directive 1999/71/EC (O.J. No. L194, 27.7.99, p.36)) (these Directives as so amended being referred to in these Regulations as "the Residues Directives"). In particular, these Regulations specify for the first time maximum residue levels for the pesticide Azoxystrobin in implementation of Commission Directive 1999/71/EC. Regulation 4 also creates offences, specifies penalties, provides defences and confers enforcement powers where these maximum residue levels have been exceeded in respect of products put into circulation. To the extent that these Regulations are made under the Food and Environment Protection Act 1985, they specify maximum levels of pesticides residues which may be left in crops, food and feeding stuffs which are not the subject of the Residues Directives. Since they are made under section 16(2)(k) of that Act, regulation 3 and Schedule 2 Part 1 do no more than specify the maximum residue level which may be left in a particular product. Offences and penalties for contravention of regulation 3 are prescribed respectively by sections 16(12) and 21(3) of that Act. The Regulations also confer powers to seize and dispose of products where maximum residue levels have been exceeded (regulation 5) and prescribe how much of a particular product is to be taken into account in determining whether a maximum residue level has been exceeded in accordance with Council Directive 90/642/EEC (regulation 6 and Schedule 3). Provision is also made with regard to the manner for determining whether maximum residue levels have been exceeded when found in dried or processed products or composite foods, so far as these are the subject of the Residues Directives (regulation 6).

These Regulations revoke the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994 (S.I. 1994/1985) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995 to 1999 (S.I. 1995/1483, 1996/1487, 1997/567, 1998/2922 and 1999/1109) (regulation 7 and Schedule 4).

# **Status:**

Point in time view as at 01/02/2000.

# **Changes to legislation:**