SCOTTISH STATUTORY INSTRUMENTS

### 2000 No. 22

### AGRICULTURE

### PESTICIDES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000

Made	-	-	-	-		31st January 2000
Coming	into _	force	2	-	-	1st February 2000

The Scottish Ministers, in exercise of the powers conferred on them by section 2(2) of the European Communities Act 1972<sup>M1</sup> and by section 16(2) of the Food and Environment Protection Act 1985<sup>M2</sup>, and of all other powers enabling them in that behalf, after consultation in accordance with section 16(9) of the said Act of 1985 with the Advisory Committee on Pesticides established under section 16(7) of that Act<sup>M3</sup>, hereby make the following Regulations, a draft of which has been laid before and approved by resolution of the Scottish Parliament:

# Marginal Citations M1 1972 c.68. Section 2(2) was amended by the Scotland Act 1998 (c.46), Schedule 8, paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scotlish Ministers by virtue of section 53 of the Scotland Act 1998. M2 1985 c.48; see section 24(1) for a definition of "the Ministers" and section 24(3) on the exercise of the power conferred by section 16. Section 16 was amended by the Pesticides (Fees and Enforcement) Act 1989 (c.27), section 1(2) and by the Pesticides Act 1998 (c.26), section 1. The functions of "the Ministers" were transferred to the Scotlish Ministers by virtue of section 53 of the Scotland Act 1998 (c.46).

**M3** Established by S.I. 1985/1516.

### Citation, commencement and extent

**1.**—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000 and shall come into force on 1st February 2000.

(2) These Regulations extend to Scotland only.

### Interpretation

**2.**—(1) In these Regulations–

"EEA State" means a State which is a Contracting Party to the Agreement on the European Economic Area signed at Oporto on 2nd May 1992<sup>M4</sup> as adjusted by the Protocol signed at Brussels on 17 March 1993<sup>M5</sup>;

"product" means any crop, food or feeding stuff specified in Schedules 2 or 3;

"putting into circulation" means any handing over, whether or not for a consideration of any product-

(a) in the case of fruit and vegetables, after they have been harvested, and

(b) in any other case, at any time; and

"the Residues Directives" means Council Directive 86/362/EEC<sup>M6</sup> (as amended by Council Directives 88/298/EEC<sup>M7</sup>, 90/654/EEC<sup>M8</sup>, 93/57/EEC<sup>M9</sup>, 94/29/EC<sup>M10</sup>, 95/39/EC<sup>M11</sup>, 96/33/EC<sup>M12</sup>, 97/41/EC<sup>M13</sup> and Commission Directives 97/71/EC<sup>M14</sup>, 98/82/EC<sup>M15</sup>, 1999/65/EC<sup>M16</sup> and 1999/71/EC<sup>M17</sup>, together with Council Directive 86/363/EEC<sup>M18</sup> (as amended by Council Directives 93/57/EEC, 94/29/EC, 95/39/EC, 96/33/EC, 97/41/EC and Commission Directives 97/71/EC, 98/82/EC and 1999/71/EC) and Council Directive 90/642/EEC<sup>M19</sup> (as amended by Council Directives 93/58/EEC<sup>M20</sup>, 94/30/EC<sup>M21</sup>, 95/38/EC<sup>M22</sup>, 95/61/EC<sup>M23</sup>, 96/32/EC<sup>M24</sup>, 97/41/EC and Commission Directives 97/71/EC, 98/82/EC, 1999/65/EC and 1999/71/EC).

(2) The words and expressions "dried", "processed", "composite food", "drying" and "processing", when used either in regulation 4 or in paragraphs (d) and (e) of regulation 6 shall have the same meaning as when used in the Residues Directives and any related expressions shall be construed accordingly.

(3) Any reference in these Regulations to a pesticide residue is a reference to the substance named in column 2 of Schedule 1 opposite the pesticide named in column 1 of that Schedule from which, or from the metabolites and breakdown or reaction products of which, it can be derived.

(4) Any reference in these Regulations to a numbered Schedule or regulation shall be construed as a reference to the Schedule or, as the case may be, regulation so numbered in these Regulations.

(5) Any reference in any Schedule to these Regulations to any product, figure or pesticide includes any qualifying words relating to that product, figure or pesticide in that Schedule.

#### Marginal Citations

M4 O.J. No. L1, 3.1.94, p.3. M5 O.J. No. L1, 3.1.94, p.572. M6 O.J. No. L221, 7.8.86, p.37. M7 O.J. No. L126, 20.5.88, p.53. M8 O.J. No. L353, 17.12.90, p.48. M9 O.J. No. L211, 23.8.93, p.1. M10 O.J. No. L189, 23.7.94, p.67. M11 O.J. No. L197, 22.8.95, p.29. M12 O.J. No. L144, 18.6.96, p.35. M13 O.J. No. L184, 12.7.97, p.33. M14 O.J. No. L347, 18.12.97, p.42. M15 O.J. No. L290, 29.10.98, p.25. M16 O.J. No. L172, 8.7.99, p.40. M17 O.J. No. L194, 27.7.99, p.36. M18 O.J. No. L221, 7.8.86, p.43. M19 O.J. No. L350, 14.12.90, p.71.

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

M20 O.J. No. L211, 23.8.93, p.6.
M21 O.J. No. L189, 23.7.94, p.70.
M22 O.J. No. L197, 22.8.95, p.14.
M23 O.J. No. L292, 7.12.95, p.27.
M24 O.J. No. L144, 18.6.96, p.12.

### Maximum residue levels

**3.** The maximum level of any pesticide residue which may be left in any product named in Part I of Schedule 2 shall be the number of milligrams of the pesticide residue per kilogram of the product (if any) specified opposite the name of that product under the name of the pesticide concerned.

**4.**—(1) No person shall put into circulation any product named in Part 2 of Schedule 2 which contains a level of pesticide residue greater than the number of milligrams of that pesticide residue per kilogram of the product (if any) specified opposite the name of that product under the name of the pesticide concerned.

- (2) Subject to the provisions of regulation 6, the provisions of this regulation shall apply-
  - (a) to any products which after drying or processing are obtained from any of the products named in Part 2 of Schedule 2; and
  - (b) to any composite foods which include any of the products named in that Part of that Schedule,

notwithstanding that no maximum permitted level has been expressly specified therein for the amount of pesticide residue which may be contained in that dried or processed product or composite food.

(3) Any person who, without reasonable excuse, contravenes or causes or permits any other person to contravene any provision of this regulation shall be guilty of an offence, and shall be liable–

- (a) on summary conviction, to a fine not exceeding the statutory maximum; and
- (b) on conviction on indictment, to a fine.

(4) In any proceedings for an offence under this regulation, it is a defence for the person charged to prove that when the product in question was put into circulation–

- (a) it was so put with the intention of its being exported to a country which is not an EEA State and the offence was caused by a treatment applied to that product being a treatment–
  - (i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory; or
  - (ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or
- (b) it was so put with the intention that-
  - (i) it be used in the manufacture of things other than foodstuffs and animal feed; or
  - (ii) it be used for sowing or planting.

(5) Sections 19 and 22 of, and Schedule 2 to, the Food and Environment Protection Act 1985 shall apply for the purposes of this regulation as they apply for the purposes of that Act taking references therein to that Act or any Part of it to be references to this regulation.

(6) In paragraph (4)(a) "country which is not an EEA state" does not include any part of the United Kingdom.

### Seizure or disposal of crops, food or feeding stuffs

5. If any product contains a level of pesticide residue above that permitted under either regulations 3 or 4(1), the Scottish Ministers shall have the power-

- (a) to seize or dispose of the consignment containing that product, or any part of it, or to require that some other person shall dispose of it, or
- (b) to direct some other person to take such remedial action as appears to the Scottish Ministers to be necessary.

#### Sampling and analysis

**6.** In determining for the purposes of regulations 3 or 4(1) whether the level of pesticide residue left or contained in any product exceeds the maximum permitted–

- (a) the whole or such part only of that product shall, so far as is practicable, be taken into account as specified in column 3 of Schedule 3 opposite the name of that product in column 2 of that Schedule;
- (b) the procedure laid down in the Codex Recommended Method of Sampling for the Determination of Pesticide Residues<sup>M25</sup> shall so far as is practicable be followed;
- (c) in the case of any product named in paragraphs 3, 4, or 5 of Part 1 of Schedule 2 which has been dried, that Part of that Schedule shall have effect as if for the number of milligrams of each pesticide residue specified opposite the name of that product there were substituted that number of milligrams divided by the fraction of 1 kilogram to which 1 kilogram of the product is reduced by the drying process;
- (d) in the case of any product named in Part 2 of Schedule 2 which has been dried or processed, that Part of that Schedule shall have effect where no such maximum permitted level of pesticide residue is specified therein for the product in its dried or processed form as if the maximum permitted level of pesticide residue specified opposite the name of the product in that Part of that Schedule has been modified to take account of the concentration of the product caused by the drying process or, as the case may be, the dilution or concentration of the product caused by the processing; and
- (e) in a case where two or more products have been mixed to form a single composite food in relation to which no such maximum permitted levels are specified in Part 2 of Schedule 2, that Part of that Schedule shall have effect as if such maximum permitted levels had been specified in relation to that composite food for each of the pesticide residues which are specified therein opposite the names of each of the products which have been mixed to form the composite food, taking into account-
  - (i) the relative concentrations of each of the constituent products in the mixture; and
  - (ii) the provisions of paragraph (d) above.

#### **Marginal Citations**

M25 Food and Agriculture Organisation of the United Nations and World Health Organisation Joint Food Standards Programme Codex Alimentarius Commission, Recommended Method of Sampling for the Determination of Pesticides Residues, *Volume 2 Section 3 Codex Alimentarius*, 1993

### Revocations

7. The Regulations specified in Schedule 4 are hereby revoked.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

St Andrew's House, Edinburgh 31st January 2000

*ROSS FINNIE* A member of the Scottish Executive

### SCHEDULE 1

Regulation 2

Column 1 Pesticide	<i>Column 2</i> Residues
Acephate	Acephate
Aldrin & Dieldrin	singly or combined, expressed as dieldrin (HEOD)
2-Aminobutane	2-aminobutane
Aminotriazole	Aminotriazole
Atrazine	Atrazine
Azinphos-methyl	azinphos-methyl
Benalaxyl	Benalaxyl
Benfuracarb	Benfuracarb
Binapacryl	Binapacryl
Biphenthrin	Biphenthrin
Bitertanol	Bitertanol
Bromophos-ethyl	bromophos-ethyl
Camphechlor (Toxaphene)	camphechlor (toxaphene)
Captafol	Captafol
Captan	Captan
Carbaryl	Carbaryl
Carbendazim, Benomyl and Thiophanate- methyl	carbendazim, benomyl and thiophanate-methy (expressed as carbendazim)
Carbon disulphide	carbon disulphide
Carbon Tetrachloride	carbon tetrachloride
Carbofuran	sum of carbofuran and 3-hydroxy-carbofuran, expressed as carbofuran
Carbophenothion	sum of carbophenothion, its sulphoxide and it sulphone, expressed as carbophenothion
Carbosulfan	Carbosulfan
Cartap	Cartap
Chlordane	(1) for products of animal origin: sum of <i>cis</i> - and <i>trans</i> -isomers and oxychlordane expressed as chlordane;
	(2) for cereals, fruit and vegetables: sum of <i>cis</i> and <i>trans</i> - isomers expressed as chlordane
Chlorfenvinphos	sum of E-and Z-isomers of chlorfenvinphos
Chlormequat	Chlormequat

Chlorothalonil	Chlorothalonil
Chlorobenzilate	Chlorobenzilate
Chlorpyrifos	Chlorpyrifos
Chlorpyrifos-methyl	chlorpyrifos-methyl
Cyfluthrin	cyfluthrin, including other mixed isomeric constituents (sum of isomers)
Cypermethrin	cypermethrin (sum of isomers)
Daminozide	sum of daminozide and 1,1-dimethyl-hydrazine expressed as daminozide
DDT	sum of pp'-DDT, op'-DDT, pp'-DDE and pp'- TDE (DDD) expressed as DDT
Deltamethrin	Deltamethrin
Diazinon	Diazinon
1,2-Dibromoethane	1,2-dibromoethane
Dichlofluanid	Dichlofluanid
Dichlorvos	Dichlorvos
Dichlorprop	dichlorprop (including dichlorprop P)
Dicofol	Dicofol
Diflubenzuron	Diflubenzuron
Dimethipin	Dimethipin
Dimethoate	Dimethoate
Dinoseb	Dinoseb
Dioxathion	Dioxathion
Disulfoton	sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton
Endosulfan	sum of alpha-and beta-isomers and of endosulfan sulphate, expressed as endosulfan
Endrin	Endrin
Ethephon	Ethephon
Ethion	Ethion
Etrimfos	Etrimfos
Fenarimol	Fenarimol
Fenbutatin oxide	fenbutatin oxide
Fenchlorphos	fenchlorphos (sum of fenchlorphos and fenchlorphos oxon, expressed as fenchlorphos)
Fenitrothion	Fenitrothion
Fentin	fentin expressed as triphenyltin cation

Fenvalerate	fenvalerate (sum of isomers)
Fluazifop	fluazifop and esters (including conjugates) of fluazifop, expressed as free acid
Flurochloridone	Flurochloridone
Furathiocarb	Furathiocarb
Glyphosate	Glyphosate
Haloxyfop	haloxyfop and esters (including conjugates) of haloxyfop, expressed as free acid
Hexachlorobenzene (HCB)	Hexachlorobenzene
Hexachlorocyclohexane (HCH)	Hexachlorocyclohexane (HCH) alpha, beta and gamma isomers individually or summed as in Schedule 2
Heptachlor	sum of heptachlor and heptachlor epoxide, expressed as heptachlor
Hydrogen cyanide	cyanides expressed as hydrogen cyanide
Hydrogen phosphide	phosphides expressed as hydrogen phosphide
Imazalil	Imazalil
Inorganic bromide	determined and expressed as total bromine from all sources
Ioxynil	Ioxynil
Iprodione	Iprodione
Lambda-cyhalothrin	lambda-cyhalothrin
Malathion	sum of malathion and malaoxon, expressed as malathion
Maleic hydrazide	maleic hydrazide
Maneb, Mancozeb, Metiram Propineb and Zineb	determined and expressed as carbon disulphide (CS2)
Mecarbam	Mecarbam
Mercury compounds	determined as total mercury and expressed as mercury
Metalaxyl	metalaxyl
Methacrifos	methacrifos
Methamidophos	methamidophos
Methyl bromide (bromomethane)	methyl bromide (bromomethane)
Mevinphos	sum of cis- and trans- mevinphos
Monocrotophos	monocrotophos
Omethoate	omethoate (from use of formothion, dimethoate and omethoate)

### **Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Paraquat	paraquat
Parathion	parathion
Parathion-methyl	parathion-methyl
Permethrin	permethrin (and sum of isomers)
Phorate	sum of phorate, its oxygen analogue and their sulfoxides and sulphones expressed as phorate
Phosalone	phosalone
Phosmet	phosmet
Phosphamidon	sum of phosphamidon (E-and Z-isomers) and N-desethylphosphamidon (E-and Z-isomers) expressed as phosphamidon
Pirimiphos-methyl	pirimiphos-methyl
Procymidone	procymidone
Propargite	propargite
Propiconazole	propiconazole
Propoxur	propoxur
Propyzamide	propyzamide
Pyrethrins	sum of pyrethrins I and II, cinerins I and II, jasmolins I and II
Quinalphos	quinalphos
Quintozene	sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulphide expressed as quintozene
Tecnazene	tecnazene
TEPP	TEPP
Thiabendazole	thiabendazole
Triazophos	triazophos
Trichlorfon	trichlorfon
Triforine	triforine
2, 4, 5-T	2, 4, 5-T
Vinclozolin	sum of vinclozolin and all metabolites containing 3, 5-dichloroaniline moiety, expressed as vinclozolin

### SCHEDULE 2

Regulation 3

Group to which lood belongs	Groups include the following products	Aldrin & Dieldrin	2- Antirobutan	Azinphos-methyl	Bitertanol	PART 1 Captan	Carbayi Ca	rbendazim Carbophenothion	Chiordane	Chlorlenvinphos	Chioro benzilate	Diszinon Dichlo fiui
. Fruit, fresh, dried	or uncooked, preserved by freezin	ng not con	taining added se	cer: nuts								
) CITRUS FRU												
	Grapelruit Lemons Limas	0.05	5 5 5	2 2		0.1 0.1	7	2	0.02* 0.02*	:	;	5
	Mandarins (inc clementines & similar hybrids)	0.05	5	2		0.1	7	2	0.02"	1	1	5
	Oranges Pomelos Othera	0.05 0.05 0.05	5 5 5	2 2 2		0.1 0.1 0.1	7 7 7	2 2 2	0.02" 0.02" 0.02"	:	1	5 5 5
	ghreiled or unshelied) Ahronda Brazin nata Cashew nuta Cheshwas Oceonuta Hazatanianiani Macadamianiani Peorana Peorana Petrathias Walanda Chers											
i) POME FRUIT	Apples Pears	0.05		,	1	3	5	1	0.02*	0.05		5
	Quinces Others	0.05		1	1	3	5 5 5	1	0.02*	0.05		5
/) STONE FRUI												•
	Apricots Cherries	0.05		4	1	2	10	'	0.02*	0.05		5
	Peaches (ind nectarines & similar hybrids) Plans	0.05		4	1	2	10 10	1	*20.0	0.05		5
BERRIES AN	Others SMALL FRUIT					2	10		0.02*	0.05		5
	Table & wine grapes											
	Table grapes Wine grapes	0.05		2 2		3	5		0.02*	0.05		15 15

<ul> <li>b) Strawberries (of c) Cane Fruit (other</li> </ul>		1		3	7	5	0.02*	0.05	10
Blackberries	0.05	1		3	10		0.02*	0.05	15
Loganberries	0.05			ä	10		0.02*	0.05	15
Raspberries	0.85	i		ä	10	5	0.02*	0.05	15
Others	0.05			3	10	-	0.02*	0.05	15
<li>d) Other small fruit ( (other than wild)</li>									
Bilborries	0.05	1		3	10		0.02*	0.05	15
Cranberries	0.85	1		3	10		0.02*	0.05	15
	0.05	1		3	10		0.02*	0.05	15
Currants (red, bis Gooseberries	0.05	1		3	10		0.02*	0.05	15
Others	0.05	1		3	10		0.02"	0.05	15
e) Wild berries & wi		,		*			ever.	6.00	1.0
	e mail								
MISCELLANEOUS FRUIT									
Avaciados									
Bananas	0.05	1	0.5	0.1	6		0.02*	0.05	6
Colles									
Figs									
Kiwi fruit									
Kurrquats									
Litohis									
Manpoes									
Clives									
Passion truit									
Pinespoks									
Pomegranates									
Others									
Vegetables, Inish or uncooked, Incoe									
-									
IOOT AND TUBER VEGETAE	ILES								
Bestroot					1.1.1.1.1.1.1				
Carrots	0.05	0.5		0.1	2		0.02"	0.5	5
Celeriac									
Horseradish	0.05	0.5		0.1	2		0.02"	0.5	5
Jerusalem artiche									
Parsnips	0.05	0.5		0.1	2		0.02"	0.5	5
Paraley root	0.05	0.5		0.1	2		0.02"	0.5	5
Radishes									
Salsity	0.05	0.5		0.1	2		0.02"	0.5	5
Sweet potatoes									
Swedes	0.05	0.5		0.1	2		0.02"	0.5	5

	Turnips	0.05	0.5	0.1	1			0.02*		
	Yans			0.1				0.02	0.5	5
	Others									
BULB VEGE										
	Garic	0.05	0.5	D.1	1			0.02*	0.5	5
	Onions Shallots	0.05	0.5	0.1	1			0.02*	0.5	5
	Spring enions	0.05	0.5	0.1	1			0.02**	0.5	5
	Others									
FRUITING V	EGETABLES									
	a) Solanacea									
	Tomatoes	0.05	0.5	3	5			0.02*	0.1	
	Peppers	0.05	0.5	3	5			0.02*	0.1	5
	Aubergines	0.05	0.5	3	5			0.02*	0.1	5
	Offiers	0.05	0.5	3	5			0.02*	0.1	5
	<li>Cucurbits-edible peel Cucumbers</li>	0.05				'				
	Gherkins	0.05	0.5	0.1	3			0.02"	0.1	5
	Courgettes	0.05	0.5	0.1	3			0.02"	0.1	5
	Othera	0.05	0.5	0.1	3			0.02"	0.1	5
	<li>c) Cucurbits-inedible peel</li>								0.1	•
	Melons									
	Squashes									
	Watermalons Others									
	5 Sweet com									
BRASSICA										
	I Flowering Brassicas									
	Broccel									
	Cauliflower	0.05	0.5	0.1	1		0.5	0.02'	0.1	5
	Others									
E.	() Head Brassicas									
	Brussels sprouts	0.05	1	0.1	1		0.5	0.02*	0.1	5
	Head cabbuge Others	0.05	0.5	0.1	5			0.02"	0.1	5
	) Leafy Brassicas									
	Chinese cabbage									
	Kale									
	Others									
	() Kohirabi									
	ABLES AND FRESH HE	ABS								
3	Lettuce & similar Greas									

iroup to which tod belongs	Groups include the folio products	wing Aidrin & Dieldrin	2- Aminobutane Azinphos-methyl Bitertanei	Captan	Carbaryl	Carbendazim Carbophenothio	n Chiordane	Chierlenvinphos Chiere b	enzitate Diazinon	Dichio fluar
	Lamb's lettuce Lettuce	0.05	0.5	2	10		0.02*	0.1		10
	Scarole Others									
	b) Spinach & similar Boot learwas (chard)									
	c) Watercress									
	d) Williad e) Herbs									
	Chave									
	Chives									
	Parsley Celery leaves									
	Others									
LEGUME VE	GETABLES (fresh)									
	Beans (with pods)	0.5	0.5	2	5		0.02*	0.1		5
	Beans (without pods) Peas (with pods)	0.5	0.5			'				
	Peas (without pods) Others	0.5	4.5	2	5		0.02*	0.1		5
STEM VEGE										
	Asperagus									
	Cardoons									
	Celery Fennel	0.5	2	0.1	3		0.02*	0.5		
	Globe artichokes									
	Leeks	0.5	0.5	2	1		0.02*	0.1		5
	Rhuberb Others	0.5	2	0.1	3		0.02*	0.5		
i) FUNGI	Coners									
	Cultivated mushrooms	0.05		0.1	1		0.02*	0.05		
PULSES	Wild mushrooms									
POLSES	Beans									
	Lentils									
	Peas									
OILSEEDS	Others									
OILSEEDS	Linseed									
	Peanuts									
	Poppy seed									
	Sesame seed									
	Sunfower seed Rape seed									
	Soyabean									
	Musitand seed									
	Cotton seed									

. POTATOES	Others									
	Early potatoes Ware potatoes	0.05	1	0.2 0.2	0.1 0.1	0.2 0.2	0.02*	0.5	0.5 0.5	0.1 0.1
. TEA	(dried leaves and stalks, termented or otherwise, Carnellia sinensis)									
. HOPS (dried)	including hop peliets & unconcentrated powler									

		Regulation	n												
Group to which food belongs	Groups include the following products	Dichlorves	Disofel	Diffubenzuran	Dimethipin	Dimethoate	Endo sultan Es	hian	Fenitrofhios	Fluazitop	Flurochloridone	Halaxytap	Hexachioro cyclohexane (HCH)	Inorganic loxynil bromide	Malathion
													7		
	or uncooked, preserved by heazing	g not contai	ining adde	d sugar: nuts											
) CITRUS FRUI	T														
	Cripetruit	0.1		1		2		2	2				1	30	2
	Lemans	0.1		1		2		2	2				1	30	2
		0.1		1		2		2	2				1	30	2
	Mandarins (inc clementines & similar hybrids)	0.1		1		2		2	2				1	30	2
	Ovanges	0.1		1		2		2	2					30	2
	Pomelos	0.1		1		2		2	2					30	2
	Others	0.1		1		2		2	2				1	30	2
0 THEE NUTS (	shelled or unshelled)														
	Almonds								1						
	Brazil nuts Casiliere nuts														
	Chostruts														
	Cocoruta														
	Hazelnuts														
	Macadamia nuts														
	Pecana														
	Pine nuts														
	Pistachios														
	Walnuts														
	Others														
POME FRUIT															
	Apples	0.1		1		1		.5	0.5			0.05*	1	20	0.5
	Pears Quinces	0.1		1		1		.5	0.5			0.05*	1	20	0.5
	Others	0.1		1		1			0.5			0.05*	1	20	0.5
A PTOME FOUR		0.1		1		1		.5	0.5			0.05*	1	20	0.5
STONE FRUI															
	Apricots	0.1	6			2	0	5	0.5				1	20	0.5
	Cherries														
	Peaches (incl nectarines & similar hybrids)	0.1	5			2	0	5	0.5				1	20	0.5
	Plums	0.1	6	1		2	0								
	Others					*	u.	•	0.5				1	20	0.5
BERRIES AND	SMALL FRUIT														
	Table & wine grapes														
	Table grapes	0.1				1	0.		0.5						
	Wine grapes	0.1				-	0.		0.5				0.5	20 20	0.5

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Group to which lood belongs	Groups include the following products	Dichlorivos	Dicofel Diffs	Bonzuron Dimetripin	Dimethoate	Endo sultan	Ethion	Ferilitathian Flue	anop Hurochiologone Haloxylop	Hexachioro cyclohexane (HCH)	inorganic korynil bromide	Malatrior
										Ŧ		
	<ul> <li>b) Strawberries (other than wild)</li> <li>c) Gane Fruit (other than wild)</li> </ul>	0.1			1	2	0.1	0.5		3	30	0.5
	Blackberries	0.1			1	2	0.1	0.5		3	20	0.5
	Loganberries	0.1					0.1	0.5		ŝ	20	0.5
	Raspberries.	0.1			1		0.1	0.5		3	20	0.5
	Others	0.1			1		0.1	0.5		3	20	0.5
	<li>d) Other small truit &amp; berries (other than wild)</li>										-	
	Bilberries	0.1			2		0.1	0.5		3	20	0.5
	Cranberries	0.1			2		0.1	0.5		3	20	0.5
	Currants (red, black & white)	0.1	5		2	2	0.1	0.5		э	20	0.5
	Gooseberries	0.1			2	2	0.1	0.5		3	20	0.5
	Others e) Wild berries & wild fruit	0.1			2		0.1	0.5		3	20	0.5
) MISCELLA	NEOUS FRUIT											
	Avocados							1				
	Bananas	0.1			1		0.1	0.5		1	20	0.5
	Dates											
	Figs											
	Kiwi truit											
	Rumquato											
	Litchis											
	Mangoes											
	Olives											
	Passion Iruit											
	Pineapples											
	Pomogranates											
	Others											
-	h or uncooked, frezen or dry											
ROOT AND T	UBER VEGETABLES											
	Beetroet											
	Cavots	0.5			1		0.1	0.5	0.01*	0.2		0.5
	Geleriac											
	Horseradish	0.5			1		0.1	0.5	0.01*	0.2		0.5
	Jerusalem artichokes											
	Paranipa	0.5			1		0.1	0.5	0.01*	0.2		0.5
	Parsiey root	0.5			1		0.1	0.5	0.01*	0.2		0.5
	Pladishes											
	Salsity Suppl setting	0.5			1		0.1	0.5	0.01*	0.2		0.5
	Sweet potatoes Swedes	0.5					0.1	0.5	0.01*			
	040000	4.5			1		9.1	4.0	0.91	1		0.5

ood belongs products						ifop Flurechleridone Halaxylop	(HCH)	Inorganic Ioxynil bromide	
							Y		
Tumipe Yams Others	0.5			0.1	0.5	0.01*	1		0.5
BULB VEGETABLES									
Garlic	0.5 5		1	0.1	0.5	0.01*	1	0.1	э
Onions	0.5		i	0.1	0.5	0.01*	i	0.1	3
Shallots	0.5		1	0.1	0.5	0.01*		0.1	3
Spring onlons									-
Often									
I) FRUITING VEGETABLES									
a) Solanacea Tomatoes								_	
Peoplers	0.5	1	1	0.1	0.5		2	75	3
Aubergines	0.5	1	1	0.1	0.5 b.5		2	75 75	3
Others	0.5	1	1	0.1	0.5		2 2	75	3
b) Gucurbits-edible pee				0.1	0.5		2	19	
Guourbers	0.5		2	0.1	0.5		1	50	3
Gherkins	0.5		2	0.1	0.5			50	ž
Courgettes	0.5		2	0.1	0.5		1	50	ä
Others	0.5		2	0.1	0.5		1	50	ä
<li>c) Cucurbits-inedible per</li>	Hel								
Melons									
Squashes									
Watermelons Others									
d) Sweet com									
BRASSICA VEGETABLES									
<ul> <li>A) Flowering Brassicas</li> </ul>									
Broccoli Cauliflower									
Others	0.5		2	0.1	0.5		2		3
b) Head Brassicas									
Brussels sprouts	0.5			0.1	0.5		2		3
Head cabbaga	0.5		2	0.1	0.5		2	100	å
Others			-						
<) Lealy Brassicas									
Chinese cabbage									
Kale									
Offices									
<li>d) Kohirabi</li>									
LEAF VEGETABLES AND FRES	H HERBS								
a) Lettuce & similar									
Creas									

13

Group to which food belongs	Groups include the following products	Dichlorves Dico	fol Difluberauror	n Dimethipin	Dimethoate	Endo sultan 8	Ethion	Feniltrothion	Fluazifop Flurochloridone	Haloxytop	Hexachioro cyclohexane (HCH)	Inorganic Ioxynil bromide	Malathion
	Lamb's lettuce										Y		
	Lattuce Scarole Others 9. Spinach & similar Beet kerwes (chard) 1) Witbort 0) Witbort 1) Witbort 9) Herbs	1			2		0.1	0.5			2		э
	Chervil Chives Passiey Celory leaves Others												
VI) LEGUME VE	GETABLES (fresh) Bears (with pods)												
	Beans (without pods) Peas (with pods)	0.5			2		0.1	0.5			1		3
	Peas (without pods) Others												
vii) STEM VEGE													
	Asperagus												
	Cardoona Colery Fennel	0.5			1		0.1	0.5			1	300	3
	Globe artichokes Leeks	0.5			1		0.1	0.5			1		3
	Rhubarb Others	0.5			i		0.1	0.5			i		3
	Cultivated mushrooms Wild mushrooms	0.5 5	6.1				0.1	0.5			1		з
3. PULSES	1 1100 1100010												
	Beans Leréis Peas Others												
4. OILSEEDS													
	Linseed Poppy seed Sectarie seed Sunflower seed Rope seed Boys bean Mustard seed												

aroup to which ood belongs	Groups include the following products	Dichlarvos Dicofal	Diflubenzuron	Dimethipin	Dimethoate	Endo sultan Et	hion Fenitration	Fluazilop	Flurachlaridane	cy	exactiono clohexane (HCH)	Inorganic laxynil bramide	Malathior
											Y		
5. POTATOES	Others												
	Early potatoes Ware potatoes	0.5 0.5		0.1° 0.1°	0.05	0.2 0.2	0.05*	0.1	0.01*		0.05*		0.5 0.5
5. TEA	(dried leaves and stalks, fermented or otherwise, Camelika sinensis)												
7. HOPS (dried)	including hop pollets & unconcentrated pewder												

1. Fruit, tresh, dried	or uncooked, preserved by heazing	o not containing ad	ided sugar: auto						 		
CITRUS FRUI		gree conserving as	web sugar . nots								
	Grapetruit		5 0.2	1		0.2	1				
	Lemons		5 0.2	i	i	0.2	-				
	Limes	1	5 0.2	1	1	0.2	1				
	Mandarine (inc clementines & similar hybrids)		6 0.2	1	1	0.2	1				
	Oranges		5 0.2	1	1	0.2	1				
	Parteias			1	1	0.2	1				
THEF NUTS	Others shelled or unshelled)		0.2	1	1	0.2	1				
<ol> <li>POME FRUIT</li> </ol>	Amondo Brazil aujo Castreer raito Chusteura Cocornets Hazatkina Macadamia ruta Pozaris Pozaris Pine ruta Pine ruta Pinazilico Walauco Walauco Others	0.02	82					•			
	Peers	0.02	0.2	0.2			2 2				
	Quinces	0.02	0.2	0.2			2				
	Others	0.02	0.2	0.2			2				
<ul> <li>STONE FRUI</li> </ul>											
	Apricats Cherries Peaches Enclineatarines &		0.2	1			2				
	similar hybrids)		0.5	1			2				
	Plane		0.5	1			1				
	Others										
	SMALL FRUIT										
2	Table & wine grapes Table grapes		0.1								
	Wine grapes		0.1	1			1				

roup to which od belongs	Groups include the following products	compounds			methyl			
	b) Strawberries Jother than wild		0.1	1	1		 	
	c) Cane Fruit (other than wild)							
	Blackberries		0.1	1	1			
	Loganberries		0.1	1	1			
	Raspberries		0.1	1	1			
	Others		0.1	1	1			
	<li>d) Other small fruit &amp; berries (other than wild)</li>							
	Bilberries		0.1	1	1			
	Granberries		0.1	1	1			
	Currants (red, black 8 white)		0.1	1	1			
	Gooseberries		0.1	1	1			
	Others		0,1	1	1			
	e) Wild berries & wild truit							
MISCELLAN	NEOUS FRUIT							
	Avocados							
	Bananas			0.2	1	1		
	Datos							
	Figs							
	Kiwi Iruit							
	Kumpuats							
	Litchis							
	Mangoes							
	Olives							
	Passion truit							
	Pineapples							
	Pomegranates							
	Others							
Agetables, fresh	h or uncooked, frozen or dry							
OOT AND T	UBER VEGETABLES							
	Beetroot							
	Carrots	0.02	0.1	0.2	0.1			
	Celeriac							
	Horseradish	0.02	0.1	0.2	0.1			
	Jerusalem artichokes							
	Paranipa	0.02	0.1	0.2	0.1			
	Parsiley root	0.02	0.1	0.2	0.1			
	Pladishes							
	Salsify	0.02	0.1	0.2	0.1			
	Sweet potatoes							
	Swedes	0.02	0.1	2	0.1			

ood belongs	products c	compounds			mathyl				
	Turnips	0.62	0.1	0.2	0.1	-			 
	Yams Others								
BULB VEGETA									
	Garlic	0.02	0.1	0.1	1			0.05*	
	Oniona	0.02	0.1	0.1	1			0.05*	
	Shallots	0.02	0.1	0.1	1			0.05*	
	Spring onions Others								
) FRUITING VEC									
	Solanacea								
	Tomatoes	0.02	0.1	1	1		0.1		
	Peppers	0.02	0.1	1	i		0.1		
	Aubergines	0.02	0.1	1	1		0.1		
	Others	0.02	0.1	1	1		0.1		
D)	Cucurbits-edible peel Cucumbers	0.02							
	Gherkins	0.02	0.1	0.2	1				
	Courgettes	0.02	0.1	0.2	;				
1	Others	0.02	0.1	0.2	i				
	Cucurbits-inedibie peel								
	Melons Squashes								
	voluesries Watermelones								
	Others								
d) 5	Sweet com								
BRASSICA VE	BETABLES								
	Rowaring Brassicas								
	Broccoli								
	Cauliflowor	0.02	0.1	0.2	1		0.02		
	Others Head Brassicas								
	Irussels sprouts	0.02	0.1	0.2	1			0.1	
	lead cabbage	0.02	0.1	0.2			0.02	0.1	
	Others							6.1	
	eafy Brassicas								
	Thinese cabbage Cale								
	thers.								
d) #	Cohirabi								
LEAF VEGETAE	ILES AND FRESH HERBS								
40 L	etuce & similar								
	Iness								

roup to which od belongs	Groups include the follow products	ing Mercury Metaloxy compounds	Mevinphos	Omethoate Parathion	Parathion- Phosaion methyl	e Quintazono	Teonazene Thiabendazo	le Triszophos Vinclazolin	
	Lamb's lettuce				1	3	2		
	Lettuce Scarole	0.02	0.5	0.2	,	,	*		
	Others								
	b) Spinach & similar								
	Beet leaves (chard) c) Watercress								
	d) Wittoof								
	e) Herbs Chervil								
	Chives								
	Parakay								
	Celery leaves Others								
LEGUME V	EGETABLES (fresh)								
	Beans (with pods)		0.1	0.2	1	0.01			
	Beans (without pods)					,			
	Peas (with pods) Peas (without pods)		0.1	0.2	1				
	Others								
ii) STEM VEG	ETABLES								
	Asparagus								
	Cardoons Celery	0.02	0.1	0.2	1			5	
	Fernel								
	Globe artichokes	0.02		2	1				
	Leeks Rhuberb	6.02	0.1	0.2					
	Others								
ii) FUNGI									
	a) Cultivated mushrooms b) Wild mushrooms	0.02	0.1	0.2	1				
PULSES	c) wild mushrooms								
- FULDED	Bears								
	Lentis								
	Peas Others								
OILSEEDS	Uners								
ORDEEDS	Linsed								
	Peanute								
	Poppy seed								
	Sesame seed Sunflower seed								
	Rape seed								
	Soya bean								
	Mustard seed Cotton seed								

iraup to which cod belongs	Groups include the following products	ing Mercury Metalaxyl compounds	Mevinphos	Omethoate Parathion	Parathion- mothyl	Phoselone (	Quintazene	Tecnazene	Thiabendazolo	Triazophos	Vincleablin
POTATOES	Others										
FOINIGES	Early potatoes Ware potatoes	0.02	0.1 0.1	0.05 0.05		0.1*	0.2		5	0.05*	
TEA	(dried leaves and stalks, fermented or otherwise, Carnellia sinensis)										
HOPS (dried)	including hop pellets & unconcentrated powder										

roup to Groups include the ( tich food following products longs	Chlorlanvinphos	Diazinon	Dichlorios	Diflubenzuron	Etrimios	Fenitrothion	Mercury compounds	Methacritos
CEREALS								
Wheat					5	5	0.02	5
Flye					5	5	0.02	5
Barley					5	5	0.02	5
Oats					5	5	0.02	5
Triticale					5	5	0.02	5
Maize Rice <sup>re</sup>					5	5	0.02	5
Other cereals <sup>24</sup>					5	5	0.02	5
PRODUCTS OF ANIMA	L ORIGIN							
Most, fat & preparations of meat <sup>m</sup>	0.2	0.7	0.05	0.05*				
Mik.** & Dairy produce **	0.008	0.02	0.02	0.05*			•	
Eggs **			0.05*	0.05*				

#### FOOTNOTES

#### UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

#### KEY:

\* Level at or about the limit of determination.

#### FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice

2. Other cereals do not include rice

3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.

In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg. 4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

5. For preserved, concentrated or sweetened cow's milk, for raw milk and whole cream milk of another animal origin: and for butter, cheese or card whether made from

cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk

6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)

														Re	gulation	4 (1)
				SCHEDULE 2 PART 2												
Stroup to which Groups include the load belongs following products	Acephate	Aukoob	Aldin & deldlin	Aminotriazole (Aminole)	Anitaz	Atrazine	Azzrystrabie	Benalanyi	Benkrasark	Binapacryl	Ephenthrin	Dromophosethy!	Enomopro- pylate	Camphaclor (Texaphere)	Captalist	Catenda
I. Fruit, fresh, dried or uncooked, preser	ved by trees	ting nat cont	aining adde	d sugar: nuts												
CITRUS FRUIT																
Grapetruit	1	0.2		0.05"		0.1*	0.85*	0.05"		0.05"		8.06*		0.7*	0.02"	5
Lamons		0.2		0.65"		0.1*	0.85"	0.05"		0.05"		8.05*		0.7*	0.02"	
Lines	1	0.2		0.05*		0.1*	0.85"	0.05"		0.06*		6.05*		0.7*	0.02"	
Manclarins (inc clementines & similar hybrids)		0.2		0.05"		0.1*	0.05"	0.05"		0.05"		8.05*		0.7*	0.02"	5
Orangea		0.2		0.05"	1	0.1*	0.85*	0.05"		0.05"		6.05*		0.1*	0.02*	5
Pomelos		6.2		0.05"		0.1*	0.05"	0.05"		0.05"		6.05*		0.7*	0.02	
Others TREE NUTS (shelled or unshelled)	,	8.2		0.65*		0.1*	0.05"	0.05"		0.05*		8.05*		0.7*	0.02"	•
Aimonda	0.82*	0.05*		0.05"	8.02*	0.1*	0.1*	0.05*	6.05*	0.05"		0.05*		0.1*	0.02*	0.1*
Brazil ruta	0.82*	0.08*		0.05"	8.02*	0.1*	0.1*	0.05*	6.05*	0.05"		0.05*		0.1*	0.02*	0.1
Cashew ruts	0.82*	0.05*		0.05"	8.02*	0.1*	0.1*	0.05*	6.05*	0.05"		0.05*		0.1*	0.02*	0.1*
Chostruits	0.82*	0.08*		0.08*	0.02*	0.1*	0.1*	0.05*	6.05*	0.08"		0.05*		0.7*	0.02"	0.1*
Caconuts	0.82*	0.05*		0.05*	8.02*	0.1*	0.1*	0.08*	6.05*	0.05"		0.05*		0.7*	0.02*	0.1*
Hazəlinatə	0.82*	0.05*		0.05*	4.02*	0.1*	0.1*	0.05*		0.05"		6.05*		0.7*	0.02"	0.1
Macadamia nuts	0.82*	0.05*		0.08"	8.03*	0.1*	0.1*	0.05*	6.05*	0.05"		6.05*		0.1"	0.02"	0.1*
Pacana	0.027	6.2		0.05*	8.02*	0.1*	0.1*	0.05"	6.05*	0.05*		8.057		8.7	0.02	0.1*
Pine ruta	0.82*	0.05*		0.05*	8.02*	0.1*	0.1*	0.05*	6.051	0.05		6.01*		0.7"	0.02"	0.1
Pistachics Walnuts	0.82*	0.08*		0.05"	8.02*	0.1*	0.1*	0.05"	4.057	0.05		6.00*		0.7"	0.02"	0.1*
Others	0.02*	0.08*		0.05*	8.02*	0.1*	0.1*	0.05"	6.087	0.05"		8.05*		0.7"	0.02"	0.1*
I POME FRUIT	var	a.ve.		0.00	8.00			4.44								
		0.05*		0.05*		0.1*	0.05"	0.05"	6.05*	0.05"		8.05*		0.7*	0.02*	
Apples Fuera	:	6.05*		0.08*		0.1*	0.05"	0.05*	6.05'	0.05		6.05*		0.7*	0.02"	2
Quinces	:	0.00*		0.05"		0.1*	0.05"	0.05"	6.087	0.05		8.05*		0.7"	0.02"	2
OPers		0.087		0.05*		0.1*	0.05"	0.05"	6.05*	0.05*		8.05*		8.7"	0.02"	2
STONE FRUIT						201										
Apricata	6.02*	0.05*		0.05"		0.1*	0.05"	0.05"	6.05*	0.05*		8.05*		8.1"	0.02"	
Churries	0.02*	0.05'		0.05"		0.1*	0.05"	0.05"	6.05*	0.05*		0.05*		0.1"	0.62"	0.1*
Paaches (ind nectarines & aimilar hybrids)	0.2	6.05*		0.05*		0.1*	0.05*	0.05*	6.05*	0.05"		6.00*		0.1"	0.02"	1
Plans	2	0.05*		0.05"		0.1*	0.05"	0.05"	6.05*	0.05"		8.05*		8.1"	0.02"	0.5
Otwa	0.02*	0.05*		0.05"		0.1*	0.05"	0.05"	6.05*	0.05"		0.08*		6.1"	0.02"	0.1*

### **Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Group is which Groups include the food belongs following products	Acaphate	Aldicarb	Abilition & dialichtion	Aminotriazole (Amindia)	Anitras	Atrazine	Azoxyatrobin	Densitaryi	Denturacarb	Binapacryl	Biphenthele	Brancphosethyl	Branspio- pylate	Camphector (Texaphene)	Captatel	Carbandazi
v) BERFIES AND SMALL FRUIT																
<li>a) Table &amp; whe grapes Table grapes</li>	0.02*	0.05"		0.85*												
Wine grapes	0.02*	0.05"		0.85*		8.7	2	0.2	0.05*	0.85*		6.05*		8.1*	0.02"	1
b) Strawberries (other than wild)		0.00		0.85*		8.7	0.007	0.3	0.08*	0.85*		6.05*		6.7"	0.02*	2
<li>Gane Phult (ather then wild)</li>												a.ua.		6.5*	0.02"	
Disckborries	0.02*	0.05*		0.05*	0.82*	8.17	8.08*	0.05*	0.05"	6.85*		0.05*		6.1"	0.82*	0.17
Dewborries	0.02*	0.85*		0.05*	0.62*	0.1*	0.00*	0.05*	0.08"	6.00*		0.05"		8.1"	0.82*	6.1"
Loganbernes	0.02"	0.05*		8.08*	0.82*	0.1*	0.05*	6.05*	0.05"	6.08*		0.05*		0.1*	0.82*	4.1*
Raspberries Others	0.62"	6.002		8.05*	0.82*	0.1*	0.05*	6.05*	0.05*	0.05*		0.05"		0.1*	0.02*	6.1*
China and the first structure	0.62"	8.08*		0.05*	0.82*	0.17	0.08*	0.08*	0.05"	0.08*		0.65"		0.1*	6.02*	0.1*
() Other shall had a series (other than wild)																
Bitwries	0.82*	0.08*		0.05*	0.02*	0.1*	0.05"	0.05*	0.05*	0.05*		0.89				
Chanberries	0.02*	0.06*		0.05"	0.02*	0.1*	0.007	0.05"	4.07	0.05		0.05*		0.1*	0.02*	0.1*
Currants (red, black & white)	8.02*	0.05*		0.05"		0.1*	0.85*	0.05"	8.057	0.05"		0.05*		0.1*	0.02*	0.1*
Gooseberries	0.02*	0.05*		0.05"	0.02*	0.1*	0.05*	0.05"	8.05*	0.65"		0.05*		6.7'	0.02*	0.1*
Others	0.02*	0.05"		0.05"	0.02*	0.1*	0.85*	0.05"	0.05*	0.05"		0.05*		0.7*	0.02"	0.1*
o) Wild berrice & wild thut	0.02*	0.05*		0.85*	0.02*	0.1*	0.85*	0.89*	9.08*	0.85*		8.05*		6.1*	0.02*	0.1*
MISCELLANEOUS PRUIT																
Avocados	0.02*	6.85*		0.85*	0.02*	8.1"	8.057	0.85*	0.05'	0.05*		0.05*		4.1*	0.82*	8.1"
Bananas	0.02*			6.85*	0.62*	8.1*	0.1	0.85*	0.05"	0.00*		0.05"		0.1*	0.82*	
Daties	0.02"	6.85*		6.00*	0.82*	4.1*	0.05*	6.05*	0.05"	0.05*		0.05"		0.1*	0.82*	8.17
Figs	0.02"	6.05*		6.05*	0.82*	4.1*	0.05*	6.00*	0.05"	0.08*		0.05"		0.1*	6.02*	0.1*
Hiwi Ingit	0.02**	6.00*		0.08*	6.62*	0.1*	0.05*	0.05*	0.05*	0.08*		0.05*		0.1*	6.02*	0.1*
Numpuats	0.62*	0.05*		0.08*	8.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.85*		0.1*	8.02*	0.1'
Litervis	0.82*	0.05*		0.05*	8.02*	0.1*	0.05*	0.05*	0.007	0.05*		0.85*		0.7*	0.02*	0.1*
Mangoos	0.02*	0.05*		0.05"	8.02*	0.1*	0.05"	0.05*	6.05*	0.05"		0.85*		0.7*	0.02*	0.1*
Olives (table consumption)	8.02*	0.05"		0.05"	0.02*	0.1*	0.05"	0.05"	6.05*	0.05"		8.05*		0.7*	0.02"	0.1*
Crives joil extracts	8.02*	0.05"		0.65"	0.02*	0.1*	0.85*	0.65"	0.05*	0.05"		8.05*		0.7*	0.02"	0.1*
Passion hull Pineappies	0.02*	0.65*		0.05*	0.02*	0.7*	0.85*	0.65*	0.05*	0.85*		8.05*		0.1"	0.02"	0.1*
Pomegranataa	0.02*	0.05"		0.65*	0.02*	0.1*	6.85*	0.05"	0.05*	0.85*		0.05*		0.1"	0.62"	0.7*
Othera	0.02*	0.65"		0.85*	0.02*	0.7*	6.05*	0.85*	0.05*	0.85*		0.05*		8.17	0.62*	6.11
Contra	9.06	0.69		0.85*	0.02	6.1*	6.95*	0.85*	0.05*	0.89*		0.05*		4.1*	0.62*	8.7
nup is which Groups include the ci belongs todowing products	Anoshana	licinado	Aldrin & chaldrin	Aminotriazole (Aminotria	Amitras	Assoine	Azoxyetrobin	Benalooyi	Berlancarb	Binapactyl	Soherithrie	Bramcahosethyl	Bromopro-	Camphediar (Taxaphene)	Castaloi	Carbend
regetables, fresh or uncooked, frozen OOT AND TUBER VEGETABLES	or dry															
Beetox	0.02*			0.05*	0.02*	4.1"	0.05*	6.05*	0.08*	0.05'		0.85*		0.1*	0.82*	0.1*
Carton	0.02*			0.007	0.02*	8.1"	0.85*	6.05*	0.05'	0.05		0.05*		0.1*	0.02*	0.1*
Catoriae	0.02*	0.05		0.007	0.02*	4.17	0.00*	0.007	0.05*	0.05*		0.85*		0.1	0.027	0.1
		0.05"		0.007	0.02*	4.1"	0.05*	6.05'	0.05*	0.05"		0.85*		0.1*	0.82"	0.1
Horsenadish	0.82*									0.08*		0.85*		0.1*	0.82*	0.1
Jerutalem artichokes	0.02*	0.05*		0.85*	0.02*	8.5"	0.85"	6.05'	0.05'	0.05		0.85*		0.1*	0.81*	0.1
Parsnips Parsley root	0.82*			0.05'	0.02*	8.1"	0.85*	6.00	0.05'	0.05'		0.05*		0.1*	0.81*	0.1
	0.02*	0.05"							0.05*	0.05*		0.05*		0.1	0.027	0.1
Radishes	0.82*	0.05"		0.85'	0.02*	0.1*	0.05*	0.05*				0.05*		0.1*	0.02*	0.1
Salaity	0.82*	0.85*		0.85*	0.02*	4.1"	0.05*		0.08*	0.08"				0.1*	0.02*	0.1
Sweet pataloes	0.027	0.05*		8.05*	0.02*	0.1*	0.85*	0.05*	0.05'	0.05"		0.06*				
Swackets	0.02*	0.05*		8.96*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05"		0.05*		0.7*	0.03*	0.1
Turrips	0.85	0.85*		8.957	0.02*	0.1*	0.05*	0.08*	0.08	0.05"		6.85*		0.1*	0.02*	0.1
Tara	0.82*	0.85*		0.05*	0.02*	4.1*	0.85*	0.08*	0.08*	0.05"		6.05*		0.1*	0.02*	0.1
Others	0.02*	0.05*		0.05*	0.02*	4.1*	0.85*	0.05*	0.057	0.05"		0.05*		0.1*	0.02*	0.1
BULB VEGETABLES																
Gartic	0.02*	0.05*		0.002	0.02*	0.1*	0.85*	0.05*	0.05'	0.05"		0.05*		8.1*	0.02*	0.1
Oriona	0.82*	0.85*		0.05*	0.02*	0.1*	0.05*	0.2	0.08*	0.05"		6.00*		0.7*	0.02*	0.1
Shallata	0.82*	0.85*		0.057	0.02*	0.1*	0.85*	0.08*	0.09*	0.05"		6.05*		6.1*	0.02*	0.1
Spring philos	0.027	0.05*		8.05'	0.02*	0.1*	0.85*	0.05*	0.05*	0.05"		6.05*		6.1*	8.03*	0.1
Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.85*	0.00*	0.05*	0.05"		0.05*		8.7*	8.02*	0.1
PRUITING VEGETABLES																

6.5

82 8.2 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.05" 0.05" 0.05" 0.05" 0.05" 0.05"

0.05

0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 8.05" 8.08" 8.08" 8.08" 8.08" 8.08" 8.08" 8.08" 8.08" 8.08" 8.08" 8.08" 8.08" 8.08" 8.08"

1.05' 1.05' 1.05' 1.05' 1.05' 1.05' 1.05' 1.05' 1.05' 1.05' 1.05'

8.02\* 8.03\* 8.

Group to which Groups include the feed belongs fallowing products	Acephate	Aldicarb	Aldrin & stellarie	Aminotriazole (Restrole)	Ambraz	Attacine	Azosystrabin	Dentitory	Berturacarb	Binapacryl	Bphorthrm	Bromsphosethyl	Bromepro- pylole	Campheolar (Toxaphone)	Capitaliol	Carbandazi
M BRASSICA VEGETABLES																
a) Flowering Brassicas																
Exosooli	2			0.85*	0.02*	0.1*	0.05'	0.05*		0.05"		0.08*		0.1*	0.02*	
Cauliforder	2	6.2		0.85*	0.02*	0.1*	0.05'	0.05*		0.05		0.08*		0.1*	8.02*	6.7*
Others	2	0.05*		0.05*	0.02	0.1*	0.05"	0.007		0.05*		0.05"		0.1*	8.03*	4.5° 4.1°
ti Head Brassicas							0.00					4.00		0.1	8.02	4.1*
Brussels sprouts	2	6.2		0.057	0.02"	0.1*	0.05*	6.00*		0.057		0.05*		6.7'	0.02*	
Head rebbogs	2			8.097	0.07	0.1	0.65"	0.05*		0.05*		0.05"		8.7		0.5
Others	2	0.05*		8.09*	0.82	0.7"	0.05"	0.00'		0.00*		0.05"		6.7	0.02*	3
t) Leefy Brassicas							0.00	4.44				4.49		8.7	0.05.	
Chinese cabbage	0.02*	0.65"		0.05*	0.82*	8.7"	0.00*	0.05*	0.057	6.057		0.05*				
Hale	0.02"	0.65"		0.05'	0.82*	8.7	0.05*	0.05*	0.05	1.05		0.05*		4.1*	0.02"	0.1*
Others	0.02"	0.85"		0.05*	6.82*	6.1"	6.02*	0.05"	6.057	4.007		6.85		4.1*	0.02"	0.1*
di Kohirabi	0.02"	0.85*		0.05"	8.02*	4.1*	6.02	0.05"	6.82	1.05				0.1.	0.82"	0.1*
LEAF VEGETABLES AND FRESH				0.00	6.02	4.1	6.027	0.09*	6.89	8.08*		6.00		0.1*	0.82*	0.1*
	1 HEHBO															
a) Lattuce & aimitar																
Orwas	0.82*	0.01*		0.05"	6.02*	0.1*	0.05*	0.05*	6.007	0.05'		0.05*		0.1*	6.02*	0.1"
Lamit's lettuce	0.82*	6.00*		0.05*	0.02*	0.1*	0.05*	0.85*	0.05*	0.08*		0.05*		0.1'	4.02*	4.7
Letture	1	8.05*		0.05*	0.02*	0.1*	0.05*		0.05*	0.05"		0.05"		0.1*	0.02*	5
Boardia	6.02*	0.00*		0.86*	0.02*	0.1	0.05*	0.85*	0.05*	0.06*		0.05"		0.1*	0.02*	0.1*
Others	6.02*	0.05*		0.36*	0.02*	0.1*	0.05*	0.00*	8.08-	0.05"		0.05"		0.7*	0.02*	0.1*
<li>b) Spinach &amp; similar</li>																
Spinach	0.02*	0.08*		6.057	0.62**	0.1*	0.05"	0.08*	0.08"	0.05*		0.05"		0.7"	0.02*	0.1*
(Seet leaves (chard)	0.02*	0.05*		6.05*	0.02"	0.1*	0.05"	0.00*	0.05"	0.05*		0.85*		6.1"	0.02"	0.1*
Others	0.02*	0.08"		0.05*	0.62**	0.1*	0.05"	0.08*	0.06"	0.05*		0.85*		0.17	0.02"	0.1*
<li>c) Watercreas</li>	0.02*	0.05*		0.08*	0.62*	0.7*	0.05"	0.05*	0.05"	6.057		0.85*		0.1"	0.62"	0.1*
40 Wileof	0.02"	0.05"		0.05*	0.62*	0.1"	0.05*	0.05*	0.05*	6.05*		0.85*		0.1*	0.62"	0.1
40 H9/06															0.00	6.1
Chanal	0.02"	0.05"		0.05*	0.02*	8.1"	0.057	0.08"	0.85*	6.002		6.00*		0.1*	0.82*	0.7*
Chivee	0.02*	0.05*		0.05"	0.02*	4.1"	6.05*	0.05"	0.00*	0.087		8.02*		0.1	0.82*	8.7*
Parslep	0.82	0.85*		0.05"	0.02*	0.1*	6.057	0.05*	6.05*	0.09*		0.00*		0.1*	8.42*	6.7
Colory loaves	0.82"	0.85*		0.05*	8.027	0.1*	6.057	0.05"	6.05*	0.05*		0.08*		0.1*	8.02*	8.17
Others	0.82*	0.057		0.05*	8.02*	0.1*	0.007	0.05*	8.00*	0.05*		0.08"		0.1*	8.02*	4.1"
LEGUME VEGETABLES (hosh)														6.1	***	**
Seams (with pode)	3	6.02		0.05*	0.02*	0.1*	0.05*	0.85*	8.05*	0.09"						
Enant (without posts)	6.02*	4.057		0.85*	0.02"	0.1	0.05*	0.057	0.05*	0.65"		0.05"		0.1*	0.02*	0.1*
Pess (with pode)	1	0.087		0.85*	0.02*	0.1*	0.09*					0.05"		8.1*	0.02*	0.1*
Para (without pods)	6.02*	0.00*		0.00	0.02	0.1*	0.05*	0.007	0.08*	0.65"		0.05*		0.1*	0.02*	0.1*
Others	6.04	0.05*		6.00*	0.02	0.1	0.05"	6.057	0.05*	0.86"		0.05"		8.1*	0.02"	0.1*
B STEM VEGETABLES		0.00		6.80	0.05.	0.4.	0.65*	8.052	0.05*	0.85*		0.65"		8.17	0.02"	0.1*
Aspanapus	0.02*	0.05*		8.007	0.02*	0.1*	0.65*									
Cartons	0.02*	0.05*		4.00*			0.65"	0.05*	0.05*	0.05*		0.85*		4.1*	0.02"	0.1*
Calety	0.02*	0.05"		0.00*	0.02"	0.7*		0.05*	0.85*	0.05*		0.05*		0.1*	0.62*	0.1*
Fernel	0.02"	0.05"		0.00*		8.7*	0.85*	0.05*	0.85*	8.05*		6.05*		0.1*	0.62*	5
Gibbe artichokes	0.2	0.05"			0.82*	8.1"	0.86*	0.08*	0.85*	8.05*		8.08*		0.1*	0.02*	6.1*
Laska	0.62*	0.05		0.05"	0.82*	8.1*	0.05*	0.09"	0.85*	0.08*		8.05*		0.1*	0.02*	6.1"
		0.00		0.05"	0.82*	8.5"	6.05*	0.05"	0.35*	0.08*		0.05*		0.1*	6.62*	6.1"
Rebet	0.62*	0.85*		0.05"	0.021	4.1*	6.05*	0.05*	6.00*	0.05*		0.05*		0.1*	8.02*	2
Others	0.62"	0.85*		0.05*	6.03*	0.1*	8.05*	0.05"	6.052	0.05*		0.05'		0.1*	4.02*	0.1"

Group to which Groups include the feed belongs following products	Aughote	Aldeeb	Algrin & deldrin	Aminatriazale (Amitrole)	Amiraz	Atrazine	Azoystobin	Benalaxyl	Berturacarb	Binapacryl	Spherthm	Bromopheselflyd	Bromopro- pylate	Campheolor (Texaphene)	Captatol	Carbondazim
vii) FUNGI																
a) Cultivated mushrooms	8.02*	0.05*		0.05*	0.02*	0.17	8.05*	6.05*	0.05*	0.85*		0.05*		0.7*	0.007	
b) Wild mushrooms	8.03*	0.85*		0.05'	0.02*	0.17	8.05*	8.05*	8.00*	0.85*		0.05"		0.1"	0.82"	4.11
3. PULSES																
Bassas	0.02*	0.85*		0.05"	0.02"	8.17	0.08*	0.05'	8.05*	0.057		0.65*		8.5	0.82*	2
Lontile	0.02*	0.85*		0.05"	0.02	6.17	0.08*	0.08	8.05*	0.057		0.85*		8.5"	0.02*	0.1*
Pass	0.02*	0.05*		0.05"	0.02	4.17	0.05"	0.05	0.001	0.057		0.85*		8.5"	6.02*	0.1*
Others	0.02*	6.00*		0.05"	0.62	4.17	0.05	0.05	0.05*	8.05*		0.05*		6.1"	6.02*	0.1*
4. OLSTEDS				0.00	0.04	**	9.00	0.00	1.00	100		6.85		#1·	1.00	0.1.
Linseed	0.02"			0.85"	0.62"	9.1*	0.65"	0.05*	0.05*	8.09*		8.097		0.1*	8.02*	0.1*
Poarsults	0.02"	0.00*		0.85*	0.62*	4.12	0.05"	0.05*	0.05"	0.05*		8.05*		0.1*	0.02*	0.1*
Poppy seed	0.02"	0.05*		0.85*	0.82*	0.1*	0.05"	0.05"	0.05"	0.05		8.05*		0.1*	0.02*	0.1*
Seaame seed	0.02"	0.08*		0.85*	0.82*	0.1*	0.85*	0.65*	0.05"	0.05"		8.08*		0.1*	0.02"	0.1*
Suttfower seed	0.02**	0.05*		0.05*	0.02*	0.1	0.85*	0.85*	0.05"	0.05*		0.05*		0.1*	0.02*	6.7*
Rape need	0.02"			6.00*	0.027	0.1'	0.85*		0.85"	0.05		0.05		0.1"	0.02"	0.7*
Goya bean	0.02"	0.05*		6.00*	0.02*	0.1*	0.05*			0.09"		0.08"		0.1*	0.02	1.2
Munierd seed	0.027	0.05"		6.05*	0.02*	0.1*	6.85	0.05*	0.85*	0.05"		0.09"		0.7*	0.02"	6.1"
Collon seed	0.82*			6.087		0.1	6.05*	0.05*		0.05*		0.05"		0.7*	0.82*	4.17
Others	0.02*	0.65*		0.05*	8.037	0.1	6.087	8.007	6.86*	0.85"		0.05		0.7*	0.82*	0.17
5. POTATOES																-
Early petiatoes	6.02*			0.05*	0.02'	0.11	6.05'	0.051	6.00*	0.85*		0.85*		6.17	6.02*	8
Ware potatizes (chied leaves and stalka	8.00*			0.05*	0.02*	0.1"	6.05*	0.05*	6.05*	0.00*		0.05*		6.1*	6.02*	3
5. TEA termented or atherwise Camelia sinerais)	8.1*	0.85*	0.02	4.1*	0.1*	8.57	6.1*	6.1*	6.0	0.7*	6	0.1*	0.1*	6.1*	0.7*	0.1*
7. HOPS including hep pallets 5 (dried) unconcentrated powder	6.11			4.1*	58	6.1*	£19	4.12		0.17		0.1*		0.1*	6.11	0.1*

od belongs toliswing products	Carbolusin									Cypernettwin				Diszinan	ethono	Diction
Fruit, fresh, dried or uncooked, presen	end by frees	ting not conta	ining added	samor nats												
CITRUS FRUIT	res by rees		ning 30000	segar. nes												
Cropetralt					0.05*	0.01"	6.3	0.05'	0.02*		0.02*	8.05*	6.07	0.5	0.01*	
Lamons					0.05*	0.01*	0.2	9.3	0.02*	2	0.02*	0.05*	0.08*	0.5	6.01*	6.05
Limes Mandarine (inc olementines &					0.05*	0.01*	0.3	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.8	6.01*	4.05
similar hybrids)					0.65"	0.017	2		0.02"	2	0.02*	0.05*	0.087	0.5	8.01*	0.05
Oranges					0.65"	0.017	0.0	0.5	0.02*	2	0.02"	0.05'	0.05*	8.5	8.01*	0.08
Pomeios					0.65"	0.01"	0.0	0.05"	0.02**	2	0.02"	0.05"	0.05*	8.5	8.01*	0.08
Others TREE NUTS (shalled or unshalled)					0.85*	0.01*	0.0	0.05"	0.02"	2	0.62"	0.05"	0.05*	8.5	0.01*	0.08
Aimonda	6.1*	6.002			0.1*	0.01*	0.85*	0.05*	0.02*							
Deepi nute	8.7	6.00			0.1*	0.01*	0.05*	0.05*	0.82*	6.00*	0.85*	0.85"	0.05"	0.05"	0.07"	0.0
Cashow nuts	0.1"	6.05*			0.1*	0.011	0.85*	6.05*	0.02*	6.05*	0.05*	0.05*	0.05	0.05"	0.01*	0.0
Chestruits	8.51	0.00*			0.1*	0.011	6.85*	8.05*	9.82*	6.05*	0.05*	0.05*	0.05"	0.05"	0.017	0.0
Caconuts Hazelnuts	4.1"	0.05*			0.1*	6.011	6.057	8.05*	8.02*	6.05*	8.05*	6.05*	0.85*	0.05*	0.01*	0.0
Macadamia nuts	0.1"	0.08*			0.1*	0.011	6.017	8.08*	0.02*	8.05*	0.05*	6.00*	0.05*	6.05*	0.01*	0.0
Pecans	0.1"	0.08*			0.1*	0.01*	0.05*	0.00*	0.02*	4.05*	0.05*	0.00*	0.05'	6.85*	0.01*	0.0
Pine tute	0.1*	0.08*			0.1*	0.01*	0.05*	0.05*	0.02*	0.08*	0.08*	0.05*	0.05*	6.00	6.01*	
Phatechica	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.09*	0.08*	0.05*	0.05*	6.05*	6.01*	6.0
Wahuta Others	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.08*	0.05*	6.05*	6.01*	0.0
POME FRUIT	0.1.	0.65"			0.1*	0.01*	0.05'	0.05*	0.02*	0.05*	0.05*	0.08*	0.05*	0.05*	6.01*	0.0
Apples Pears						;	0.5	0.5	0.2 0.2	1	0.62"	0.05"	0.1	6.5	0.01*	0.05
Guinces					6.007	i	0.5	0.5	2.0		0.62"	0.05"	0.1	0.5	0.01*	0.05
Others.					8.05*	1	0.6	0.5	0.2	;	0.62*	0.09	0.1	0.5	0.01*	0.0
STONE FRUIT																
Apricos					8.05*	1	0.85*	6.05*		2	0.02*	0.85*	0.1	0.5	0.61*	0.0
Charries Peaktres (net nectorines &					8.05*	0.81*	0.3	6.05*	0.2	1	0.02*	0.85*	0.1	0.6	0.01"	0.0
Peasities (mid nectorines & similar hybrids)					0.05*	1	0.2	0.5		2	6.02*	0.05*	0.1	0.5	0.61"	0.0
Plans					0.05"	0.011	0.2	6.02	6.2	1	1.02*	8.08*	0.1	0.5	0.01*	
Others					0.05"	0.01*	0.05*	6.057		0.00*	0.02*	8.087	0.5	0.5	0.01*	6.0
od belongs i foliowing products	Garboluran	Cetosuitan	Gartap	Chiordane	Chlornequet	Chorshebori	Critespysites	Chiotynkos- natby	Gytutnin	Cypermethrin	Daminocide	007	Dutamativin	Disalicon	12 Obomo- attans	Diction
BERRIES AND SMALL FRUIT	Catolunn	Gebouiter	Camp	Chlordene	Chlornequat	Chorolifeboril	Critespyrites	Griozynkos- natky	Qufuthin	Cypermethin					share	
BERRIES AND SMALL FRUIT I Table & wine grapes Table grapes	0.1*	6.05*	Gamp	Chiordane	1	,		0.2	0.3	= 5	0.02*	0.05*	0.1	6.5	ettane	0.05
d belongs tollowing products BERRIES AND SMALL FRUIT () Table & wine gropes Table gropes Table gropes		6.05*	Camp	Chiordane	Chiomequet 1	1	0.5 0.3	0.2 0.2		8.5 8.5	0.02*	0.05"	0.1 0.1	6.5 0.5	6.01* 6.01*	0.05
ed belongs following products DERRIES AND SMALL FRUIT a) Table & wine grapes Table grapes bit grapes b) Starwbarrise (offer than wid)	0.1*	6.05*	Camp	Chiordane	1	,		0.2	0.3	= 5	0.02*	0.05*	0.1	6.5	ettane	0.05
ed belongs tollowing products DERRIES AND SMALL FRUIT () Table & wire gapes Wire gapes b) Stavebaries (ofter than wid) () Canvebaries (ofter than wid)	0.1* 0.1*	6.85° 6.85° 6.85°	Camp	Chiordana	;	1 3 3	63 63 62	0.2 0.2	0.3	8.5 8.5	0.02*	0.05" 0.05" 0.05"	0.1 0.1 0.85* 0.5	0.5 0.5	6831' 6.31' 6.31'	0.05
ed belongs following products DERRIES AND SMALL FRUIT a) Table & wine grapes Table grapes bit grapes b) Starwbarrise (offer than wid)	0.1* 0.1* 0.1*	6.00° 6.00° 6.00°	Gamp	Otiondane	1	1	0.5 0.3	0.2 0.2 0.5	8.3 8.3	65 63 632 <sup>9</sup>	0.02*	0.05" 0.05" 0.05" 0.05"	0.1 0.1 0.85" 0.5 0.05"	0.5 0.5 0.5 0.5	6.01* 6.01* 6.01* 6.01* 6.01*	0.05 0.05 0.05 0.05
od belongs i foliceling products BERRIES AND SMALL FRUIT a(Table & Mice gapes Mice gapes Mice gapes (Cane Full other than wild) Bioloberies	0.1* 0.1*	6.85° 6.85° 6.85°	Garap	Chiordene	;	1 3 3	6.5 6.5 6.2 6.3	0.2 0.5 0.6* 0.05*	0.3 0.3	85 83 832 85	0.00° 0.00° 0.00° 0.00°	0.05" 0.05" 0.05" 0.05" 0.05"	0.1 0.1 0.85* 0.85* 0.85*	0.5 0.5 0.5 0.5 0.5	6891 6.01 6.01 6.01 6.01 6.01 6.01	0.05 0.05 0.05 0.05 0.05
ed belongs tollowing products BERRIES AND SMALL FRUIT at Table a king appen til a groon b) (Stravborise, Johan Han wid) d) Case Full phar Han wid) d) Case Full phar Han wid) Dealbarrise Laparborise Hapdronis	0.1* 0.1* 0.1* 0.1* 0.1*	8.05° 8.05° 8.05° 0.05° 0.05°	Garap	Chiordana	1 1 0.857 0.857 0.857 0.857	1 3 3 10 10 10 10	6.5 6.3 6.3 6.3 6.5 6.5	0.2 0.2 0.6 0.09' 0.09' 0.09'	8.3 0.3 6.82 <sup>+</sup> 6.82 <sup>+</sup> 6.82 <sup>+</sup>	85 85 837 85 85 85 85 85 85	0.00° 0.00° 0.00° 0.00° 0.00°	0.05" 0.05" 0.05" 0.05" 0.05" 0.05"	0.1 0.85° 0.85° 0.85° 0.85°	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	68176 6.011 6.011 6.011 6.011 6.011	0.05 0.05 0.05 0.05 0.05 0.05 0.05
ed biorge tollowing products DERRES AND SALL FRUIT all Table & wire grapes table grapes table grapes table grapes ( Care Find (other than wild) ( Care Find (other than wild) ( Care Find (other than wild) Care Find (other than wild) Developming Developming Cheves	0.1* 0.1* 0.1* 0.1*	0.05° 0.05° 0.05°	Camp	Chiordane	1 1 6.87 6.87 6.87	1 3 3 10 10 10	63 63 63 63 63 63 63 64 7	0.2 0.5 0.6* 0.05*	2.0 3 3 4 22.0 4 22.0 5 20.0 5 20.0 5 20.0 5 20.0 5 5 20.0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	8.5 8.30 8.5 8.5 8.5 8.5	0.00° 0.00° 0.00° 0.00°	0.05" 0.05" 0.05" 0.05" 0.05"	0.1 0.1 0.85* 0.85* 0.85*	0.5 0.5 0.5 0.5 0.5	6891 6.01 6.01 6.01 6.01 6.01 6.01	0.05 0.05 0.05 0.05 0.05 0.05 0.05
od belongs tellevelog products BERRIES AND SAALL FRUIT 4) Table & who grapes Table grapes telle grapes telle grapes 6) Cane Fuel (there then wild) 6) Cane Fuel (there there there there is the there there there there there there is the there there there there there there there there there is the there there there there there there there there is the there there there there there there there there is the there there there there there there there there is the there there there there there there there there there is the there there there there there there there there there there is the there there there there there there there there there is the there the	0.1* 0.1* 0.1* 0.1* 0.1*	8.05° 8.05° 8.05° 0.05° 0.05°	Gartap	Chiordane	1 1 0.857 0.857 0.857 0.857	1 3 3 10 10 10 10	6.5 6.3 6.3 6.3 6.5 6.5	0.2 0.2 0.6 0.09' 0.09' 0.09'	8.3 0.3 6.82 <sup>+</sup> 6.82 <sup>+</sup> 6.82 <sup>+</sup>	85 85 837 85 85 85 85 85 85	0.00° 0.00° 0.00° 0.00° 0.00°	0.05" 0.05" 0.05" 0.05" 0.05" 0.05"	0.1 0.85° 0.85° 0.85° 0.85°	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	68176 6.011 6.011 6.011 6.011 6.011	0.05 0.05 0.05 0.05 0.05 0.05 0.05
ed belongs tollevelog products BERRIES AND SARALL FRUIT at 120% a king oppos tollog oppos bil disselenties (other Ann wild) el case for the weak) el case for the weak) Bacilitaria Displayments Comer Internet Comer Internet Come	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	8.85° 6.85° 6.85° 6.85° 6.85° 6.85°	Camp	Chindana	1 1 0.857 0.857 0.857 0.857 0.857	1 3 3 10 10 10 10 10 10	63 63 63 63 63 63 63 63 63	0.2 0.2 0.5 0.05' 0.05' 0.05' 0.05'	6.3 6.3 6.02* 6.02* 6.02* 6.02* 6.02* 6.02* 6.02*	85 85 837 85 85 85 85 85 85	0.00* 0.00* 0.00* 0.00* 0.00* 0.00* 0.00* 0.00* 0.00* 0.00*	0.05" 0.05" 0.05" 0.05" 0.05" 0.05"	0.1 0.85° 0.85° 0.85° 0.85°	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	641** 6.01* 6.01* 6.01* 6.01* 6.01* 6.01*	0.05 0.05 0.05 0.05 0.05 0.05 0.05
od belongs tollevelog products BERRIES AND SAALL FRUIT a) Table & wire grapes Table grapes tolle grapes tolle grapes ( Care Find (Other than wild) Elasterrise Desterrise Desterrise Desterrise Desterrise Chere S	0.1* 0.1* 0.1* 0.1* 0.1*	8.05° 8.05° 8.05° 0.05° 0.05°	Gamp	Otiondane	1 1 0.857 0.857 0.857 0.857 0.857	1 3 3 90 90 90 90 90 90 90 90 90 90 90 90 90	6.5 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3	0.2 0.2 0.8 0.09' 0.09' 0.09' 0.09' 0.09' 0.09'	2.0 3 3 4 22.0 4 22.0 5 20.0 5 20.0 5 20.0 5 20.0 5 5 20.0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	85 83 83 85 85 85 85 83 83 83 83 83 83 83 83 83 83 83 83 83	0.08* 0.08* 0.08* 0.08* 0.08* 0.08* 0.08* 0.08* 0.08* 0.08* 0.08*	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.1 0.85° 0.85° 0.85° 0.85° 0.85° 0.85°	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	631' 631' 631' 631' 631' 631' 631' 631'	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05
od belongs tellevelog products BERRIES AND SMALL FRUIT et Table a kine oppos table oppos til Stansbarrise (offer Fran wid) () Can Frail phar Han wid) () Can Frail phar Han wid) Dedeterise Laparbories Deterise Component Ind & terries (offer Frail Phar Barlies Carbonies Carbonies Carbonies Carbonies Carbonies	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85°	Camp	Chiondane	1 1 6.85' 6.85' 6.85' 6.85' 6.85' 6.85'	1 3 3 90 90 90 90 90 90 90 90 90 90	63 63 63 63 63 63 63 63 63	0.2 0.2 0.5 0.05' 0.05' 0.05' 0.05' 0.05' 0.05' 0.05'	0.3 0.3 0.02* 0.02* 0.02* 0.02* 0.02* 0.02*	8.5 8.32 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5	0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00°	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.1 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85°	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	631' 631' 631' 631' 631' 631' 631' 631'	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05
ed belongs following products BERRIES AND SMALL FRUIT al 1264 a wire oppose table grapes bill agroup (Case Child State and Annual Dealerings Laparboriss Dealerings Components Machines Components Com	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	8.00 8.00 8.00 8.00 8.00 8.00 8.00 8.00	Carlap	Otiondana	1 1 0.87 0.87 0.87 0.87 0.87 0.87 0.87 0.87	1 3 3 90 90 90 90 90 90 90 90 90 90 90	6.5 6.5 6.00 6.5 6.00 6.5 6.00 6.5 6.00 1 1	0.2 9.3 0.05' 0.05' 0.05' 0.05' 0.05' 0.05' 0.05' 0.05'	6.3 6.22° 6.22° 6.22° 6.22° 1 6.22° 1	85 83 83 85 85 85 85 85 83 83 83 83 83 83 83 83 83 83 83 83 83	0.08* 0.08* 0.08* 0.08* 0.08* 0.08* 0.08* 0.08* 0.08* 0.08* 0.08* 0.08* 0.08*	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.1 0.85° 0.85° 0.86° 0.86° 0.86° 0.85° 0.85° 0.85° 0.85°	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	631' 631' 631' 631' 631' 631' 631' 631'	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05
od belongs i tellevelog products BERRIES AND SAALL FRUIT 41 Table & who grapes table grapes tell disarderates (brain fram suit) 41 disarderates (brain fram suit) 41 disarderates (brain fram suit) 41 disarderates 12 disa	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	6.05° 6.05° 6.05° 6.05° 6.05° 6.05° 6.05° 6.05° 6.05° 6.05°	Camp	Chiordane	1 1 0.87 0.87 0.87 0.87 0.87 0.87 0.87 0.87	1 3 3 90 90 90 90 90 90 90 90 90 90 90 90 90	4.5 6.8 6.2 6.5 6.00 6.5 6.00 6.5 6.00 7 1 1 1 1 1 1	0.2 0.2 0.69" 0.09" 0.09" 0.09" 0.09" 0.09" 0.09" 0.09"	0.3 0.3 0.22* 0.22* 0.22* 0.22* 0.22* 0.22* 0.22* 0.22* 0.22*	2.5 8.00; 2.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0	0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00°	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.1 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85°	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	641** 6.41* 6.41* 6.41* 6.41* 6.41* 6.41* 6.41* 6.41* 6.41*	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05
ed belongs tollevelog products BERTRES AND SMALL FRUIT al 1264 a kira grapes til grapes til grapes til grapes til grapes til grapes blatabarise Daderine Lopshorms Neghnine Open al 0.0 kirals Carato Jak with grapes Carato Jak with gr	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	8.00 8.00 8.00 8.00 8.00 8.00 8.00 8.00	Carlap	Choden	1 1 6.85' 6.85' 6.85' 6.85' 6.85' 6.85'	1 3 3 90 90 90 90 90 90 90 90 90 90 90	6.5 6.5 6.00 6.5 6.00 6.5 6.00 6.5 6.00 1 1	0.2 9.3 0.05' 0.05' 0.05' 0.05' 0.05' 0.05' 0.05' 0.05'	6.3 6.22° 6.22° 6.22° 6.22° 1 6.22° 1	85 83 83 85 85 85 85 85 83 83 83 83 83 83 83 83 83 83 83 83 83	0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00°	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.2 0.85°	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.2 0.2 0.2 0.2 0.2 0.3 0.3	431' 431' 431' 431' 431' 431' 431' 431'	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05
ed belongs estimating products BERRIES AND SAUL FRUIT a) Table & wire grapes table grapes table grapes table grapes (c) and c) and c) (c) and c) and c) (c) and c) (c	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	8.85° 6.85° 6.85° 6.85° 6.85° 6.85° 6.85° 6.85° 6.85° 6.85° 6.85° 6.85°	Camp	Otordare	1 1 6.857 6.857 6.857 6.857 6.857 6.857 6.857 6.857 6.857 6.857 6.857	1 3 3 90 90 90 90 90 90 90 90 90 90 90 90 90	6.5 6.2 6.3 6.05 6.5 6.5 6.5 6.5 7 6.05 7 1 8.05 7 1 8.05 7	9.2 9.2 9.6 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09'	0.3 0.3 0.22* 0.82* 0.82* 0.82* 0.82* 0.82* 0.82* 0.82* 0.82*	65 63 63 65 65 65 65 63 63 63 63 63 7 83 7 2	0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00"	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.8 0.85 0.85 0.85 0.85 0.85 0.85 0.85	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	40014 6011 6011 6011 6011 6011 6011 6011	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05
ed belongs tollevelog products BERNESS AND SMALL FRUIT a) Table a king appear b) discussion of the sing appear c) discussion of the sing appear d) d) d	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	8.85° 8.85° 8.85° 8.85° 8.85° 8.85° 8.85° 8.85° 8.85° 8.85° 8.85° 8.85° 8.85°	Gamp	Chinders	1 1 1 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	1 3 3 90 90 90 90 90 90 90 90 90 90 90 90 90	6.5 6.6 6.2 6.00 6.00 6.00 6.00 6.00 1 1 8.00 9 6.00 1 1 8.00 9 6.00 9 1 8.00 9 1 1 8.00 9 1 8.00 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.2 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09'	0.3 0.3 0.82* 0.82* 0.82* 0.82* 0.82* 0.82* 0.82* 0.82* 0.82* 0.82*	4.5 4.5 4.00 4.5 4.5 4.5 4.5 4.5 4.5 4.00 4.00	0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00"	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.85 0.85 0.86 0.5 0.86 0.86 0.86 0.86 0.85 0.86 0.85 0.85 0.85 0.85 0.85 0.85 0.85 0.85	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2	40014 4001 4001 4001 4001 4001 4001 400	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05
Table gapes till og spos 2) (Stavisarise, Johan Han wid) 4) (Stavisarise, Johan Han wid) 6) (Stavisarise Destaurise Laparborise Respherise Others 0) (Stavisse and Not 3) servise 0) (Stavisse and Not 3) servise 0) (Stavisse and Not 3) 1) Starfield Caraterise Caraterise Caraterise Caraterise Caraterise Caraterise 0) (Stal Davis 6, 4 with full 0) IMISCELLANEQUS PHOUT Accados Bananas	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	6.85° 6.85° 6.85° 6.85° 6.85° 6.85° 6.85° 6.85° 6.85° 6.85° 6.85° 6.85°	Camp	Otordare	1 1 1 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	1 3 3 90 90 90 90 90 90 90 90 0.041** 0.041** 0.02	4.5 4.5 4.2 4.3 4.30 4.30 4.30 4.30 4.30 4.30 1 1 4.30 1 1 4.30 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0.2 0.3 0.6 0.05' 0.05' 0.05' 0.05' 0.05' 0.05' 0.05' 0.05' 0.05' 0.05'	0.3 0.3 0.22* 0.02* 0*0* 0** 0**********	8.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6.5 6	0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00"	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.85° 0.85° 0.86° 0.86° 0.86° 0.86° 0.86° 0.86° 0.88° 0.88° 0.88°	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	40014 4001 4001 4001 4001 4001 4001 400	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05
ed biorge Estimating products  EBERIESS AND SMALL FRUIT  a) Table averageoes  b) dissubarrise, since grapes  b) dissubarrise, forter share wid)  Blastbarrise  Cogenerate from wid)  Dissubarrise  Cogenerate from toxics writege  Cogenerate from toxics writege  Contents of toxics  Contents of toxics  Contents of toxics  Contents of toxics  Contents  Con	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	2.221 2.221	Camp	Citodes	1 1 1 0.00700000000	1 3 3 99 99 93 93 93 93 93 90 90 90 90 90 90 90 90 90 90 90 90 90	6.5 6.5 6.2 6.3 6.30 6.5 6.30 7 6.30 7 1 6.30 7 1 6.30 7 8.30 8.30 7 8.30 7 8.30 7 8.30 7 8.30 7 8.30 7 8.30 7 8.30 7 8.30 7 8.30 7 8.30 7 8.30 7 8.30 7 8.30 8.30 7 8.30 8.30 8.30 8.30 8.30 8.30 8.30 8.30	0.2 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09'	0.3 0.3 0.22* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.03	4.5 4.5 4.00 4.5 4.5 4.5 4.5 4.5 4.5 4.00 4.00	0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00"	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.85 0.85 0.86 0.5 0.86 0.86 0.86 0.86 0.85 0.86 0.85 0.85 0.85 0.85 0.85 0.85 0.85 0.85	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.3 0.2 0.3 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	4311 4311 4311 4311 4311 4311 4311 4311	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
od belongs extenders products BEFINES AND SAALL FRUIT 41 Table & whe grapes table grapes bill disardering information 61 disardering information 62 disardering information 63 disardering 64 disarder	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	2.221 2.	Camp	Otodare	1 1 1 6.8777 6.8777 6.8777 6.8777 6.87777 6.8777 6.87777 6.8777777 6.87777777777	1 3 3 90 90 90 90 90 90 90 90 0.041** 0.041** 0.02	4.5 4.5 4.2 4.3 4.30 4.30 4.30 4.30 4.30 4.30 1 1 4.30 1 1 4.30 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0.2 9.3 9.6 0.06' 0.06' 0.06' 0.06' 0.06' 0.06' 0.06' 0.06' 0.06' 0.06'	0.3 0.3 0.22* 0.62*	8.5 8.3 8.33 8.4 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5	0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00"	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.89 0.89 0.5 0.89 0.5 0.89 0.89 0.89 0.89 0.89 0.89 0.89 0.89	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	4.01* 4.	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05
ed belongs tollevelog products  EEFINESS AND SMALL FRUIT  All Table a king oppose tol grapes tol gr	0.17 0.14 0.14 0.14 0.14 0.14 0.17 0.17 0.17 0.14 0.14 0.14 0.14 0.14 0.14 0.14	2.221 2.221	Camp	Citorians	1 1 1 0.000 000000 0.000000	1 3 3 90 90 90 90 90 90 90 90 90 90 90 90 90	4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5	9.2 9.5 9.6 9.00° 9.00° 9.00° 9.00° 9.00° 9.00° 9.00° 9.00° 9.00° 9.00° 9.00° 9.00° 9.00° 9.00°	0.3 0.3 0.22* 0.02* 0*00* 0*0*0*0*0*0*0*0*0*0*0*0*0*0*0*	45 45 40 45 45 45 45 40 40 40 40 40 40 40 40 40 40 40 40 40	0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00"	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.2 0.85° 0.2 0.85° 0.2 0.85° 0.2 0.85° 0.2 0.85° 0.2 0.85°	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2	400% 400% 400% 400% 400% 400% 400% 400%	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05
ed belongs extended products BERRIES AND SAUL FRUIT a) Table & whe grapes Table grapes b) Gaseberries (b) and the rean wide) Gaseberries Content of the second of the second Content of the second of the second of the second Content of the second of the second of the second of the Content of the second of the second of the second of the Content of the second o	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	8.834 6.8346 6.83466 6.83466 6.8346 6.83466 6.83466 6.83466 6.83466 6.834666 6.83466 6.	Camp	Citodare	1 1 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.000000	1 3 3 90 90 90 90 90 90 90 90 90 90 90 90 90	4.5 4.8 4.2 4.2 4.2 4.2 4.2 4.2 4.2 4.2 4.2 5.2 4.2 5.2 4.2 5.2 4.2 5.2 4.2 5.2 4.2 5.2 5.2 5.2 5.2 5.2 5.2 5.2 5.2 5.2 5	9.2 9.2 9.6 9.05' 0.05' 0.05' 0.05' 0.05' 0.05' 0.05' 0.05' 0.05'	6.3 6.22° 6.22° 6.22° 6.22° 6.22° 6.22° 6.22° 6.22° 6.22° 6.22° 6.22°	4.5 6.5 8.007 6.5 6.5 6.5 6.007 6.007 7 8.007 8.007 8.007 8.007 8.007 8.007 8.007 8.007 8.007 8.007 8.007	0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00"	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.8 0.85 0.85 0.85 0.85 0.85 0.85 0.85	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	40014 4011	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05
ed belongs extended persolution BERNESS AND SMALL FRUIT al 1264 a kind oppose table grapes bill oppose bill can be all oppose to distributions Dedetricing Dedetricing Dependention Dependen	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	2.231 2.	Camp	Chodes	1 1 1 0.25%	1 3 3 90 90 90 90 90 90 90 90 90 90 90 90 90	4.5 4.8 4.2 4.3 4.00 4.00 4.00 1 1 8.00 1 1 8.00 1 1 8.00 1 1 8.00 1 1 8.00 1 1 8.00 1 1 8.00 1 1 8.00 1 1 8.00 1 1 1 8.00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9.2 9.2 9.6 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09' 0.09'	6.3 0.3 6.02* 0.03 0.03	45 43 43 45 45 45 45 45 43 43 43 43 43 43 43 43 43 43 43 43 43	0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00°	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.8 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85° 0.85°	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	40014 4001 4001 4001 4001 4001 4001 400	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05
ed belongs extended persolucia BERNESS AND SMALL FRUIT al 1264 a king appear to grapes to grape	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	8.834° 8.844° 8.844° 8.844° 8.845° 8.	Camp	Citodere		1 3 3 93 93 93 93 93 93 93 93 93 93 93 93	4.5 4.1 4.3 4.0 4.0 4.0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	9.2 9.3 9.6 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00"	0.3 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22°	4.5 4.3 4.3 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5	0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00° 0.00°	0.55° 0.05°	0.1 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	40014 4011	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
ed belongs estevenos productos  EEFINEES AND SAMALL FRUIT  Al TUDA a kino grapes  I disardentes Inform Para Nido  Constanti productor estevenos  Constanti	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	2.22 2.22 2.22 2.22 2.25 2.25 2.25 2.25	Camp	Chodare	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 3 3 90 93 93 93 93 93 93 93 93 93 93 93 93 93	4.5 4.4 4.2 4.00% 4.00% 4.00% 4.00% 4.00% 4.00% 4.00% 4.00% 4.00% 4.00% 4.00% 4.00%	9.3 9.2 9.6 0.09"	0.3 0.22* 0.00* 0.02* 0.00* 0*0* 0*	45 43 43 45 45 45 45 45 43 43 43 43 43 43 43 43 43 43 43 43 43	0.00* 0.00*	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.1 0.87 0.87 0.87 0.87 0.87 0.87 0.87 0.87	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2	40014 6.011 6.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
ed belongs tellevelog products  EEFINESS AND SMALL FRUIT  a) 11204 a king appear  b) Statubarias (Shar Ana Mig)  c) Char Chai (Shar Ana Mig)  c) Char Ana Mig)  c) Mig)  c) Char Ana Mig)  c) Mig)  c) Char Ana Mig)  c) Mig)  c) Mig)  c) Char Ana Mig)  c) Mig)  c) Mig)  c) Char Ana Mig)  c) Mig)  c) Mig)  c) Char Ana Mig)  c) Mig)  c) Mig)  c) Char Ana Mig)  c) Char	2.1* 2.1* 2.1* 2.1* 2.1* 2.1* 2.1* 2.1*	8.84* 8.42* 8.42* 8.42* 8.42* 8.42* 8.42* 8.42* 8.44*	Gamp	Citodere	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 3 3 90 93 93 93 93 93 93 93 93 94 94 94 94 94 94 94 94 94 94 94 94 94	4.5 4.4 4.3 4.0 4.0 4.0 5.0 1 1 1 4.0 5 4.0 5 4.0 5 4.0 5 4.0 5 4.0 5 4.0 5 4.0 5 4.0 5 4.0 5 4.0 5 5 4.0 5 5 4.0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	9.2 9.3 9.6 0.00"	0.3 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22° 0.22°	4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5	0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00" 0.00"	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.5 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6 0.6	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	40014 6.011	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
od belongs extenders products BEFINES AND SAALL FRUIT 41 Table & wing spaces table grapes table grapes table grapes table grapes table grapes table grapes table grapes table grapes table transition Destension Others of the small find & terms of the cores & with find Dates products products products Dates Da	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	2.23 2.23 2.23 2.25 2.25 2.25 2.25 2.25	Camp	Chodare	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 3 3 90 93 93 93 93 93 93 93 93 93 93 93 93 93	4.5 4.4 4.2 4.00% 4.00% 4.00% 4.00% 4.00% 4.00% 4.00% 4.00% 4.00% 4.00% 4.00% 4.00%	9.3 9.2 9.6 0.09"	0.3 0.22* 0.00* 0.02* 0.00* 0*0* 0*	45 43 43 45 45 45 45 45 43 43 43 43 43 43 43 43 43 43 43 43 43	0.00* 0.00*	0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05° 0.05°	0.1 0.1 0.87 0.87 0.87 0.87 0.87 0.87 0.87 0.87	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2	40014 6.011 6.	0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05

ad belongs . Fallowing products	Carbolusan	Carbosultan	Cartop	Chlordane	Chiormoqual	Chlorothalenil	Chlorpyrillos	Chiospyritos- mathyl	Oyluthrin	Cypermethrin	Damincaide	DOT	Detamethin	Dispinan	1.2-Dibromo- ethane	Distriction
Vegetables, fresh or uncooked, In	azen or dry															
ROOT AND TUBER VEGETABLE	IS															
Ewatract	0.1*	0.05*			0.017	0.017	0.05*	0.05*	0.02*	0.05*	0.62"	0.05*	0.05*	0.5	0.01"	
Caveta	0.0	0.1			9.05'	1	0.1	0.05*	6.02*	0.05*	0.02	0.05*	0.05*	0.5	0.01"	0.05
Celeriso		0.05"			0.00*	0.5	0.05"	0.08*	8.02*	0.05*	0.82"	0.05*	0.08*	0.5	0.01"	0.05
Horseradish	0.1*	0.05"			0.08*	0.817	0.05"	0.05*	0.02*	0.05*	0.82*	0.05"	0.05*	0.5	0.01"	0.05
Jerusalem antichokes	0.1*	0.05"			0.05*	0.61*	0.05"	0.05*	0.02*	8.05*	0.82"	0.05	0.05*	6.02*	0.01*	0.05
Pararipa	0.3	0.1			0.05*	0.81*	0.05"	0.05*	0.02*	8.05'	0.82*	0.05*	0.05*	0.5	0.81*	0.05
Parsley root	0.1*	0.05"			0.05*	0.81*	0.05"	0.05*	0.02*	8.05*	0.02*	0.05"	0.08*	0.02*	0.01*	0.05
Radishes	0.5	0.85*			0.05"	0.01*	0.2	0.05"	0.02*	0.05*	0.02*	0.85*	0.05*	0.5	6.01*	6.00
Salaity	0.1*	0.05*			0.05"	0.01*	0.05*	0.05"	0.02*	0.05*	0.02*	0.85*	0.65*	0.02*	6.01*	0.05
Sweet potatoes	8.1*	6.05*			0.05"	6.01*	0.05*	0.05"	0.02"	0.05*	0.02*	0.85*	0.65"	0.02*	8.01*	6.00
Swedes					0.05"	6.01*	0.05*	0.05"	0.02"	0.05*	0.02*	0.057	0.05	0.5	0.01*	4.05
Turrigo					0.85"	8.01*	6.85*	0.00*	0.02*	0.05*	0.02*	0.052	0.85*	0.5	0.01	0.05
Vama	4.1"	8.08*			0.85*	8.01*	6.007	0.00*	0.02"	0.05"	0.02*	0.05*	0.85*	0.02*	0.01*	0.00
Others	0.1"	9.05*			0.85*	0.01*	6.057	6.05*	0.02"	0.05"	0.02*	0.087	0.05*	0.02"	0.01*	0.00
BULB VEGETABLES									1					0.08	0.01	0.00
Gartic	0.3	0.08*			6.022	0.5		6.007	0.02*	0.1	0.62*	0.05*				
Oniona	0.3				6.05*	0.5	8.2	0.007	6.027	0.1	0.02	0.05*	6.1	0.5	0.01*	0.05
Shalkis	0.3	0.08*			0.00*	0.5		0.05*	0.02*	0.1	0.02"	0.05"	41	0.5	0.01"	0.05
Spring onions	0.1*	0.08"			0.05*	5		0.057	0.02*	6.02	0.82*	0.05"	41	0.5	0.01*	0.05
Others	0.1*	0.08"			0.05*	0.01"	0.09'	0.08*	0.02*	6.05*	0.02*	0.05"	0.05*	0.5	0.01*	0.05
FRUITING VEGETABLES												0.00	0.08	0.5	6.01-	0.09
a) Solananoa																
Tomatowe	0.1*	0.05*					0.5	0.5	0.05	6.5						
Popoers	8.1*	0.05*			0.05"		0.5	0.5	0.00	0.5	0.02*	6.85*	0.2	0.5	0.01*	6.82
Auburgmas	8.7*	0.007			0.05	2	0.5	0.5	0.02*	0.6	0.02*	0.007	0.2	0.5	0.01*	6.00
Others	8.7*	6.057			0.85	2	0.5	0.5	0.62	0.6	0.02"	0.05*	0.2	0.5	0.01*	0.007
b) Cucubits-edible peel					6.89	-			0.84	0.0	0.08	0.00	0.2	0.5	0.01*	0.05
Cusumbers	0.1*	0.05'			0.057	1	8.05*	0.05*		0.2	0.02"	0.08*	0.1	0.5	0.01"	0.05
Ginerkins	0.1"	0.08*			0.05*	5	0.08*	8.05*		0.2	0.02	0.08*	8.1	0.5	0.01"	0.00
Courgettes	0.1*	0.08*			0.057	0.01*	0.08*	0.05*		0.2	0.02*	0.08*	4.1	0.5	0.01*	0.05
Others	0.1*	0.08*			8.05*	0.01*	0.08*	0.057		0.2	0.02*	0.05"	0.1	0.5	0.01*	0.05
<li>4) Cucurbita-Inedible peel</li>																
Melona					0.05*	1	0.05*	0.05*	0.02*	0.2	0.82*	0.05"	0.08*	0.5	0.01*	0.057
Squashas	0.1*				0.05*	1	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05"	0.5	8.81*	0.057
Watarmalona	0.1*				0.05*	1	0.05*	0.05*	0.02*	6.2	0.02*	0.85*	0.05"	0.5	0.01*	0.007
	0.1*				0.05*	1	0.05"	0.05*	0.02*	8.2	0.02*	0.85*	0.05"	0.5	0.01*	6.007
Others @ Sweet.com		0.65			0.057	0.81*	0.05"	0.05"	0.02*	0.05*	0.02*	0.05*	0.05*	0.8	0.01*	0.02*

roup to which Croups include the ad belongs following products	Carboluran	Carbosulfan	Contop	Crierdane	Chiumequal	Chlorothalanil	Chiopyrites	Chierpynitos- methyl	Cyflutivia	Cypermethrin	Caminopide	DDT	Deternetive	Dautinon	1,2-06rome- athane	Dichlorprop
BRASSICA VEGETABLES																
a) Flowering Brassicas																
Bratesti	8.2				0.85*	3	0.05*	0.05"		0.8	0.02*	6.00*	0.1	0.8	0.01**	0.05*
Caultower	6.2				0.85*	3	0.05*	0.05"	0.05	0.6	0.02*	6.05*	0.1	0.8	0.01**	0.05*
Others	6.2				0.85*	3	0.05*	0.05*	6.02*	0.6	0.02*	6.85*	0.1	0.5	0.01**	0.05*
b) Head Brassicos																
Brussels sproats					0.85*	0.5	0.05"	0.05*	6.2	0.5	8.02*	0.00*	0.1	0.6	0.01"	8.09*
Head calibration					0.85"	3	1	8.05*	0.2	0.8	8.02*	0.85*	0.1	0.8	0.01**	8.00*
Others					0.85"	0.81*	0.05"	8.05*	0.2	0.8	8.02*	0.85*	0.1	0.8	0.01*	6.00*
ci Leafy Brassicas																
Chinese cabbege					0.05*	0.81*	0.5	8.097		1	8.02*	0.85*	0.5	0.5	0.01"	8.007
Kale					0.05"	0.01*	0.05"	8.09*			8.03*	0.85*	0.5	0.5	0.01*	8.00*
Diters					0.05	0.01*	0.05*	6.09*		1	6.03*	0.85*	0.5	0.8	0.01*	6.00*
di Kahitabi	0.2				0.05"	0.01*	0.05*	8.057	0.82*	0.2	6.02*	0.85*	0.08*	0.5	0.01*	0.057
LEAF VEGETABLES AND FRES	n nenoa															
a) Lottuce & similar									0.5 .	2	0.82*	0.05"	0.5	0.5	8.01*	0.057
Grupp	0.1*	8.05*			0.09*	0.01"	8.05*	0.05*	0.5	2	0.21*	0.05	8.5	0.5	8.01'	0.057
Lamb's letuce	0.1*	8.08*			0.05*	0.01"	8.08*		0.5	2	0.82*	0.05*	0.5	0.5	8.01*	0.05*
Letturoe	0.1*	8.09*			0.05*	0.01"		0.85*	0.5		0.82*	0.05"	0.5	0.6	8.01*	0.85*
Soarola	0.1*	6.05*			0.05'	0.01"	8.05*	0.85*	0.8	2	0.81*	0.05"	0.5	0.5	8.01*	0.85*
Others	0.1*	6.05*			8.05*	0.01"	8.00*	0.85	4.9			0.00		4.4		
b) Spmach & similar										4.5	0.82*	0.05"	6.5	0.8	8.01*	0.85*
Spinach	0.1*	0.05*			0.05'	0.01"	6.00*	0.85*	0.02"		0.82*	0.05"	6.5	0.5	8.01*	0.85*
Elect issues (chard)	0.1*	6.05*			8.08*	0.01"	6.00*	0.85*	0.02	0.5				0.5	8.01*	0.85*
Others	0.1*	6.05*			8.08*	0.01"	6.00*	0.85*	0.02	0.5	0.82*	0.05"	6.00*	0.5	6.01"	0.00*
c) Watercreas	0.1*	0.057			8.05*	0.01"	6.06*	0.06*	0.02*	0.05*	0.22*	0.05"	6.00*	0.5	8.01*	0.85*
d) Witker!	4.1*	0.05*			8.05*	0.017	6.00*	0.05*	0.02"	0.05*	0.82*	0.05"	6.00*	0.5	8.01-	0.80
e) Harbs														0.5	6.01*	0.05*
Chanil	6.5"	0.05*			8:05*	5	0.05*	0.08*	0.02	2	0.82*	0.08"	0.5	0.5	6.01*	0.05*
Chines	8.1"	0.85*			6.05*	8	0.05*	0.05*	0.02	2	0.02*	0.05"	0.5	4.5	6.01*	0.05*
Partiley	8.1"	0.85*			£-08*	5	0.85*	0.05"	0.02	2	0.02*	0.05"	0.5		6.01*	0.05*
Calary lazves	0.1"	0.85*			0.05*	5	0.85*	0.08*	0.02*	2	0.02*	0.05"	0.5	0.5		0.05"
Others	0.1"	0.85*			6.05*	5	0.85*	0.05"	0.02*	2	0.02"	0.08*	0.5	0.5	6.011	0.00
LEGUVE VEGETABLES (hosh)																
Bears (with pode)		0.05"				8.01*	0.85*	0.05"	0.05	0.5	0.02"	0.08*	0.2	6.5	0.01*	0.00"
Bears (without pack)		0.65"				0.08	0.65*	0.05"	0.05	0.007	0.02*	0.05*	0.85*	0.5	0.01*	0.05*
Pean (with pods)	0.7*	0.05"				1	0.65"	0.05"	0.05	0.5	0.02"	0.05*	0.1	6.5	0.01*	0.05*
Page (without point)	0.7	0.05				8.01'	0.05"	0.05"	0.05	6.057	0.02"	0.05*	0.80*	6.5	0.01*	0.05*
Offers	0.1	0.65"			0.85*	0.01*	0.65*	0.05"	0.05	0.057	0.02	0.05*	0.85*	6.5	0.31*	0.05"
D STEM VEGETABLES	6.1	0.00			0.80											
							0.65*	0.05*	4.02*	0.007	0.02	0.05*	0.85*	6.5	0.01*	0.05"
Apporague	0.7*	0.05"			0.85*	0.011	0.05"	0.05"	8.02*	0.89	0.02"	0.05*	0.05*	0.02*	0.01*	0.05
Cardoone	0.1*	0.05"			0.89*	0.01*			8.02*	0.85*	0.02	0.00*	0.05*	6.5	0.01*	0.05
Calory					0.85*	90	0.05"	0.08*	6.02*	0.85*	0.02	0.00*	0.05*	0.02*	0.01*	0.05"
Ferriel	0.1*	0.06"			0.05*	0.011	0.66"	0.05*		2	0.02	4.00*	0.1	6.5	0.01*	0.05
Globe artichels	0.1*	0.05*			0.05"	0.81*	1	0.05*	6.02*	0.5	0.02"	4.00*	0.2	6.5	0.01*	0.05
Leaks					0.89*	10	0.05"	0.05*		0.85*	0.02	0.007	0.85*	0.02*	0.01*	0.05
Rhubarb	0.4*	0.05"			0.65*	0.81*	0.05"	0.08*	8.02*		0.02	0.00*	0.05*	0.02"	0.01*	0.05
Others	0.1*	0.05"			0.85*	0.81	0.05"	0.05*	6.02*	0.86*	0.02	8.00*	0.80*	0.06	e.a.	2.00

22

food belongs	toliowing products	Carbolunan	Carbosulfan	Cartop	Chiardane	Chlomequal	Chlorothatonil	Chlarpyrilos	Chlorpyrilos- methyl	Cylluthrin	Cypermethrin	Duminazide	DOT	Detanetive	Distinon	1.2-Dibromo- ethane	Distionary
viij FUNGI																	
	a) Caltivated mushrooms	0.1*	0.85*				2	0.05*	0.05*	0.82*	6.62	8.02*	4.05*	0.05*	6.5	0.01*	0.05"
	b) Wild mushrooms	0.1*	6.05*			0.05*	0.01*	0.05*	0.05*	0.02*	1	0.02*	0.05*	0.05*	0.02	0.01*	0.05"
3. PULSES															one	0.01	0.69
	Beans		0.05*			6.85*	0.01"	0.05*	6.85*	8.02*	0.087	0.02*	0.05*	1		0.01"	0.85*
	Lertis	0.1*	0.08*			6.00*	0.01"	0.05*	6.05*	0.02*	0.05*	0.02*	0.05"	i		0.01"	0.00*
	Peas	0.1"	0.05*			6.00*	0.81*	0.05*	4.08*	0.02*	0.05*	0.02"	0.05"	;		0.01*	0.05*
	Others	4.1"	0.05'			0.00*	0.81*	6.05*	4.05	0.02*	0.05*	0.02"	0.05"			6.01*	
4. OILSEED	s															ear-	6.06*
	Lineard		0.05*				0.01*	6.05*	0.05*	0.02*	0.2	0.05"	0.87	6.05*	1.05'		
	Peonues		0.65			0.1*	0.05	0.05*	0.05*	0/02"	0.05*	0.05	6.85	6.00*	2.05	0.01*	0.05*
	Puppy seed	0.1*	0.65"			0.1*	8.01*	0.05'	0.05"	0.62"	0.2	6.87	6.057	6.05*	0.05*	0.01*	0.05*
	Sesame seed	0.1*	0.05"			0.1*	8.01*	0.08*	0.05"	0.62"	0.2	6.07	0.057	4.05*	0.05*	0.01*	0.05*
	Surflower seed					0.1*	0.01*	0.08*	0.05"	0.60*	6.2	0.052	0.00*	0.00'	0.00	0.01*	0.05"
	Repe seed		0.85*				0.01*	0.05*	0.05"	0.05	0.2	0.057	0.05*	4.1	0.05'	0.01	0.05*
	Soya bean		0.85*			0.1*	0.01*	0.65*	0.65*	0.02*	8.05*	0.087	0.05	0.05*	0.05*	0.01"	0.05"
	Mustand seed	0.7*	8.85*			0.1*	0.01*	0.05"	0.85*	6.02*	8.05*	0.05*	0.087	0.05*	0.05"	0.01"	0.05*
	Cation seed						0.01*	0.05"	0.05*	0.02*	4.2	0.05*	0.08"	0.65*	0.00	0.01"	0.00
	Others	0.1*	0.06*			0.1*	0.01"	0.65"	0.05*	4.02*	0.05*	0.05*	0.05"	0.65"	0.05"	0.01"	0.00*
5. POTATO	ES																6.85
	Early potatious		0.05*				0.01"	0.05*	6.05*	0.02*	0.08*	0.02*	0.85*	0.85*		0.81*	6.007
	Ware potatoes (chied leaves and stalks,		0.05*				0.01*	6.89*	8.08*	0.02*	0.05"	0.02"	0.85*	0.8		8.81*	6.05*
8. TEA	formentad or otherwise, Carnellia sinensis)	0.2*	0.1*	29	0.82*	4.1*	0.1*	6.1"	6.1"		0.8	0.1*	0.2		4.05*	6.1*	8.1*
7. HOPS	including hop pellets & unconcentrated powder	10				0.1*		6.7	4.1*	20	20	0.7*	0.08*			0.017	41*

	Croups instude the following products	DioMorves	Disolat	Dimethaate	Dinaseb	Disattion	Disulfoton	Endosulfan	Endrin	Ethephon	Ethion	Fenarimol	Chide Chide	Fanchiorphos F	entrothion	Farth	Pervalenak
. Fruit, treat	, dried or uncooked, preser	rved by freez	ing not con	taining added	sugar: nuts												
CITRUS F	RUIT																
	Grapehuit		2		0.05"	0.05*	0.02*	1	0.01*			0.02"		0.01*		0.057	0.08*
	Lamons		2		0.05"	0.05*	0.02*	1	0.01*			0.02"		0.01*		0.05*	0.08*
	Limes		2		0.05"	0.05*	0.02*	,	0.01*			0.02*		0.01*		0.057	0.05*
	Mandarina (inc clementines & similar hybrids)		8		0.05"	0.08*	0.02*	1	0.01*			0.02"		0.01*		0.05*	0.05*
	Oranges		2		0.05"	0.05*	0.02*	1	0.01*			0.02*		0.01*		0.057	0.05*
	Pomelos		2		0.05"	0.087	0.02*	1	0.01*			0.02*		0.01*		4.65*	0.05*
	Others		2		0.05"	0.057	0.02*	1	0.01*			0.02*		0.01*		0.05*	0.05*
TREE NU	TS (shelled or unshelled)																
	Almonds		0.05*		0.05"	0.05*	0.02*	0.1*	0.01*	0.1*		0.02*	0.05*	0.01*		4.657	0.08*
	Brazil puts		0.05*		0.05"	0.05*	0.02*	0.1*	0.01*	0.11		0.02*	0.05*	0.01*		0.057	0.05*
	Cashww ruts		0.05*		0.05"	0.05*	0.02*	0.1*	0.01*	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*
	Chestruts		0.05*		0.05"	0.057	0.02*	0.1*	0.01*	0.1*		0.02"	0.05*	0.01*		0.05*	0.05*
	Coponuts		0.05*		0.05"	0.05*	0.02*	0.1*	0.01*	0.1*		0.02"	0.05*	0.01*		0.057	0.05*
	Hapelnuts		0.05*		0.05"	0.05*	0.02*	0.1*	0.01*	0.1*		0.02"	0.05*	0.01*		0.05*	0.05*
	Macadamia nuts		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*	0.1*		0.02*	0.05*	0.01*		0.057	0.05*
	Pecana		0.05*		0.85*	0.05*	0.02*	0.7*	0.01*	0.1*		0.62"	0.05*	0.01"		0.05*	0.05"
	Pine rute		0.05*		0.05"	0.05'	0.02*	0.1*	0.01*	0.1*		0.62"	0.05"	0.01"		0.05*	0.85*
	Platachica		0.05"		0.05"	0.05"	0.00*	0.1*	0.01*	6.1*		0.02"	0.05"	0.01"		0.05*	0.05"
	Walnuts		0.05"		0.85"	0.05"	0.00*	0.1*	0.01*	0.1*		0.62"	0.05"	0.01"		0.05*	0.85"
	Others		0.05*		0.85"	0.05"	0.02*	0.7*	0.01*	0.1*		0.02"	0.05"	0.01"		0.05*	0.85"
POME FF																	
1 rome rr	Apples				0.05*	0.05*	0.02*	1	0.01"	3		0.3		0.01"		0.05*	1
	Peers				0.057	0.05*	0.02*	;	0.01*	3		0.8		0.01"		0.05'	1
	Ources				0.05*	0.09"	0.02*	;	0.01"			0.3	2	0.01"		0.057	1
	Others				0.05*	0.05*	0.02*		0.01*			0.3	2	0.01"		0.087	1
STONE P						0.04	2.04						-				
y arone r								1	0.01"	0.05*				0.01"		0.05*	0.85*
	Apricota				0.05"	0.08*	0.02*	1	0.01"	3				6.61"		0.05*	0.85"
	Cherries				0.05"	0.08*											
	Peaches (incl nectarines & similar hybrids)				0.05"	0.05*	0.02*	1	0.01*	0.05*				0.01-		0.05*	0.85*
	Plums				0.057	0.05*	0.02*	1	0.01*	0.05*				0.01"		0.05*	0.85*
	Others				0.05"	0.05*	0.02*	1	0.01*	0.05*				0.01"		0.05*	0.85*

Group to which Groups include the food belongs following products D	lichtoryes	Dicotol	Oimethaste	Dinpeab	Diouthian	Disulfatore	Endosultan	Entrin	Ethephon	Ethion	Penarimpi	Ferbutatin Oxide	Fenchlosphas Fen	itrettion	Forten	Pervalenat
BERRIES AND SMALL FRUIT																
a) Table & wine grapes																
Table grapes		1		0.05*	0.05"	0.02*	1	0.01*			0.3	2	8.01*		0.05*	1
Wine grapes		1		0.05*	0.85*	0.02*	1	0.01*			0.3	2	0.01*		0.05*	1
b) Strawberries (other than wild)		2		0.05*	0.05*			0.01*	0.05*		0.0		0.01*		0.05"	8.05*
<li>Cane Prait (after than wild)</li>																
Disciberties		0.02*		0.05*	0.05*	0.02*		0.01"	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Devidenties		0.02*		0.05*	0.05*	0.02*	0.05*	0.01"	0.05*		0.02*	0.08*	0.01*		6.65*	0.05*
Logarberries		0.02*		0.08*	0.05*	0.02"	0.05*	0.01*	0.05*		0.02"	0.05*	0.01*		6.05*	0.08*
Flaspberries Calvers		0.02*		0.05*	0.05*	0.02"	1	0.01*	0.05*			0.05*	0.01*		6.05*	0.08*
		0.02*		0.05*	0.05*	0.82*	0.05*	0.011	0.05*		6.82*	0.05"	0.01"		0.08*	0.05*
Other small fruit & bentos opher than wild)																
Giberies		0.02*		0.05"	0.05*	0.02*	0.05*				6.02*					
Ctarbevies		0.02		0.05"	0.05*	0.02*	0.05"	0.01*	0.05"		6.02*	0.85"	0.01*		0.05*	0.05"
Currents (red, black & white)				0.05	0.05'	0.02*	0.00	0.01*	end.		1	0.85*	6.01*		0.08*	6.85"
Gooseberries		0.82"		6.05"	0.05	0.02*		0.01*	6.65"			0.057			0.05*	6.85"
Others		6.82"		6.05*	0.05*	0.02*	0.05"	0.01*	0.05"		0.02*	6.05*	0.01*		0.05*	6.05*
o) Wild berries & wild truit.		6.62*		0.05*	0.05"	0.02*	6.85"	0.01*	6.05*		0.02*	0.05*	0.01*		0.05"	6.05*
MISCELLANEOUS FRUIT													0.01		0.69	1.00-
Avocatos																
Bananas		0.02*		0.05*	6.85*	0.02*	6.05*	0.01*	0.05*		0.05.	0.05*	0.01*		0.05"	0.08*
Dates		0.02*			6.85*	0.02*		0.01*	0.05*		0.5		0.01*		0.85*	0.05*
		0.02*		0.05*	0.05*	0.02*	0.05*	0.01"	0.05*		0.62*	0.05*	0.01*		6.05*	0.05*
Figs Kiwi truit				0.05*	6.85*	0.02*	0.05*	0.01"			0.62*	0.08*	0.01*		0.05*	0.05*
		0.02*		0.05*	6.05*	0.02*	1	0.01*	0.08*		0.62"	0.05*	0.01*		0.05*	0.05*
Kurequite		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.62*	0.05*	0.01*		0.05*	0.65*
Litohis		0.02*		0.05*	0.05*	0.02*	0.05*	6.01*	0.08*		0.62"	0.05"	0.01*		0.05*	0.05*
Mangoes		0.02*		0.05*	0.05*	0.02*	0.05*	6.01*	0.05*		0.85.	0.05*	0.81"		0.08*	0.05"
Olives (table consumption)		0.02*		0.05"	0.05*	6.82*	1	0.01*			0.02*	0.05"	0.81*		0.08*	0.05"
Olives (of estract)		0.02*		0.05*	0.05*	0.03*	1	0.01*			6.02*	0.85*	0.81*		0.05*	0.85"
Passion Inull		0.02*		0.05"	0.08*	0.02*	0.08*	0.01*	0.05"		8.02*	0.85*	8.01*		0.05*	0.05*
Privolappilars		0.02*		0.05*	0.08*		0.05"	0.01*			0.02*	0.05*	0.01*		0.05*	6.05*
Pomegranalias Others		0.02**		0.05*	0.05*	0.02*	0.05"	0.01*	0.85*		0.02*	0.05*	4.01*		0.05*	8.05*
Coners		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	8.85*		8.02*	6.05*	8.01*		0.05*	6.05*
sup to which Groups include the												Farbutatin				
ood beilangs following products 0	lichiarvos	Disoliti	Dimethosis	Dinceeb	Disxathion	Daufsten	Endosultan	Endrin	Ethephan	Ethion	Fenarimol	Cxidu	Panehitorphos Far	itrathion	Fentin	Fervalera
Vegetables, fresh or uncooked, frozen o	r dry															
ROOT AND TUBER VEGETABLES																0.05*
Eestroot		0.02*		0.05*	6.05*	0.02"	0.2	0.01"	0.08*		0.02"	0.05*	0.01*		0.05*	
Carrois		0.02*		0.05"	0.05*		0.2	0.01**	0.05*		0.02"	0.08*	0.01*		6.65*	0.05*
Coleriac		0.02*		0.05*	6.05*	0.02"	0.2	0.01*	0.06*		0.02"	0.05*	0.01*		0.05*	0.00*
Horseradish		0.02*		0.08*	0.05*	0.02*	0.05*	0.01*	0.08*		0.02"	0.05*	0.01*		0.05*	0.08*
Jenusalem artichokes		0.02*		0.05*	0.05*	0.02*	0.05*	0.01"	0.05*		0.02	0.08*	0.01*		6.85*	0.05*
Parsnips		0.02*		0.05*	6.85*		0.05*	0.01"	0.05*		0.02"	0.05*	0.01*		0.05*	0.05*
Paralley root		0.02*		0.08*	0.05*	0.02*	0.2	0.01"	0.05*		0.02*	0.05*	0.01*		0.05"	0.05*
Badiabea		0.02*		0.057	0.057	0.02*	6.05*	0.01"	0.05*		0.02"	0.08*	0.01*		0.05"	0.05*

Group to which Groups include the lood belongs following products	Dichiarvos	Displication	Dimethosis	Dinceeb	Disxathion	Daufeten	Endanullari	Endrin	Ethephon	Dhion	Fenarimol	Fanbutatin Dxide	Panchiorphos	Fanitrothion	Fentin	Fervalerat
2. Vegetables, fresh or uncooked, froa	en ar dry															
ROOT AND TUBER VEGETABLES																
Fastroot		0.02*		0.05*	4.05*	0.02"	0.2	0.01*	0.08*		0.02"	0.05*	0.01*		0.057	0.00*
Carrota		0.02*		0.05"	0.05*		0.2	0.01*	0.05*		9.62"	0.08*	0.01*		6.65"	0.05*
Coleriac		0.02*		0.05*	4.05*	0.02"	0.2	0.01*	0.05*		0.02"	0.05*	0.01*		0.05*	0.00*
Horseradish		0.02*		0.08*	0.05*	0.02"	0.05*	0.01*	0.087		0.02"	0.05*	0.01*		0.05*	0.08*
Janualare artichokas		0.02*		0.05'	0.057	0.02"	0.05*	0.01"	0.05*		0.02"	0.08*	0.01*		0.05"	0.05*
Parenips		0.02*		0.05*	6.85		4.05*	0.01"	0.05*		0.02"	0.05*	0.01*		0.05"	0.05*
Paralies root		0.02*		0.05*	6.05"	0.02*	0.2	0.01*	0.05*		0.02"	0.05*	0.01*		0.05"	0.05*
Radiates		0.02*		0.05'	0.057	0.02*	6.00*	0.01*	0.05*		0.02"	0.08*	0.01*		0.05"	0.05*
Saluty		0.02*		0.05*	0.05"	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05"	0.00*
Sweet polations		0.02*		0.087	0.057	0.02*	6.00*	0.01*	0.05*		0.02"	0.08*	0.01*		0.05"	0.05*
Sweden		0.02*		0.05*	0.05	0.02*	0.2	0.01*	0.05*		0.02*	0.08*	0.01*		0.05"	0.05*
Turnips.		0.02*		0.05*	0.05	0.02*	0.2	0.017	0.00*1		0.02*	0.05*	0.01*		0.05"	0.05*
Yamo		0.02*		0.05*	0.05"	0.02*	0.05*	0.01"	4.057		0.00*	0.05*	0.01*		0.05"	0.05*
Others		0.02*		0.057	0.05"	0.02*	0.00*	0.01*	0.05*		0.02"	0.087	0.01*		0.05"	0.05*
BULB VEGETABLES		4.04		4.40	0.00	0.04										
											0.02*	0.05*	0.01*		0.05*	0.02*
Gartic				0.05*	0.05	0.02*	0.05*	0.01*	0.00*		0.02*	0.007	0.01*		0.05"	0.05*
Oniona		0.02*		0.05*	0.05	0.02*	0.007	0.01*	6.05*		0.02"	0.08*	0.01*		0.05"	0.05*
Shallots.		6.02*		0.05*	0.05"	0.02*	0.00*	0.01*	0.057		0.02	0.087	0.01*		0.05"	0.05*
Spring phiots Others		4.02*		0.05*	0.05"	0.02*	0.05"	0.01*	4.05		0.02"	0.087	0.01*		0.05"	0.05*
		6.62*		0.05	0.05	0.00	6.00	0.01	4.00		0.06	***				
# FRUITING VEGETABLES																
a) Solanaces															0.05"	1
Tomatoes		0.8		0.05*	0.05*	0.02*	1	0.011	3				0.01*		0.05"	
Poppers		0.5		0.05*	0.05*	0.02*	1	0.011	3				0.01*		0.05"	0.05*
Autorgines		0.02*		0.05*	0.05*	0.02*	1	0.01*	0.08'				0.01"		0.05*	0.05*
Others		0.02*		0.05*	0.05*	0.02*	1	0.01*	0.08*				0.04-			0.00
b) Cucurbits-edible peel								0.01*	0.05*			0.8*	0.07*		6.05"	0.2
Guounters		0.5		0.05*	0.05"	0.02*		0.01*	0.05*			0.0	0.01*		6.05"	0.05*
Gherkins		0.5		0.05*	0.05"	0.02*		0.01*	0.05*				0.01*		6.05*	0.05*
Courgettes Others		0.5		0.05*	0.05	0.02*		0.01"	0.05*				0.01"		6.02	0.05*
<li>Construction of Construction of Constructi</li>		0.5		0.00	0.05	0.02	•									
Helore		0.5		0.057	0.05"	0.02*	1	0.01*	0.057				0.01*		6.85*	0.2
Bouenhers		0.5		0.00	0.05"			0.01*	4.057				0.01*		0.05"	0.5
Watermolone		0.5		0.057	0.05"	0.02*		0.01*	0.057				0.01*		0.05*	0.5
Oters		0.5		4.05	0.05'	0.02*		0.01*	0.057				0.01*		0.05*	0.05*
d Swet com		6.02		4.057	0.05	0.02*	0.05*	0.01*			0.02"	0.08*	0.01*		6.65"	0.05*

BRASSICA VEGETABLES a) Flowering Brassicas												
at Chaussian Bassalana												
(i) Howeing imassicas												
Bracesti	53.0	0.05"	0.05"		1	0.01*	0.05"	0.02*	0.057	0.01"	6.00*	1
Cauliflower	0.62	0.05"	0.05"		1	0.01*	0.05*	0.02*	0.05*	0.01"	0.05*	1
Others	0.62	0.05"	0.05*	0.82*	1	0.01*	0.05*	0.02*	0.08*	0.01"	0.00*	1
b) Head Brassicas												
Brusseis sprcuts	0.82	0.85*	6.85*		1	0.01*	0.05*	0.02*	0.05*	0.81*	0.05*	0.05*
Head cabbage	0.82	0.85*	0.85*		1	0.01*	0.85*	0.02*	0.05*	0.01*	0.08*	0.05*
Others	0.82	0.85*	6.85*	8.02*		0.01*	0.05*	0.02*	0.05*	6.81*	0.09*	0.08*
c) Leafy Brassicas												
Chinese colibage	0.82	0.05*	6.05*	8.02*	1	0.01*	0.05*	0.02*	0.05*	6.91*	0.09*	1
Kale	0.037	8.05*	6.08*	0.02*	1	0.01*	0.06*	0.02"	0.05"	8.01*	0.05*	0.05*
Others	0.02*	0.00*	6.05*	0.02*	1	0.011	0.08*	0.02*	0.08*	6.011	0.05*	0.05*
d) Kahirabi	0.02*	6.00*	6.05*		0.05*	0.01*	0.05*	0.02*	0.05*	0.01*	0.05"	0.05*
LEAF VEGETABLES AND FRESH	HERB8											
a) Lettuce & similar												
Cross	0.02*	4.05*	6.05*	0.02*		0.01*	0.05*	0.02*	0.05"	8.01*	0.05"	0.05*
Lamitrs lettuce	0.02*	0.05*	0.05*	0.02*	1	0.01*	0.05*	0.02*	0.05"	0.01*	0.05"	0.05"
LoBute	0.02*	4.08*	0.05*	0.02*		0.01*	0.05*	0.02*	0.05"	0.01*	0.05"	0.05*
Scarole	0.02*	8.00*	0.05*	0.02*	1	0.01*	a.qs*	0.02*	0.00"	0.01*	0.05"	0.05*
Others	0.02*	0.05*	0.05*	0.02*	1	0.01*	a.ds*	0.02*	0.05*	0.01*	0.85"	0.05*
<ol> <li>Spinach &amp; similar</li> </ol>												
Sphreich	0.02*	0.087	0.08*	0.02*	1	0.01*	0.05*	0.02*	0.65*	0.01*	0.85"	0.05"
Barel loaves (chard)	0.02*	0.08*	0.05*	0.02*		0.01*	0.05*	0.02"	0.85*	0.01*	0.05"	0.05"
Others	0.02*	0.08*	0.05*	0.02*	1	0.01*	0.05"	0.02*	0.85*	0.01*	0.85*	0.05"
<li>c) Watercreas</li>	0.02*	0.05*	0.08*	0.02"	0.68"	0.01*	0.08"	0.62"	0.05*	0.01*	0.85*	0.05"
d) Witkoof	0.02*	0.05*	0.05*	0.02*	0.65"	0.01*	0.05"	0.82*	6.00*	0.01*	0.85*	0.85*
a) Harbs												
Chervil	0.02*	0.05*	0.05"		0.85"	0.01"	0.05"	0.82*	8.05*	0.01"	0.05*	0.05*
Chives	0.02	0.05"	0.05"		0.85"	0.01*	0.05"	0.82*	8.05*	*19.0	0.06*	6.05*
Parsky	0.02*	0.05"	0.05"		0.85"	0.01*	0.05*	0.82*	8.05*	*10.0	0.05*	6.057
Celory lateres	0.62*	0.08"	0.05"		0.85"	0.81*	0.05*	0.02*	0.05*	0.01"	0.05*	0.087
Others	0.02**	0.05*	0.65*		0.85*	0.01*	0.05*	0.02*	0.08*	0.61*	0.05*	0.05*
LEGUME VEGETABLES (hesh)												
Beans (with peds)	0.6	0.05"	0.85"		1	6.01*	6.85*	0.02*		6.81*	0.05*	0.05*
Beans (without pods)	0.6	0.05"	0.85"		1	6.01*	6.05*	0.02*		6.01*	0.05*	0.05*
Peas (with polis)	0.8	0.05"	0.85"		1	8.01*	8.05*		0.05*	8.01*	0.05*	0.05*
Peas (without pods)	0.8	0.05*	0.05*	6.02*	1	8.01*	8.05*		0.05"	8.01*	0.05*	0.05*
Others	0.82*	0.05*	0.05*		1	8.01*	8.08*	0.02*	0.05"	8.01*	0.05*	0.05*
STEM VEGETABLES												
Asperagus	0.82*	0.05*	0.05*	6.02*	8.08*	8.01*	4.08*	0.02*	0.05"	6.01*	0.05*	0.08*
Cantinons	0.82*	0.05*	0.05*	6.03*	1	8.01*	0.08*	0.02*	0.05"	8.01*	0.05*	0.08*
Cellery	0.02*	0.05*	0.05*		1	8.01*	0.08*	0.02"	0.05"	0.01*	0.05"	0.08*
Fannal	6.02*	6.05*	0.057	4.03*	0.05*	8.01*	0.08*	0.02'	0.05"	0.01*	0.05"	0.05"
Globe articholes		6.057	0.05*	4.03*	1	0.01*	9.08*		0.05"	0.01*	0.05"	0.05"
Loaks	8.02*	6.05*	6.05*	0.00*	1	0.01*	0.05*	0.02"	0.05"	0.01*	0.05"	0.05
Fitubarb	8.02*	6.05*	8.05*	0.00*	0.05*	0.01*	0.05*	0.02"	0.05*	0.01*	0.05*	0.05
Others	8.02*	6.05*	8.05*	0.02*	0.05*	0.01*	0.08*	0.02*	0.85*	0.01*	0.007	0.05

	ich Groups include the a following products	Dichiarvos	Dicolal	Dimethoste	Dingweb	Disxathion	Disulfator	Endesultan	Even	Ethephon	Ethion	Fenarimol	Fanle-tatin Oxide	Fenchlorphos	Fenitoothion	Pentin	Pervalenate
vii) PUNC	H .				-												
	a) Cultivated mushrooms				0.057	0.05*	0.02*	1	8,01*	8.05*		9.02"	0.05"	8.01*		0.05"	0.05*
	b) Wild mushrooms		0.82*		0.057	0.05*	0.02*	0.08*	0.01*	0.00*		0.02*	0.05"	0.01*		0.05"	0.05*
3. PULSE	8																
	Beans				6.80*	0.00*		6.00*	8.01*	8.05*		0.02"	0.05"	0.01*		0.05"	0.05*
	Lerdis		0.82*		0.05*	0.007	0.02*	6.05*	8.01*	8.05*		0.02"	0.05"	0.01*		0.05"	0.05*
	Peas		0.82*		0.05*	0.05*	0.02*	0.05*	8.01*	8.05*		0.02"	0.05"	0.01*		0.05"	0.05*
	Others		0.82*		0.85*	0.05*	0.02*	6.05*	0.01*	0.08"		0.02*	0.65*	0.01*		0.05"	0.05"
4. OILSEE	DS																
	Lineard		0.05*		6.057	0.05*	8.02*		8.01*	0.05*		0.02"	0.05*	0.01*		0.05*	0.1
	Peanuts		0.00*		6.80*	0.00*	8.02*	6.17	8.01*	0.05*		0.02"	0.05*	0.01*		0.05*	0.1
	Poppy need		0.85*		6.85*	6.00*	8.02*	6.1"	4.01*	9.08*		0.02"	0.05*	0.01*		0.05*	0.1
	Secame need		0.85*		6.85*	6.65*	0.02*	6.1"	4.01*	9.08*		0.02*	0.85*	0.01*		0.05"	0.1
	Sunflower seed		0.85*		0.85*	0.05*	8.02*		0.01*	0.05*		0.02"	0.85*	0.01*		0.05"	0.1
	Rape seed		0.85*		6.85*	6.05*	8.02*		0.01*	0.05*		0.02**	0.85*	0.01*		0.05*	0.1
	Soys bean		0.85*		0.057	6.05*	8.02*		0.01*	0.05*		0.02"	0.85*	0.01"		0.05*	0.1
	Mustard seed		0.05*		0.057	0.05*	8.02*		0.01*	0.05*		0.02"	0.05*	0.01*		0.05*	0.1
	Collon-seed		0.1		6.00*	0.00*	0.05	6.3	0.01*	0.08*		0.02"		0.07*		0.05*	0.1
	Others		0.05*		6.85*	6.05*	8.02*	6.1*	0.01*	0.08*		0.02"	6.00*	0.017		0.85*	0.1
5. POTAT	OEB																
	Early potstoes		0.82*		6.85*	0.057			0.01*	0.05*		0.02"	6.85*	0.017		0.1	0.05*
	Ware patatoes (dried leaves and stalks,		0.82*		6.80*	6.05*			0.01*	0.05*		0.02*	1.00*	0.017		0.1	0.85*
6. TEA	fermetted or otherwise, Cartellia sinetsis)	8.1*	20	8.2	0.1*	0.1*	8.05*	30	0.01*	4.17	3	6.00*	4.9*	0.1*	0.5	0.1*	90
7. HOPS	including http pellets 8. unconcentrated powder		50		0.1*	0.1*			6.1*	4.1		5		0.1*		4.5	

Group to which Groups Include the Nool belongs Following products	Rucythrinaae				Hexachtore- benzene (HCB)	Hexashibro- cyclohexane J+E+0 K	Hexachioro- systematic (HCH) T	inazali	lpredione	Lambda- cyhalothrin	Heistrian	Mateie- Hydrazido	Maneb Maneorato Matinam Propineb Zineto	Mocarbam	Metalocyl	Methamiclaphos
1. Fruit, Inesh, dried or uncooked, prese	rved by freezi	ing not cons	aining addee	d sugar: nut	8											
0 CITRUS FRUIT																
Grapehuk		0.05'	0.1*	8.01*					0.02*			1.	5	2		
Lomens		0.05*	0.1*	4.01*					8			*		2		0.2
Limes		0.05*	0.1*	0.01*				5	0.02					2		0.2
Mandarina (inc clamantines & similar hybrids)		0.05*	0.1*	0.01*					2					2		0.2
Oranges		0.05"	0.1*	0.01*					0.82"				5	2		0.2
Pornelos		0.65"	0.1*	0.01"					0.82*				6			0.2
Offers i) TREE NUTS (shelled or unshelled)		0.65*	0.1*	0.01"				5	0.82*			۴	8	. 5		0.2
Almonds		0.05*	6.7'	0.01*				0.02*	8.03*	0.85*		*	0.1*	0.85*	0.05*	8.01*
Brazil n.4s		0.05*	6.1"	0.01*				0.02*	8.02*	0.05*			0.1*	6.05*	0.05"	0.01*
Cashew nuts		0.05*	6.1"	6.01*				0.02*	0.02*	0.01*			0.1*	6.00*	0.05"	0.01*
Creatruta		8.08*	4.1"	6.01*				0.02%	0.02*	6.05*		i.	0.7*	6.05*	0.05"	0.01*
Goconuta		0.08*	4.1"	6.01*				0.02"	0.02*	0.05*		i.	0.1*	6.00*	0.65"	0.01*
Happinuts		0.05*	0.1*	6.01*				0.02"	0.2	0.05*			8.7"	0.05*	0.85*	0.01"
Macadamia nuts		0.05*	0.1*	6.01*				0.027	0.02"	0.08*			6.1"	0.05*	0.85*	0.61"
Pecans		0.05*	0.1*	0.01*				0.82*	0.02*	0.08*		*	8.5"	0.08"	6.057	0.01"
Pine ruta		0.08*	0.1*	0.01*				0.82*	0.02"	0.05*			4.1"	0.05"	4.08*	0.81*
Pistschios		0.08*	0.1*	0.01*				0.82*	0.62"	0.05*		5*	0.1*	0.05"	0.05*	0.01*
Walnuts		0.05"	0.1*	0.01*				0.02*	0.82"	0.05*		P*	0.1*	0.65*	0.05*	0.01*
Oters		0.05*	0.1*	0.01*				6.027	6.82"	0.05"		1*	0.1*	0.65*	0.05*	0.01*
II) POME FRUIT																
Applos		0.85*	0.1*	0.01"					10	0.1		1*	3	0.85		0.05
Pears		0.05*	0.11	0.81*				5	10	0.1		1.		8.007		0.05
Guinoss		0.067	6.1*	0.81*				5	10	0.1		11		8.05*		0.05
Others V) STONE FRUIT		8.00*	6.1*	0.011				5	10	6.1		1'	1	0.05*	1	0.05
Apricota		8.08*	0.1*	8.01*				9.62	5	6.2		4.	2	0.05*	0.00*	0.1
Charrise		0.05*	0.1*	8.01*				0.82"	5	0.1		T*		0.05*		
Pesches (incl nectarines & similar hybrids)		0.05*	0.1*	8.01*				0.82"	5	0.2		*	2	0.05*		0.05
Plans		0.05"	0.1*	0.01*				0.82*	5	0.1		14	1	0.05"	0.08*	6.3
Otwo		0.05"	0.1*	0.01*				0.82*	6	0.1		Ψ.	0.65"	0.05*	0.05*	6.01*

Insup to which Groups include the soci Delange - failowing products	Rughinata	Furattionarb	Geyphosato	Heptachiar	Hexactiono bonsono (HCB)	Hexachloro- cystonexane (HCH) G.	Hexactiono- cyclohexane p+C+0 g	Hexadhlara- cyddhexane (HD1) 7	imazaili	lprodione	Lambda- cyhałothrin	Matofrion	Mateiz- Hydrazide	Manozash Marozash Matiram Propineb Zineb	Mecarbam	Matalaxyf	Methamidophos
) BERRIES AND SMALL FRUIT																	
a) Table 5 wine grapes																	
Table grapes		0.05*	0.1*	0.017					8.02*	10	0.2			2	0.06*	2	0.01"
Wine-propert.		0.08*	0.1*	0.01*					6.021	10	0.2		1.	2	0.05*	1	0.01"
<li>b) Strawberries. (other than whit) d) Cane Fruit (other than wild)</li>		0.05*	0.1*	0.017					8.02*	10				5	0.08*	0.5	0.01"
Blackberries		0.05*	0.1*	0.01*					8.02*	5	0.82*		*	0.08*	0.08*		0.01"
Development		0.08*	0.1*	0.01*					0.02*	5	0.02*		4.	0.06*	0.05*		0.01"
Logariberries.		0.05*	0.1*	0.01*					8.02*		0.02*		1.	0.05*	0.05*		0.01"
Raspborries		0.05*	0.1*	0.01*					6.02*		0.02*		1*		0.05*		0.01"
Others		0.05*	0.1*	0.01*					8.02*		0.02*		1.	0.05*	0.05*		0.01"
<li>Other small fluit &amp; berries (other than wild)</li>																	
Giberries		0.05*	0.1*	0.01*					0.02*	10	0.03*		4.	0.05*	0.05*	6.05*	0.01"
Cranberries		0.05*	0.1*	0.01*					0.02*	8.03*	0.027		4.	0.05*	0.05*	6.057	0.01"
Currants (red, black & white)		0.05*	0.1*	0.01*					8.02*	10	0.1		4.	5	0.05*	8.05*	0.01*
Cooseberries		0.05*	0.1*	0.01"					0.02*	10	0.1		4.	5	0.05*	6.097	0.01"
Others		9.05*	0.1*	0.01*					0.02*	8.03*	0.02*		4.	0.05*	0.05*	6.00*	0.01*
<ul> <li>Wild berries &amp; wild huit</li> </ul>		0.05*	0.1*	0.01*					8.02*	8.02*	0.027		4.	0.05*	0.05*	6.057	0.01"
() MISCELLANEOUS FRUIT																	
Avocados		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		1.	0.05*	0.05*		0.01"
Bananas		8.05*	0.1*	8.01*					2	3	0.02*		1.	0.05*	0.05*	6.05*	0.01"
Cation		0.05*	0.1*	0.01*					8.02*	0.02*	0.02*		P.	0.08*	0.08*	6.097	0.01*
Figs		0.05*	0.1*	0.01*					0.02*	8.02*	0.02*		4.	0.05*	0.05*	0.097	0.01*
Kind truit		0.05*	0.1*	0.01*					0.02*		0.02*		4.	0.05*	0.05"		0.21*
Kumquata		0.05*	0.1*	0.01*					0.02*	8.02*	6.03*		*	0.05*	0.05"	4.057	0.01*
Litchin		0.05*	0.1*	0.01*					0.02*	0.02*	0.02*		<b>F</b> *	0.05"	0.05"	0.05*	0.01*
Manpoes		0.05*	0.1*	0.01*					0.00*	0.02*	8.03*		4.	0.05"	0.05"	0.097	0.01*
Olives Eable consumption)		0.05*	0.1*	0.01"					0.02*	0.02*	8.02*		P	0.05"	0.05"	0.09*	0.21*
Olven jol extracti		0.05*	2	0.07*					0.02*	0.02*	0.02*		*	0.05"	0.05"	0.08*	0.31*
Passion that		0.05*	0.1*	0.07*					0.02*	0.02*	8.02*		*	0.05"	0.05"	0.08*	0.31*
Prespipes		0.05*	0.1	0.01*					0.02*	0.02*	0.02*			0.08"	0.05"	0.09*	0.01*
Pomegranates		0.05*	0.1*	0.01*					9.02*	0.02*	0.02*			0.05"	0.65"	0.05*	0.01*
Cithers		0.08*	0.1*	0.07*					0.02*	0.02*	4.02*			0.05"	0.65**	0.05*	6.01*

	is Fluigthinate	Farathiosarb	Giyphesate	Heptachlor	(HCD)	(HCH) (HCH)	(HCH) B	Herachtero- opdohexane (HCH)	Inazali	iprodure	Lambda- cyfielathrin	Malathon	Maleic- Hydrazide	Metivani Propineti Zineb	Hecarbare	Metalaxyl	Methamidophos
Vegetables, fresh or uncod	ked, trozen ar dry																
ROOT AND TUBER VEGE	TABLES																
Beethoot		0.65*	0.1*	0.017					0.02*	0.5	0.02*		_				
Carton		0.05"	6.7'	0.01"					0.02*	0.3	0.02"		-	0.05	0.05"	6.00*	0.21*
Calering		0.85"	0.7	0.01"					8.02*	0.82*	0.62"		-	9.2	0.05"	8.1	0.51*
Horseradish		0.85*	0.1"	0.01*					8.02*	6.1	0.62"			2.0	0.05"	0.08*	6.91*
Jerusalem articho		0.85*	6.7	0.01*										0.05*	0.05"	0.05*	6.91*
Paranipo		0.05*	6.7	0.01*					8.02*	8.02*	0.82*		12	0.05*	0.85*	0.05*	6.01*
Panies root		0.05*	6.7	0.01*					9.02*	6.1	0.82*		1*	0.05*	0.85*	0.1	6.01*
Radiates		0.00*	4.1"	6.01*						6.02*	0.82*		r	0.05*	0.85*	0.05"	6.01*
Salaty		0.05*	4.1	0.01*					0.02*	6.3	0.82*		P	0.2	0.85*	0.05"	0.01*
		6.05*							0.02*	0.007	0.82*		t,	0.2	0.05*	0.05"	0.01*
Swowl potatoes			0.1*	0.01*					0.62"	9.02*	0.02*		1*	6.05*	6.05*	0.65"	0.01*
Sweden		0.05*	0.1*	6.011					0.02"	0.02*	6.02*			6.05*	6.00*	0.65*	0.01*
Turnipe		0.09*	0.1*	4.011					0.02**	0.02*	8.02*		P	0.05*	0.05*	0.85*	0.01*
Yame		0.08*	0.1*	0.01*					0.82	0.02*	0.02*		4.	0.05*	0.05*	0.00*	0.01"
Others		0.08*	0.1*	0.01*					0.82	0.02*	0.02*		4.	0.05*	0.05*	0.05*	0.61"
BULB VEGETABLES																	
Gane		0.05*	0.1*	0.01*					0.82*	5	0.02*		10	0.5	0.05"		0.61*
Onions		0.05"	0.1*	0.01*					0.027	8	0.02*		10	0.5	0.05"		0.81*
Shallots		0.05"	0.1*	0.01*					6.02*		0.02"		18	0.6	0.05"		0.01*
Spring aniana		0.86"	0.1*	0.01"					6.02*	3			**	0.05*	0.65*		6.01*
Others		0.85*	0.1*	0.01"					8.02*	6.02*	0.82*		10	0.85*	0.85*		8.01*
FRUITING VEGETABLES																	
a) Solanacea																	
Tornatoes		0.05*	0.1"	0.01*					0.5	5					0.007		4.5
Peppers		0.05*	6.1*	0.01*					9.02*	5			T.	2	8.05*		0.01*
Autoenpines		0.05*	0.1"	0.01*					9.02"				1*	3	8.057	0.05"	0.2
Others		0.08*	0.1*	6.01*					0.02*	5			**	2	0.08*	0.05"	0.01*
b) Conurbits adiate p	wi l																
Cusuribers		0.06*	0.1*	8.01*					0.2	2	4.1		4.	8.5	0.087		1
Gherkins		0.08*	0.1*	8.01*					0.2	2	0.1		4.	2	0.05*		0.01*
Courgettee		0.05*	0.1*	8.01*					2.0	2	6.1		4.	2	0.05*		0.81"
Others		0.05*	0.1*	0.01*					0.2	2	0.1		2*	0.05"	0.05*		0.81*
<li>c) Cucarbits-medible</li>	panol																
Melons		0.05*	0.1*	0.01*					2	0.3			1°	0.5	0.05"		0.81*
Squashes		0.05"	0.1*	0.01*					0.82*	0.62**			*	0.5	0.05"	0.08*	0.01*
Watermelons Others		0.05*	0.1*	0.01*					0.82*	0.62*			1*	0.5	0.05*		0.01*
<ul> <li>E) Sweet cars</li> </ul>		0.05"	0.1*	0.01*					6.02*	0.82*			1*	0.8	0.05*	0.05*	8.01*
<ul> <li>avenue corn</li> </ul>		0.05"	0.1	0.01*					6.02*	0.82*	0.02"		1*	0.05*	0.05*	0.05*	8.01*

Group to which Groups instude the food belongs following products	Rusythinete	Funathiscarb	Gliphosaw	Heptaction	Hexachtoro- benzene (HCill)	Hexachioro- cyclohexane (HCH) El	Hexachtoro- cyclohexane p+C+1 B	Hexachters- cyclehexane (HCH) T	inazoli	lprodione	Lambda- cyhalothrin	Malathion	Maleic- Hydrazide	Maneb Mancozeth Motiram Phopinab Zimeb	Mecarbart	Matalaryi	Methanistophos
iv) BRASSICA VEGETABLES																	
<ul> <li>e) Plewaring Brassicas</li> </ul>																	
Droccali		8.1	8.1*	0.81*					6.02*	6.05			8°	1	0.05"		0.5
Cauliflower		0.1	8.1*	0.31*					0.02*	6.05			<i>b</i> .	1	0.05"		0.5
Others		0.1	4.1*	0.01*					6.02*	6.05			<i>h</i> .	1	0.05"		0.5
b) Head Brassicas																	
Drussels sprouts		6.08*	4.1*	0.01*					0.02*	0.5	0.85		¥*	,	0.05"	0.05*	0.8
Head onbloage		6.05*	8.1*	0.01*					0.02*	5	5.0		1.	1	0.09"	1	0.5
Others		6.00*	8.1*	0.01*					0.02*	6.02*	0.85.		P.	1	0.05*	0.05*	0.5
<li>c) Leafy Brassiche</li>																	0.81*
Chinese cabbage		6.00*	4.1*	0.01*					0.02*	5			4.	0.5	0.05"		
Kale Others		8.05*	6.1*	0.01*					0.02*	8.02*			1º	0.5	0.05"	0.05*	0.01*
			0.1*	0.011									1.	0.1*	0.05*	0.00*	0.81*
(I) Konkabi		0.05*	4.1*	8.011					0.021	8.1			1.	0.1*	0.00*	0.00.	0.81.
VI LEAF VEGETABLES AND FRESH	HERBS																
n) Lattuce & similar																	
Grans		6.05*	0.1*	0.01*					0.02*	10	1		P	8	0.05"		0.21*
Lambia lettuce		6.05*	0.1*	0.01*					0.02*	10	1		1*		0.05*		0.81*
Leftuce		0.087	4.1*	0.011					0.02*	10	1		1*	5	0.05*		0.2
Scanole Othera		0.05*	4.1*	0.01*					0.02*	10	1		**	5	0.05*		0.01*
		0.05*	0.1*	8.011					0.02	10	,		1.		0.05*		
b) Spinach & similar									0.02*	0.02*			**	6.67	6.85*		6.01*
Spinach		0.05*	0.1*	8.01					0.02"	0.02*			1.	6.85	6.85		6.01*
Eltered lastryme. (chand)		0.05*	0.1*	8.01											6.85*		6.01"
Others		0.05*	0.1*	8.01*					0.62*	0.02*	6.02*		1.	0.3	6.057		8.01*
c) Watercrean d) Welcer!		0.05*	0.1*	8.01*					0.02"	9.05*	6.00.		1	0.3	6.01		8.01*
et Horbs		0.05	0.1*	0.01.					0.05.								
Chervil		0.08*	0.1*	0.01'					0.62*	18			**		0.00*		0.01*
Chives		0.05*	0.1*	0.01*					0.62"	10					0.08*		0.01*
Paraley		0.05*	0.1*	0.01*					0.62"	10					0.05*		0.01*
Celory leaves		0.05"	0.1*	0.01					0.82*	10					0.05*		0.01*
Others		0.05*	0.1*	0.01					0.62"	10					0.00*		0.01*
v) LEGUME VEGETABLES (Insh)		0.00	9.1	0.01													
															0.08*	0.85*	0.5
Deans (with pods)			0.1*	0.01*					0.62*	5	0.02*		-	0.1	0.05*	0.85*	0.01"
Bears (without pote)			0.1*	0.01*					0.82*	1	0.02			1	0.05*	0.85*	0.5
Peas (with pads) Peas (without pads)		0.05"	0.1*	0.01*					0.82*	0.2	0.02*		-	0.1	0.08*	6.85*	0.01"
Others		0.65"	0.1*	0.01*					0.82*	0.02"	0.02"			0.05	0.05"	0.00*	0.01
		0.69*	0.1*	0.01					0.02	0.05	0.02			0.08	0.08		
#I] STEM VEGETABLES																	
Asponopus		0.05"	0.1*	0.01*					0.03*	0.02*	0.62*		1"	0.05*	0.05"	0.05*	0.01"
Cardoons		0.05"	0.1*	0.017					0.82*	0.02**			-	0.05*	0.05"	0.057	0.01"
Calory			0.1*	0.01*					0.82*	0.82*				0.5	0.05"	8.007	0.01"
Formal		0.05"	0.1*	0.01*					0.82*	0.89*				0.05*	0.05*	- 40'	0.00
Globe artichokes		0.05"	0.1*	0.01*					0.82*	0.02*			5	0.05	0.05*		0.1
Loeks		0.05"	0.1*	0.01					0.83*	0.02*			10 A		0.05"	8.897	0.01"
Rhubarb		0.05"	0.1*	0.01*					0.82*	2.0				0.05"	0.05"	8.007	0.01"
Others		0.65*	0.1*	0.01*					0.82*	0.82"			P.	0.08	0.08	8.00	0.01

	Groups instade the following products	Flucythrinate	Furathiosarb	Gipphosata	Heptachior	Hexactiono- bendene (HC8)		Hexachiara- cyclohexane (HCH) B	Hauschibro- cyclohaxana (HCH) Y	mazali	lprotilone	Lambda- cyhaiothrin	Malathion	Maieic- Hydrazide	Manab Manecosib Motivarn Propinab Zinob	Mecarbane	Matalacyl	Methamidephoe
viii) FUNGI																		
-	Cultivated mushrooms		0.08*	4.1*	0.01*					4.02*	0.82*			1*	0.05*	0.05"	0.05*	0.01*
D	Mild mushrooms		0.08*	50	0.01*					0.02*	0.82*	0.02*		1*	0.05*	0.05"	8.05*	0.01*
3. PULSES																		
	Deans			2	0.01*					0.02*	6.2	0.02"		1*	6.85*	0.05"	8.08*	0.017
	Lornis		0.08"	0.1*	0.01*					0.02*	0.2	0.02*		1*	6.00*	0.05"	8.05*	0.01"
	Peus		0.08"	3	6.81*					0.02*	0.2	0.02*		1.	6.05*	0.05"	8.05*	0.01"
	Others		0.05"	4.1"	6.81*					0.02*	0.2	0.02*		1.	8.857	0.05"	8.007	0.01"
4. OILSEEDS												0.00				0.00	****	0.01-
+ OILOCEDO	Linesed		0.65*	10														
	Peanuts		0.05"	0.1*	6.81*					0.00"	6.1	0.02"		4*	0.1*	0.05*		0.01"
	Pagey seed		0.65"	0.1*	6.01*					0.02*	0.037	0.02"		44	0.1*	0.05*	0.05*	0.01*
	Secone seed		0.05"	0.1*	6.01*					0.02"	0.02*	0.02"		11	0.1*	0.85*	0.05*	0.81*
	Sanfower seed		0.05"	0.1	6.01					0.02"	0.02*	0.02"		4+ 7+	0.1*	6.85*	0.05*	0.81*
	Face seed		0.89	10	0.01*					0.02"	6.5	0.62"			8.1*	6.00*	0.06*	0.01*
	Sava bean			20	0.01*					0.02"	0.02*	0.62*		4°	0.5	6.05*	0.05"	6.81*
	Mustard seed		0.85*	10	0.01*					0.62"	0.02*				0.1*	6.00*	0.05*	6.01*
	Catton seed		0.80	0.1	0.01*					0.62*	0.02*	0.52*		4.	0.17	6.05*	0.05*	6.01*
	Others		0.027	0.1	0.01*					0.82*	0.02*			10	4.7	0.05*	0.05*	0.1
5. POTATOE			6.85	0.1.	0.011					DEL.	0.02*	6.03*		4.	8.1*	0.05*	0.05*	8.01*
5. POTATOE																		
	Early potntoes		0.00*	6.1*	0.01"					0.82*	0.02"	8.03*		1*	0.09"	0.08*	0.05*	0.01*
	Where patientities (dried leaves and stalks,		8.08*	6.1*	0.01"		1	sum of		6	0.62"	4.02*		50	0.09"	0.08"	0.85*	0.01*
6. TEA	fermented or otherwise, Cornellia sinensis)	8.1*	6.7*	6.5*	0.62*	6.31*		alpha and beta	0.2	0.1*	0.1*	,	0.5	*	0.1*	0.69"	0.1*	4.1"
7. HOPS (dried)	including http pellets & unconcentrated powder		5	6.1"	0.81*					6.7'	0.1*	18		۳	25	0.1*	10	2

	h Groups include the following products	Methidathion	Mathonyl thiodizarb	Mothyl bromide	Manacrotophee	Onethose	Разарыя	Persettrin	Pharate	Phosmet	Phasim	Permiphos- methyl	Procymidane Proteroph	a Propenylle	Propiconazole	Property	Ргорутали
. Fruit, fred	, dried or uncooked, preser	ved by freez	ring not con	staining as	dded sugar: nu	/5											_
CITRUS	RUIT																
	Orapohut	2		4.02			0.057	0.8	0.057			1	0.62"		0.05*	3	0.02*
	Lomens	2		0.057			0.05"	0.8	0.057			1	0.02"		0.05*	3	0.02*
	Limes	2		0.057			0.05*	0.8	0.05*			1	0.02"		0.05*	3	90.02
	Mandarins (inc clementines & similar hybrids)	2		6.85*			0.05*	0.5	0.85*			2	0.02"		0.05*	3	0.02*
	Oranges	2		0.057			0.05*	0.5	0.05*			1	0.02"		0.05*	3	0.02
	Pomelos	2		0.057			0.05*	0.5	0.05*			1	0.02"		0.05*	3	0.02
	Others	2		0.05*			0.05*	0.5	0.05*			1	0.02"		0.05'	3	0.02
TREE M.	TS (shelled or unshelled)																
	Almanda	0.05*	0.05'				0.05*	0.1	6.05*				0.05"		0.05*	0.057	90.0
	Enapl muts	0.08*	0.05"				0.05*	0.05*	0.05*			0.05*	0.05"		0.05"	0.057	0.02
	Cashew nuts	0.05*	0.05*				0.05*	0.05*	0.05*			0.05*	0.05"		0.08"	0.05*	0.82
	Chestnuts	0.05*	0.05*				0.85*	0.05*	0.05*			0.05*	0.05*		0.05"	0.007	0.82
	Coconuts	0.05*	0.05"				0.057	0.05*	0.05*			0.08*	0.05*		0.05"	0.05*	0.82
	Hazelmute	0.05*	0.05"				6.857	8.05*	0.05*				0.05*		0.05"	0.05*	0.82
	Macadamia nuts	0.05*	0.05"				0.057	8.057	0.05*			0.08*	0.05*		0.65"	0.05*	0.82
	Pacans	0.05*	0.05"				8.857	8.057	0.05*			0.08*	0.05*		0.05*	0.05*	0.82
	Pine rults	0.05"	0.05"				0.057	0.067	0.08*			0.05*	6.05*		0.85*	0.05*	0.82
	Pistoshire	0.05"	0.05"				0.057	0.087	0.05*				6.00*		0.85*	0.05*	0.02
	Weinuts	0.05"	0.05"				0.057	0.08*	0.05*				6.00*		0.85*	0.05*	0.02
	Others	0.05"	0.05*				0.057	0.05*	0.05*			0.05*	6.05*		0.05*	0.08*	0.02
POME F	TUIT																
	Acciles	0.5		0.05*			0.057		0.05"				8.02*		6.05*	9	0.02
	Paors	0.3		0.05*			0.087	1	0.05"				1		6.05*	3	0.02
	Quinces	0.3	0.05*	0.05*			0.08*	1	0.05"				0.02*		0.05*	3	0.02
	Others	0.3	0.05*	0.05*			0.05*	1	0.05"				0.02*		0.05*	3	0.02
STONE	PILIT																
	Apriceta	0.2					0.05'		0.05"				3		6.2	3	0.07
	Churles						0.05'		0.05"				0.02*			3	0.02
	Peaches (incl nectorines & similar hybrids)	0.2					0.05*	1	0.05"				2		6.2	9	0.02
	Puns	0.2					0.08*	1	0.05"				1			3	0.02
	Others	0.2					0.05'	1	0.05*				1		0.08*	3	0.02

ed belongs failowing products	Methidathian	thiodicarb	bromide	Monocrotophas	Omethoate	Paraquet	Permethein	Photate	Phosmet	Phoxim	methyl	Procymidone	Protenophes	Propengile	Propiconazole	Property	Рторудати
GERRIES AND SMALL FRUIT																	
of Table 8 wine grapes																	
Table grapes	0.5	3				0.05*	1	0.05**				5			4.5	3	0.82*
Wine-grapes	0.5	3				0.05*	1	0.05*				5			4.5	3	0.82*
b) Strawborries (other than wild) <) Cane Fruit (other than wild)	0.02*	0.00*	0.05"			8.05*	'								0.05*	3	
Disckberries	0.02"	6.05*	0.85"			0.05*	0.05*	0.85*			0.05*	6.62*			0.05*	3	6.02*
Dewberries	0.02"	0.087	0.85*			0.05*	0.05*	0.05*			0.05*	6.02*			0.05*	0.052	6.02*
Logarberries	0.02*	0.05*	0.00*			0.05*	0.05"	0.00*			0.05*	8.02*			0.05"	0.05*	8.02*
Flaspberries	0.02*	0.05*	0.05*			0.05*	0.05"	0.05*			0.08*	10			0.05*	3	4.02*
Others	0.02*	0.05*	6.05*			0.08*	0.05"	0.05*			0.08*	8.02*			0.05*	0.08*	0.02*
<li>a) Other small thuit &amp; berries (other than wild)</li>																	
Dilborries	0.02*	0.05*	6.05*			0.05'	0.05"	8.95*			0.05*	0.02*			0.65*	0.09*	0.02*
Cxanberries	0.027	0.08*	0.05*			0.05*	0.05"	0.05*		1	0.05"	8.02*			0.05"	0.05*	0.02*
Currants (red, black & white)	0.02*		0.05*			0.05*	0.05"	0.05*			0.05*	0.02*			0.05"	0.2	
Gooseberries	0.02*	0.05*	6.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05"	4.2	
Others	0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05"	0.08*	0.02*
<ul> <li>a) Wild berries &amp; wild huit</li> </ul>	0.02*	0.05*	0.05*			0.05*	0.05*	0.052			0.05"	0.02*			0.05*	0.09*	0.02*
MISCELLANEOUS FRUIT																	
Avecades	0.03*	0.08*	0.05*			0.05"	0.05*	0.08*			0.05"	0.02*			0.85*	0.05*	0.02*
Bananas	0.02*	0.05*	0.05*			0.05"	0.057	0.05*			0.05"	0.02"			0.1	0.05"	0.02*
Cetes	0.02*	0.65*	0.08*			0.85"	0.05*	0.05*			0.05"	0.02*			8.05*	0.05"	0.02"
Figs	0.02*	0.65*				0.05"	6.05*	0.05*			0.05*	0.02*			8.05*	0.05	0.02
Kiwi Insil	0.00*	0.08"	0.05*			0.05"	1	0.08*			2	8			8.05*	0.85*	0.02*
Kumputs	0.02"	0.65"	0.05*			0.85*	4.05*	0.05"			6.85*	0.02"			8.05*	0.85*	0.02
Litchia	0.02*	0.65"	0.05*			0.85*	0.05*	0.05			0.05*	0.02"			0.05*	0.05"	0.02
Mangoes	0.02*	0.85"	0.05*			0.85*	0.05*	0.05"			1.07	0.02"			0.05*	0.05	0.02
Olives (table consumption)	1	0.00	0.05*			6.057	0.05'	0.05"				0.02			0.05*	3	0.02
Olives (of extract)			0.08*			6.85	0.05*	0.05"				0.02"			0.05*	3	6.82
Pasition fruit	0.02*	0.85*	0.05"			6.02	0.05*	0.05"			1.02	0.02*			0.05*	0.05*	6.82*
Pressoles	0.02*	0.85*	0.05"			6.05*	0.05*	0.05*			8.05*	6.82*			0.05*	8.007	6.62*
Pomegranates	0.02"	0.85*	0.05"			6.05*	0.05*	0.65*			8.05*	6.02*			0.08*	0.05*	6.62*
	0.02"	0.00*	0.05			0.007	0.09*	0.05"			0.05*						
Others	0.02"	0.011	0.05			0.08*	0.08*	0.86"			0.08*	6.82*			0.05*	0.05*	6.02*

Group to which Groups include the local beforege following practuate	Methidathion	Methonyl Iniedicarb	Methyl bromide	Manaorotaphos	Onethoate	Paraguat	Pernethin	Photate	Phoemet	Phosin	Peringhas- methyl	Procyrniciane Profenaphos	Propergite	Prepiconazole	Proposur	Propysamid
2. Vegetables, hesh or uncooked, ho	zen or dry												_			
ROOT AND TUBER VEGETABLES	1															
Bowtost	0.02*	0.05*	0.00*			0.00*	0.05*				0.85*	0.02*		0.05*	3	0.02*
Carton	0.02*	0.05'	6.05*			0.087	0.08*				1	0.02*		0.05*	0.05*	0.82*
Celonar	0.02*	0.05'	4.05*			0.057	0.1	0.05"			0.057	0.02*		0.05*	3	0.02*
Horsenadish	0.02*	0.05*	0.05*			0.05*	0.05*	0.05"			0.05*	0.02"		0.05"	0.05*	6.02*
Jerusalem artichokes	0.03*	0.05*	0.05*			0.05*	0.05*	0.65			0.85*	0.02*		0.05"	0.05'	8.02*
Paesnips	9.02*	0.05'	0.057			0.087	0.09*				0.85*	0.02*		0.05"	0.05*	6.02*
Paraley root	0.02*	0.05*	0.05*			0.05'	0.05*	0.05"			0.85*	0.02"		0.05"	0.05*	6.02*
Badistws	0.02*	0.5	0.06*			0.05*	0.1	0.05			0.85*	0.02"		0.05"	0.05'	0.02*
Statuty	0.02*	0.08*	0.05*			0.08*	0.08*	0.05"			0.01*	0.02"		0.05"	0.05*	8.02*
Samet paratoes	0.02*	0.05	4.05*			0.05'	0.08*	0.05"			0.017	0.02"		0.05"	0.05*	8.02*
Swadas	0.02*	0.05*	0.05*			0.05*	0.05"	0.85			4.05*	0.02"		0.05"	0.05*	0.02*
Turrilas	0.02*	0.05*	0.05*			0.05*	0.05*	0.85			6.05*	0.02"		0.05"	0.05*	0.02*
Varia	0.02*	0.08*	0.05*			0.08*	0.05"	0.85*			0.05*	0.02*		6.85*	0.05*	0.02*
Others	0.02*	0.05*	0.05*			0.05'	0.05"	0.85"			4.00*	6.62		0.05*	0.05*	0.02*
8 BULB VEGETABLES	0.02	0.05	0.00			0.08	0.05	0.85			***	0.00			0.00	8.008
Garlie	0.02*	0.05*	0.05*			0.05'	0.05"	0.85*				0.2		6.85*	0.05*	0.02*
Onione		0.05*	0.05*			0.08*	0.05"	0.85*				2.0		6.85*	0.05*	0.02*
Shallots		0.05*	0.05*			0.08*	0.05"	0.85*				2.0		6.85*	0.05"	0.02*
Spring-aniene	0.02*	0.05*	0.05*			0.05*		0.85*				6.82*		6.057	0.05"	0.02*
Others	0.02*	0.05*	0.05*			0.05*	0.05*	0.85*				0.02		6.87	0.05	0.06.
I) FRUITING VEGETABLES																
a) Solanacea																
Ternatoen	0.02*		0.05*			0.05*	0.5					5		6.05*		0.02*
Poppers	0.02*		0.05*			0.05'	0.6					3			3	0.02*
Aubergines	0.02*		0.05*			0.09*	0.5					2		0.05*	3	0.02*
Others	0.02*		0.05*			0.09*	0.5					2		0.06*	3	0.02"
<li>b) Guturbits-edible peel</li>																
Cucumbers	0.02*		0.05*			0.05*	0.1	0.85*				1				0.02*
Cherkins	0.02*	0.05*	0.05*			0.05*	0.1					1			3	0.02*
Courgetters	0.02*		0.05*			0.05*	0.1					1				0.02*
Others	0.02*	0.05*	0.05*			0.05*	0.1					1			3	0.02**
<1 Cucurtuits-mediate peel																
Matons	0.02°	0.2	0.05*			0.05"	0.1	0.05*				1			3	0.02"
Squashos	0.02*	0.2	0.05*			0.05"	0.1	8.05*				1			3	0.02"
Maternetons	0.02"	0.2	0.05*			0.09"	0.1	0.05*				1			3	0.02"
Others	0.02"	0.2	0.05*			0.05"	0.1	0.05*				1			3	0.02"
<li>d) Sweet com</li>	0.02"	0.05"	0.05*			0.05"	0.1				0.05*	0.02*		0.05*	8.05*	0.02*

	Methidathion	Methonyl thiodicarb		Monocratophes	Omethoase	Paraqual	Parmethin	Phorate	Presnet	Phosin	Permiphos- methyl	Procymidone Profenophos	Propergite	Propicensuale	Ризрания	Ртаруам
) BRASSICA VEGETABLES																
a) Rowering Brassicas																
Bracapii	0.027		0.05*			0.05'	0.85*					6.02*		4.05*	3	6.02*
Caulifower Others	0.82**		0.05*			0.05*	0.1				1	8.02*		4.05'	3	6.02*
	0.82*		0.05*			0.05'	0.85*				1	0.02*		0.08*	3	8.02*
to) Head Brassicos																
Brussais sprouts	6.02*		0.05*			0.05*	0.85*				2	0.02*		0.05*	3	0.021
Head cabbage Others	8.02*		0.08*			0.05*	1					0.02*		0.05*	3	
of Leady Brassican	0.02*		0.08*			0.05"	6.00*					0.02*		0.05*	9	0.02
Chinese calibage	4.02*		0.05													
Kale	0.02*		0.05"			0.05*	1					0.02*		0.05*	3	0.02
Others	4.02*		0.05"			0.05"	-					0.02"		0.05*	3	0.02
d) Kohkabi														0.05*	3	0.02
LEAF VEGETABLES AND FRESH	a.ce* HEFIES	0.05"	0.05"			0.85"	0.05*	0.85*				0.02*		0.05"	9	0.02
al Lettuce & similar																
Cress	0.02*		0.85*			0.057	2					5		0.05*	0.05*	
Lamb's leftuce	0.02*		0.85*			0.05*	2					ŝ		6.00*		
Letture	0.02*		6.87			8.05*	2							6.05*	3	
Source	0.02"		6.05*			8.05*	2		1							
Oters	0.02		6.87			8.00*	2							6.05*	3	
t) Spinach & similar														1.00	3	
Spinach	0.02*	2	6.05*			0.057	1	8.05*				6.02*				
Beet leaves (chard)	0.02*	2	0.05*					0.05*						0.05*	3	0.02
Others	6.02*	2	0.08*			0.05'	1	0.05*				0.02*		0.05*	э	0.02
c) Watercress	6.02*	0.05*	0.05*			0.05*	a.au-	0.08*				0.02*		0.05*	9	0.02
d) Williof	6.02*	0.05*	0.05"			0.05*					0.05'	0.02*		0.05*	0.08*	0.02
el Helbs		0.00				0.05*	0.05*	0.05"			0.05"	5		0.65*	0.08*	0.02
Chend	0.02*		0.05"			0.05*	2					0.02"		0.65*		
Chires	0.02*		0.05"			0.05"	2					0.02"		0.65*		
Paraley	0.02*		0.05"			0.05"	5					0.02*		0.05"		
Colery lostves	0.02*		0.05"			0.05"	2					0.02"		0.65"	3	
Othors	0.02*		0.05"			0.05*	2					0.02"		0.85"	3	
LEGUME VEGETABLES (hosh)																
Beans (with pode)	0.02*		0.05*			0.85*	8.5					2		0.85*		
Beans (without pocis)	0.02*	0.05*	0.85*			0.05*	0.05*					0.62"		0.05*	0.05*	
Peas (with pads)	0.02*		0.85*			0.05*	0.1					1		0.05*	3	0.827
Pass (without pods)	0.02*	0.05*	0.85*			0.05*	0.05*				0.052	0.3		6.05*	6.05*	0.027
Others	0.02*	0.06*	0.86*			6.85*	0.05"					0.83*		0.05*	6.00*	0.027
STEM VEGETABLES																
Asponagus	0.62"	6.057	0.021			8.05*	0.05"	6.05*				8.62*		0.05*	0.05*	0.02*
Cardoons	0.62"	0.05*	0.057			8.05*	0.05"	4.05*				8.02*		0.05*	3	0.02
Catary	0.62**	0.011	0.08*			4.05*	2					0.02*			2	0.02
Perrel	0.82**		0.00*			0.08*	0.85*	4.05*				0.02*		0.05*		0.02*
Okone artichenas	0.82"		0.05*			0.05*	0.05*	0.09*				0.02'		0.00	3	0.02
Laoks		0.08*	0.08*			0.05*	0.5	0.09*				0.02"		0.05*	1	0.02
Rhuberb	0.03*	0.08*	0.08*			0.05*	2	0.05*				0.02*		0.05*	0.05"	0.62
Others	0.02*	0.05*	0.05*			0.05*	6.857	0.05				0.02*		0.05"	0.05"	0.62
														0.05	0.65*	0.62
Court																
Cran																

	th Groups include the following products	Methidathion	Methonyl Evicelicaria	Methyl bromide	Monocratophos	Omethoate	Paraquit	Pernetvin	Phosate	Phesmet	Phosin	Psiniphos- methyl	Procymidone P	halanaphos	Propergite	Propiconazole	Рюрания	Рюрузаліся
viii) FUNGI				-														
	a) Cultivated mushrooms	0.02*	0.05*	0.85*			0.05*	0.08*	0.05*			2	6.62*			0.05*	0.05*	0.62*
	b) Wild mushroams	0.02*	0.05*	0.05"			0.05*	0.05*	0.05"			0.08*	0.82*			0.05*	0.05*	0.02"
3. PULSES																		
	Beans	0.02*	0.05*				0.05*	0.05'					0.02*			0.05*	0.05*	0.62"
	Landis	8.02*	0.05*				0.05*	0.05*	0.05*				0.02"			0.05*	0.05*	0.02*
	Poss	0.02*	0.05*				0.08*	0.05*	0.05*				0.2			0.05*	0.05*	0.62*
	Others	0.02*	0.05*				0.05*	0.05'	0.05"				6.82*			0.05*	0.05*	0.02"
4. OILSEED	8																	
1	Linsed	0.02*	0.05*	0.1*			0.08*	0.08*					6.85"				0.05*	0.05"
	Persit	8.02*	4.05*	0.1*			0.08*	0.1	0.1				6.85"			0.05"	0.05*	
	Poppy seed	8.02*	6.05*	0.1*			0.05*	0.05*	0.05*			0.05'	8.85"			0.05*	6.05*	0.62*
	Sosame seed	8.02*	0.007	0.1*			0.05*	0.05*	0.05*			0.05'	0.05"			0.05*	0.05*	0.02*
	Sutforer ared	8.02*	0.00*	0.1*			0.05*	0.05*	0.05*				10.05****			0.05*	6.05*	0.02"
	Rape seed	0.05	4.00*	0.1*			0.05*	0.1					1				0.05*	
	Soya hear	8.02*	0.2	0.1*			0.05*	0.05*	0.05*				1			0.05*	0.05*	0.02"
	Musland eved	8.02*	4.01*	0.1*			0.05*	0.1	0.05*			0.08*	6.05*			0.05*	0.05*	0.62"
	Cotton ered		0.5	0.1*			0.05*	0.2	0.05"				6.05*			0.05"	0.05*	
	Others	8.02*	0.05*	0.1*			0.05*	0.05'	0.08*			0.05*	6.85*			0.05"	0.057	0.02"
5. POTATO	EB .																	
	Early potatoes	8.02*	6.02*	0.05*			0.05*	0.05'				0.05*	6.02*			0.05"	0.05*	0.82"
	Ware potatives ghried leaves and stalles,	8.02*	0.05*	0.05"			0.05*	0.05*				0.05*	8.02*			0.85*	0.05*	0.82"
6. TEA	fermented or athenvise, Comellia sinensis)	8.1*	0.1*	0.05*	6.7*	0.1	6.1"	2	0.17	6.1*	0.1*	0.05*	6.1*	4.5*	8	0.1*	4.1*	0.85*
7. HOPS (dried)	including hop pellets & unconcentrated powder	3	19	0.05*			4.11	4.1*	0.1*			0.05*	0.9*			0.1*	a.1*	

	failowing products			Thiabendazalo		Trilorine	2,4,5-7	Vinclezslin
	, dried or uncocked, preser	rved by freez	zing not	containing add	ed sugar: nu	ts		
CITRUS FR	RUIT							
	Grapehuit		0.01*	6		0.05*	0.05*	0.05"
	Lamena		0.01*	6		0.05*	0.05*	0.65"
	Limes		0.01*	6		0.05*	0.05*	0.05"
	Mandarine (inc clementines &		0.01*			0.08*		0.05"
	aimilar hybrida)			-		0.08*	0.05"	0.05"
	Oranges		0.01*	6		0.05*	0.05"	0.85"
	Paraelas		0.01*			0.05"	0.05"	0.65"
	Others		0.01"	6		0.05"	0.05"	0.85*
<ol> <li>TREE NUT</li> </ol>	TS (shelled or unshelled)							
	Almonds		0.01"	0.1"			0.05*	0.85*
	Brazil ruta		0.01"	0.1"	0.02*	0.05"	0.05*	0.85*
	Cashow ruts		0.01*	0.1*	0.02*	0.05"	0.05*	0.05*
	Chestruts		0.01*	0.1*	0.02"	0.05*	0.85*	0.05*
	Ceconuts		0.01*	0.1*	0.02"	0.05"	0.05*	0.05*
	Hazehots		0.011	0.1*		0.85"	6.85*	8.05*
	Macadamia nuts		0.01*	0.1*	0.02"	0.05*	8.05*	0.05*
	Pecane		0.01*	0.1*	0.02"	0.05*	8.05*	0.08*
	Pine sub		0.01*	0.1*	0.02**	0.85*	8.00*	0.05*
	Phytachics		0.01*	0.1*		0.05*	8.05*	0.05*
	Wahues		0.01*	0.1*	0.82*	0.057	0.05*	0.05*
	Others		0.01*	0.1*	0.02*	6.057	0.05*	0.05*
ii) POME FR	UIT							
	Apples		0.01*			2	0.05*	
	Pears		0.01*	5		2	0.08*	
	Quinces		0.01*	5			0.08*	
	Others		0.01*	5			0.05*	
I) STONE FR				-		-		
	Apricots		0.01*	0.05*			0.05*	2
	Chernes		0.01*		0.02*	2	0.05*	0.5
	Peaches (incl nectarines & similar hybrids)		0.01*	0.05*			0.05"	2
	Plane		0.017	0.087	0.02*		0.05"	2
	Otters		0.01"	0.05*	0.02*	0.05	0.05"	0.05"
			and the	0.00	0.06	0.08	0.00	0.85

Insup to which Groups include the and belongs failtowing products	Guinalphos	TEPP	Thabendazelle	Triazophos	Tritorine	2,4,5-T	Vinclozelin
() BERRIES AND SMALL FRUIT							
n) Table & wine grapes							
Table-grapes		0.01"		0.82"		0.05"	5
Wine grapes		0.01*		0.82"		0.05"	5
b) Strawberries (other than wild)		0.01"	5			0.05*	5
() Care Fruit (other than wild)							
Blackbernes		0.01"	0.057	0.62"	0.05"	0.09"	
Duwbernies		0.01*	0.08*	0.02	0.08*	0.05'	5
Laganberries		0.01*	0.05*	0.62	0.65*	0.05*	5
Responses		0.01*		0.62	0.65*	0.05*	5
Others		0.01*	0.05*	0.02"	0.05*	0.09*	5
Other small truit & berries (other that wild)							
Dilberries		0.01*	0.05*	0.62"	0.05"	0.05*	0.05*
Granberries		0.01*	0.05*	0.62"	0.05"	0.05"	0.08*
Gumants (red. black & white)		0.01*		0.62*	8	0.05"	10
Geoseberries		0.01*		0.62"	2	0.08*	0.06*
Others		0.01*	0.057	0.02"	0.06"	0.05*	0.05*
e) Wild berries & wild fruit		0.01*	0.05*	0.627	0.05"	0.05*	0.05*
i) MISCELLANEOUS FRUIT							
Avocados		0.01"	0.05*	0.82*	0.65"	0.05"	0.05"
Bananas		0.01"	3	0.52	0.05"	0.05	0.05*
Dates		0.01*	0.05*	0.82"	0.05"	0.08"	0.08"
Fes		0.01*	0.05*	0.82*	0.85"	0.05"	0.08"
Kiwi truit		0.01*	0.05*	0.82	0.65"	0.05*	10
Kumpuats		0.01"	0.097	0.82	0.097	0.69"	0.05"
Litzbia		0.01"	0.05*	0.82"	0.85	0.05"	0.05"
Managorea		0.01"	0.05*	0.82"	0.85	0.05"	0.05"
Olives (table consumption)		0.01"	0.05*		0.85	0.05"	0.05"
Clives (of estract)		0.01*	0.05*		0.85*	0.65"	0.05"
Passion fruit		0.01"	0.05*	0.52	0.85"	0.05"	0.05"
Pineagpies		0.01"	0.05*	0.02*	0.85"	0.05"	0.05"
Pomegranates		0.01"	0.05*	0.82*	0.85"	0.05"	0.05"
Others.		0.01"	0.08"	0.02	0.05"	0.05"	0.05"

n ar dry					
0.07*			0.08*	6.82	
					0.05*
					0.05"
					0.05"
					0.05*
					6.05*
					6.05
					8.05'
					8.05*
			0.00*		0.05*
			0.000		0.05*
					0.08*
0.01	- 40		0.08	# 85.	0.05*
					1
					1
	0.007	0.000			1
					1
	0.00	0.06		0.08	
					3
	0.047				3
					3
2001					
0.61"			0.5	0.022	1
0.01*	0.05*				1
0.81*	0.05*		0.5	0.05*	i
0.01*	0.08*		0.5	0.05*	1
0.01*				0.05*	1
4.01*	0.05*			0.05*	1
0.01*				0.05*	1
				0.05*	1
0.01*	0.05*	0.02*	0.00*	0.05"	8.087
	0.51* 0.51* 0.51* 0.51* 0.51* 0.51*	0.02** 4.30* 0.02** 4.30* 4.00* 4.01* 0.00* 4.01* 0.00*	0.8*         8.30*           0.81*         8.30*           0.81*         0.00*         0.01*           0.81*         0.00*         0.01*           0.81*         0.00*         0.02*           0.01*         0.00*         0.02*           0.01*         0.00*         0.02*           0.01*         0.60*         0.02*           0.01*         0.60*         0.02*           0.01*         0.60*         0.02*           0.01*         0.80*         0.20*           0.01*         0.80*         0.20*           0.01*         0.80*         0.20*           0.01*         0.80*         0.20*           0.01*         0.80*         0.20*           0.01*         0.80*         0.20*           0.01*         0.80*         0.20*           0.01*         0.80*         0.20*           0.01*         0.80*         0.20*           0.01*         0.80*         0.20*           0.01*         0.80*         0.80*           0.02*         0.80*         0.80*           0.01*         0.80*         0.80*           0.21*         0.80*	0.8*         8.30*         0.6*           0.8*         8.30*         0.3*         0.6*           0.81*         0.09*         0.3*         0.8*           0.81*         0.09*         0.3*         0.8*           0.1*         0.09*         0.3*         0.8*           0.1*         0.09*         0.3*         0.8*           0.1*         0.69*         0.3*         0.8*           0.1*         0.69*         0.3*         0.8*           0.01*         0.69*         0.3*         0.8*           0.01*         0.69*         0.3*         0.8*           0.01*         0.85*         0.8*         0.3*           0.01*         0.85*         0.8*         0.3*           0.01*         0.85*         0.8*         0.3*           0.01*         0.85*         0.8*         0.3*           0.01*         0.85*         0.8*         0.3*           0.01*         0.85*         0.8*         0.3*           0.31*         0.39*         0.5*         0.5*           0.31*         0.39*         0.5         0.5           0.41*         0.49*         0.5         0.5      <	0.8*         0.87         0.87         0.67         0.67           0.81*         0.90*         0.01         0.80*         0.69*           0.81*         0.00*         0.01         0.80*         0.69*           0.81*         0.00*         0.01*         0.69*         0.69*           0.81*         0.00*         0.01*         0.89*         0.69*           0.91*         0.69*         0.02*         8.90*         0.69*           0.91*         0.69*         0.02*         8.97         0.69*           0.91*         0.69*         0.02*         8.97         6.69*           0.91*         0.89*         0.87*         0.69*         6.87*           0.91*         0.89*         0.87*         0.69*         6.89*           0.91*         0.89*         0.87*         0.69*         6.89*           0.91*         0.95*         0.82*         0.99*         6.89*           0.91*         0.95*         0.82*         0.99*         6.89*           0.91*         0.95*         0.95*         0.95*         0.95*           0.91*         0.95*         0.95*         0.95*         0.95*           0.91* <td< td=""></td<>

iv) BRASSICA VEGETABLES						
<ul> <li>a) Flowering Brassicas</li> </ul>						
Respondi	0.01*				0.09*	0.00*
Caultineer	0.01*	0.05"			0.05*	0.05*
Ditest	0.01*	0.05			0.08*	0.00*
bi Head Bransicas		0.09				
Enumein sprouts	0.01*	0.05*			0.05*	0.05*
Head cabbage	0.01*	6.00			0.05*	0.05*
Others	0.01*	0.05*			0.05*	8.05*
c) Leafy Brannican		6.40				
Chinose cablage	0.01*	0.05*			0.05*	
Kala	0.01*	0.05"			0.05*	0.052
Others	0.01*	0.05"			0.05*	6.05*
di Kohrabi	0.01*	0.05"	0.02*		0.05*	6.02
		0.85*	0.01*		0.08*	6.007
LEAF VEGETABLES AND FRESH	HEMBS					
<li>a) Lettuce &amp; similar</li>						
Crease	0.01*	0.85*	0.02*		0.05*	5
Lamb's lettuce	0.01*	0.85*	0.02*	0.05"	0.05*	5
Lettuce	0.01*		0.02*	0.05"	0.05*	5
Scarole	0.01*	0.85*	4.02*	0.05	0.05*	5
Others	0.01*	0.85*	0.02*	0.05	0.05*	5
b) Spinach & similar						
Spinsch	0.01*	0.85*	0.02*	0.05	0.08*	0.05*
Beet leaves (chard)	0.01*	0.85*	0.02*	0.05	0.08*	0.08*
Others	0.01*	0.85*	0.02*	0.05"	0.05*	0.05*
c) Watercress	0.01'	0.85*	0.02*	0.05"	0.08*	0.08*
d) Wildool	0.01*	0.05*	0.02*	0.05"	0.05*	2
e) Herbs						
Chervil	0.01*	0.85*	0.03*	0.05"	0.05*	0.05*
Chives	0.01*	0.05*	0.03*	0.05*	0.05*	0.05*
Paratey	0.01*	0.05*	0.02*		0.05*	0.05*
Cellery Instves	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.01*	0.86*	0.02*	0.05	0.05*	0.05*
V) LEGUME VEGETABLES (tresh)						
Beans (with pods)	0.01*				0.05*	2
Beans (without pods)	0.01*				0.05"	0.5
Pass (with pods)	0.01*	0.85*			0.05"	5
Pleas (without pods)	0.01*	0.85*			0.05"	0.3
Others	0.01*	6.85*	0.02*		0.05"	0.05*
vii) STEM VEGETABLES						
Asperague	0.01*				0.08"	0.08*
Cardoono	0.01*	0.85*	0.02*	0.05'	0.05"	0.05"
Cellery	0.01*				0.05"	0.05*
Formel	0.01'	0.027		0.057	0.05"	0.05*
Globe artichokas	0.01*	0.85*			0.05"	0.05*
Leeks	0.01*	6.85			0.05"	0.08"
	0.01*	6.85*		0.057	0.05"	0.05"
Fib. down						
Rhuberb Others	0.01*	0.05*	0.02*	6.057	0.05"	0.09*

E)         Statused mutmoores         0.01*         8.20*         8.20*         0.05*         0.05*         0.05*           IPUESES         Base         0.01*         8.20*         0.02*         8.20*         0.05*	food belongs	following products	Guinalphos	TEPP	Thebendezole	Triscophos	Trifprine	2,4,5-T	Vinalozelin
B) Wile marknown         B,01*         B,B7*	viii) FUNGI								
PULSES         Barrs         0.01*         8.89*         0.02*         8.89*         0.64*         0.68* <t< td=""><td></td><td>a) Cultivated mushrooms</td><td></td><td>0.01*</td><td></td><td>0.02*</td><td>0.057</td><td>0.05"</td><td>0.05*</td></t<>		a) Cultivated mushrooms		0.01*		0.02*	0.057	0.05"	0.05*
Bases         0.07*         6.89*         0.02*         8.85*         6.46*         0.6*           Lexis         0.07*         6.09*         0.02*         8.85*         6.85*         0.6*           Pres         0.07*         6.09*         0.02*         8.85*         6.85*         0.6*           Off-min         0.27*         6.00*         0.02*         8.95*         6.8         0.6*           Off-min         0.27*         6.00*         0.02*         8.95*         6.85*         0.6*           Others         0.27*         0.00*         0.02*         0.09*         8.95*         8.85*           Presents         6.84*         0.00*         8.87*         0.64*         0.09*         8.95*           Servints         6.84*         0.00*         8.87*         0.64*         0.09*         8.95*           Servints eved         6.84*         0.00*         8.87*         0.64*         0.09*         8.95*           Savas been         0.09*         8.95*         0.64*         0.09*         8.95*           Savas been         0.09*         8.95*         0.64*         0.09*         8.95*         0.09*         0.09*         0.09*         0.09*		b) Wild mushrooms		0.01*	0.05*	0.02*	0.05"	0.05"	0.05*
Lardis         0.01*         0.02* <t< td=""><td>3. PULSES</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	3. PULSES								
Pass Offwar         0.04*		Geone		0.01*	0.05*	0.02*	0.052	0.05*	0.5
Offwar         Cdan         Cdan <thcdan< th="">         Cdan         Cdan         <t< td=""><td></td><td></td><td></td><td>0.01*</td><td>0.05*</td><td>0.02*</td><td>0.05*</td><td>0.05*</td><td>0.08"</td></t<></thcdan<>				0.01*	0.05*	0.02*	0.05*	0.05*	0.08"
OBJECTS         Description         Ear         Dot         Ear         Dot           Versition         6.8*         0.00*         8.97         8.87*         8.87*           Prevails         6.8*         0.00*         8.97*         8.87*         8.87*           Prevails         6.8*         0.00*         8.97*         8.87*         8.97*         8.97*         8.97*           Prevails         6.8*         0.00*         8.97*         8.87*         0.00*         8.97*         8.97*         8.97*         8.97*         8.97*         8.97*         8.97*         8.97*         8.97*         8.97*         8.97*         8.97*         8.97*         8.97*         8.97*         8.97*         0.00*         8.97*         8.97*         0.00*         8.97*         0.00*         0.05*         0.05*         0.05*         0.05*         0.05*         0.05*         0.05*         0.05*         0.05*         0.05*         0.05*         0.05*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95*         0.95* </td <td></td> <td>Peas</td> <td></td> <td>0.01*</td> <td>0.05*</td> <td>0.02*</td> <td>0.05*</td> <td>0.05*</td> <td>0.5</td>		Peas		0.01*	0.05*	0.02*	0.05*	0.05*	0.5
Unword         6.8*         0.05*         0.05*         8.85*         8.45*           Person         6.8*         0.05*         8.8*         0.06*         8.8*         0.05*         8.85*				0.01*	0.08*	\$9.0	0.05*	0.05*	0.85"
Person bit of the set	4. OLSEED	6							
Person bit of the set		Linseed		0.01*	0.05*		0.05'	0.05	8.85
Procy sourt         6.84*         0.05*         8.27*         0.68*         0.69*         8.27*           Bearlow soud         6.84*         0.05*         8.27*         0.68*         0.69*         8.07*           Bundhow soud         6.84*         0.50*         8.27*         0.68*         0.69*         8.07*           Rups word         6.84*         0.55*         8.27*         0.68*         0.69*         8.07*           Rups word         0.9**         6.05*         8.27*         0.68*         0.09*         8.07*           Strationer soud         0.9**         8.25*         8.47*         8.48*         0.68*         0.09*           Multiple soud         0.0**         8.02*         8.1*         8.89*         0.68*         0.09*           Catase soud         0.0**         8.02*         0.0**         8.09*         0.69*         0.09*           POTATOES         0.0**         8.09*         0.09*         8.09*         6.89*         0.69*           Was pointers         0.8**         0.8**         8.09*         8.09*         6.89*         6.89*           Status pointers         0.8**         8.8*         8.1*         8.8*         8.1*         6.8*						0.82"			
Sorthown read         6.81*         6.62*         6.82*         6.64*         0.07*         6.07*           Raps and         6.01*         6.82*         6.64*         0.04*         0.05*           Strys bean         6.01*         6.82*         6.64*         0.05*         0.05*           Multiple seed         0.01*         6.82*         6.85*         0.66*         0.05*           Cattor seed         0.01*         6.82*         6.1         6.85*         0.65*           POTATOES         0.04*         6.80*         0.69*         6.65*         0.65*           Was potenter         0.84*         0.84*         6.05*         6.85*         6.85*         6.85*           Was potenter         0.84*         0.84*         6.05*         6.85*         6.85*         6.85*           TEA         twee potenter         0.84*         6.85*         6.85*         6.85*         6.85*		PRODUCT SHOP		6.01*		0.82"	0.05'		8.05*
Rape send         8.89*         6.89*         6.89*         6.09*         8.09*           Byg bean         0.01*         8.89*         6.89*         0.69*         0.09*           Multiple         0.01*         8.89*         6.89*         0.69*         0.09*           Callor seet         0.01*         8.89*         6.89*         0.69*         0.09*           Callor seet         0.01*         8.89*         6.89*         0.69*         0.09*           POTATIOES         0.01*         8.80*         0.80*         8.89*         6.89*         0.89*           Ring potatose         0.81*         5         0.09*         8.89*         6.89*         6.89*           TEA         temportation         0.81*         5         0.09*         6.97*         6.9*				6.01*	0.05*	0.82*	0.05"	0.05'	8.05*
Strys bean         8.01*         8.80*         8.40*         8.60*         6.00*           Multial lead         0.01*         8.80*         6.80*         0.02*           Cattor seet         0.01*         8.80*         6.87*         0.02*           Otras         0.01*         8.80*         6.87*         0.02*           POTATOES         0.01*         8.00*         8.00*         6.87*         0.68*           Mark potentini         0.81*         6.80*         6.89*         6.89*         6.89*           TEA         two potentini         0.81*         6.82*         8.1*         8.89*         6.89*						0.02*	0.05"	0.05'	
Multiple (seed)         0.01*         8.80*         5.95*         0.05*           Catter (seed)         0.01*         8.80*         8.85*         6.85*         0.05*           Catter (seed)         0.01*         8.80*         8.85*         6.85*         0.65*           POTATODES         0.05*         8.00*         8.05*         6.05*         6.05*           Mark patteries         0.85*         0.05*         8.05*         6.05*         6.05*           Mark patteries         0.85*         5         0.05*         6.85*         6.85*           TEA         tweening of physics         1         6.82*         6.1*         6.1*									
Cattor seed Offses         0.01*         8.80*         8.1         8.97*         6.67*         0.02*           POTATOES         0.01*         8.00*         6.00*         6.00*         6.00*         6.00*           Early possions Wase pointed (Merry Invented or Strumes)         0.81*         6.00*         6.00*         6.00*         6.00*           TEA         Invented or Strumes, 15**         8.82*         8.1*         8.87*         8.1*         0.01*						0.02*			
Offwars         0.64*         8.80*         6.65*         6.65*           POTATOES         Extry postaces         0.81*         6.05*         6.65*           Simply postaces         0.81*         6.05*         6.05*         6.65*           Simult Norves and Subs.         0.81*         5         0.05*         6.85*           TEA         Immediated or otherwise.         1         6.82*         6.1*									
POTATOES         0.81"         0.09"         0.80"									
Early potations         0.81"         0.05"	. DOTATO			0.01*	0.05*	0.02*	1.05*	0.05"	0.05'
Wave presence         0.61"         5         0.00"         6.82"         6.85"           (Weak barring and states)         0.64"         5         0.05"         6.85"         6.85"           TEA         temperature of onthrowing         1         6.82"         6.87"         6.87"         6.1"	S. POTATO								
(blied loaves and status, TEA lowwanted or otherwise, 2 6.82° 6.5° 6.6° 9.1° 0.05° 6.1°									
TEA termented or otherwise, 2 6.82° 6.1° 6.0° 6.1°				0.81"	6		9.05*	0.05*	0.85*
		Control Control and Malera,							
Comelia sinonisis)	8. TEA	formanted or otherwise,	1	0.02*	0.1"	0.05*	0.1*	0.05*	0.1*
		Comellia smorest)							
HOPS instantion patients &	7. HOPS	including how calledo &							
		unconcentrated pewdor		0.02*	0.1*	6.00*	30	0.05*	40
	OPS	Comellia smense) including hop pellets &							
				0.02*	0.1*	6.89*	33	0.05*	40
		including hop pallets &		4.02*	8.1"		33	0.057	
	(dried)			0.02*	0.1*	6.00*	30	0.05*	40
	ried)	surroundeue stato bewalos							-
a score a sao posto									
C) a volume o seo travela									
LEED) In environment attend framework									
186) mmounueso foxato.									
and any sea basis.									
tard) myovouvieni foxato.									
and an order of the state									
MED In any one of a final foreign									
el) menunea ene fanae.									
en an en en en an en									

Droup to which lood belongs	Groups include the following products	Acephata	Adoarb	Aldrin & Dieldrin	Ambaz	Acceptional	Benalaxyl	Berluracarla	Captalui	Carboyi	Carbandiaire	Carbaturan	Carbon disulphid
CEREALS													
	Wheat	6.02*	0.08*	0.01	0.02*	6.3	6.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1
	flye .	0.02*	0.05*	0.01	0.02*	6.3	6.05*	0.65"	0.08*	6.5	0.1*	0.1*	8.1
	Barley	6.02*	0.05*	0.81	0.02*	6.3	6.05*	0.05"	0.05*	6.5	0.1*	0.1*	8.1
	Sorghum	6.02*	0.05*	0.01	0.02*	0.05*	6.05*	0.05"	0.05*	6.5	0.1*	0.1*	6.1
	Oats	6.037	0.08*	0.01	0.02*	0.05*	6.05*	0.65"	0.05*	6.5	0.1*		6.1
	Triticale	6.62*	0.05'	0.01	9.02*	6.3	6.05*	obe-	0.08*	6.5	0.1*	0.1*	6.1
	Maizo	0.02*	0.05*	0.01	0.02*	0.05*	6.05*		0.087	6.5	0.1*	0.7*	8.1
	Buckeheat	6.02*	0.05*	0.01	0.02*	0.05*	6.05*	0.05"	0.05*	6.5	0.1*	0.7*	6.1
	Miller	6.82*	0.05*	0.01	0.02*	0.06*	6.05*	0.65"	0.05*	6.5	0.1*	0.7*	81
	Flice <sup>(1)</sup>	0.02*	0.08*	0.01	0.02"	0.08*	0.08*	0.85"	0.05*	1	0.1*		0.1
	Other coreals <sup>(1)</sup>	0.02*	0.08*	681	0.02"	0.08*	0.087	0.86*	0.08*	4.5	0.1*	6.1*	0.1
PRODUCT	S OF ANIMAL ORIGIN												
	Ment. Rd &	0.02*	0.01*	0.2	0.02***	0.05*	0.05*	0.05*			0.7*	4.5"	
	preparations												
	of meat <sup>20</sup>												
	MIN <sup>on</sup> A	0.02*	0.01"	0.086		0.01"	0.08*	8.05*			6.1*	0.1*	
	Dairy produce <sup>(8)</sup>		0.01"										
	Fags <sup>m</sup>	0.02*	0.01*	0.02	0.02*	0.05"	0.05"	0.05*			0.1"	0.1*	

roup to which ed beiongs	Groups include the following products	Carbon tetrachilaride	Gerbosullen	Chlordame	Chlormequat	Chlorothaionil	Chlopprilos	Chiargyrilos-methyl	Cylluthria	Cypermethin	Deminocide
CEREALS											
	Weat	0.1	0.05"	0.02	2	0.1	0.08*	9	0.62*	0.08*	0.02*
	Rya	0.1	0.05*	0.02	2	0.1	0.05"	9	0.82*	0.05*	0.02*
	Darley	0.1	0.05*	0.02	8	0.1	0.2	3	0.02*	0.2	0.02"
	Seglun	0.1	0.05*	0.02	0.85*	0.01*	0.05"	3	0.02*	0.05"	0.82"
	Class	0.1	0.05*	0.02		6.1	0.05*	9	0.02*	0.2	0.82*
	Triticale	0.1	0.05*	0.02	2	0.1	0.05*	3	0.02*	0.05"	0.82*
	Maloe	0.1	0.05*	5.62		0.01*	0.05*	3	0.08*	0.05*	0.02*
	Buchwheat	0.1	0.08*	0.82	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*
	Milet	0.1	0.05*	0.02	0.08*	0.01*	0.05*	3	0.02"	0.05*	0.02*
	Plos P1	0.1	0.08*	0.02	0.05*	0.01*	0.05*	3	0.02"	0.08*	0.02*
	Other cereals <sup>(R)</sup>	6.1	0.05"	0.02	0.05*	0.01*	0.08*	3	0.02*	0.08*	0.02*
PRODUCTS	S OF ANIMAL ORIGIN										
	Minut, Int &		6.05*	0.05		0.01*	0.05***	0.85*	0.08	0.05***	0.05*
	preparations									6.2 **	
	of meat <sup>(3)</sup>										
	Min <sup>14</sup> S		0.08*	0.002		0.01*	0.01*	0.01*	0.08*	0.02	0.05*
	Dairy produce <sup>IN</sup> Eggs <sup>IN</sup>		0.05*	0.005		0.01*	0.01*	0.01*	0.02"	0.087	0.089

roup to which od belongs	Groups include the following products	001	Deltamethin	Diazinon	1,3-Dibromo ethone	Dichlorves	Dicarial	Disuffiction	Endosulfan	Endrin	Ethephon	Fenantrol	Fertautatin oxid
CEREALS													
	Whoel	0.05	1	0.05	0.01*	2	0.02*	0.1	0.1	0.01	0.2		0.05*
	Rye	0.05	1	0.05	0.01*	3	6.62*	0.08*	0.1	0.81	0.5	0.02*	0.05*
	Barley	0.65	1	0.05	0.01*	2	0.02*	0.2	0.1	0.01	0.5		0.05*
	Soghun	0.05	1	0.05	0.01*	2	0.02*	0.2	0.08*	0.01	0.05*	0.02*	0.05*
	Orio	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.1	0.01	0.05"	0.02*	0.05*
	Triticale	0.05	1	0.05	0.01*	2	0.62*	0.02*	0.1	0.01	0.2	0.02*	0.08*
	Maize	0.05	1	0.05	0.01*	2	0.02*	0.02"	0.2	0.01		0.02*	0.05*
	Buckerheat	0.05	1	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.01	4.05"	0.02*	0.05*
	Milet	0.05	1	4.62*	0.01*	2	0.02*	0.02*	0.05*	0.01	4.85*	0.02°	0.05*
	Pice "	0.05	1	0.05	0.01*	2	0.02*	0.02"	0.08*	0.01	0.05*	0.02*	0.05*
	Other censels (D)	0.05	'	0.05	0.01*	2	0.02*	0.02*	0.08*	0.01	0.05"	0.02*	0.05*
PRODUCT	S OF ANIMAL ORIGIN												
	Meat, lot &	1	0.05**				0.5 (71	0.02*	0.1 **	0.05	0.05*	0.02* (10)	0.05*
	preparations						0.1 7						
	of meat PI						0.05" (**)						
							1 03						
	MR <sup>PC</sup> A	0.04					0.02	0.02	0.004	0.0008	0.05*	0.02"	0.08*
	Dairy produce #1												
	Eggs <sup>m</sup>	0.1	0.05"				0.05*	0.02*		0.095	0.08*	0.03*	0.05"

Group to which load belongs	Groups include the following products	Portin	Ferivatienatie	Fundhiscarb	Oyphosela	Heptachior	Hexachicro bercane (HCB)	Hexachioro opolohexane (HCH) a	Hexachicro cyclohexane (HCH) ji	Hexachioro cyclohexane (HCH) Y	Hydirogan oyanide	Hydrogen phosphide
CEREALS												
	Wheat	0.05*	0.05*	0.05"	5	0.01	0.01	0.82	1	8.1	15	0.1
	Rys	0.08*	0.05*	0.05*		0.01	0.01	0.02	1	6.1	15	0.1
	Barley	0.08*	0.2	0.05*	20	0.01	0.01	0.82	1	0.1	15	0.1
	Seighum	0.05"	0.05*	0.05*	20	0.01	0.01	0.82	1	0.1	15	0.1
	Cats	0.05*	0.2	0.06*	20	0.01	0.01	0.82	-	0.1	18	0.1
	Triticale	0.05*	0.08*	0.05*	5	0.01	0.01	0.82	) of sights	0.1	15	0.1
	Maize	0.05"	0.05*	0.05*	0.5*	0.01	0.01	0.02	& beta	0.1	15	0.1
	Bucketest	0.05*	0.05"	0.05*	0.5*	0.01	6.01	0.02	1	0.1	15	0.1
	Millet	0.08*	0.05"	0.05*	0.1*	0.01	0.01	0.02	1	0.1	15	8.1
	Rice <sup>(0)</sup>	0.05*	6.85*	0.09*	0.1*	6.01	0.01	0.02	1	0.1	15	0.1
	Other coverals <sup>IR</sup>	0.05*	6.05*	0.85*	0.1*	6.01	0.01	0.02	)	0.1	15	0.1
PRODUCT	S OF ANIMAL ORIGIN											
	Mont, fat &	0.05*	0.5 76	0.05*	0.510	8.2	0.2	0.2	0.1	20		
	preparations		0.05* **		210					1*		
	of meat <sup>in</sup>				0.1****							
	Max. <sup>21</sup> &	0.05*	6.05	0.05*	0.1*	0.004	0.01	0.094	0.083	0.008		
	Dairy produce <sup>th</sup> Eggs <sup>30</sup>	0.08	0.05*	0.05*	0.1*	0.02	0.02	0.02	0.01	8.1		

Group to which faod beforigs	Groups include the following products	Imazali	Inorganie bromide	iprodone	Lambda-cyhalothin <sup>ras</sup>	Matolinen	Intaneb Mancopab Metivaria Propineb Zimeb	Mecarbam	Motoliaxyl	Methamidophoe	Mathidathion	Mathonyl thiodicarb
8. CEREALS												
	Wheat	0.02*	50	0.5	0.02*		1	0.06*	0.05*	6.01*	0.02*	0.05*
	Rya	0.02*	50	0.82*	0.02*		1	0.05"	0.05*	0.01*	0.02*	0.05*
	ilariey	0.02*	80	1	0.05		2	0.05*	0.05*	0.01*	0.02*	0.08*
	Sorghum	0.02*	50	0.02*	0.02*		0.06*	0.05*	0.05*	0.01*	0.02*	0.08*
	Oath	0.02*	50	0.02*	0.02*	8	2	0.05*	0.06*	0.01*	0.02*	0.05*
	Triticale	0.02*	50	0.02"	0.02*	8	0.05"	1 0.05"	0.05*	0.01*	0.02*	0.05*
	Majan	0.02*	50	0.02*	0.02*		0.05"	0.05"	0.05*	0.01*	0.02*	0.08*
	Buchwheat	0.02*	50	0.02*	0.02*		0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
	Miller	0.02*	50	0.02"	0.02*	8	0.05"	0.05*	0.08*	0.01*	0.02*	0.05*
	Riso FI	0.02*	50	3	0.02*		0.05*	0.05*	0.08*	0.01*	0.02*	0.05*
	Other careats <sup>(6)</sup>	0.02*	50	0.02*	0.03*		0.85*	0.05*	0.08*	0.01*	0.02*	0.05*
9. PRODUCT	S OF ANIMAL ORIGIN											
	Near, Tet &	0.02*		0.05'	0.5 <sup>178</sup>		0.05'		0.08*	0.01*	0.02*	0.02"
	proparations				0.02****							
	of most <sup>Ste</sup>											
	100 TA	0.02*		0.057	0.05		6.09		0.05*	0.01*	0.82*	0.62*
	Dairy produce <sup>(6)</sup>										6.82*	0.02*
	Fogs <sup>m</sup>	0.02*		0.05*	0.02"		0.057		0.09"	0.81*	0.02*	0.02*

oup to which id belongs	Groups include the following products	Methyl brantide	Permethrin	Phosate	Phosphamides	Pirimiphos-methyl	Protymidone	Propiconazole	Proposul	Propyzamicia	Pyrathrins
CEREALS											
	Wheat	0.1	2	0.05*	0.05	5	0.02*	0.05'	0.05*	0.02"	3
	Rya	0.1	2	0.05"	0.05	5	0.02*	6.05"	0.05*	0.02*	3
	Darley	0.1	2	0.05"	0.05		0.02*	0.05*	0.08*	0.02*	3
	Seighum	0.1	2	0.06*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Oats	0.1	2	0.05*	0.05		0.02*	0.05*	0.08*	0.02*	3
	Triticale	0.1	2	0.05*	0.05	5	0.02*	0.08*	0.05*	0.02*	3
	Maloe	0.1	0.2		0.05	5	0.02"	0.05*	0.05*	0.02"	3
	Buckwheat	0.1	2	0.05*	0.05		0.02"	0.05*	0.05"	0.02*	
	Milet	0.1	2	0.05"	0.05	5	0.02*	0.05"	0.05*	0.02"	3
	Nos <sup>m</sup>	0.1	2	0.05*	0.06	5	0.02*	0.05*	0.05*	0.02*	3
	Other cereals <sup>20</sup>	0.1	1	0.05*	0.06	5	0.00*	4.05"	0.05*	0.02*	3
PRODUCTS	S OF ANIMAL OPIGIN										
	Most, lat 8		0.5	0.08*		0.05*	0.05*	0.1 PD	0.05*	0.05+ (19.04)	
	preparations							0.05*110		0.02* (99).04	
	of meat <sup>(b)</sup>										
	Milk <sup>10</sup> A		0.05	6.62		0.05*	0.05*		0.00*	0.01* 01	
	Dairy produce 79					0.08*					
	Epgs #		0.05	0.05*		0.05"	0.05*	0.05*	0.05*	0.02 (10)	

Sroup to which bod belongs	Groups include the following products	Thiabendiazole	Triazophos	Trictiontan	Triforine	Vindozolin			
a. CEREALS	1								
	Weat			0.1	0.1	0.05"			
	Rya	0.05*		0.1	0.1	0.05*			
	Darley	0.05*		0.5	0.1	0.08"			
	Siorghum	6.85*	0.02*	0.1	6.85*	0.05"			
	Oats	0.05*		0.1	0.1	0.05*			
	Tritcale	0.05*		0.1	0.1	0.08*			
	Maize	0.05*		0.1	0.05*	0.08"			
	Buckwheat	6.85*	0.02*	0.1	6.85*	0.05"			
	Millet	0.05*	0.02"	0.1	6.85*	0.05*			
	Plice (*)		0.02*	0.1	0.05*	0.05"			
	Other coreasis <sup>m</sup>	0.057	0.02*	0.1	6.897	0.05*			
9. PRODUC	TS OF ANIMAL ORIGIN								
	Ment, Int &	0.1 ***	0.07****		6.85*	0.05"			
	preparations of meat <sup>(3)</sup>								
	Mile <sup>14</sup> B				6.05*	0.05*			
	Daily produce <sup>(6)</sup> Eggs <sup>(6)</sup>	0.1*	0.01*		6.05*	0.05*			

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes



### SCHEDULE 3

Regulation 6

Note: The word 'fresh' is taken to extend to products which have been chilled.

<i>Column 1</i> Group of products	<i>Column 2</i> Products included in the groups	<i>Column 3</i> Part of product to which maximum residue levels apply
1.Fruit, fresh, dried or unc	ooked, preserved by freezing, not co	ntaining added sugar: nuts
(i)CITRUS FRUIT	Grapefruit	Whole Product.
	Lemons	
	Limes	
	Mandarins (including clementines and similar hybrids)	
	Oranges	
	Pomelos	
	Others	

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

(ii)TREE NUTS (shelled or	Almonds	Whole product after removal
unshelled)	Brazil nuts	of shell.
	Cashew nuts	
	Chestnuts	
	Coconuts	
	Hazelnuts	
	Macadamia nuts	
	Pecans	
	Pine nuts	
	Pistachios	
	Walnuts	
	Others	
(iii)POME FRUIT	Apples	Whole product after removal of stems.
	Pears	
	Quinces	
	Others	
(iv)STONE FRUIT	Apricots	Whole product after removal of stems.
	Cherries	
	Peaches (including nectarines and similar hybrids)	
	Plums	
	Others	
(v)BERRIES AND SMALL FRUIT	(a) <i>Table and wine grapes</i>	Whole product after removal of caps and stems (if any) and,
	Table grapes	in the case of currants, fruits with stems.
	Wine grapes	
	(b)Strawberries	
	(other than wild)	
	(c) <i>Cane fruit</i>	

38

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

(other than wild) Blackberries Dewberries Loganberries Raspberries Others (d)Other small fruit and berries (other than wild) Bilberries Cranberries Currants (red, black and white) Gooseberries Others (e)Wild berries and wild fruit Avocados Whole fruit after removal of stems (if any) and in the case of pineapple, after removal of Bananas the crown. Dates {Whole fruit after removal of Figs stems (if any) after removal of soil (if any) by rinsing in Kiwi fruit running water. Kumquats Litchis Mangoes Olives (table consumption){ Olives (oil extract) Passion fruit Pineapples

(vi)MISCELLANEOUS FRUIT

	Pomegranates	
	Others	
(i)ROOT AND TUBER VEGETABLES	Beetroot	Whole product after removal of tops and adhering soil
	Carrots	(if any) (removal of soil by rinsing in running water or
	Celeriac	by gentle brushing of the dry product).
	Horseradish	product).
	Jerusalem artichokes	
	Parsnips	
	Parsley root	
	Radishes	
	Salsify	
	Sweet potatoes	
	Swedes	
	Turnips	
	Yams	
	Others	
2. Vegetables, fresh or uncooked, frozen or dry	Garlic	For dry onions, shallots and garlic: whole product after
(ii)BULB VEGETABLES	Onions	removal of easily detachable skin and soil (if any). Onions,
	Shallots	shallots and garlic other than dry, spring onions: whole
	Spring Onions	product after removal of roots and soil (if any).
	Others	und son (n uny).
(iii)FRUITING VEGETABLES	(a)Solanacea	Whole product after removal of stems.
	Tomatoes	
	Peppers	
	Aubergines	
	Others	
	(b) <i>Cucurbits-edible peel</i>	

**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Cucumbers	
Gherkin	
Courgettes	
Others	
(c)Cucurbits-inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d)Sweet corn	Kernels or cobs without husks.
(a)Flowering brassicas	Product after removal of
Broccoli	decayed leaves (if any).
Cauliflower	
Others	
(b) <i>Head brassicas</i>	
Brussels sprouts	
Head cabbage	
Others	
(c)Leafy brassicas	
Chinese cabbage	
Kale	
Others	
(d) <i>Kohlrabi</i>	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product).
(a)Lettuce and similar	Whole product after removal of decayed outer leaves, root
Cress	and soil (if any).

(iv)BRASSICA VEGETABLES

(v)LEAF VEGETABLES AND FRESH HERBS

	Lamb's lettuce	
	Lettuce	
	Scarole	
	Others	
	(b)Spinach and similar	
	Spinach	
	Beet leaves (chard)	
	Others	
	(c)Watercress	
	(d)Witloof	
	(e) <i>Herbs</i>	
	Chervil	
	Chives	
	Parsley	
	Celery leaves	
	Others	
(vi)LEGUME VEGETABLES (FRESH)	Beans with pods	Whole product after removal of pods or with pods if they are intended to be eaten.
	Beans without pods	
	Peas with pods	
	Peas without pods	
	Others	
(vii)STEM VEGETABLES	Asparagus	Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any).
	Cardoons	
	Celery	
	Fennel	
	Globe artichokes	
	Leeks	

	Rhubarb			
	Others			
(viii)FUNGI	Mushrooms (other than wild)	Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any).		
	Wild Mushrooms			
3.Pulses	Beans	Whole product.		
	Lentils			
	Peas			
	Others			
4.Oil seeds	Linseed	Whole seed or kernel after		
	Peanuts	removal of shell and husk, when possible.		
	Poppy seed	*Whole seed including shell,		
	Rape seed	when present, and whole seed without shell, when shell is		
	Sesame seed	absent.		
	Sunflower seed*			
	Soya bean			
	Others			
5.Potatoes	Early potatoes	Whole product after removal		
	Ware potatoes	of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product).		
6.Tea (dried leaves and stalks, f	ermented or otherwise, Camellia	sinensis)		
		Whole product.		
7. Hops (dried), including hop pellets and unconcentrated powder				
		Whole product.		
8.Cereal grains	Wheat	Whole commodity without husk.		
	Rye			
	Barley			
	Oats			
	Triticale			

	Maize	
	Rice	
	Other cereals	
9.Products of animal origin	Meat, fat and preparations of meat	Whole commodity (For fat soluble pesticides a portion of carcass fat is analysed and MRLs apply to carcass fat.
	Milk	Whole commodity.
	Eggs	Whole egg whites and yolks combined after removal of shells.
10.Spices	Cumin seed	Whole product.
	Juniper berries	
	Nutmeg	
	Pepper, black and white	
	Vanilla pods	
	Others	

### SCHEDULE 4

Regulation 7

### REVOCATIONS

Title	S.I. Number
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994	S.I. 1994/1985.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995	S.I. 1995/1483.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1996	S.I. 1996/1487
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1997	S.I. 1997/567.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1998	S.I. 1998/2922.

S.I. 1999/1109. The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) **Regulations 1999** 

### **EXPLANATORY NOTE**

### (This note is not part of the Regulations)

These Regulations are made under section 2(2) of the European Communities Act 1972 and Part III of the Food and Environment Protection Act 1985 and consolidate and replace the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994 (S.I. 1994/1985) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995 to 1999 (S.I. 1995/1483, 1996/1487, 1997/567, 1998/2922 and 1999/1109).

To the extent that the Regulations are made under the European Communities Act 1972, regulation 4 and Schedule 2 Part 2 specify maximum levels of pesticide residues which may be left in crops, food and feeding stuffs in implementation of Council Directive 86/362/EEC (O.J. No. L221, 7.8.86, p.37) and Council Directive 86/363/EEC (O.J. No. L221, 7.8.86, p.43) as regards cereals and products of animal origin, and Council Directive 90/642/EEC (O.J. No. L350, 14.12.90, p.71) as regards certain products of plant origin (including fruit and vegetables), each as last amended by Commission Directive 1999/71/EC (O.J. No. L194, 27.7.99, p.36)) (these Directives as so amended being referred to in these Regulations as "the Residues Directives"). In particular, these Regulations specify for the first time maximum residue levels for the pesticide Azoxystrobin in implementation of Commission Directive 1999/71/EC. Regulation 4 also creates offences, specifies penalties, provides defences and confers enforcement powers where these maximum residue levels have been exceeded in respect of products put into circulation. To the extent that these Regulations are made under the Food and Environment Protection Act 1985, they specify maximum levels of pesticides residues which may be left in crops, food and feeding stuffs which are not the subject of the Residues Directives. Since they are made under section 16(2)(k) of that Act, regulation 3 and Schedule 2 Part 1 do no more than specify the maximum residue level which may be left in a particular product. Offences and penalties for contravention of regulation 3 are prescribed respectively by sections 16(12) and 21(3) of that Act. The Regulations also confer powers to seize and dispose of products where maximum residue levels have been exceeded (regulation 5) and prescribe how much of a particular product is to be taken into account in determining whether a maximum residue level has been exceeded in accordance with Council Directive 90/642/EEC (regulation 6 and Schedule 3). Provision is also made with regard to the manner for determining whether maximum residue levels have been exceeded when found in dried or processed products or composite foods, so far as these are the subject of the Residues Directives (regulation 6).

These Regulations revoke the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994 (S.I. 1994/1985) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995 to 1999 (S.I. 1995/1483, 1996/1487, 1997/567, 1998/2922 and 1999/1109) (regulation 7 and Schedule 4).

#### **Changes to legislation:**

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000. Any changes that have already been made by the team appear in the content and are referenced with annotations.

View outstanding changes

#### Changes and effects yet to be applied to :

Sch 1 am by S.S.I. 2001/221 reg 2(1)(3) \_ Sch 1 Table am by S.S.I. 2001/84 reg 2(1)(3) \_ Sch 1 am by S.S.I. 2003/445 reg 2(1)(2) Sch 1 am by S.S.I. 2005/281 reg 2(1)(2)Sch 1 am (1.7.2004) by S.S.I. 2003/445 reg 2(1)(3) sch. 1 entries inserted by S.S.I. 2004/220 reg. 2(3) sch. 1 entries inserted by S.S.I. 2004/399 reg. 2(2)(c) sch. 1 entries omitted by S.S.I. 2004/399 reg. 2(2)(b)sch. 1 entries substituted by S.S.I. 2004/399 reg. 2(2)(d) sch. 1 entry inserted by S.S.I. 2004/104 reg. 2(2) sch. 1 entry inserted by S.S.I. 2004/104 reg. 2(3) sch. 1 entry inserted by S.S.I. 2004/220 reg. 2(2) sch. 1 entry omitted by S.S.I. 2004/399 reg. 2(2)(a) sch. 1 words inserted by S.S.I. 2002/271 reg. 2(3) Sch. 1 words inserted by S.S.I. 2002/489 reg. 2(3) Sch. 1 words inserted by S.S.I. 2002/489 reg. 2(4) sch. 1 words inserted by S.S.I. 2003/118 reg. 2(2) \_ sch. 1 words inserted by S.S.I. 2003/118 reg. 2(3) Sch 2 Pt 2 am by S.S.I. 2001/221 reg 2(1)(6) Schedule Sch 2 Pt 2 am by S.S.I. 2001/221 reg 2(1)reg 2(7)(8) Sch 2 Pt 2 am by S.S.I. 2003/445 reg 2(1)reg 2(5)(a)reg 2(5)(c)reg 2(5)(d)(6)Sch 1 Sch 2 Pt 2 am by S.S.I. 2005/281 reg 2(1)(3)Sch 1 sch. 2 Pt. 1 entry omitted by S.S.I. 2004/104 reg. 2(4) Sch 2 Pt 1 rev in pt by S.S.I. 2001/221 reg 2(1)(4) Sch 2 Pt 2 rev in pt by S.S.I. 2001/221 reg 2(1)(5) Sch 2 Pt 1 Table rev in pt by S.S.I. 2001/84 reg 2(1)(4) Sch 2 Pt 1 rev in pt by S.S.I. 2003/445 reg 2(1)(4) Sch 2 Pt 2 rev in pt by S.S.I. 2003/445 reg 2(1)reg 2(5)(b) \_ Sch 2 Pt 2 subst by S.S.I. 2001/84 reg 2(1)(5) Schedule Sch. 2 Pt. 2 substituted by S.S.I. 2002/489 Sch. 1 sch. 2 Pt. 2 substituted by S.S.I. 2003/118 Sch. 1 Sch. 2 Pt. 2 word substituted by S.S.I. 2001/435 reg. 2(3)(a) \_ Sch. 2 Pt. 2 word substituted by S.S.I. 2001/435 reg. 2(3)(b) Sch. 2 Pt. 2 word substituted by S.S.I. 2001/435 reg. 2(3)(c) sch. 2 Pt. 2 word substituted by S.S.I. 2002/271 reg. 2(4)(a) sch. 2 Pt. 2 word substituted by S.S.I. 2002/271 reg. 2(4)(b) sch. 2 Pt. 2 word substituted by S.S.I. 2002/271 reg. 2(4)(c) sch. 2 Pt. 2 word substituted by S.S.I. 2002/271 reg. 2(4)(d) sch. 2 Pt. 2 word substituted by S.S.I. 2002/271 reg. 2(4)(e) sch. 2 Pt. 2 word substituted by S.S.I. 2002/271 reg. 2(4)(f) sch. 2 Pt. 2 word substituted by S.S.I. 2002/271 reg. 2(4)(g) sch. 2 Pt. 2 word substituted by S.S.I. 2002/271 reg. 2(4)(h) sch. 2 Pt. 2 word substituted by S.S.I. 2002/271 reg. 2(4)(i) sch. 2 Pt. 2 word substituted by S.S.I. 2002/271 reg. 2(4)(j) sch. 2 Pt. 2 word substituted by S.S.I. 2004/104 reg. 2(5)(a) sch. 2 Pt. 2 word substituted by S.S.I. 2004/104 reg. 2(5)(b) \_ sch. 2 Pt. 2 word substituted by S.S.I. 2004/104 reg. 2(5)(c)(i) \_ sch. 2 Pt. 2 word substituted by S.S.I. 2004/104 reg. 2(5)(c)(ii) sch. 2 Pt. 2 word substituted by S.S.I. 2004/104 reg. 2(5)(d)

```
sch. 2 Pt. 2 word substituted by S.S.I. 2004/220 reg. 2(4)(a)
      sch. 2 Pt. 2 word substituted by S.S.I. 2004/399 reg. 2(4)(a)
      sch. 2 Pt. 2 word substituted by S.S.I. 2004/399 reg. 2(4)(b)
      Sch. 2 Pt. 2 words inserted by S.S.I. 2001/435 reg. 2(4)(a)Sch. 2
_
      Sch. 2 Pt. 2 words inserted by S.S.I. 2001/435 reg. 2(4)(b)Sch. 2
      sch. 2 Pt. 2 words inserted by S.S.I. 2002/271 reg. 2(5)(b)sch. 2
      sch. 2 Pt. 2 words inserted by S.S.I. 2004/104 reg. 2(6)(c)sch. 1
      sch. 2 Pt. 2 words inserted by S.S.I. 2004/220 reg. 2(4)(b)sch. 1
_
      sch. 2 Pt. 2 words inserted by S.S.I. 2004/220 reg. 2(4)(c)sch. 1
      sch. 2 Pt. 2 words inserted by S.S.I. 2004/399 reg. 2(4)(f)sch. 1
      sch. 2 Pt. 2 words moved by S.S.I. 2004/104 reg. 2(6)(a)
_
      Sch. 2 Pt. 1 words omitted by S.S.I. 2002/489 reg. 2(5)
      sch. 2 Pt. 1 words omitted by S.S.I. 2003/118 reg. 2(4)
      sch. 2 Pt. 1 words omitted by S.S.I. 2004/399 reg. 2(3)
      sch. 2 Pt. 2 words omitted by S.S.I. 2004/399 reg. 2(4)(c)
      sch. 2 Pt. 2 words omitted by S.S.I. 2004/399 reg. 2(4)(e)
      Sch. 2 Pt. 2 words substituted by S.S.I. 2001/435 reg. 2(4)(c)Sch. 2
      sch. 2 Pt. 2 words substituted by S.S.I. 2002/271 reg. 2(5)(a)sch. 2
      sch. 2 Pt. 2 words substituted by S.S.I. 2004/104 reg. 2(6)(b)sch. 1
      sch. 2 Pt. 2 words substituted by S.S.I. 2004/399 reg. 2(4)(d)sch. 1
      sch. 2 Pt. 2 words substituted by S.S.I. 2004/399 reg. 2(4)(g)sch. 1
      Sch. 2 Pt. 2 words substituted by S.S.I. 2005/109 reg. 1(2)Sch. 1
      Regulations revoked by S.S.I. 2005/599 Sch. 4
      reg 2 defn(s) subst by S.S.I. 2001/221 reg 2(1)(2)
      reg. 2(1) words substituted by S.S.I. 2001/435 Sch. 1
      reg. 2(1) words substituted by S.S.I. 2002/271 reg. 2(2)
      reg 4 am by S.S.I. 2001/84 reg 2(1)(2)
      reg. 6(b) substituted by S.S.I. 2002/489 reg. 2(2)
```

### Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

Whole provisions yet to be inserted into this Instrument (including any effects on those provisions):

- Sch 3 para 1 Table am by S.S.I. 2001/84 reg 2(1)reg 2(6)(a)
- Sch 3 para 2 Table am by S.S.I. 2001/84 reg 2(1)reg 2(6)(b)
- sch. 5 inserted by S.S.I. 2002/271 sch. 1
- Sch 5 subst by S.S.I. 2003/445 reg 2(1)(7)Sch 2
- Sch 5 subst by S.S.I. 2005/281 reg 2(1)(4)Sch 2
- Sch. 5 substituted by S.S.I. 2002/489 Sch. 2
- sch. 5 substituted by S.S.I. 2003/118 Sch. 2
- sch. 5 substituted by S.S.I. 2004/104 reg. 2(7)sch. 2
- sch. 5 substituted by S.S.I. 2004/220 reg. 2(5)sch. 2
- Sch. 5 substituted by S.S.I. 2004/399 reg. 2(5)Sch. 2
- Sch. 5 substituted by S.S.I. 2005/109 Sch. 2