

---

SCOTTISH STATUTORY INSTRUMENTS

---

**2001 No. 435**

**AGRICULTURE  
PESTICIDES**

**The Pesticides (Maximum Residue Levels in  
Crops, Food and Feeding Stuff) (Scotland)  
Amendment (No. 3) Regulations 2001**

*Made - - - - 21st November 2001  
Laid before the Scottish  
Parliament - - - - 26th November 2001  
Coming into force in accordance with regulation 1(2)  
and (3)*

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(1) and of all other powers enabling them in that behalf hereby make the following Regulations:

**Citation and commencement**

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment (No. 3) Regulations 2001.

(2) Other than as provided for in paragraph (3) below, these Regulations shall come into force on 1st January 2002.

(3) For the purposes of regulation 2(4)(b) and (c) below, these Regulations shall come into force on 1st March 2002.

**Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000**

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000(2) are amended in accordance with this regulation.

---

(1) 1972 c. 68; section 2(2) was amended by the Scotland Act 1998 (c. 46), Schedule 8, paragraph 15. The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

(2) S.S.I. 2000/22 as amended by S.S.I. 2001/84 and 221.

(2) In regulation 2(1), for the definition of “the Residues Directives” there is substituted the definition in Schedule 1 to these Regulations.

(3) In Part 2 of Schedule 2 maximum residue levels are substituted as follows—

- (a) for mg/kg of iprodione on spring onions delete “5” and insert “3”;
- (b) for mg/kg of spiroxamine on meat, fat & preparations of meat delete “0.2<sup>(37)</sup>” and insert “0.2<sup>(37)(39)</sup>”; and
- (c) for mg/kg of spiroxamine on milk & dairy produce delete “0.02<sup>(37)(39)</sup>” and insert “0.02<sup>(37)</sup>”.

(4) In Part 2 of Schedule 2—

- (a) there are inserted, in the appropriate places to preserve the alphabetical ordering from left to right, the maximum permitted levels for residues of the pesticides azimsulfuron and prohexadione and its salts expressed as prohexadione, specified in Schedule 2 to these Regulations in relation to the products so specified;
- (b) there are inserted, in the appropriate places to preserve the alphabetical ordering from left to right, the maximum permitted levels for residues of the pesticide fluroxypyr and its esters expressed as fluroxypyr, specified in Schedule 2 to these Regulations in relation to the products so specified; and
- (c) for the existing maximum permitted levels for residues of the pesticides azoxystrobin and kresoxim methyl there are substituted the maximum permitted levels for residues of those pesticides, specified in Schedule 2 to these Regulations in relation to the products so specified.

### **Consequential Amendment**

**3.** Regulation 2(2) of the Pesticides (Maximum Residue levels in Crops, Food and Feeding Stuff) (Scotland) Amendment (No. 2) Regulations 2001<sup>(3)</sup> is omitted.

Edinburgh  
21st November 2001

*ROSS FINNIE*  
A member of the Scottish Executive

## SCHEDULE 1

Regulation 2(2)

## DEFINITION OF RESIDUE DIRECTIVES

“the Residues Directives” means Council Directive 86/362/EEC(4) (as amended by Council Directives 88/298/EEC(5), 90/654/EEC(6), 93/57/EEC(7), 94/29/EC(8), 95/39/EC(9), 96/33/EC(10), 97/41/EC(11) and Commission Directives 97/71/EC(12), 98/82/EC(13), 1999/65/EC(14), 1999/71/EC(15), 2000/24/EC(16), 2000/42/EC(17), 2000/48/EC(18), 2000/58/EC(19), 2000/81/EC(20), 2000/82/EC(21), 2001/39/EC(22), 2001/48/EC(23), 2001/57/EC(24),), together with Council Directive 86/363/EEC(25) (as amended by Council Directives 93/57/EEC, 94/29/EC, 95/39/EC, 96/33/EC, 97/41/EC and Commission Directives 97/71/EC, 98/82/EC, 1999/71/EC, 2000/24/EC, 2000/42/EC, 2000/81/EC, 2000/82/EC, 2001/39/EC and 2001/57/EC) and Council Directive 90/642/EEC(26) (as amended by Council Directives 93/58/EEC(27), 94/30/EC(28), 95/38/EC(29), 95/61/EC(30), 96/32/EC(31), 97/41/EC and Commission Directives 97/71/EC, 98/82/EC, 1999/65/EC, 1999/71/EC, 2000/24, 2000/42/EC, 2000/48/EC, 2000/57/EC(32), 2000/58/EC, 2000/81/EC, 2000/82/EC, 2001/35/EC(33), 2001/39/EC, 2001/48/EC and 2001/57/EC).”.

## SCHEDULE 2

Regulation 2(4)

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Azimsulfuron</b>	<b>Azoxystrobin</b>	<b>Fluroxypr and its esters expressed as fluroxypr</b>	<b>Kresoxim methyl</b>	<b>Prohexadione and its salts expressed as prohexadione</b>
------------------------------------	--	---------------------	---------------------	--	------------------------	---

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

- (4) O.J. No. L 221, 7.8.86, p.37.  
 (5) O.J. No. L 126, 20.5.88, p.53.  
 (6) O.J. No. L 353, 17.12.90, p.48.  
 (7) O.J. No. L 211, 23.8.93, p.1.  
 (8) O.J. No. L 189, 23.7.94, p.67.  
 (9) O.J. No. L 197, 22.8.95, p.29.  
 (10) O.J. No. L 144, 18.6.96, p.35.  
 (11) O.J. No. L 184, 12.7.97, p.33.  
 (12) O.J. No. L 347, 18.12.97, p.42.  
 (13) O.J. No. L 290, 29.10.98, p.25.  
 (14) O.J. No. L 172, 8.7.99, p.40.  
 (15) O.J. No. L 194, 27.7.99, p.36.  
 (16) O.J. No. L 107, 4.5.00, p.28.  
 (17) O.J. No. L 158, 30.6.00, p.51.  
 (18) O.J. No. L 197, 3.8.00, p.26.  
 (19) O.J. No. L 244, 29.9.00, p.78.  
 (20) O.J. No. L 326, 22.12.00, p.56.  
 (21) O.J. No. L 3, 6.1.01, p.18.  
 (22) O.J. No. L 148, 1.6.01, p.70.  
 (23) O.J. No. L 180, 3.7.01, p.26.  
 (24) O.J. No. L 208, 1.8.2001, p.36.  
 (25) O.J. No. L 221, 7.8.86, p.43.  
 (26) O.J. No. L 350, 14.12.90, p.71.  
 (27) O.J. No. L 211, 23.8.93, p.6.  
 (28) O.J. No. L 189, 23.7.94, p.70.  
 (29) O.J. No. L 197, 22.8.95, p.14.  
 (30) O.J. No. L 292, 7.12.95, p.27.  
 (31) O.J. No. L 144, 18.6.96, p.12.  
 (32) O.J. No. L 244, 29.9.00, p.76.  
 (33) O.J. No. L 136, 18.5.01, p.42.

*Status: This is the original version (as it was originally made).*

Group to which food belongs	Groups include the following products	Azimsulfuron	Azoxystrobin	Fluroxypr and its esters expressed as fluroxypr	Kresoxim methyl	Prohexadione and its salts expressed as prohexadione
i) CITRUS FRUIT						
	Grapefruit	0.02*	0.05*	0.05*	0.05*	0.05*
	Lemons	0.02*	0.05*	0.05*	0.05*	0.05*
	Limes	0.02*	0.05*	0.05*	0.05*	0.05*
	Mandarins (inc clementines & similar hybrids	0.02*	0.05*	0.05*	0.05*	0.05*
	Oranges	0.02*	0.05*	0.05*	0.05*	0.05*
	Pomelos	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)						
	Almonds	0.02*	0.1*	0.05*	0.1*	0.05*
	Brazil nuts	0.02*	0.1*	0.05*	0.1*	0.05*
	Cashew nuts	0.02*	0.1*	0.05*	0.1*	0.05*
	Chestnuts	0.02*	0.1*	0.05*	0.1*	0.05*
	Coconuts	0.02*	0.1*	0.05*	0.1*	0.05*
	Hazelnuts	0.02*	0.1*	0.05*	0.1*	0.05*
	Macadamia nuts	0.02*	0.1*	0.05*	0.1*	0.05*
	Pecans	0.02*	0.1*	0.05*	0.1*	0.05*
	Pine nuts	0.02*	0.1*	0.05*	0.1*	0.05*
	Pistachios	0.02*	0.1*	0.05*	0.1*	0.05*
	Walnuts	0.02*	0.1*	0.05*	0.1*	0.05*
	Others	0.02*	0.1*	0.05*	0.1*	0.05*
iii) POME FRUIT						
	Apples	0.02*	0.05*	0.05*	0.2*	0.05*
	Pears	0.02*	0.05*	0.05*	0.2*	0.05*
	Quinces	0.02*	0.05*	0.05*	0.2*	0.05*
	Others	0.02*	0.05*	0.05*	0.2*	0.05*
iv) STONE FRUIT						

Group to which food belongs	Groups include the following products	Azimsulfuron	Azoxystrobin	Fluroxypr and its esters expressed as fluroxypr	Kresoxim methyl	Prohexadione and its salts expressed as prohexadione
	Apricots	0.02*	0.05*	0.05*	0.05*	0.05*
	Cherries	0.02*	0.05*	0.05*	0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.02*	0.05*	0.05*	0.05*	0.05*
	Plums	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT						
	a) Table & wine grapes					
	Table grapes	0.02*	2	0.05*	1	0.05*
	Wine grapes	0.02*	2	0.05*	1	0.05*
	b) Strawberries (other than wild)					
		0.02*	0.05*	0.05*	0.05*	0.05*
	c) Cane Fruit (other than wild)					
	Blackberries	0.02*	0.05*	0.05*	0.05*	0.05*
	Dewberries	0.02*	0.05*	0.05*	0.05*	0.05*
	Loganberries	0.02*	0.05*	0.05*	0.05*	0.05*
	Raspberries	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
	d) Other small fruit & berries (other than wild)					
	Bilberries	0.02*	0.05*	0.05*	0.05*	0.05*
	Cranberries	0.02*	0.05*	0.05*	0.05*	0.05*
	Currants (red, black & white)	0.02*	0.05*	0.05*	1	0.05*
	Gooseberries	0.02*	0.05*	0.05*	1	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
	e) Wild berries & wild fruit					
		0.02*	0.05*	0.05*	0.05*	0.05*

## vi) MISCELLANEOUS FRUIT

*Status: This is the original version (as it was originally made).*

Group to which food belongs	Groups include the following products	Azimsulfuron	Azoxystrobin	Fluroxypr and its esters expressed as fluroxypr	Kresoxim methyl	Prohexadione and its salts expressed as prohexadione
	Avocados	0.02*	0.05*	0.05*	0.05*	0.05*
	Bananas	0.02*	2	0.05*	0.05*	0.05*
	Dates	0.02*	0.05*	0.05*	0.05*	0.05*
	Figs	0.02*	0.05*	0.05*	0.05*	0.05*
	Kiwi fruit	0.02*	0.05*	0.05*	0.05*	0.05*
	Kumquats	0.02*	0.05*	0.05*	0.05*	0.05*
	Litchis	0.02*	0.05*	0.05*	0.05*	0.05*
	Mangoes	0.02*	0.05*	0.05*	0.05*	0.05*
	Olives (table consumption)	0.02*	0.05*	0.05*	0.2	0.05*
	Olives (oil extract)	0.02*	0.05*	0.05*	0.2	0.05*
	Passion fruit	0.02*	0.05*	0.05*	0.05*	0.05*
	Papaya	0.02*	0.05*	0.05*	0.05*	0.05*
	Pineapple	0.02*	0.05*	0.05*	0.05*	0.05*
	Pomegranates	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*

## 2. Vegetables, fresh or uncooked, frozen or dry

### i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.05*	0.05*	0.05*	0.05*
Carrots	0.02*	0.05*	0.05*	0.05*	0.05*
Celeriac	0.02*	0.05*	0.05*	0.05*	0.05*
Horseradish	0.02*	0.05*	0.05*	0.05*	0.05*
Jerusalem artichokes	0.02*	0.05*	0.05*	0.05*	0.05*
Parsnips	0.02*	0.05*	0.05*	0.05*	0.05*
Parsley root	0.02*	0.05*	0.05*	0.05*	0.05*
Radishes	0.02*	0.05*	0.05*	0.05*	0.05*
Salsify	0.02*	0.05*	0.05*	0.05*	0.05*
Sweet potatoes	0.02*	0.05*	0.05*	0.05*	0.05*
Swedes	0.02*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Azimsulfuron	Azoxystrobin	Fluroxypr and its esters expressed as fluroxypr	Kresoxim methyl	Prohexadione and its salts expressed as prohexadione
	Turnips	0.02*	0.05*	0.05*	0.05*	0.05*
	Yams	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
ii) BULB VEGETABLES						
	Garlic	0.02*	0.05*	0.05*	0.05*	0.05*
	Onions	0.02*	0.05*	0.05*	0.05*	0.05*
	Shallots	0.02*	0.05*	0.05*	0.05*	0.05*
	Spring onions	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
iii) FRUITING VEGETABLES						
a) Solanacea						
	Tomatoes	0.02*	2	0.05*	0.5*	0.05*
	Peppers	0.02*	2	0.05*	1	0.05*
	Chilli peppers	0.02*	0.05*	0.05*	0.05*	0.05*
	Aubergines	0.02*	2	0.05*	0.5*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
b) Cucurbits-edible peel						
	Cucumbers	0.02*	1	0.05*	0.05*	0.05*
	Gherkins	0.02*	1	0.05*	0.05*	0.05*
	Courgettes	0.02*	1	0.05*	0.05*	0.05*
	Others	0.02*	1	0.05*	0.05*	0.05*
c) Cucurbits-inedible peel						
	Melons	0.02*	0.5	0.05*	0.2	0.05*
	Squashes	0.02*	0.5	0.05*	0.2	0.05*
	Watermelons	0.02*	0.5	0.05*	0.2	0.05*
	Others	0.02*	0.5	0.05*	0.2	0.05*
	d) Sweetcorn	0.02*	0.05*	0.05*	0.05*	0.05*
iv) BRASSICA VEGETABLES						
a) Flowering Brassicas						

*Status: This is the original version (as it was originally made).*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Azimsulfuron</b>	<b>Azoxystrobin</b>	<b>Fluroxypr and its esters expressed as fluroxypr</b>	<b>Kresoxim methyl</b>	<b>Prohexadione and its salts expressed as prohexadione</b>
	Broccoli (including Calabrese)	0.02*	0.05*	0.05*	0.05*	0.05*
	Cauliflower	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
	b) Head Brassicas					
	Brussel Sprouts	0.02*	0.05*	0.05*	0.05*	0.05*
	Head cabbage	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
	c) Leafy Brassicas					
	Chinese cabbage	0.02*	0.05*	0.05*	0.05*	0.05*
	Kale	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
	d) Kohlrabi	0.02*	0.05*	0.05*	0.05*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS						
	a) Lettuce & similar					
	Cress	0.02*	0.05*	0.05*	0.05*	0.05*
	Lamb's lettuce	0.02*	0.05*	0.05*	0.05*	0.05*
	Lettuce	0.02*	0.05*	0.05*	0.05*	0.05*
	Scarole (broad-leaf endive)	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
	b) Spinach & similar					
	Spinach	0.02*	0.05*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
	c) Watercress	0.02*	0.05*	0.05*	0.05*	0.05*



<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Azimsulfuron</b>	<b>Azoxystrobin</b>	<b>Fluroxypr and its esters expressed as fluroxypr</b>	<b>Kresoxim methyl</b>	<b>Prohexadione and its salts expressed as prohexadione</b>
	d) Witloof	0.02*	0.05*	0.05*	0.05*	0.05*
	e) Herbs					
	Chervil	0.02*	0.05*	0.05*	0.05*	0.05*
	Chives	0.02*	0.05*	0.05*	0.05*	0.05*
	Parsley	0.02*	0.05*	0.05*	0.05*	0.05*
	Celery leaves	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
vi)	LEGUME VEGETABLES (fresh)					
	Beans (with pods)	0.02*	0.05*	0.05*	0.05*	0.05*
	Beans (without pods)	0.02*	0.05*	0.05*	0.05*	0.05*
	Peas (with pods)	0.02*	0.5	0.05*	0.05*	0.05*
	Peas (without pods)	0.02*	0.2	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
vii)	STEM VEGETABLES					
	Asparagus	0.02*	0.05*	0.05*	0.05*	0.05*
	Cardoons	0.02*	0.05*	0.05*	0.05*	0.05*
	Celery	0.02*	0.05*	0.05*	0.05*	0.05*
	Fennel	0.02*	0.05*	0.05*	0.05*	0.05*
	Globe artichokes	0.02*	0.05*	0.05*	0.05*	0.05*
	Leeks	0.02*	0.05*	0.05*	0.05*	0.05*
	Rhubarb	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
viii)	FUNGHI					
	a) Cultivated mushrooms	0.02*	0.05*	0.05*	0.05*	0.05*

*Status: This is the original version (as it was originally made).*

Group to which food belongs	Groups include the following products	Azimsulfuron	Azoxystrobin	Fluroxypr and its esters expressed as fluroxypr	Kresoxim methyl	Prohexadione and its salts expressed as prohexadione
	b) Wild mushrooms	0.02*	0.05*	0.05*	0.05*	0.05*
3. PULSES						
	Beans	0.02*	0.05*	0.05*	0.05*	0.05*
	Lentils	0.02*	0.05*	0.05*	0.05*	0.05*
	Peas	0.02*	0.1	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*
4. OILSEEDS						
	Linseed	0.1*	0.05*	0.05*	0.1*	0.1*
	Peanuts	0.1*	0.05*	0.05*	0.1*	0.1*
	Poppy seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Sesame seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Sunflower seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Rape seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Soya bean	0.1*	0.05*	0.05*	0.1*	0.1*
	Mustard seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Cotton seed	0.1*	0.05*	0.05*	0.1*	0.1*
	Others	0.1*	0.05*	0.05*	0.1*	0.1*
5. POTATOES						
	Early potatoes	0.02*	0.05*	0.05*	0.05*	0.05*
	Ware potatoes	0.02*	0.05*	0.05*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	Including hop pellets &	0.1*	20	0.1*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Azimsulfuron	Azoxystrobin	Fluroxypr and its esters expressed as fluroxypr	Kresoxim methyl	Prohexadione and its salts expressed as prohexadione
	unconcentrated powder					
<b>8. CEREALS</b>						
	Wheat	0.02*	0.3	0.1	0.05*	0.2
	Rye	0.02*	0.3	0.1	0.05*	0.05*
	Barley	0.02*	0.3	0.1	0.05*	0.2
	Sorghum	0.02*	0.05*	0.05*	0.05*	0.05*
	Oats	0.02*	0.3	0.1	0.05*	0.05*
	Triticale	0.02*	0.3	0.1	0.05*	0.05*
	Maize	0.02*	0.05*	0.05*	0.05*	0.05*
	Buckwheat	0.02*	0.05*	0.05*	0.05*	0.05*
	Millet	0.02*	0.05*	0.05*	0.05*	0.05*
	Rice <sup>(1)</sup>	0.02*	5	0.05*	0.05*	0.05*
	Other cereals <sup>(2)</sup>	0.02*	0.05*	0.05*	0.05*	0.05*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>						
	Meat, fat & preparations of meat <sup>(3)</sup>		0.05*	0.05*	0.02* <sup>(14)(15)</sup>	0.05*
				0.5* <sup>(16)</sup>	0.05* <sup>(14)(16)</sup>	
	Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>		0.01*	0.05*	0.05* <sup>(18)</sup>	0.01*
	Eggs <sup>(6)</sup>		0.05* <sup>(7)</sup>	0.05* <sup>(7)</sup>	0.05* <sup>(7)</sup>	0.05* <sup>(7)</sup>

**EXPLANATORY NOTE***(This note is not part of the Regulations)*

These Regulations, which extend to Scotland only, further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000 (“the principal Regulations”).

**Status:** This is the original version (as it was originally made).

The Regulations update the definition of “Residue Directives” in the principal Regulations to incorporate–

- (a) Commission Directive [2001/39/EC](#) (O.J. No. L 148, 1.6.01, p.70);
- (b) Commission Directive [2001/48/EC](#) (O.J. No. L 180, 3.7.01, p.26); and
- (c) Commission Directive [2001/57/EC](#) (O.J. No. L 208, 1.8.01, p.36) (regulation 2 (2) and Schedule 1).

The maximum level for iprodione on spring onions is amended to reflect Commission Directive [1998/82/EC](#) and the maximum level for spiroxamine on liver and kidney is amended to reflect Commission Directive [2000/81/EC](#) (regulation 2(3)).

The Regulations specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Commission Directives [2001/39/EC](#), [2001/48/EC](#), [2001/57/EC](#) (regulation 2 (4) and Schedule 2).

The Regulations make a consequential amendment (regulation 3).