

SCHEDULE 1

Regulation 2(4)

Group to which the food belongs	Groups to include the following products	Cyazofamid	Imidacloprid	Ethoxysulfuron	Fluorfenoxim	Phosalone	Fluzamoxinuron	Oxadiazon	Oxasulfuron	Permethrin	Dimethalin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
i. CITRUS FRUIT											
	Grapefruit	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Lemons	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Limes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Mandarins (inc clementines & similar hybrids)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Oranges	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pomelos	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
ii. TREE NUTS (shelled or unshelled)											
	Almonds	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Brazil nuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Cashew nuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Chestnuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Coconut	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Hazelnuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Macadamia nuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pecans	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pine nuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pistachios	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Walnuts	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
iii. POME FRUIT											

**Status:** This is the original version (as it was originally made).

Group to which the food belongs	Groups to include the following products										
		Cyazofamid DB	Ethoxysulfuron	Fluorfenoxim	Fluorfenoxim	Fluorfenoxim	Fluorfenoxim	Fluorfenoxim	Fluorfenoxim	Oxadiazon	Oxasulfuron
	Apples	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pears	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Quinces	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
<b>iv. STONE FRUIT</b>											
	Apricots	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Cherries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Peaches (inc nectarines & similar hybrids)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Plums	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
<b>v. BERRIES AND SMALL FRUIT</b>											
	(a) (a) Table & wine grapes										
	Table grapes	0.5	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Wine grapes	0.5	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Strawberries (other than wild)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(c) (c) Cane Fruit (other than wild)										
	Blackberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Dewberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Loganberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Raspberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
	(d) (d) Other small fruit & berries (other than wild)										
	Billberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*

Group to which food belongs	Cyazofamid	Imidacloprid	Ethoxysulfuron	Fluazifluor	Fluorfenoxim	Fluazambin	Linuron	Oxadiazon	Oxasulfuron	Permethrin	Dimethalin
Currants (red, black & white)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Gooseberries	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Wild berries & wild fruit	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
<b>vi. MISCELLANEOUS FRUIT</b>											
Avocados	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Bananas	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Dates	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Figs	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Kiwi fruit	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Kumquats	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Litchis	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Mangoes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Olives (table consumption)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Olives (oil extract)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Papaya	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Passion fruit	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Pineapples	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Pomegranates	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	

2. Vegetables, fresh or uncooked, frozen or dry

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Cyazofamid	Fludioxonil	Ethoxysulfuron	Fluazinone	Phosalone	Fluazaindol	Fluazaindol	Fluazaindol	Oxadiazon	Oxasulfuron	Pendimethalin
<b>i. ROOT AND TUBER VEGETABLES</b>												
	Beetroot	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Carrots	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.2	0.01*	0.05*	0.2	
	Celeriac	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.5	0.01*	0.05*	0.05*	
	Horseraadish	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.2	
	Jerusalem artichokes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Parsnips	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.2	0.01*	0.05*	0.2	
	Parsley root	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.2	0.01*	0.05*	0.2	
	Radishes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Salsify	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Sweet potatoes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Swedes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Turnips	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Yams	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
<b>ii. BULB VEGETABLES</b>												
	Garlic	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Onions	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Shallots	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Spring onions	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
<b>iii. FRUITING VEGETABLES</b>												
	(a)	(a) Solanacea										
	Tomatoes	0.2	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Peppers	0.01*	0.05*	0.05*	0.1	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Chili peppers	0.01*	0.05*	0.05*	0.1	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
	Aubergines	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	

Group to which the food belongs	Cyazofamid	Fludioxonil	Ethoxysulfuron	Fluazinone	Fluorfenoxim	Fluorfenoxim	Fluorfenoxim	Fluorfenoxim	Oxadiazon	Oxasulfuron	Pendimethalin
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
(b) Cucurbits-edible peel											
Cucumbers	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Gherkins	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Courgettes	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
(c) Cucurbits-inedible peel											
Melons	0.1	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Squashes	0.1	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Watermelons	0.1	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Others	0.1	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
(d) Sweet corn	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	

iv. BRASSICA VEGETABLES

(a) Flowering Brassicas										
Broccoli	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Cauliflower	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(b) Head Brassicas										
Brussels sprouts	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Head cabbage	0.01*	0.05*	0.05*	0.05	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(c) Leafy Brassicas										
Chinese cabbage	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Kale	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
(d) Kohlrabi	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*

v. LEAF VEGETABLES AND FRESH HERBS

(a) Lettuce & similar	
-----------------------	--

Status: This is the original version (as it was originally made).

Group to which the food belongs	Cyazofamid	Fludioxonil	Ethoxysulfuron	Fluazinone	Fluorfenoxim	Fluorfenoxim	Fluorfenoxim	Fluorfenoxim	Oxadiazon	Oxasulfuron	Pendimethalin
Groups to include the following products											
Cress	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Lamb's lettuce	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Lettuce	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Scarole	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
(b) Spinach & similar											
Spinach	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Beet leaves (chard)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
(c) Watercress	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
(d) Watercress	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
(e) Herbs											
Chervil	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Chives	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Parsley	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	1	0.01*	0.05*	0.05*	
Celery leaves	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	1	0.01*	0.05*	0.05*	
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
<b>vi. LEGUME VEGETABLES (fresh)</b>											
Beans (with pods)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.2	
Beans (without pods)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*	0.05*	0.2	
Peas (with pods)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.2	
Peas (without pods)	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*	0.05*	0.2	

Group to which the food belongs	Cyazofamid	Fludioxonil	Ethoxysulfuron	Fluazinone	Phosalone	Fluazaindol	Linuron	Oxadiazinone	Oxasulfuron	Permethrin	Dimethalin
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.2	
<b>vii. STEM VEGETABLES</b>											
Asparagus	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Cardoon	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Celery	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*	0.05*	0.05*	
Fennel	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Globe artichokes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Leeks	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Rhubarb	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
<b>viii. FUNGI</b>											
Cultivated mushrooms	0.01*(a)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Wild mushrooms	0.01*(b)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
<b>3. &gt;PULSES</b>											
Beans	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Lentils	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Peas	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Others	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
<b>4. OILSEEDS</b>											
Linseed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*	
Peanuts	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*	
Poppy seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*	
Sesame seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*	
Sunflower seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*	
Rape seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*	

Status: This is the original version (as it was originally made).

Group to which the food belongs	Cyazofamid	Fludioxonil	Ethoxysulfuron	Fluazinone	Phosalone	Fluazafenoxpro	Fluazapyr	Linuron	Oxadiazon	Oxasulfuron	Pendimethalin
Groups to include which the following products											
Soya bean	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*	
Mustard seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*	
Cotton seed	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*	
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1*	0.01*	0.05*	0.1*	
5. POTATOES											
Early potatoes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Ware potatoes	0.01*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
6. TEA											
(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.1*	
7. HOPS (dried)											
including hop pellets & unconcentrated powder	0.02*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.1*	
8. CEREALS											
Wheat	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Rye	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Barley	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Sorghum	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Oats	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	
Triticale	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*	



Group to which the food belongs	Cyazofamid	Imidacloprid	Ethoxysulfuron	Fluazafenoxpropanil	Fluazifluor	Fluazulim	Linuron	Oxadiazon	Oxasulfuron	Pendimethalin
Maize	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Buckwheat	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Millet	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Rice <sup>(1)</sup>	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
Other cereals <sup>(2)</sup>	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	0.05*	0.05*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>										
Meat, fat & preparations of meat <sup>(3)</sup>	0.1 <sup>(8)</sup>			0.01*					0.05*	0.05*
Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>		0.01*		0.005*						0.05*
Eggs <sup>(6)(7)</sup>		0.05*		0.01*						0.05*

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

\* Level at or about the limit of determination.

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi milled or wholly milled rice.
- (2) Other cereals do not include rice.
- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg. This footnote does not apply where the MRL is marked with “\*”.
- (4) These levels are for fresh raw cow’s milk and fresh whole cream cow’s milk expressed on the whole milk. A fat content of 4% by weight should be taken as a basis. This footnote does not apply where the MRL is marked with “\*”.
- (5) For preserved, concentrated or sweetened cow’s milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd,

**Status:** This is the original version (as it was originally made).

whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

This footnote does not apply where the MRL is marked with “\*”.

- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the MRL is 10 times higher than the MRL for fresh eggs. This footnote does not apply where the MRL is marked with “\*”.
- (8) All meat except liver and kidney.
- (9) Liver and kidney.