Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Feeding Stuffs (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

PROSPECTIVE

SCHEDULE 7

Regulation 19 and Schedule 3 Part I, paragraphs 18, 25 and 30

PERMITTED FEEDING STUFFS INTENDED FOR PARTICULAR NUTRITIONAL PURPOSES AND PROVISIONS RELATING TO THEIR USE

CHAPTER A

Commencement Information

I1 Sch. 7 Ch. A in force at 1.1.2006, see reg. 1(1)

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Particular nutritional purpose	Essential nutritional characteristics	Species or category of	Labelling declarations	Recommended length of time for use	
Support of renal function in case of chronic renal insufficiency ⁽¹⁾	Low level of phosphorus and restricted level of protein but of high quality	Dogs and cats	 — Protein source(s) — Calcium — Phosphor — Potassium — Contents of essential fatty acids (if added) 	Initially up to 6 months ⁽²⁾	Indicate on the package, container or label: "It is recommended that a veterinarian opinion be sought before use or before extending the period of use." Indicate in the instructions for use: "Water should be available at all times."

Column 1 Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations	Column 5 Recommended length of time for use	Column 6 Other provisions
Dissolution of struvite stones ⁽³⁾	- Urine acidifying properties, low level of magnesium, and restricted level of protein but of high quality	Dogs	 — Protein source(s) — Calcium — Phosphore — Sodium — Magnesiu — Potassium — Chlorides — Sulphur — Urine acidifying substances 	m	Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use." Indicate in the instructions for use: "Water should be available at all times."
	Urine acidifying properties and low level of magnesium	Cats	 Calcium Phosphore Sodium Magnesiu Potassium Chlorides Sulphur Total taurine Urine acidifying substances 	m	
Reduction of struvite stone recurrence ⁽⁴⁾	Urine acidifying properties and moderate level of magnesium	Dogs and cats	 Calcium Phosphore Sodium Magnesium Potassium Chlorides Sulphur Urine acidifying substances 	m m	Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought

Column 1 Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations	Column 5 Recommended length of time for use	provisions
Reduction of urate stones formation	Low level of purines, low level of protein but of high quality	Dogs and cats	- Protein source(s)	Up to 6 months but lifetime use in cases of irreversible disturbance of uric acid metabolism	before use." Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use."
Reduction of oxalate stones formation	Low level of calcium, low level of Vitamin D, and urine alkalising properties	Dogs and cats	 — Phosphor — Calcium — Sodium — Magnesiu — Potassiun — Chlorides — Sulphur — Total Vitamin D — Hydroxyp — Urine alkalising substance 	months im n s	Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use."
Reduction of cystine stones formation	Low level of protein, moderate level of sulphur amino acids and urine alkalising properties	Dogs and cats	 Total sulphur amino acids Sodium Potassiun Chlorides Sulphur Urine alkalising substance 	5	Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use or before extending the period of use."

Column 1 Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations	Column 5 Recommended length of time for use	Column 6 Other provisions
Reduction of feed material and nutrient intolerances ⁽⁵⁾	Selected protein source(s) and/or Selected carbohydrate source(s)	Dogs and cats	 Protein source(s) Content of essential fatty acids (if added) Carbohyd source(s) Contents of essential fatty acids (if added) 	3 to 8 weeks; if signs of intolerance disappear this feed can be used indefinitely	
Reduction of acute intestinal absorptive disorders	Increased level of electrolytes and highly digestible feed materials	Dogs and cats	 Highly digestible feed materials including their treatment if appropria Sodium Potassium Source(s) of mucilagin substance (if added) 	te n	Indicate on the package, container or label: "During periods of and recovery from acute diarrhoea." "It is recommende that a veterinarian opinion be sought before use."
Compensation for maldigestion ⁽⁶⁾	digestible feed	Dogs and cats	feed materials	pancreatic insufficiency	Indicate on the package, container or label: "It is recommende that a veterinarian' opinion be sought

Column 1 Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations	Column 5 Recommended length of time for use	provisions
Support of heart function in case of chronic cardiac insufficiency	Low level of sodium and increased K/Na ratio	Dogs and cats	SodiumPotassiumMagnesiu		before use." Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use or before extending the period of use."
Regulation of glucose supply (Diabetes mellitus)	Low level of rapid glucose releasing carbohydrates	Dogs and cats	 Carbohydd source(s) Treatment of carbohydr if appropriat Starch Total sugar Fructose (if added) Content of essential fatty acids (if added) Source(s) of short and medium chain fatty acids (if added) 	rates	Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use or before extending the period of use."

Column 1 Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations	Column 5 Recommended length of time for use	Column 6 Other provisions
Support of liver function in case of chronic liver insufficiency	High quality protein, moderate level of protein, high level of essential fatty acids and high level of highly digestive carbohydrates	Dogs	 Protein source(s) Content of essential fatty acids Highly digestible carbohydrincluding their treatment if appropria Sodium Total copper 	rates	Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use or before extending the period of use." Indicate in the instructions for use: "Water should be available at all times".
Support of liver function in case of chronic liver insufficiency	High quality protein, moderate level of protein and high level of essential fatty acids	Cats	 Protein source(s) Content of essential fatty acids Sodium Total copper 	Initially up to 6 months	Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use or before extending the period of use."

Column 1 Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations	Column 5 Recommended length of time for use	provisions
					Indicate in the instructions for use: "Water should be available at all times".
Regulation of lipid metabolism in case of hyperlipidaemi	Low level of fat and high level of essential fatty aacids	Dogs and cats	 Content of essential fatty acids Contents of n-3 fatty acids (if added) 	Initially up to 2 months	Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use or before extending the period of use."
Reduction of copper in the liver	Low level of copper	Dogs	– Total copper	Initially up to 6 months	Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use or before extending the period of use."

Column 1 Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations	Column 5 Recommended length of time for use	Column 6 Other provisions
Reduction of excessive body weight	Low energy density	Dogs and cats	– Energy value	Until target body weight is achieved	In the instructions for use an appropriate daily intake must be recommended
Nutritional restoration, convalescence ⁽⁷⁾	High energy density, high Concentration of essential nutrients and highly digestible feed materials	Dogs and cats	 Highly digestible feed materials including their treatment if appropria Energy value Contents of n-3 and n-6 fatty acids (if added) 	Until restoration is achieved	In the case of feeding stuffs specially presented to be given via tubing, indicate on the package, container or label: "Administratiunder veterinary supervision."
Support of skin function in case of dermatosis and excessive loss of hair	High level of essential fatty acids	Dogs and cats	- Contents of essential fatty acids	Up to 2 months	Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use."
Reduction of the risk of milk fever	Low level of calcium and/orLow cations/ anions ratio	Dairy cows		us 1	Indicate in the instructions for use: "Stop feeding after calving."

Column I Particular nutritional purpose Reduction of the risk of ketosis ⁽⁸⁾	Column 2 Essential nutritional characteristics Feed materials providing glucogenic			Column 5 Recommended length of time for use 3 to 6 weeks after g calving ⁽⁹⁾ .	Column 6 Other provisions
	energy sources		glucogen energy sources — Propane- 2-diol (if added as a glucose precursor — Glycerol (if added as a glucose precursor	before and the first 3 1 weeks after lambing (10)	
Reduction of the risk of tetany (hypomagnesae	High level of magnesium, easily eminal lable carbohydrates, moderate level of protein and low level of potassium	Ruminants	 Starch Total sugars Magnesi Sodium Potassiun 	_	In the instructions for use guidance shall be provided on the balance of the daily ration, with regard to the inclusion of fibre and easily available energy sources.
					In the case of feeding stuffs for ovines indicate on the package, container or label: "Especially for lactating ewes."
Reduction of the risk of acidosis	Low level of easily fermentable	Ruminants	StarchTotal sugars	Maximum 2 months ⁽¹¹⁾	In the instructions for use

Column 1 Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations	Column 5 Recommended length of time for use	provisions
	carbohydrates and high buffering capacity				guidance shall be provided on the balance of the daily ration, with regard to the inclusion of fibre and easily fermentable carbohydrate sources. In the case of feeding stuffs for dairy cows indicate on the package, container or label: "Especially for high yielding
					cows." In the case of feeding stuffs for ruminants for fattening indicate on the package, container or label: "Especially for intensively fed
Stabilisation of water and electrolyte balance	Predominantly electrolytes and easily absorbable carbohydrates	Calves Piglets Lambs Kids Foals	Carbohyd source(s)SodiumPotassiunChlorides	days if fed nexclusively)	Indicate on the package, container or label: "In case of risk of, during periods of, or recovery

Column 1 Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations	Column 5 Recommended length of time for use	Column 6 Other provisions from
					digestive disturbance (diarrhoea). It is recommended that a veterinarian's opinion be sought before use."
Reduction of the risk of urinary calcull	phosphorus,	Ruminants	 Calcium Phosphore Sodium Magnesium Potassium Chlorides Sulphur Urine acidifying substances 	m	Indicate on the package, container or label: "Especially for intensively fed young animals." Indicate in the instructions for use: "Water should be available at all times."
Reduction of stress reactions	High level of magnesium and/or Highly digestible feed materials	Pigs	 Magnesium Highly digestible feed materials including their treatment if appropriat Contents of n-3 fatty 	nh to 7 days	Guidance shall be provided on the situation in which the use of this feed is appropriate.

Column 1 Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations acids (if	Column 5 Recommended length of time for use	Column 6 Other provisions
Stabilisation of physiological digestion	Low buffering capacity and highly digestible feed materials	Piglets	added) — Highly digestible feed materials including their treatment if appropriat — Buffering capacity — Source(s) of astringent substances (if added) — Source(s) of mucilagin substances (if added)	uous	Indicate on the package, container or label: "In the case of risk of, during periods of, or recovery from, digestive disturbance."
	Highly digestible feed materials	Pigs	 Highly digestible feed materials including their treatment if appropriat Source(s) of astringent substances (if added) Source(s) of mucilagin substances (if added) 	ous	

Column 1 Particular nutritional purpose Reduction of the risk of constipation	Column 2 Essential nutritional characteristics Feed materials stimulating intestinal passage		stimulatin	Column 5 Recommended length of time for use 10 to 14 days before and 10 to 14 days after farrowing	Column 6 Other provisions
Reduction of the risk of fatty liver syndrome	Low energy and high proportion of metabolizable energy from lipids with high level of polyunsaturated fatty acids	Laying hens	 Energy value (calculate according to EEC method – see Schedule Percentag of metaboliz energy from lipids Content of polyunsat fatty acids 	1) e able	
Compensation for malabsorption	Low level of saturated fatty acids and high level of fat soluble vitamins	Poultry excluding geese and pigeons	of	eDuring the first 2 weeks after hatching	
Compensation for chronic	Highly precaecally	Equines ⁽¹³⁾	Source(s) of highly	Initially up to 6 months	Guidance should be

Column 1 Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations	Column 5 Recommended length of time for use	Column 6 Other provisions
insufficiency of small intestine function	digestible carbohydrates, proteins and fats		digestible carbohydrates, proteins and fats including their treatment if appropriate		provided on the situations in which the use of this feed is appropriate and the manner in which it should be fed including many small meals per day.
					Indicate on the package, container or label: "It is recommend that a veterinarial opinion be sought before use or before extending the period of use."
Compensation of chronic digestive disorders of large intestine	Highly digestible fibre	Equines	 Fibre source(s) Contents of n-3 fatty acids (if added) 	Initially up to 6 months	Guidance should be provided on the situations in which the use of the feed is appropriate and the manner in which the feed should be fed.
					the package, container or label:

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
Particular	Essential	Species or	Labelling	Recommended	
nutritional purpose	nutritional characteristics	category of animal	declarations	length of time for use	provisions
F ·· F ···					"It is
					recommend that a
					veterinariai
					opinion
					be
					sought
					before use or
					before
					extending
					the
					period of use."
Reduction		Equines		nd to 4 weeks	Guidance
of stress reactions	digestible feed materials		Highly digestible		shall be provided on
reactions	materials		feed		the precise
			materials		situations in
			including		which the use
			their treatment		of the feed is appropriate.
			if		арргорпаю.
			appropriat — Content	.e	
			of n-3		
			fatty		
			acids (if added)		
Compensation	Predominantly	Equines	— Calcium	1 to 3 days	Guidance
of electrolyte	electrolytes		— Sodium		shall be
loss in cases	and easily absorbable		— Magnesiu— Potassium		provided on the precise
of heavy sweating	carbohydrates		PotassiumChlorides	L	situations in
s u umg	cure only unuces		Glucose		which the use
					of the feed is
					appropriate.
					When the feed
					corresponds to
					a significant part of the
					daily ration,
					guidance
					should be
					provided to
					prevent the

Column 1 Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations	Column 5 Recommended length of time for use	provisions	
Nutritional restoration,	High concentration	Equines	U ,	Until restoration is	changes in the nature of the feed. Indicate on the instructions for use: "Water should be available at all times." Guidance shall be	
restoration, convalescence			feed materials including their treatment if appropriat — Content of n-3 and n-6 fatty acids (if added)	achieved	snail be provided on the situations in which the use of this feed is appropriate. In the case of feeding stuffs specially presented to be given via tubing, indicate on the package, container or label: "Administrati under veterinary supervision."	
Support of liver function in case of chronic liver insufficiency	Low level of protein but of high quality and highly digestible carbohydrates	Equines	 Protein and fibre source(s) Highly digestible carbohydr including their treatment if appropriat 	rates	Guidance should be provided on the manner in which the feed should be fed including many small meals per day.	

Column I Particular nutritional purpose	Column 2 Essential nutritional characteristics	Column 3 Species or category of animal	Column 4 Labelling declarations	Column 5 Recommended length of time for use	provisions
			 Methionir Choline Contents of n-3 fatty acids (if added) 	ie	Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use or before extending the period of use."
Support of renal function in case of chronic renal insufficiency	Low level of protein but of high quality and low level of phosphorus	Equines	 — Protein source(s) — Calcium — Phosphore — Potassium — Magnesiu — Sodium 	18	Indicate on the package, container or label: "It is recommended that a veterinarian's opinion be sought before use or before extending the period of use."
					Indicate on the instructions for use: "Water should be available at all times."

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Feeding Stuffs (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (2) If the feeding stuff is recommended for temporary renal insufficiency the recommended period for use shall be 2 to 4 weeks
- (3) In the case of feeding stuffs for cats, "feline lower urinary tract disease" or "feline urological syndrome F.U.S." may complete the particular nutritional purpose.
- (4) In the case of feeding stuffs for a particular intolerance reference to the specific intolerance can replace "feed material and nutrient."
- (5) The manufacturer may complete the particular nutritional purpose with the reference "exocrine pancreatic insufficiency."
- (6) In the case of feeding stuffs for cats, the manufacturer may complete the particular nutritional purpose with a reference to "Feline hepatic lipidosis."
- (7) The term "ketosis" may be replaced by "acetonaemia".
- (8) The manufacturers may also recommend the use for ketosis recuperation.
- (9) In the case of feeding stuffs for dairy cows.
- (10) In the case of feeding stuffs for ewes.
- (11) In the case of feeding stuffs for dairy cows, "maximum 2 months from the start of lactation."
- (12) Indicate the category of ruminants concerned.
- (13) In the case of feeding stuffs specially prepared to meet the specific conditions of very old animals (easily digestible feed materials) a reference to "old animals" shall complete the indication of the species or category of animal.

CHAPTER B

1. Where there is more than one group of nutritional characteristics indicated in Column 2 of Chapter A, denoted by "and/or", for the same nutritional purpose, the feeding stuff may have either or both groups in order to fulfil the nutritional purpose specified in Column 1.

Commencement Information

- I2 Sch. 7 Ch. B para. 1 in force at 1.1.2006, see reg. 1(1)
- **2.** Where a group of additives is mentioned in Column 2 or Column 4 of Chapter A, the additive(s) used must be authorised as corresponding to the specified essential characteristic.

Commencement Information

- I3 Sch. 7 Ch. B para. 2 in force at 1.1.2006, see reg. 1(1)
- **3.** Where the source(s) of feed materials or of analytical constituents is/are required in Column 4 of Chapter A the manufacturer must make a specific declaration (i.e. specific name of the feed material(s), animal species or part of the animal) allowing the evaluation of conformity of the feeding stuff with the corresponding essential nutritional characteristics.

Commencement Information

- 14 Sch. 7 Ch. B para. 3 in force at 1.1.2006, see reg. 1(1)
- **4.** Where the declaration of a substance, also authorised as an additive, is required by Column 4 of Chapter A and is accompanied by the expression "total", the declared content must refer to, as appropriate, the quantity naturally present where none is added or the total quantity of the substance naturally present and the amount added as an additive.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Feeding Stuffs (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Commencement Information

- I5 Sch. 7 Ch. B para. 4 in force at 1.1.2006, see reg. 1(1)
- **5.** The declarations specified in Column 4 of Chapter A which include the words "if added" are required where the feed material or the additive has been incorporated or its content increased specifically to enable the achievement of the particular nutritional purpose.

Commencement Information

- I6 Sch. 7 Ch. B para. 5 in force at 1.1.2006, see reg. 1(1)
- **6.** The declarations to be given in accordance with Column 4 of Chapter A concerning analytical constituents and additives must be expressed in quantitative terms.

Commencement Information

- I7 Sch. 7 Ch. B para. 6 in force at 1.1.2006, see reg. 1(1)
- 7. The recommended period of use indicated in Column 5 of Chapter A indicates a range within which the nutritional purpose should normally be achieved. Manufacturers may refer to more precise periods of use, within the permitted range.

Commencement Information

- **18** Sch. 7 Ch. B para. 7 in force at 1.1.2006, see reg. 1(1)
- **8.** Where a feeding stuff is intended to meet more than one particular nutritional purpose, it must comply with the corresponding entries in Chapter A.

Commencement Information

- **19** Sch. 7 Ch. B para. 8 in force at 1.1.2006, see reg. 1(1)
- **9.** In the case of a complementary feeding stuff intended for a particular nutritional purpose, guidance on the balance of the daily ration must be provided in the instructions for use.

Commencement Information

I10 Sch. 7 Ch. B para. 9 in force at 1.1.2006, see reg. 1(1)

Status:

This version of this schedule contains provisions that are prospective.

Changes to legislation:

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Feeding Stuffs (Scotland) Regulations 2005. Any changes that have already been made by the team appear in the content and are referenced with annotations.

View outstanding changes

Changes and effects yet to be applied to:

- sch 7 am by S.S.I. 2008/215 reg 2
- sch 7 am by S.S.I. 2009/21 regs 24 schedule
- Regulations applied by S.I. 2005/3362 reg. 4
- Regulations revoked by S.S.I. 2010/373 Sch. 2 para. 1

Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

Whole provisions yet to be inserted into this Instrument (including any effects on those provisions):

```
    Sch. 3 Pt. 1 para. 18A inserted by S.S.I. 2006/516 reg. 2(2)
```

- Sch. 3 Pt. 1 para. 23(1) words omitted by S.S.I. 2006/516 reg. 2(3)
- Sch. 3 Pt. 1 para. 26 words substituted by S.S.I. 2006/516 reg. 2(4)
- Sch. 5 Ch. A entries inserted by S.S.I. 2006/578 reg. 2(3)(b)Sch. 2 Pt. 1
- Sch. 5 Ch. A entries substituted by S.S.I. 2006/578 reg. 2(3)(a)Sch. 2 Pt. 1
- Sch. 5 Ch. D entries substituted by S.S.I. 2006/578 reg. 2(4)(a)Sch. 2 Pt. 2
- Sch. 5 Chapter C words omitted by S.S.I. 2010/354 reg. 25(3)(c)(ii)
- Sch. 5 Chapter A words substituted by S.S.I. 2010/354 reg. 25(3)(a)Sch. 2
- Sch. 5 Chapter B words substituted by S.S.I. 2010/354 reg. 25(3)(b)
- Sch. 5 Chapter C words substituted by S.S.I. 2010/354 reg. 25(3)(c)(i)
- Sch. 5 Chapter C words substituted by S.S.I. 2010/354 reg. 25(3)(c)(iii)
- Sch. 7 Ch. A coming into force by S.S.I. 2005/605 reg. 1(1)
- Sch. 7 Ch. B para. 1 coming into force by S.S.I. 2005/605 reg. 1(1)
- Sch. 7 Ch. B para. 2 coming into force by S.S.I. 2005/605 reg. 1(1)
- Sch. 7 Ch. B para. 3 coming into force by S.S.I. 2005/605 reg. 1(1)
- Sch. 7 Ch. B para. 3 coming into force by S.S.I. 2005/605 reg. 1(1)
 Sch. 7 Ch. B para. 4 coming into force by S.S.I. 2005/605 reg. 1(1)
- Sch. 7 Ch. B para. 5 coming into force by S.S.I. 2005/605 reg. 1(1)
- Sch. 7 Ch. B para. 6 coming into force by S.S.I. 2005/605 reg. 1(1)
- Sch. 7 Ch. B para. 7 coming into force by S.S.I. 2005/605 reg. 1(1)
- Sch. 7 Ch. B para. 8 coming into force by S.S.I. 2005/605 reg. 1(1)
- Sch. 7 Ch. B para. 8 conting into force by 5.5.1. 2005/005 feg. 1(1)
- Sch. 7 Ch. B para. 9 coming into force by S.S.I. 2005/605 reg. 1(1)