

SCHEDULE 3

Regulation 6(1)(b)

ADDITIONAL CONDITIONS THAT APPLY TO THE KEEPING OF LAYING HENS

PART 1

Interpretation

Interpretation

1. In this Schedule—

“litter” means any friable material enabling the hens to satisfy their ethological needs;

“nest” means a separate space for egg laying, the floor components of which do not include wire mesh that can come into contact with the animals, for an individual hen or for a group of hens; and

“usable area” means an area, other than a nesting area, used by laying hens at least 30cm wide with a floor slope not exceeding 14% and with headroom of at least 45cm.

Commencement Information

I1 Sch. 3 para. 1 in force at 5.11.2010, see [reg. 1](#)

PART 2

General additional conditions

Inspection

2. All hens must be inspected by the person responsible for the hens at least once a day.

Commencement Information

I2 Sch. 3 para. 2 in force at 5.11.2010, see [reg. 1](#)

Noise

3. In all systems in which laying hens are kept—

(a) the sound level must be minimised;

(b) constant or sudden noise must be avoided; and

(c) ventilation fans, feeding machinery or other equipment must be constructed, placed, operated and maintained in such a way that they cause the least possible amount of noise.

Commencement Information

I3 Sch. 3 para. 3 in force at 5.11.2010, see [reg. 1](#)

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Welfare of Farmed Animals (Scotland) Regulations 2010. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Light

4. All buildings must have—
- (a) light levels sufficient to allow all hens to see one another and be seen clearly, to investigate their surroundings visually and to show normal levels of activity and where there is natural light, light apertures must be arranged in such a way that light is distributed evenly within the accommodation; and
 - (b) after the first days of conditioning and to prevent health and behavioural problems a lighting regime that—
 - (i) follows a 24-hour rhythm and includes an adequate uninterrupted period of darkness lasting about one third of the day, so that the hens may rest and to avoid problems such as immunodepression and ocular anomalies; and
 - (ii) provides a period of twilight of sufficient duration when the light is dimmed so that the hens may settle down without disturbance or injury.

Commencement Information

14 Sch. 3 para. 4 in force at 5.11.2010, see [reg. 1](#)

Cleaning and disinfection

- 5.—(1) Those parts of buildings, equipment or utensils which are in contact with the hens must be thoroughly cleaned and disinfected regularly and, in any case, every time depopulation is carried out and before a new batch of hens is brought in.
- (2) While the cages are occupied—
- (a) the surfaces and all equipment must be kept satisfactorily clean;
 - (b) droppings must be removed as often as necessary to prevent cross-infection and the build-up of disease carrying organisms; and
 - (c) dead hens must be removed every day.

Commencement Information

15 Sch. 3 para. 5 in force at 5.11.2010, see [reg. 1](#)

Accommodation

6. Cages must be suitably equipped to prevent hens escaping.

Commencement Information

16 Sch. 3 para. 6 in force at 5.11.2010, see [reg. 1](#)

7. Accommodation comprising 2 or more tiers of cages must have devices, or appropriate measures must be taken, to allow inspection of all tiers and removal of hens without difficulty.

Commencement Information

17 Sch. 3 para. 7 in force at 5.11.2010, see [reg. 1](#)

8. The design and dimensions of the cage door must be such that an adult hen can be removed without undergoing unnecessary suffering or sustaining injury.

Commencement Information

18 Sch. 3 para. 8 in force at 5.11.2010, see [reg. 1](#)

Commencement Information

16 Sch. 3 para. 6 in force at 5.11.2010, see [reg. 1](#)

17 Sch. 3 para. 7 in force at 5.11.2010, see [reg. 1](#)

18 Sch. 3 para. 8 in force at 5.11.2010, see [reg. 1](#)

PART 3

Additional conditions applicable for keeping laying hens in conventional cages

Accommodation, feed, water and ethological needs

9. All conventional (unenriched) cage systems must comply with the following requirements of this paragraph:—

- (a) at least 550cm² of cage area, measured in a horizontal plane, which may be used without restriction, in particular not including non-waste deflection plates liable to restrict the area available, must be provided for each laying hen;
- (b) a feed trough which may be used without restriction must be provided and its length must be at least 10cm multiplied by the number of hens in the cage;
- (c) unless nipple drinkers or drinking cups are provided, each cage must have a continuous drinking channel of the same length as the feed trough mentioned in sub-paragraph (b) and where drinking points are plumbed in, at least 2 nipple drinkers or 2 drinking cups must be within reach of each cage;
- (d) cages must be at least 40cm high over at least 65% of the cage area and not less than 35cm at any point;
- (e) floors of cages must be constructed so as to support each of the forward-facing claws of each foot and floor slope must not exceed 14% or 8 degrees when made of rectangular wire mesh and 21.3% or 12 degrees for other types of floor; and
- (f) cages must be fitted with suitable claw-shortening devices.

Commencement Information

19 Sch. 3 para. 9 in force at 5.11.2010, see [reg. 1](#)

10. On and after 1st January 2012 no person shall keep any laying hen in any conventional (unenriched) cage system.

Commencement Information

110 Sch. 3 para. 10 in force at 5.11.2010, see [reg. 1](#)

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Welfare of Farmed Animals (Scotland) Regulations 2010. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Commencement Information

- I9** Sch. 3 para. 9 in force at 5.11.2010, see [reg. 1](#)
- I10** Sch. 3 para. 10 in force at 5.11.2010, see [reg. 1](#)

PART 4

Additional conditions applicable for keeping laying hens in enriched cages

11. All cage systems (other than those referred to in Part 3) must be enriched to comply with the requirements of this Schedule.

Commencement Information

- I11** Sch. 3 para. 11 in force at 5.11.2010, see [reg. 1](#)

Accommodation

12. Laying hens must have—

- (a) at least 750cm² of cage area per hen, 600cm² of which shall be usable area; the height of the cage other than that above the usable area shall be at least 20cm at every point and no cage shall have a total area that is less than 2000cm²;
- (b) a nest;
- (c) litter such that pecking and scratching are possible; and
- (d) appropriate perches allowing at least 15cm per hen.

Commencement Information

- I12** Sch. 3 para. 12 in force at 5.11.2010, see [reg. 1](#)

Feed

13. A feed trough which may be used without restriction must be provided and its length must be at least 12cm multiplied by the number of hens in the cage.

Commencement Information

- I13** Sch. 3 para. 13 in force at 5.11.2010, see [reg. 1](#)

Water

14. Each cage must have a drinking system appropriate to the size of the group and where nipple drinkers are provided, at least 2 nipple drinkers or 2 drinking cups must be within the reach of each hen.

Commencement Information

I14 Sch. 3 para. 14 in force at 5.11.2010, see [reg. 1](#)

Inspection

15. To facilitate inspection, installation and depopulation of hens there must be a minimum aisle width of 90cm between tiers of cages and a space of at least 35cm must be allowed between the floor of the building and the bottom tier of cages.

Commencement Information

I15 Sch. 3 para. 15 in force at 5.11.2010, see [reg. 1](#)

Ethological needs

16. Cages must be fitted with suitable claw-shortening devices.

Commencement Information

I16 Sch. 3 para. 16 in force at 5.11.2010, see [reg. 1](#)

PART 5

Additional conditions applicable for keeping laying hens in non-cage systems

Feed and water

- 17.** All systems must be equipped in such a way that all laying hens have—
- either linear feeders providing at least 10cm per hen or circular feeders providing at least 4cm per hen;
 - either continuous drinking troughs providing 2.5cm per hen or circular drinking troughs providing 1cm per hen, and in addition, where nipple drinkers or drinking cups are used, there must be at least one nipple drinker or cup for every 10 hens and where drinking points are plumbed in, at least 2 drinking cups or 2 nipple drinkers must be within reach of each hen;
 - at least one nest for every 7 hens and if group nests are used, there must be at least 1m² of nest space for a maximum of 120 hens;
 - perches, without sharp edges and providing at least 15cm per hen; perches must not be mounted above the litter; the horizontal distance between perches must be at least 30cm and the horizontal distance between the perch and the wall must be at least 20cm; and
 - at least 250cm² of littered area per hen, the litter occupying at least one third of the ground surface.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Welfare of Farmed Animals (Scotland) Regulations 2010. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Commencement Information

I17 Sch. 3 para. 17 in force at 5.11.2010, see [reg. 1](#)

Floors

18. The floors of installations must be constructed so as to support each of the forward-facing claws of each foot.

Commencement Information

I18 Sch. 3 para. 18 in force at 5.11.2010, see [reg. 1](#)

Accommodation

19. In addition to the requirements of paragraphs 17 and 18—

- (a) if systems of rearing are used where the laying hens can move freely between different levels—
 - (i) there must not be more than 4 levels;
 - (ii) the headroom between the levels must be at least 45cm;
 - (iii) the drinking and feeding facilities must be distributed in such a way as to provide equal access for all hens; and
 - (iv) the levels must be so arranged as to prevent droppings falling on the levels below; and
- (b) if laying hens have access to open runs—
 - (i) there must be several popholes giving direct access to the outer area, at least 35cm high and 40cm wide and extending along the entire length of the building; in any case, a total opening of 2m must be available per group of 1,000 hens; and
 - (ii) such runs must be of an area appropriate to the stocking density and to the nature of the ground, in order to prevent any contamination, and equipped with shelter from inclement weather and predators and, if necessary, appropriate drinking troughs.

Commencement Information

I19 Sch. 3 para. 19 in force at 5.11.2010, see [reg. 1](#)

20. Subject to paragraph 21, the stocking density must not exceed 9 laying hens per square metre of usable area.

Commencement Information

I20 Sch. 3 para. 20 in force at 5.11.2010, see [reg. 1](#)

21. Where on 3rd July 2002 the establishment applied a system where the usable area corresponded to the available ground surface a stocking density of 12 hens per square metre is authorised until 31st December 2011.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Welfare of Farmed Animals (Scotland) Regulations 2010. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

Commencement Information

I21 Sch. 3 para. 21 in force at 5.11.2010, see [reg. 1](#)

Commencement Information

I19 Sch. 3 para. 19 in force at 5.11.2010, see [reg. 1](#)

I20 Sch. 3 para. 20 in force at 5.11.2010, see [reg. 1](#)

I21 Sch. 3 para. 21 in force at 5.11.2010, see [reg. 1](#)

Changes to legislation:

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Welfare of Farmed Animals (Scotland) Regulations 2010. Any changes that have already been made by the team appear in the content and are referenced with annotations.

[View outstanding changes](#)

Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

Whole provisions yet to be inserted into this Instrument (including any effects on those provisions):

- reg. 7A(2)(c) inserted by [S.S.I. 2024/61 reg. 2](#)