SCHEDULE 2   Articles 2 and 4(5) and (6)

AREAS WHERE, IN ADDITION TO THE PROHIBITION ON
THE DEPLOYMENT OR USE OF ANY FISHING GEAR, THE
DEPLOYMENT OR USE OF ANY PASSIVE GEAR IS PROHIBITED

For the purposes of articles 2, 4(5) and (6) the parts of the protected area described in this Schedule are enclosed by the boundary lines which are described below, in each case by reference to the co-ordinates of the points joined by a line and a topographical description of the line—

PART 1

Boundary Line	Set of co-ordinates of points which the boundary line joins	Topographical description of boundary line
1.	P to Q	Geodesic line
2.	Q to R	Mean high water spring tide
3.	R to S	Geodesic line
4.	S to T	Mean high water spring tide
5.	T to U	Geodesic line
6.	U to P	Mean high water spring tide

Where—

“P” is 55°32.603′N, 005°06.512′W;

“Q” is 55°31.558′N, 005°05.218′W;

“R” is 55°31.876′N, 005°04.305′W;

“S” is 55°32.990′N, 005°04.839′W;

“T” is 55°32.998′N, 005°04.865′W; and

“U” is 55°33.002′N, 005°04.957′W.

PART 2

Boundary Line	Set of co-ordinates of points which the boundary line joins	Topographical description of boundary line
1.	V to W	Geodesic Line
2.	W to X	Geodesic Line
3.	X to Y	Geodesic Line
4.	Y to Z	Geodesic Line
5.	Z to AA	Geodesic Line
6.	AA to AB	Geodesic Line
7.	AB to AC	Geodesic Line
8.	AC to AD	Geodesic Line

Boundary Line	Set of co-ordinates of points which the boundary line joins	Topographical description of boundary line
9.	AD to AE	Geodesic Line
10.	AE to AF	Geodesic Line
11.	AF to AG	Geodesic Line
12.	AG to AH	Geodesic Line
13.	AH to AI	Geodesic Line
14.	AI to AJ	Geodesic Line
15.	AJ to V	Geodesic Line

Where—

"V" is 55°30.584′N, 005°04.208′W;

"W" is 55°30.661′N, 005°04.110′W;

"X" is 55°30.618′N, 005°03.966′W;

"Y" is 55°30.826′N, 005°03.492′W;

"Z" is 55°30.943′N, 005°03.468′W;

"AA" is 55°30.989′N, 005°03.377′W;

"AB" is 55°30.916′N, 005°03.333′W;

"AC" is 55°30.621′N, 005°03.388′W;

"AD" is 55°30.539′N, 005°03.429′W;

"AE" is 55°30.276′N, 005°03.763′W;

"AF" is 55°30.193′N, 005°04.055′W ;

"AG" is 55°30.208′N, 005°04.083′W;

"AH" is 55°30.306′N, 005°04.077′W;

"AI" is 55°30.400′N, 005°04.040′W; and

"AJ" is 55°30.520′N, 005°04.080′W.

PART 3

Boundary Line	Set of co-ordinates of points which the boundary line joins	Topographical description of boundary line
1.	AK to AL	Geodesic line
2.	AL to AM	Geodesic line
3.	AM to AN	Geodesic line
4.	AN to AO	Geodesic line
5.	AO to AP	Geodesic line
6.	AP to AQ	Geodesic line
7.	AQ to AK	Mean high water spring tide

Document Generated: 2023-05-25

Status: *This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

Where—

"AK" is 55°30.403′N, 005°04.812′W;

"AL" is 55°30.035′N, 005°04.838′W;

"AM" is 55°29.650′N, 005°05.146′W;

"AN" is 55°29.177′N, 005°05.361′W;

"AO" is 55°28.567′N, 005°05.010′W;

"AP" is 55°28.039′N, 005°04.535′W; and

"AQ" is 55°27.914′N, 005°04.749′W.

PART 4

Boundary Line	Set of co-ordinates of points which the boundary line joins	Topographical description of boundary line
1.	AR to AS	Geodesic line
2.	AS to AT	Geodesic line
3.	AT to AU	Geodesic line
4.	AU to AR	Geodesic line

Where—

"AR" is 55°26.280′N, 005°07.860′W;

"AS" is 55°26.280′N, 005°06.060′W;

"AT" is 55°25.898′N, 005°06.080′W; and

"AU" is 55°25.908′N, 005°07.838′W.

PART 5

Boundary Line	Set of co-ordinates of points which the boundary line joins	Topographical description of boundary line
1.	AV to AW	Geodesic line
2.	AW to AX	Geodesic line
3.	AX to AY	Geodesic line
4.	AY to AV	Geodesic line

Where—

"AV" is 55°26.520′N, 005°18.660′W;

"AW" is 55°26.520′N, 005°17.220′W;

"AX" is 55°26.100′N, 005°17.220′W; and

"AY" is 55°26.176′N, 005°18.643′W.