

---

SCOTTISH STATUTORY INSTRUMENTS

---

**2019 No. 210**

**BUILDING AND BUILDINGS**

**The Building (Scotland) Amendment Regulations 2019**

<i>Made</i>	- - - -	<i>12th June 2019</i>
<i>Laid before the Scottish Parliament</i>	- - - -	<i>14th June 2019</i>
<i>Coming into force</i>	- -	<i>1st October 2019</i>

The Scottish Ministers make the following Regulations in exercise of the powers conferred by sections 1, 54(2) and schedule 1 of the Building (Scotland) Act 2003<sup>(1)</sup>, and all other powers enabling them to do so.

In accordance with section 1(2) of that Act<sup>(2)</sup> they have consulted with such persons as appear to them to be representative of the interests concerned.

**Citation and commencement**

1. These Regulations may be cited as the Building (Scotland) Amendment Regulations 2019 and come into force on 1 October 2019.

**Amendment of the Building (Scotland) Regulations 2004**

2.—(1) The Building (Scotland) Regulations 2004<sup>(3)</sup> are amended in accordance with paragraph (2).

(2) In schedule 5 (building standards applicable to design and construction), in paragraph 2.4 (cavities)—

- (a) omit “unseen”, and
- (b) for “concealed spaces” substitute “cavities”.

---

(1) 2003 asp 8.

(2) Section 1(2) was amended by section 6(2) of the Public Services Reform (Scotland) Act 2010 (asp 8).

(3) S.S.I. 2004/406, as relevantly amended by S.S.I. 2006/534.

---

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

---

St Andrew's House,  
Edinburgh  
12th June 2019

*KEVIN STEWART*  
Authorised to sign by the Scottish Ministers

---

## EXPLANATORY NOTE

*(This note is not part of the Regulations)*

These Regulations amend the Building (Scotland) Regulations 2004 (“the 2004 Regulations”), which set out functional standards for buildings.

Regulation 2(2) amends schedule 5 of the 2004 Regulations to provide that in terms of standard 2.4, buildings are to be designed and constructed in such a way that in the event of an outbreak of fire within the building the spread of fire and smoke within cavities in the structure and fabric of the building is inhibited.