
Changes to legislation: There are currently no known outstanding effects for the Parochial Registers and Records Measure 1978, Paragraph 3. (See end of Document for details)

SCHEDULES

[^{F1}SCHEDULE 2

PROVISIONS WHICH APPLY TO REGISTER BOOKS AND RECORDS RETAINED IN PAROCHIAL CUSTODY UNDER SECTION 11(3)

Textual Amendments

- F1** Sch. 2 substituted (1.1.1993) by Church of England (Miscellaneous Provisions) Measure 1992 (No. 1), s. 4(1), **Sch. 1 para.12**; Instrument dated 7.9.1992 made by the Archbishops of Canterbury and York.

- ^{F23} The temperature and relative humidity in such cabinet or muniment room shall be checked at least once a week by means of a maximum-minimum thermometer and a hygrometer, each of which shall be kept in the cabinet or muniment room. Records of all readings shall be kept for a period of not less than twelve months and be made available for inspection at any reasonable time by the archdeacon in whose archdeaconry the parish is situated or by such person or persons as he may appoint.]

Textual Amendments

- F2** Sch. 2 substituted (1.1.1993) by Church of England (Miscellaneous Provisions) Measure 1992 (No. 1), s. 4(1), **Sch. 1 para.12**; Instrument dated 7.9.1992 made by the Archbishops of Canterbury and York.

Changes to legislation:

There are currently no known outstanding effects for the Parochial Registers and Records Measure 1978, Paragraph 3.