

SCHEDULE

Regulation 2

Centre-fire cartridges (imperial): breech-loading longarm firearms

1. The following descriptions of centre-fire cartridges (imperial)—

- .22 Extra Long Maynard
- .22-15-60 Stevens
- .25-20 Single Shot
- .25-21 Stevens
- .25-25 Stevens
- .250 Rook (or .297/.250 Rook)
- .255 Jeffery Rook
- .26 BSA (.26 Rimless Belted Nitro Express)
- .275 Jeffery
- .276 Enfield P.13
- .28-30-120 Stevens
- .297/.230 Sporting
- .297/.230 Morris
- .298 Minex
- .300 (.295) Rook
- .300 Sherwood
- .300/.250 Rook
- .30/30 Wesson
- .30-40 Wesson
- .310 Cadet
- .310 Greener
- .310/.300 Rook (.305 or .300 Rook Special), 1 ^{1/16} inch
- .320/.230 Rook
- .32 CF Long Rifle (Rook)
- .32 Ideal
- .32-35 Stevens
- .32-40 Bullard
- .32-40 Remington-Hepburn
- .32-40 Winchester and Ballard
- .33 BSA (.33 Belted Rimless Nitro Express)
- .35-30 Maynard
- .35-40 Maynard

- .360 No 2 Nitro Express
- .360 Gibbs No.3
- .360 Gibbs No.4 (also known as .380 Gibbs No.4)
- .360 Long Rifle (Rook)
- .360 Westley Richards, No.3 Express
- .360/.300 Fraser
- .360 - 2 ⁷/₁₆ inch Black Powder
- .360 - 2 ³/₄ inch Boxer
- .369 Purdey
- .38-35 Stevens Everlasting
- .38-40 Ballard Everlasting
- .38-40 Remington-Hepburn
- .38-45 Bullard
- .38-56 Winchester
- .38-70 Winchester
- .38-90 Winchester
- .380 – 2 ¹/₄ inch Rigby (Black Powder Express)
- .380 Black Powder Express (also known as .360 - 2 ¹/₄ inch)
- .380 Long Rifle (Rook)
- .40 BSA (.40 Belted Rimless Nitro Express)
- .40-40 Maynard
- .40-50 Sharps Straight
- .40-60 Marlin
- .40-60 Maynard
- .40-60 Winchester
- .40-63 Ballard
- .40-65 Ballard Everlasting
- .40-65 Sharps Straight
- .40-65 Winchester
- .40-70 Ballard
- .40-70 Maynard
- .40-70 Peabody What Cheer
- .40-70 Sharps Necked
- .40-70 Sharps Straight
- .40-70 Winchester

.40-72 Winchester
.40-75 Bullard
.40-82 Winchester
.40-85 Ballard
.40-90 Bullard
.40-90 Sharps Necked
.40-90 What Cheer
.40-110 Winchester Express
.40 (.50-70 base) Caliber Reduction, Experimental
.400 – 2 ^{1/2} inch, Kynoch
.400 – 2 ^{3/4} inch, Westley Richards
.400 Purdey (.400 – 3 inch, Straight)
.400 – 3 ^{1/4} inch, Boxer
.400/360 2 ^{3/4} inch, Nitro Express
.402 Enfield-Martini, Experimental
.42 (.50-70 base) Caliber Reduction, Experimental
.425 Westley Richards Magnum
.425 Webley (.425 – 1 ^{5/16} Webley)
.430 Long Rifle (also known as .430 Long Revolver)
.44 Dupee Rimless
.44 Evans (Short)
.44 Evans (Long)
.44 Morse Necked
.44-50 Meigs
.44-60 Creedmore
.44-77 Remington
.44-90 Sharps (Necked) 2 ^{7/16} inch
.44-90 Sharps (Necked) 2 ^{5/8} inch
.44-90 Remington Special (Necked)
.44-95 Peabody What Cheer
.44-100 Maynard
.442 - 1.025 inch Carbine
.45 Boxer-Henry, Long Chamber 1869
.45 Brown Standard Military Target Rifle

- .45 Gardner, Gatling & Nordenfeldt
- .45 New South Wales Police Carbine
- .45 Turkish Peabody (also known as 11.43 x 55 mm R Turkish)
- .45 US Experimental 1869
- .45-50 Sporting
- .45-75 Winchester
- .45-85 Ward Burton, Experimental
- .45-125 Winchester
- .45-200-500 Winchester, Experimental
- .45 (.50-70 base) Caliber Reduction, Experimental
- .450 No.1, Black Powder Express, Case Length: 1 ¹/₂ inch
- .450 Black Powder Express, Case Length: 2 ¹/₂ inch
- .450 Black Powder Express, Case Length: 2 ⁶/₁₀ inch
- .450 Black Powder Express, Case Length: 2 ⁹/₁₆ inch
- .450 Black Powder Express, Case length: 3 inch
- .450 Black Powder Express, Case Length: 3 ¹/₁₆ inch
- .450 Black Powder Express, Case Length: 3 ¹/₄ inch
- .450 Needham
- .450 – 2 ¹/₂ inch, Soper
- .450/.350 – 2 ³/₈ inch
- .450/.360 – 2 ³/₈ inch, Purdey
- .450/.400 Black Powder, Case Length: 2 ³/₈ inch
- .450/.400 Black Powder, Case Length: 2 ⁷/₈ inch
- .450/.400 Black Powder, Case Length: 2 ¹⁹/₃₂ inch, T. Turner, No.2
- .450/.400 Black Powder, Case Length: 2 ³/₄ inch, Westley Richards
- .450/.400 Black Powder, Case Length: 3 ¹/₄ inch
- .450/.400, Case Length: 3 inch, Jeffery
- .450 No.1 Carbine, 1 ⁹/₁₆ inch (.500/.450 No.1 Carbine)
- .450 No.1 Musket, 2 ¹/₄ inch (.500/.450 No.1 Musket)
- .450 No.2 Musket, 2 ¹¹/₃₂ inch (.500/.450 Westley Richards No.2 Musket)
- .46 Winchester
- .461 Gibbs No.1, Case length: 2 ¹¹/₃₂ inch
- .461 Gibbs No.2, Case length: 2 ³/₄ inch

.475 3 ¹/₄ inch Nitro Express
.475 No 2 Jeffery Nitro Express
.475 No 2 Nitro Express
.476 Nitro Express (.476 Westley Richards)
.476 Indian Police
.48 Morse
.490 BSA (Experimental Police)
.50 Boxer 1867
.50 Daw's Patent 1867
.50 Meigs
.50 Morse
.50 Peabody
.50 Spencer Carbine
.50 Springfield Cadet
.50-50 Maynard
.50-70 Maynard
.50-70 Springfield (US Govt)
.50-90 2.5 inch
.50-95 Winchester (Winchester Express)
.50-100-450 Winchester (Winchester Express)
.50/110 Winchester (Winchester Express)
.50-110 2.4 inch
.50-115 Bullard
.50-140 Sharps
.50-.48 Meigs
.50-.58 Morse, Sleeved
.500 – 1 ¹/₂ inch
.500 – 2 ¹/₄ inch
.500 – 2 ¹/₂ inch
.500 – 3 inch
.500 – 3 ¹/₄ inch
.500/.450 No.1 Express, 2 ³/₄ inch
.500/.450 Webley Carbine, 1 ¹¹/₁₆ inch
.500/.450 – 2 ¹/₂ inch

.500/.450 – 3 ³/₈ inch
.500/.450 – 3 ¹/₂ inch
.52-70 Sharps
.54 Morse
.55 Gatling
.55 Morse
.55-100 Maynard
.56-56 US, Experimental
.577 Daw’s Patent 1867
.577 Selwyn 1865
.577 Snider
.577 – 2 ¹/₄ inch (Black Powder & Nitro Express)
.577 – 2 ¹/₂ inch (Black Powder & Nitro Express)
.577 – 2 ³/₄ inch (Black Powder & Nitro Express)
.577 – 3 inch (Black Powder & Nitro Express)
.577 – 3 ¹/₄ inch (Black Powder & Nitro Express)
.577/.450 Martini-Henry
.577/.500 Magnum Express
.577/.500 No.2 Express
.58 Morse
.58 Remington Carbine
.58 Roberts
.58 Tibbals-Roberts 1869
.58 (Short case) US Converted Musket, 1865
.58 Berdan System, Conversion of US muzzle-loading rifles
.60 Jingal Rifle, Chinese
.65 Gatling
.69 Morse
.75 Jingal Rifle, Chinese
.75 Gatling
.80 Gatling
1 inch Nordenfeldt-Palmcranz
20 bore/.577 Alexander Henry.

Centre-fire cartridges (metric): breech-loading longarm firearms

2. The following descriptions of centre-fire cartridges (metric)—

5.2 mm Mondragon
5.2 x 34 mm R Kronprinz
5.6 x 33 mm Rook
5.6 x 34 R mm Francotte Carbine
6 mm Lee Navy (6 x 60 mm)
6 x 29.5 mm Stahl
6 x 58 mm Forster (rimmed and rimless)
6 x 58 mm Gewehrprüfungskommission M.1897
6.5 mm Mondragon (6.5 x 53mm)
6.5 x 27 mm R
6.5 x 40 mm R
6.5 x 48 mm R Sauer
6.5 x 53mm R Mannlicher (Dutch/Romanian)
6.6 x 70 mm R
7.5 x 53 mm Schmidt Rubin M.1890, Swiss
7.5 x 53.5 mm R Rubin
7.5 x 53.5 mm Rimless Rubin
7.53 x 60 mm R Hebler
7.7 x 60 mm R
8 x 48 mm R
8 x 48 mm R Sauer
8 x 55 mm R Petit Gras
8 x 56 mm Mannlicher Schoenauer
8 x 57 mm R Petit Gras
8 x 57 mm R Experimental, Spanish
8 x 57.5 mm R Rubin
8 x 58 mm R Krag
8 x 58 mm R Petit Gras
8 x 58 mm R Sauer
8 x 60 mm R Guedes & Portuguese Kropatschek
8 x 61 mm R Rubin
8 x 72 mm R
8 x 75 mm R Pieri

8 mm Murata
8.15 mm Mauser, Experimental
8.15 x 46 mm R (Target)
8.3 x 53.5 mm R Rubin
9 x 51.5 mm R Rubin
9 x 56 mm Mannlicher Schoenauer
9 x 57 mm R Mauser
9 x 57 mm Rimless Mauser
9 x 57 mm R Rubin
9.3 x 58 mm R Koeffler
9.3 x 63.5 mm R Koeffler
9.3 x 65 mm R Collath
9.3 x 70 mm R
9.3 x 75 mm R Nimrod
9.3 x 82 mm R Nimrod
9.5 x 42 mm R (for Target or Schutzen rifles)
9.5 x 47 mm R (for Target or Schutzen rifles)
9.5 x 57 mm Mannlicher Schoenauer
9.5 x 59 mm R Gras, Experimental
9.5 x 60 mm R Mauser, Turkish
10 x 47 mm R
10.15 x 61 mm R Jarmann
10.15 x 61 mm R
10.15 x 63 mm R Mauser, Serbian
10.16 x 57 mm R, Berdan, Experimental
10.25 x 69 mm R Hunting Express
10.3 x 41 mm R
10.3 x 65 mm R Baenziger
10.35 x 47 mm R Vetterli, Italian
10.4 x 38 mm R Martini Galland
10.4 x 42 mm R Vetterli, Swiss
10.4 x 47 mm R Stahl
10.4 x 56 mm R Swiss
10.66 x 48 mm R Berdan Carbine, Russian
10.66 x 57 mm R Berdan, Russian & Bulgarian

10.7 x 57 mm R Krag Petersson
10.75 x 55 mm R
10.8 x 47 mm Martini (Target)
11 mm Manceaux
11 x 42 mm R
11 x 43 mm R Comblain, Carbine
11 x 45 mm R
11 x 46 mm R
11 x 48.5 mm R Gras, 'Battalion Ecole'
11 x 50 mm R Remington, Egyptian
11 x 50.5 mm R Comblain
11 x 53 mm Gevelot
11 x 57 mm R Remington, Spanish
11 x 59 mm R Gras
11 x 70 mm R Mitrailleur
11.15 x 36 mm R Werndl Carbine, Austrian
11.15 x 36 R Fruhwirth
11.15 x 37 mm R Grensaufsehr
11.15 x 42 mm R Werndl, Austrian
11.15 x 50 mm R (for Target or Schutzen rifles)
11.15 x 58 mm R
11.15 x 58 mm R Werndl, Austrian, Holub & Mannlicher
11.15 x 60 mm R Murata, Japanese
11.15 x 60 mm R Mauser
11.15 x 65 mm R
11.15 x 71 mm R
11.2 x 39.6 mm R
11.2 x 51 mm R Kropatschek-Hessig
11.25 x 44.5 mm R
11.3 x 51 mm R Beaumont, Dutch
11.4 x 44.5 mm R Gendarmerie Carbine, Dutch
11.4 x 53 mm R Comblain, Brazilian
11.4 x 57 mm R Remington, Spanish
11.43 x 41 mm R Peabody-Martini, Carbine
11.43 x 49 mm R Peabody, Romanian

11.43 x 59 mm R Peabody-Martini, Turkish
11.5 x 35 mm R Werder, Carbine
11.5 x 50 mm R Werder, Austrian
11.5 x 60 mm R
11.53 mm Albini-Braendlin
11.6 x 50 mm R Comblain, Chilean
11.7 x 41.5 mm R Remington, Danish
11.7 x 45.5 mm R Remington, Danish
11.7 x 51.6 mm R Remington, Danish
11.7 x 57 mm R Berdan, Experimental
12.2 x 70 mm R Mitrailleur
12.5 x 60 mm R
12.7 x 48 mm R
12.7 x 70 mm R Mitrailleur
12.8 x 45 mm R Papal Remington, Vatican Guard (also known as 12.7 x 45 mm R)
13 mm Rochaz-Lindner
13 x 87 mm R Mitrailleur
13 x 92 mm Mauser, Tankgewehr
13.2 x 32 R
14.5 x 33 mm R Wanzl, Austrian
14.5 x 41 mm R Berdan, Spanish
14.66 x 35 mm R Peabody, Serbian
14.7 x 58 mm R Schneider
15.2 x 28 mm R
15.2 x 110 mm R Mitrailleur
15.24 x 40 mm R Krnka, Transformed
17 x 28 mm R Snider, Danish
17.5 x 29 mm R Snider, Dutch
18 x 35 mm R Tabatiere
18.84 x 38 mm R Tabatiere
18.84 x 57 mm R Wanzl-Albini, Wall Gun.

Centre-fire cartridges (imperial): breech-loading pistols

3. The following descriptions of centre-fire cartridges (imperial)—
- .22 CF experimental
 - .230 CF

.31 Thuer
.32 Protector
.32-44 Smith & Wesson
.340 Long Revolver
.340 Short Revolver
.360 Thuer
.430 Revolver
.44 Colt Revolver
.44 Devilliers
.44 Merwin & Hulbert, Short
.44 Merwin & Hulbert, Long
.44 Remington Revolver
.44 S&W American
.44 Thuer
.440 Revolver
.440 Long Revolver
.440 Nagant (Argentine Model)
.442 Long Revolver
.45 Mars Short
.45 Mars Long
.45 MP (Maxim Pistol)
.450 No.1 Bland
.50 Remington Army Pistol, M.1871
.50 Remington Navy Pistol, M.1867
.50 Springfield Pistol, M.1869
.500 Revolver
.577 Pistol.

Centre-fire cartridges (metric): breech-loading pistols

4. The following descriptions of centre-fire cartridges (metric)—

2.7 mm Kolibri
3 mm Kolibri
4.25 mm Liliput
5 mm Bergmann No.2 Pistol M.94 (no extractor groove)
5 mm Bergmann No.2 Pistol M.96 (extractor groove)
5 mm Brun

5 mm Charola y Anitua
5 mm Clement
5 mm French
5 mm Pickert
5.2 mm Pickert Revolver
5.43 x 26.8 mm Revolver
5.5 mm Velo-Dog Revolver
6 mm Beaumont Revolver
6 mm Merveilleux
6 mm Protector
6.3 x 21 mm rimless
6.5 mm Bergmann No.3 M.94 Pistol (no extractor groove)
6.5 mm Bergmann No.3 M.93 Pistol (extractor groove)
6.5 mm Mannlicher Pistol M.1894
6.5 mm Ronezewsky
6.8 mm Schulhof Pistol
6.8 x 19.6 mm Revolver
7 mm Bar
7 mm Charola y Anitua
7 mm Devisme
7 mm Thick Rim, French
7 x 20 mm Target Pistol, German (46)
7 x 22 mm Target Pistol, German (47)
7 x 25 mm Target Pistol, German (48)
7 x 30 mm Target Pistol, German (49)
7 mm Galand
7 mm Revolver
7.25 mm Adler
7.65 mm Frommer M.1901
7.65 mm Roth Sauer
7.7 mm Bittner Pistol
7.8 mm Bergmann No.5
7.8 x 19 mm R Laumann
8 mm Bergmann No.1 Pistol
8 mm Bergmann No.4

8 mm Bergmann No.7
8 mm Bergmann-Schmeisser
8 mm Target Pistol, German
8 mm Gaulois Pistol
8 mm Protector
8 mm Raphael
8 mm Roth Steyr
8 mm Schonberger
8 mm Schulof
8.5 mm Mars
9 mm Nagant, Belgian
9 mm Devisme
9 mm Thick Rim, French
9 mm Mars
9 mm Moutier Rimless, Grooveless
10 mm Bergmann
10 mm Gaupillat
10 mm Mars
10 mm Mauser Short
10 mm Mauser Long
10.4 mm Swiss M.1878
10.6 mm Mauser
11 mm Devilliers
11 mm Devisme
11 mm French Ordnance Revolver M.1870 (Navy)
11.35 mm Schouboe, Rimmed
11.35 mm Schouboe, Rimless
12 mm Moutier
12 mm Pidault & Cordier
12 mm Perrin, Thick Rim
12 mm Raphael
15 mm Revolver
16.5 x 18 R mm Beringer.

Cartridges for vintage rifles, punt guns or shot guns

5. The following descriptions of cartridges—

7 mm CF Walking Stick

9.1 x 40 mm Walking Stick

11.15 x 52 mm Walking Stick

.360 Shotgun

32 bore

24 bore

14 bore

10 bore (2 ⁷/₈ inch case length)

10 bore (2 ⁵/₈ inch case length)

8 bore

4 bore

3 bore

2 bore

1 ¹/₈ bore

1 ¹/₄ bore

1 ¹/₂ bore.