

1970 No. 630

CUSTOMS AND EXCISE

**The Import Duties (Temporary Exemptions)
(No. 4) Order 1970**

<i>Made - - - -</i>	<i>27th April 1970</i>
<i>Laid before the</i>	
<i>House of Commons</i>	<i>1st May 1970</i>
<i>Coming into Operation</i>	<i>7th May 1970</i>

The Lords Commissioners of Her Majesty's Treasury, by virtue of the powers conferred on them by sections 3(6) and 13 of the Import Duties Act 1958(a), and of all other powers enabling them in that behalf on the recommendation of the Board of Trade hereby make the following Order:—

1.—(1) This Order may be cited as the Import Duties (Temporary Exemptions) (No. 4) Order 1970.

(2) The Interpretation Act 1889(b) shall apply for the interpretation of this Order as it applies for the interpretation of an Act of Parliament.

(3) This Order shall come into operation on 7th May 1970.

2.—(1) Until the beginning of 1st January 1971 or, in the case of goods in relation to which an earlier day is specified in Schedule 1 to this Order, until the beginning of that day, any import duty which is for the time being chargeable on goods of a heading of the Customs Tariff 1959 specified in that Schedule shall not be chargeable in respect of goods of any description there specified in relation to that heading.

(2) The period for which the goods of the headings of the Customs Tariff 1959 and descriptions specified in Schedule 2 to this Order are exempt from import duty shall be extended until the beginning of 1st January 1971 or, in the case of goods in relation to which an earlier day is specified in that Schedule, until the beginning of that day.

(3) Any entry in column 2 in Schedule 1 or 2 to this Order is to be taken to comprise all goods which would be classified under an entry in the same terms constituting a subheading (other than the final subheading) in the relevant heading in the Customs Tariff 1959.

(4) For the purposes of classification under the Customs Tariff 1959, in so far as that depends on the rate of duty, any goods to which paragraph (1) or (2) above applies shall be treated as chargeable with the same duty as if this Order had not been made.

Neil McBride,
Joseph Harper,
Two of the Lords Commissioners
of Her Majesty's Treasury.

27th April 1970.

SCHEDULE 1

GOODS TEMPORARILY EXEMPT FROM IMPORT DUTY

<i>Tariff heading</i>	<i>Description</i>
28.30	Cobaltous chloride (until 2nd July 1970)
29.13	4-(1-Ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone
29.14	Methyl <i>n</i> -dodecanoate
29.22	<i>NN'</i> -Di-(1,4-dimethylpentyl)- <i>p</i> -phenylenediamine
29.23	4-Aminophenol L-Lysine L-glutamate 2,3,5,6,2',3',5',6'-Octachlorodi-(2-hydroxyethylamino)biphenyl <i>N</i> -[2-(α -Tolylbenzyloxy)ethyl]methylanmonium chloride
29.26	L-Arginine L-glutamate
29.34	Phenyltrichlorosilane
29.35	4-Amino-5-cyano-2-methylpyrimidine 2-Aminothiazole 4'-Fluoro-4-[4-(2-pyridyl)piperazin-1-yl]butyrophenone <i>iso</i> Nicotinamide
29.39	Triamcinolone acetonide 21-(3,3-dimethylbutyrate) Triamcinolone 16,21-diacetate (until 2nd July 1970)
32.07	Lithopones, being pigments consisting of barium sulphate and zinc sulphide and containing not less than 28 per cent. by weight of zinc sulphide
39.02	Acrylic sheet, transparent, colourless, of a thickness not less than 1.5 millimetres and not greater than 25.0 millimetres, which, when kept for 24 hours at a temperature of 110° centigrade, undergoes a linear shrinkage of not more than 10 per cent. and which, when kept for 24 hours at a temperature of 145° centigrade, undergoes a linear shrinkage of not less than 37.5 per cent. (until 2nd July 1970)
55.02	Bleached cotton linters not containing more than 1 part per million by weight of copper, 4 parts per million by weight of iron, or 10 parts per million by weight of silica, and not yielding, on ignition, more than 0.02 per cent. by weight of ash, determined in each case by reference to the dry weight of the linters plus 8.5 per cent. moisture regain
68.13	Asbestos paper, rubber impregnated, in rolls, being not less than 0.55 millimetre and not more than 0.65 millimetre in thickness, weighing not less than 0.55 kilogramme and not more than 0.65 kilogramme per square metre, and which, when heated to a temperature of 1,000° centigrade, has a loss in weight of not less than 24 per cent. and not more than 28 per cent. (until 2nd July 1970)
73.15	Alloy steel coils for re-rolling, containing not more than 3.5 per cent. by weight of silicon as the major alloying element, and of a thickness of not more than 3 millimetres (until 2nd July 1970)
81.04	Titanium sponge (until 2nd July 1970)
85.14	Monolithic integrated-circuit linear amplifiers having a voltage gain of 80 decibels to 92 decibels and rated power output of 3 milliwatts, of a kind for incorporation in deaf aids, with five connection terminals each side, of a length not exceeding 0.257 inch, of a width, exclusive of terminals, not exceeding 0.147 inch and of a thickness not exceeding 0.040 inch
85.28	Moving coil receivers having an overall diameter of 52 millimetres, of a kind for use with electro medical apparatus (for example, clinical audiometers)
90.09	Blockwriters for step and repeat photo-reduction apparatus (until 2nd July 1970)

SCHEDULE 2

GOODS FOR WHICH EXEMPTION FROM IMPORT DUTY EXTENDED

<i>Tariff heading</i>	<i>Description</i>
12.01	Castor seed
29.02	Chloropentafluoroethane (until 2nd July 1970)
29.04	2,3-Dibromopropan-1-ol containing not more than 0.1 per cent. by weight of 1,2,3-tribromopropane (until 2nd July 1970) Tridecyl alcohol, mixed isomers (until 2nd July 1970)
29.06	3,5-Xylenol (until 2nd July 1970)
29.14	2,4-Dichlorobenzoyl chloride (until 3rd September 1970)
29.19	Tri-(2,3-dibromopropyl) phosphate containing not more than 0.20 per cent. by weight of 2,3-dibromopropanol (until 2nd July 1970)
29.22	4-Cyclohexylaminodiphenylamine 1,2-Diaminoethane (until 2nd July 1970) Diethylenetriamine (until 2nd July 1970) N-Methyl-4-nitroaniline 4-Nitrosodiphenylamine Tetraethylenepentamine (until 2nd July 1970) Triethylenetetramine (until 2nd July 1970)
29.25	secButylurea Procainamide hydrochloride
29.31	Dithiocyanatomethane having a melting point not less than 100° centigrade (until 2nd July 1970)
29.35	2,6-Dimethyl-4-n-tridecylmorpholine
37.01	Diazo film in sheets, being film which is capable, when developed by heating at between 105° and 135° centigrade, of producing a positive image consisting of light-scattering cavities in an otherwise transparent coating
37.02	Diazo film in rolls, being film which is capable, when developed by heating at between 105° and 135° centigrade, of producing a positive image consisting of light-scattering cavities in an otherwise transparent coating
37.03	Diazo paper, unexposed, being paper which is capable, when developed by heating at between 105° and 135° centigrade, of producing a positive image consisting of light-scattering cavities in an otherwise transparent coating (until 2nd July 1970)
38.19	Calcined bauxite
44.09	Cleft pales, stub-pointed, not less than 3 feet nor more than 6 feet in length, split from stems or branches of sweet chestnut of not less than 4 inches girth (until 2nd July 1970)
73.13	Sheets of iron or steel, rectangular or in coils, containing not less than 1 per cent. by weight of silicon, whether or not coated, of a width exceeding 500 millimetres but not more than 1,250 millimetres, of a thickness not exceeding 1.6 millimetres
73.14	Iron-nickel alloy wire, copper-clad and nickel-plated, having an overall diameter of not less than 400 microns and not more than 450 microns, the nickel plating being not less than 2 microns and not more than 15 microns in thickness; the whole containing not less than 20 per cent. by weight of copper, not less than 25 per cent. by weight of nickel and not less than 40 per cent. by weight of iron, and having, when measured on an 0.20 metre length, a percentage elongation not less than 18 and not more than 25, and a tensile strength not less than 430 newtons per square millimetre and not more than 530 newtons per square millimetre, the rate of straining being 50 millimetres per minute

<i>Tariff heading</i>	<i>Description</i>
73.15	Sheets of alloy steel, rectangular or in coils, containing not more than 3·5 per cent. by weight of silicon as the major alloying element, whether or not coated, of a width exceeding 500 millimetres but not more than 1,250 millimetres, of a thickness not exceeding 1·6 millimetres
81.04	Manganese metal of a purity not less than 96 per cent. and not more than 99·5 per cent. and containing not more than 1·0 per cent. by weight of carbon and not more than 3·0 per cent. by weight of iron Wrought titanium alloy containing not less than 3 per cent. nor more than 5 per cent. by weight of vanadium, not less than 5 per cent. nor more than 7 per cent. by weight of aluminium, balance titanium, in the form of billets of not less than 4 inches nor more than 7 inches in diameter or not less than 4 inches nor more than 7 inches square, in random lengths, and in the form of slab of a thickness of not less than 2½ inches nor more than 3½ inches, of a width of not less than 8½ inches nor more than 12½ inches in random lengths (until 2nd July 1970) Wrought titanium of a purity exceeding 99·6 per cent. titanium, in the form of slabs of a thickness of not less than 114 millimetres nor more than 153 millimetres, of a width of not less than 914 millimetres nor more than 1,220 millimetres, in random lengths, and in the form of square billets of a cross-sectional area of not less than 25·80 square centimetres nor more than 161·30 square centimetres in random lengths, and in the form of square or rectangular blooms of a cross-sectional area of not less than 929 square centimetres nor more than 2,091 square centimetres and of a thickness exceeding 153 millimetres in random lengths (until 2nd July 1970)
83.13	Tinplate caps for sealing jars, of an internal diameter on the rim of not less than 1·580 inches and not more than 1·610 inches and a maximum depth of not less than 0·415 inch and not more than 0·425 inch stamped from tinplate of nominal thickness of 0·0055 inch or of 0·0066 inch, with an internal curl, a vinyl coating applied to the internal surface and a plasticised lining compound deposited on the internal side wall and top sealing panel to form a sealing gasket
90.01	Lenses, prisms, mirrors and other optical elements, not optically worked, of thallium bromide-iodide (until 3rd September 1970)
90.09	Photo-reduction apparatus employing step and repeat operation in increments of integer multiples of 0·001 millimetre or less having an intrinsic repeatable positional accuracy in two axial directions of plus or minus 0·0001 millimetre or better relative to an alignment datum over an area of 2½ inches by 2½ inches to 3 inches by 3 inches and a resolution of 650 lines per millimetre or better over an area of not less than 3·5 millimetres by 3·5 millimetres

EXPLANATORY NOTE

(This Note is not part of the Order.)

This Order provides that the goods listed in Schedule 1 shall be temporarily exempt from import duty, and those listed in Schedule 2 shall continue to be exempt from import duty, both until 1st January 1971, except for items for which an earlier day is specified.

SI 1970/ 630
ISBN 0-11-000630-5

