

1972 No. 1489 (S.115)

FOOD AND DRUGS

COMPOSITION AND LABELLING

The Bread and Flour (Scotland) Amendment Regulations 1972

<i>Made</i>	- - -	<i>2nd October 1972</i>
<i>Laid before Parliament</i>		<i>10th October 1972</i>
<i>Coming into Operation</i>		<i>1st November 1972</i>

In exercise of the powers conferred on me by sections 4, 7 and 56 of the Food and Drugs (Scotland) Act 1956(a), and of all other powers enabling me in that behalf, and after consultation with such organisations as appear to me to be representative of interests substantially affected by these regulations and after reference to the Scottish Food Hygiene Council under section 25 of the said Act (in so far as the regulations are made in exercise of the powers conferred by the said section 7), I hereby make the following regulations:—

1.—(1) These regulations may be cited as the Bread and Flour (Scotland) Amendment Regulations 1972, and shall come into operation on 1st November 1972.

(2) The Interpretation Act 1889(b) shall apply for the interpretation of these regulations as it applies for the interpretation of an Act of Parliament.

Amendment of principal regulations

2. The Bread and Flour (Scotland) Regulations 1963(c), as amended (d), shall be further amended as follows:—

(a) in regulation 2(1) thereof—

(i) by inserting immediately after the definition of the Act the following definition:—

“‘azodicarbonamide’ means the substance conforming to the description, specification and requirements for azodicarbonamide contained in the Food Chemicals Codex 1966 (publication 1406, National Academy of Sciences-National Research Council, Washington DC, USA) at page 61;”;

(ii) by substituting in the definition of chalk for the words “or the British Pharmaceutical Codex” the figures and words “1968 at page 178”;

(iii) by inserting at the end of the definition of improving agent the words “L-cysteine hydrochloride and L-cysteine hydrochloride monohydrate”;

(a) 1956 c. 30. (b) 1889 c. 63. (c) S.I. 1963/1461 (1963 II, p. 2589).
 (d) There is no amendment which relates expressly to the subject matter of these regulations.

- (iv) by inserting immediately after the definition of improving agent the following definitions:—
- “‘L-cysteine hydrochloride’ means the substance conforming to the description, specification and requirements relating thereto in Schedule 3 to these regulations;
- ‘L-cysteine hydrochloride monohydrate’ means the substance conforming to the description, specification and requirements relating thereto in Schedule 4 to these regulations;”;
- (b) by inserting immediately after paragraph (b) of the proviso to regulation 31(2) thereof the following paragraphs:—
- “(ba) all flour other than wholemeal may contain azodicarbonamide in any proportion not exceeding 45 parts per million (calculated by weight);
- (bb) all flour other than wholemeal may contain L-cysteine hydrochloride or L-cysteine hydrochloride monohydrate or both L-cysteine hydrochloride and L-cysteine hydrochloride monohydrate in any proportion not exceeding 75 parts per million (calculated by weight as L-cysteine hydrochloride);”;
- (c) by substituting for Schedule 1 thereto the Schedule set out in Schedule 1 to these regulations;
- (d) by adding thereto, as Schedules 3, 4 and 5 respectively, Schedules 2, 3 and 4 to these regulations.

Amendment of the Arsenic in Food (Scotland) Regulations 1959

3. The Arsenic in Food (Scotland) Regulations 1959(a), as amended (b), shall be further amended by substituting in the Schedule thereto for item 22 relating to reduced iron intended for use in the preparation of flour the following item:—

“Description of food	Proportions of arsenic (expressed in terms of parts per million estimated by weight)
22. Iron powder intended for use in the preparation of flour	10·0”

Gordon Campbell,
One of Her Majesty’s Principal
Secretaries of State.

St. Andrew’s House,
Edinburgh.
2nd October 1972.

(a) S.I. 1959/928 (1959 I, p. 1296).

(b) The relevant amending instrument is S.I. 1963/1461 (1963 II, p. 2589).

SCHEDULE 1

Regulation 2(c)

Column 1	Column 2
Description of Flour	Compositional Requirement
All flour other than self-raising flour which has a calcium content of not less than 0.2 per centum (calculated by weight), wholemeal and wheat malt flour.	<p>To contain chalk as follows:—</p> <p>(a) Not less than 235 milligrams per 100 grams of flour, and</p> <p>(b) Not more than 390 milligrams per 100 grams of flour.</p>
All flour	<p>To contain quantities of the under-mentioned nutrients as follows:—</p> <p>Iron—Not less than 1.65 milligrams</p> <p>Vitamin B1—Not less than 0.24 milligrams</p> <p>Nicotinic acid or nicotinamide—</p> <p>Not less than 1.60 milligrams per 100 grams of flour.</p> <p>In the case of flour described as wholemeal, such nutrients shall be naturally present and not added. In the case of flour not so described such nutrients shall be added, where addition is necessary—</p> <p>(a) in the case of iron in the form of any, or any combination of two or more, of the following:—</p> <p>(i) ferric ammonium citrate conforming to the description, specification and requirements contained in the British Pharmacopoeia 1968 at page 410;</p> <p>(ii) green ferric ammonium citrate conforming to the description, specification and requirements contained in the British Pharmaceutical Codex 1954 at page 303;</p> <p>(iii) ferrous sulphate conforming to the description, specification and requirements contained in the British Pharmacopoeia 1968 at page 418;</p> <p>(iv) dried ferrous sulphate conforming to the description, specification and requirements contained in the British Pharmacopoeia 1968 at page 419;</p>

Column 1	Column 2
Description of Flour	Compositional Requirement
	<p>(v) iron powder conforming to the description, specification and requirements contained in Schedule 5 to these regulations;</p> <p>(b) in the case of vitamin B1, in a form conforming to the description, specification and requirements contained in the British Pharmacopoeia 1968 at page 1009;</p> <p>(c) in the case of nicotinic acid, in a form conforming to the description, specification and requirements contained in the British Pharmacopoeia 1968 at page 653; and</p> <p>(d) in the case of nicotinamide, in a form conforming to the description, specification and requirements contained in the British Pharmacopoeia 1968 at page 652.</p>

Regulation 2(d)

SCHEDULE 2


SPECIFICATION FOR L-CYSTEINE HYDROCHLORIDE

Definition

L-cysteine hydrochloride shall contain not less than 98 per centum by weight of L-cysteine hydrochloride and conform to the following requirements.

Chemical name L(+)-2-amino-3-mercaptopropionic acid hydrochloride

Structural formula

*Description*

L-cysteine hydrochloride shall be a fine white crystalline powder.

Identification

Reagents required : Glacial acetic acid

(Analytical reagent grades)

: *Acid ninhydrin solution* (freshly prepared). Dissolve 250mg ninhydrin in a mixture of 6ml glacial acetic acid and 4ml concentrated hydrochloric acid by repeated mixing for at least twenty minutes at room temperature.

Identity test : Dissolve 25mg of the sample in 500ml water, and to 1ml of this solution in a test-tube add 1ml glacial acetic acid and 1ml acid ninhydrin solution. Cap the test-tube and heat it for ten minutes in a boiling water bath. A distinctly pink coloured solution indicates the presence of cysteine.

Specific rotation $\left[\alpha \right]_{\text{D}}^{20^{\circ}\text{C}}$ + 6.1° to + 7.8°
(8g of sample made up to 100ml with N hydrochloric acid)

Assay

Nitrogen 8.60 to 9.20 per centum by weight

Chlorine 21.8 to 23.6 per centum by weight

A sample containing not less than 98 per centum by weight of L-cysteine hydrochloride will comply with the nitrogen, chlorine and specific rotation requirements.

Purity

Residue on ignition (sulphated) Not more than 0.1 per centum by weight.

SCHEDULE 3

Regulation 2(d)

SPECIFICATION FOR L-CYSTEINE HYDROCHLORIDE MONOHYDRATE

Definition

L-cysteine hydrochloride monohydrate shall contain not less than 98 per centum by weight of L-cysteine hydrochloride monohydrate and conform to the following requirements.

Chemical name L(+)-2-amino-3-mercaptopropionic acid hydrochloride monohydrate

Structural formula

$$\left[\begin{array}{c} \text{HS-CH}_2\text{-CH-COOH} \\ | \\ \text{NH}_3^+ \end{array} \right] \text{Cl}^- \cdot \text{H}_2\text{O}$$
Description

L-cysteine hydrochloride monohydrate shall be a white crystalline powder or colourless crystals.

Identification As for the anhydrous substance

Specific rotation $\left[\alpha \right]_{\text{D}}^{20^{\circ}\text{C}}$ + 5.5° to + 7.0°
(8g of sample made up to 100ml with N hydrochloric acid)

Assay

Nitrogen 7.70 to 8.30 per centum by weight

Chlorine 19.6 to 21.2 per centum by weight

A sample containing not less than 98 per centum by weight of L-cysteine hydrochloride monohydrate will comply with the nitrogen, chlorine and specific rotation requirements.

Purity

Residue on ignition (sulphated) Not more than 0·1 per centum by weight.

Regulation 2(d)

SCHEDULE 4

SPECIFICATION FOR IRON POWDER

Definition

Iron powder shall consist essentially of finely-divided metallic iron containing not less than 90 per centum by weight of iron and conform to the following requirements.

Chemical name Iron

Symbol Fe

Description

Fine greyish-black powder of such granularity that not more than 0·1 per centum by weight shall remain on a British Standard 410:1969 wire sieve nominal aperture size 150 μm and not more than 5 per centum by weight on a British Standard 410:1969 wire sieve nominal aperture size 53 μm .

Assay

Accurately weigh 0·25g of sample into a stoppered flask. Add a hot solution of 1·25g of copper sulphate pentahydrate in 20ml of water and shake for ten minutes. Filter rapidly and wash the filter with water; acidify the mixed filtrate and washings with sulphuric acid, and titrate with N/10 potassium permanganate. Each ml of N/10 potassium permanganate is equivalent to 0·005585g of iron.

Solubility

Not less than 95 per centum of the iron content when determined by the following method.

Accurately weigh 0·1g of sample into a 750ml conical flask. Add 450ml 0·2 per centum weight in weight hydrochloric acid previously warmed to 37°C. Stir continuously for three hours, maintaining the temperature at 37°C. Cool to room temperature and dilute to 500ml with distilled water. Filter; determine the iron content of the filtrate by a suitable method. Calculate the total iron in solution as a percentage of the metallic iron content of the sample taken.

EXPLANATORY NOTE

(This Note is not part of the Regulations.)

These amending regulations, which come into operation on 1st November 1972—

- (a) extend the list of bleaching and improving agents which may be present in flour, to include azodicarbonamide, L-cysteine hydrochloride and L-cysteine hydrochloride monohydrate;
- (b) amend the specified forms in which the nutrients chalk, iron, vitamin B1 and nicotinic acid or nicotinamide are required to be added to flour.

The Food Chemicals Codex 1966 referred to in the definition of azodicarbonamide may be inspected at the Scottish Home and Health Department, Food Branch, 12/14 Carlton Terrace, Edinburgh, EH7 5DG, (telephone 031-556-2371).

SI 1972/1489
ISBN 0-11-021489-7

