

1973 No. 1670

CUSTOMS AND EXCISE

The Import Duties (Temporary Exemptions) (No. 23) Order 1973*Made* - - - 8th October 1973*Laid before the
House of Commons* 10th October 1973*Coming into Operation* 1st November 1973

The Lords Commissioners of Her Majesty's Treasury, by virtue of the powers conferred on them by sections 1, 3(6) and 13 of the Import Duties Act 1958(a), as amended by paragraph 1 of Schedule 4 to the European Communities Act 1972(b), and of all other powers enabling them in that behalf, on the recommendation of the Secretary of State(c), hereby make the following Order:

1.—(1) This Order may be cited as the Import Duties (Temporary Exemptions) (No. 23) Order 1973 and shall come into operation on 1st November 1973.

(2) The Interpretation Act 1889(d) shall apply for the interpretation of this Order as it applies for the interpretation of an Act of Parliament.

2.—(1) Up to and including 31st December 1973 any import duty which is for the time being chargeable on goods of a heading of the Customs Tariff 1959 specified in Schedule 1 to this Order shall not be chargeable in respect of goods of any description there specified in relation to that heading.

(2) The period for which goods of headings of the Customs Tariff 1959 and descriptions specified in Schedule 2 to this Order are exempt from import duty shall be extended up to and including 31st December 1973.

(3) Any entry in the second column in Schedule 1 or Schedule 2 to this Order shall be taken to comprise all goods which would be classified under an entry in the same terms constituting a subheading (other than the final subheading) of the relevant heading in the Customs Tariff 1959.

(4) For the purposes of classification under the Customs Tariff 1959, insofar as that depends on the rate of duty, any goods to which paragraph (1) or (2) above applies shall be treated as chargeable with the same duty as if this Order had not been made.

V. H. Goodhew,
Oscar Murton,
Two of the Lords Commissioners
of Her Majesty's Treasury.

8th October 1973.

(a) 1958 c. 6.

(c) See S.I. 1970/1537 (1970 III, p. 5293).

(b) 1972 c. 68.

(d) 1889 c. 63.

SCHEDULE 1

GOODS TEMPORARILY EXEMPT FROM IMPORT DUTY

<i>Tariff Heading</i>	<i>Description</i>
15.02	Fats, for industrial uses other than the manufacture of foodstuffs for human consumption
27.07	Cresylic acid
28.38	Potassium persulphate
29.04	<i>n</i> -Butan-1-ol 2-Ethylhexan-1-ol 2-Methylpropan-1-ol Propane-1,2-diol
29.06	<i>o</i> -Cresol
29.09	Propylene oxide
29.11	3-Hydroxy- <i>p</i> -anisaldehyde
29.13	4-Methoxybenzyl 4-methoxyphenyl ketone
29.14	<i>n</i> -Butyl acrylate 2-Ethylhexyl acrylate Triethyl orthoformate Vinyl acetate
29.15	Di- <i>n</i> -butyl phthalate 2,2-Dimethylglutaric acid Tetrabromophthalic anhydride
29.16	Bornyl salicylate 2,6-Dihydroxybenzoic acid Methyl acetoacetate Methyl 2- <i>n</i> -hexyl-3-oxocyclopentanecarboxylate 15-Methylprostaglandin E ₂ ,methyl ester
29.19	Decyl diphenyl phosphate, mixed isomers 2,2-Di(chloromethyl)propane-1,3-diol di[(2-chloroethyl) phosphate]
29.22	<i>NN</i> -Dicyclohexyl- <i>N</i> -methylamine Dimethylamine <i>N</i> -Phenyl-1-naphthylamine
29.23	1-Aminoanthraquinone 2-Aminoanthraquinone <i>N</i> -Benzyl- <i>N</i> -(3-hydroxybenzyl)methylmethylammonium chloride 15-Methylprostaglandin F ₂ , trometamol salt Sodium 1-amino-4-bromoanthraquinone-2-sulphonate
29.25	Methocarbamol
29.27	Cyanoacetamide
29.35	Di-(4-diethylamino-6-ethylamino-1,3,5-triazin-2-yl)disulphide Lorazepam Phencyclidine hydrochloride
29.42	7-(2-Diethylaminoethyl)theophylline camphor-sulphonate

<i>Tariff Heading</i>	<i>Description</i>
39.01	Nylon 6 in the forms covered by Note 3(b) of Chapter 39, containing not more than 2 per cent. by weight of titanium white and not less than 0.1 per cent. by weight and not more than 1.0 per cent. by weight of Fluorescent Brightener 32 (Colour Index Number 40620) but not otherwise compounded
39.02	Laminated sheets in rolls, not printed or surface worked, being not less than 0.30 millimetre and not more than 2.50 millimetres in thickness, and having 3 plies, the centre ply consisting of poly (vinylidene chloride) film being not less than 0.05 millimetre in thickness, and at least one of the outer plies consisting of polystyrene, the polystyrene ply/plies predominating by weight
69.09	Catalyst supports, consisting of porous cordierite ceramic pieces of roughly circular or oval cross-section with parallel sides, having an overall volume of not less than 240 millilitres and not more than 11,100 millilitres, and having a minimum dimension of not less than 90 millimetres and a maximum dimension of not more than 480 millimetres, having not less than 28 continuous channels per hundred square millimetres running parallel to the main axis of symmetry, the total channel cross-section area being not less than 60 per cent. and not more than 80 per cent. of the whole cross-section area

SCHEDULE 2

GOODS FOR WHICH EXEMPTION FROM IMPORT DUTY IS EXTENDED

<i>Tariff Heading</i>	<i>Description</i>
29.01	Ethylene Styrene
29.02	Octabromobiphenyl, mixed isomers
29.06	2- <i>tert</i> Butyl- <i>p</i> -cresol (-OH at 1) 2- <i>tert</i> Butyl-4-ethylphenol
29.11	<i>o</i> -Vanillin
29.14	Cobaltous acetate
29.34	Triethylaluminium
39.03	Hydroxypropylmethylcellulose, of which the hydroxypropyl content calculated as propanediol is not less than 7 per cent. by weight, and of which an aqueous solution containing 20 grammes per litre has a dynamic viscosity at 20° centigrade of not more than 20 centipoises

<i>Tariff Heading</i>	<i>Description</i>
56.02	“Synthetic hair” being continuous filament tow of co-polymerised vinyl chloride and acrylonitrile, dyed and having a total weight of more than 60 grammes per metre (60,000tex/540,000denier), the individual filaments having an irregular cross-section, a specific gravity of less than 1.32 at 20° centigrade and weighing more than 5.0 milligrammes per metre (50dtex/45 denier)
68.13	Asbestos paper, rubber impregnated, in rolls, being not less than 0.55 millimetre and not more than 0.85 millimetre in thickness, weighing not less than 500 grammes and not more than 780 grammes per square metre, and having a loss on ignition at 1,000° centigrade of not less than 24 per cent. by weight and not more than 32 per cent. by weight
85.15	<p>The following apparatus for use in aircraft:</p> <ul style="list-style-type: none"> (a) automatic radio direction finding apparatus covering a frequency range of at least 200 KHz to 850 KHz; (b) distance measuring apparatus for determining the slant range from aircraft to ground transponder and operating within the frequency range of 960 MHz to 1,215 MHz; (c) panel-mounted secondary surveillance radar transponder apparatus, operating within a 12 or 24 volt electrical power system, having an integral control panel and capable of interrogation at a frequency of 1,030 MHz on each of the modes A and C and replying on these modes at a frequency of 1,090 MHz; (d) very high frequency omni-directional radio range apparatus (VOR), instrument landing system localiser apparatus (ILS/LOC), instrument landing system glide path apparatus (ILS/G.PATH); (e) very high frequency communication apparatus (VHF/COM) (transmitters, receivers, or combined transmitter/receivers) covering a frequency band of at least 118 to 135.95 MHz, with not less than 180 channels and capable of operating in areas where 50 kHz channel spacing is in force; (f) apparatus combining the functions and capabilities of any of the apparatus specified in (d) and (e) above but excluding apparatus combining any of those functions and capabilities with any other function or capability; <p>being in each case apparatus of a type approved by the Civil Aviation Authority, at the date of this Order, under Article 14(5) of the Air Navigation Order 1972, for use in aircraft of not more than 5,700 kilogrammes maximum total weight authorised, flying in controlled airspace in accordance with the Instrument Flight Rules as defined in the said Air Navigation Order, but not for use in other aircraft</p>

<i>Tariff Heading</i>	<i>Description</i>
85.18	<p>Tantalum capacitors greater than 10 microfarads in capacitance, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross-section having a circumference not exceeding 14 millimetres</p> <p>Tantalum capacitors greater than 12 microfarads in capacitance of a working voltage of not less than 4 volts, of a kind for incorporation in deaf aids, with a maximum length not exceeding 8 millimetres exclusive of leads with a transverse cross-section having a circumference not exceeding 13 millimetres</p> <p>Tantalum capacitors, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross-section having a circumference not exceeding 10 millimetres</p>
85.21	Digital displays consisting of a printed circuit board of a size not exceeding 30 millimetres by 90 millimetres with a single line of digits, not less than 3 in number, comprising light emitting diodes manufactured from gallium based semi-conductor compounds mounted thereon; the line of digits having a protective cover of translucent plastic

EXPLANATORY NOTE

(This Note is not part of the Order.)

This Order provides that the goods listed in Schedule 1 shall be temporarily exempt from import duty and those listed in Schedule 2 shall continue to be exempt from import duty, in both cases up to and including 31st December 1973.

As regards the exemption for certain goods of tariff heading 39.01 (Schedule 1), the Colour Index Number referred to is to be found in the Colour Index, third edition, published in five volumes by the Society of Dyers and Colourists, PO Box 224, Perkin House, Gratton Road, Bradford, Yorkshire BD1 2JB.

As regards the exemption for equipment for use in aircraft under heading 85.15 (Schedule 2), apparatus of a type approved by the Civil Aviation Authority is listed in Civil Aviation Publication CAP 208, Airborne Radio Apparatus Volume 2, published by Her Majesty's Stationery Office. This publication is subject to amendment, and confirmation that apparatus is of a type approved at the date of this Order should be obtained from the Civil Aviation Authority, Controllerate of National Air Traffic Services, Tels N2(c), 19-29 Woburn Place, London WC1H 0LX.

SI 1973/1670
ISBN 0-11-031670-3

