### STATUTORY INSTRUMENTS

#### 1983 No. 1266

# **CUSTOMS AND EXCISE**

# The Export of Goods (Control) (Amendment No. 4) Order 1983

Made - - - - -

17th August 1983

Coming into Operation

19th August 1983

The Secretary of State, in exercise of powers conferred by section 1 of the Import, Export and Customs Powers (Defence) Act 1939(a) and now vested in him(b), and of all other powers enabling him in that behalf, hereby makes the following Order:—

- 1. This Order may be cited as the Export of Goods (Control) (Amendment No. 4) Order 1983 and shall come into operation on 19th August 1983.
- 2. The Export of Goods (Control) Order 1981(c) shall be further amended by substituting for Group C of Part I of Schedule 1 thereto the new Group C which appears in the Schedule hereto.

17th August 1983.

P. M. S. Corley, An Under Secretary, Department of Trade and Industry.

### **SCHEDULE**

## **GROUP** C

STEEL PRODUCTS PROHIBITED TO BE EXPORTED TO THE UNITED STATES OF AMERICA OR THE COMMONWEALTH OF PUERTO RICO

NOTE: The following goods are specified by reference to headings in the Common Customs Tariff of the European Economic Community. For information, the corresponding Nimexe Codes in the Nomenclature of Goods of the External Trade Statistics of the European Community and Statistics of Trade between Member States (NIMEXE)(d) are also specified.

<sup>(</sup>a) 1939 c. 69.

**<sup>(</sup>b)** See S.I. 1970/1537.

<sup>(</sup>c) S.I. 1981/1641; the only relevant amending instrument is S.I. 1982/1556.

<sup>(</sup>d) See Commission Regulation (EEC) No. 3407/82, OJ No. L366, 27.12.1982, p. 1, amending Council Regulation (EEC) No. 1445/72, OJ No. L161, 17.7.1972, p. 1.

| Tariff<br>Heading<br>No. | Nimexe<br>Code   | Description of Goods                                                                                                                                                                                                 |
|--------------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ex 73.08                 |                  | Steel coils (ECSC), the following:—                                                                                                                                                                                  |
|                          | 730801           | (1) Less than 1.50 m in width, intended for re-rolling, (a) for "electrical" sheets and plates, other than silicon electrical;                                                                                       |
|                          | 720002           | (b) other, of a thickness of— (i) more than 4.75 mm:                                                                                                                                                                 |
|                          | 730803<br>730805 | (ii) not less than 3 mm but not more than 4.75 mm;                                                                                                                                                                   |
|                          | 730807           | (iii) less than 3 mm;                                                                                                                                                                                                |
|                          |                  | (2) Less than 1.50 m in width, not intended for re-rolling, of a thickness of:                                                                                                                                       |
|                          | 730821           | (a) more than 4.75 mm;                                                                                                                                                                                               |
|                          | 730825<br>730829 | (b) not less than 3 mm but not more than 4.75 mm;<br>(c) less than 3 mm;                                                                                                                                             |
|                          | 730027           | (3) 1.50 m or more in width, of a thickness of:                                                                                                                                                                      |
|                          | 730841           | (a) more than 4.75 mm;                                                                                                                                                                                               |
|                          | 730845           | (b) not less than 3 mm but not more than 4.75 mm;                                                                                                                                                                    |
|                          | 730849           | (c) less than 3 mm.                                                                                                                                                                                                  |
| ex 73.09                 | 730900           | Steel universal plates (ECSC).                                                                                                                                                                                       |
| ex 73.10                 | 731011           | Steel bars and rods (including wire rod), the following:—  (1) Not further worked than hot-rolled or extruded, the following:  (a) wire rod (ECSC), of circular section 0.2 in or more                               |
|                          | 731016           | in diameter, or of any other solid section; (b) bars and rods (ECSC), other than— (i) concrete reinforcing bars with minor indentations,                                                                             |
|                          |                  | flanges, grooves or other deformations produced during the rolling process, whether or not twisted after rolling, and  (ii) round blooms and billets;                                                                |
|                          | 731030           | <ul> <li>(2) Not further worked than cold-formed or cold-finished, of rectangular section more than 1.2 in in thickness and more than 12 in in width;</li> <li>(3) Clad or surface-worked, the following:</li> </ul> |
|                          | 731042           | (a) not further worked than clad— (i) hot-rolled or extruded (ECSC), coated or plated with metal and of rectangular section less than                                                                                |
|                          |                  | 3/16 in in thickness and more than 12 in in width, or 3/16 in or more in thickness and more than 8 in in width;                                                                                                      |
|                          | 731045           | (ii) cold-formed or cold-finished, coated or plated with metal and of rectangular section more than 12 in in width;                                                                                                  |
|                          | 731049           | (b) other, of circular section, except with a diameter of 18.8 mm or less and in coils, or of rectangular section, except cold-finished less than 12 in in width, or of any other solid section.                     |
|                          |                  |                                                                                                                                                                                                                      |

| TD : 07           |        |                                                                                                                      |
|-------------------|--------|----------------------------------------------------------------------------------------------------------------------|
| Tariff<br>Heading | Nimexe |                                                                                                                      |
| No.               | Code   | Description of Goods                                                                                                 |
| ex 73.11          |        | Angles, shapes and sections of steel, the following:—  (1) Not further worked than hot-rolled or extruded            |
|                   | 731111 | (ECSC), the following: (a) U, I or H sections of a height of less than 80 mm                                         |
|                   | 731111 | and having a maximum cross-sectional dimension of 3 in or more;                                                      |
|                   | 731112 | (b) H sections (broad-flanged beams) of a height of 80 mm or more:                                                   |
|                   |        | (c) U or I sections of a height of 80 mm or more—                                                                    |
|                   | 731114 | (i) with parallel flange faces;                                                                                      |
|                   | 731116 | (ii) other;                                                                                                          |
|                   | 731119 | (d) other angles, shapes and sections having a maximum cross-sectional dimension of 3 in or more;                    |
|                   | 731120 | (2) Not further worked than forged and having a maximum cross-sectional dimension of 3 in or more;                   |
|                   |        | (3) Not further worked than cold-formed or cold-finished and having a maximum cross-sectional dimension of           |
|                   |        | 3 in or more, the following:                                                                                         |
|                   | 731131 | (a) from coils for re-rolling, universal plates, hoop, strip, sheets or plates;                                      |
|                   | 731139 | (b) other;                                                                                                           |
|                   | 731150 | Steel sheet piling, whether or not drilled, punched or made from assembled elements.                                 |
| ex 73.12          |        | Steel hoop and strip, the following:—                                                                                |
|                   |        | (1) Not further worked than hot-rolled (ECSC), the following:                                                        |
|                   | 731211 | (a) "electrical", other than silicon electrical;                                                                     |
|                   | 731219 | (b) other;                                                                                                           |
|                   |        | (2) Not further worked than cold-rolled, more than 12 in in width, the following:                                    |
|                   | 731221 | (a) in coils for the manufacture of tin plate, other than black plate, of a thickness of 0.0142 in or more;          |
|                   | 731225 | (b) "electrical", other than silicon electrical;                                                                     |
|                   | 731229 | (c) other, except black plate, of a thickness of 0.0142 in or more:                                                  |
|                   |        | (3) Clad, coated or otherwise surface-worked, more than                                                              |
|                   |        | 12 in in width or, in the case of hot-rolled more than 3/16 in in thickness, more than 8 in in width, the following: |
|                   | 731240 | lowing: (a) enamelled;                                                                                               |
|                   | 731251 | (b) tinplate (ECSC), not including black plate, (over 12 in in width only);                                          |
|                   | 731259 | (c) other tinned (over 12 in in width only);                                                                         |
|                   | 731261 | (d) electrolytically zinc-coated (electro-galvanised);                                                               |
|                   | 731263 | (e) otherwise zinc-coated (including hot-dipped galvanised);                                                         |
|                   |        |                                                                                                                      |
|                   |        |                                                                                                                      |
|                   |        |                                                                                                                      |

|          | 1      | T                                                                                                              |
|----------|--------|----------------------------------------------------------------------------------------------------------------|
| Tariff   |        |                                                                                                                |
| Heading  | Nimexe |                                                                                                                |
| No.      | Code   | Description of Goods                                                                                           |
|          | 721265 | (f) load costed.                                                                                               |
|          | 731265 | (f) lead-coated;<br>(g) not further worked than clad, coated or plated with                                    |
|          |        | metal—                                                                                                         |
|          | 731271 |                                                                                                                |
|          | 731271 | (i) hot-rolled (ECSC); (ii) cold-rolled;                                                                       |
|          | 731273 | (h) copper-plated;                                                                                             |
|          | 731281 | (i) nickel-plated or chrome-plated;                                                                            |
|          | 731287 | (i) interest placed of enforme placed;                                                                         |
|          | 731288 | (k) lacquered, varnished, painted or plastic-coated;                                                           |
|          | 731289 | (l) other, except silvered, gilded or platinum-plated.                                                         |
| ex 73.13 |        | "Electrical" steel sheets and plates (ECSC), except silicon                                                    |
|          |        | electrical, the following:—                                                                                    |
|          | 731311 | (1) With a watt-loss, regardless of thickness, of 0.75 watt                                                    |
|          |        | or less;                                                                                                       |
|          | 731316 | (2) Other.                                                                                                     |
|          |        | Steel sheets and plates, other than "electrical", the follow-                                                  |
|          |        | ing:—                                                                                                          |
|          |        | (1) Not further worked than hot-rolled (ECSC), of a thickness of:                                              |
|          |        | (a) more than 4.75 mm—                                                                                         |
|          | 731317 | (i) with raised or indented patterns;                                                                          |
|          | 731319 | (ii) other;                                                                                                    |
|          | 751515 | (b) not less than 3 mm but not more than 4.75 mm—                                                              |
|          | 731321 | (i) with raised or indented patterns;                                                                          |
|          | 731323 | (ii) other;                                                                                                    |
|          | 731326 | (c) not less than 2 mm but less than 3 mm;                                                                     |
|          | 731332 | (d) more than 1 mm but less than 2 mm;                                                                         |
|          | 731334 | (e) not less than 0.5 mm but not more than 1 mm;                                                               |
|          | 731336 | (f) less than 0.5 mm;                                                                                          |
|          |        | (2) Not further worked than cold-rolled, of a thickness of:                                                    |
|          | 731341 | (a) 3 mm or more;                                                                                              |
|          | 731343 | (b) not less than 2 mm but less than 3 mm (ECSC);                                                              |
|          | 731345 | (c) more than 1 mm but less than 2 mm (ECSC);                                                                  |
|          | /3134/ | (d) not less than 0.5 mm but not more than 1 mm (ECSC);                                                        |
|          | 731349 | (e) less than 0.5 mm but not less than 0.36 mm                                                                 |
|          |        | [0.0142 in], and not including black plate;                                                                    |
|          | 731350 | (3) Not further worked than varnished, polished or glazed                                                      |
|          |        | (ECSC), of a thickness of not less than 0.36 mm, and                                                           |
|          |        | not including black plate;                                                                                     |
|          |        | (4) Clad, coated or otherwise surface-treated (ECSC), the                                                      |
|          | 72126  | following:                                                                                                     |
|          | 731362 | (a) enamelled more than 12 in in width;                                                                        |
|          | 731364 | (b) tinplate, not including black plate;                                                                       |
|          | 731365 | (c) other tinned;                                                                                              |
|          | 731367 | (d) electrolytically zinc-coated (electro-galvanised);<br>(e) otherwise zinc-coated (including hot-dipped gal- |
|          |        | vanised)—                                                                                                      |
|          |        | vaniscu)—                                                                                                      |
|          |        |                                                                                                                |

| Tariff         | Nimana           |                                                                                                              |
|----------------|------------------|--------------------------------------------------------------------------------------------------------------|
| Heading<br>No. | Nimexe<br>Code   | Description of Goods                                                                                         |
|                | 731368           | (i) corrugated;                                                                                              |
|                | 731372           | (ii) other;                                                                                                  |
|                | 731374           | (f) lead-coated;                                                                                             |
|                | 731376           | (g) tinned and printed;                                                                                      |
|                | 721270           | (h) clad, of a thickness of—                                                                                 |
|                | 731378<br>731379 | (i) 3 mm or more;<br>(ii) less than 3 mm;                                                                    |
|                | 731379           | (i) copper-plated;                                                                                           |
|                | 731384           | (i) copper-plated;<br>(j) nickel-plated or chrome-plated;                                                    |
|                | 731387           | (k) aluminium-plated;                                                                                        |
|                | 731388           | (1) lacquered, varnished, painted or plastic-coated;                                                         |
|                | 731389           | (m) other coated or plated with metal.                                                                       |
| ex 73.15       | 72(210           | High carbon steel, the following:—                                                                           |
|                | 736210           | (1) Coils for re-rolling (ECSC);                                                                             |
|                | 736230           | (2) Universal plates (ECSC); (3) Bars and rods (including wire rod); angles, shapes and                      |
|                |                  | sections; the following:                                                                                     |
|                | 736310           | (a) structural shapes, not further worked than forged,                                                       |
|                |                  | having a maximum cross-sectional dimension of 3 in                                                           |
|                |                  | or more;                                                                                                     |
|                |                  | (b) not further worked than hot-rolled or extruded (ECSC)—                                                   |
|                | 736321           | (i) wire rod of circular section 0.2 in or more in                                                           |
|                | 72(220           | diameter, or of any other solid section;                                                                     |
|                | 736329           | (ii) bars and rods, of circular section, other than round blooms and billets, or of any other solid section; |
|                |                  | and structural shapes having a maximum cross-                                                                |
|                |                  | sectional dimension of 3 in or more;                                                                         |
|                | 736350           | (c) not further worked than cold-formed or cold-                                                             |
|                |                  | finished—                                                                                                    |
|                |                  | (i) bars and rods of rectangular section and over 12 in                                                      |
|                |                  | in width;                                                                                                    |
|                |                  | (ii) structural shapes having a maximum cross-<br>sectional dimension of 3 in or more;                       |
|                |                  | (d) clad or surface-worked—                                                                                  |
|                |                  | (i) not further worked than clad—                                                                            |
|                | 736372           | (a) hot-rolled or extruded (ECSC), coated or plated                                                          |
|                |                  | with metal and of rectangular section, of a thick-                                                           |
|                |                  | ness of less than 3/16 in and more than 12 in in                                                             |
|                |                  | width or of a thickness of 3/16 in or more and                                                               |
|                | 726274           | more than 8 in in width;                                                                                     |
|                | 736374           | (b) cold-formed or cold-finished, coated or plated with metal, of rectangular section and more than          |
|                |                  | 12 in in width;                                                                                              |
|                | 736379           | (ii) other, of circular section, except with a diameter                                                      |
|                |                  | of 18.8 mm or less and in coils, or of rectangular                                                           |
|                |                  | section, except cold-finished less than 12 in in                                                             |
|                |                  | width, or of any other solid section;                                                                        |
|                |                  |                                                                                                              |
|                |                  | 1                                                                                                            |

|   | Code   | Description of Goods                                                                                                                                                                                      |
|---|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   |        | (4) Hoop and strip, the following:                                                                                                                                                                        |
| 1 | 736420 | (a) not further worked than hot-rolled (ECSC);                                                                                                                                                            |
| 1 | 736450 | (b) not further worked than cold-rolled, more than 12 in                                                                                                                                                  |
| j |        | in width;                                                                                                                                                                                                 |
| 1 |        | (c) clad, coated or otherwise surface-treated                                                                                                                                                             |
| 1 | 736472 | (i) not further worked than clad, hot-rolled (ECSC),                                                                                                                                                      |
| İ | 706475 | more than 8 in in width;                                                                                                                                                                                  |
|   | 736475 | (ii) not further worked than clad, cold-rolled, coated                                                                                                                                                    |
|   | 736479 | and plated with metal, more than 12 in in width;                                                                                                                                                          |
|   | 130419 | (iii) other, of a thickness of less than 3/16 in and more than 12 in in width or of a thickness of 3/16 in or                                                                                             |
| { |        | more and more than 8 in in width;                                                                                                                                                                         |
|   |        | (5) Sheets and plates, the following:                                                                                                                                                                     |
|   |        | (a) not further worked than hot-rolled (ECSC), of a                                                                                                                                                       |
|   |        | thickness of—                                                                                                                                                                                             |
|   | 736521 | (i) more than 4.75 mm;                                                                                                                                                                                    |
|   | 736523 | (ii) not less than 3 mm but not more than 4.75 mm;                                                                                                                                                        |
|   | 736525 | (iii) less than 3 mm;                                                                                                                                                                                     |
|   |        | (b) not further worked than cold-rolled, of a thickness                                                                                                                                                   |
|   | 706550 | of—                                                                                                                                                                                                       |
|   | 736553 | (i) 3 mm or more;                                                                                                                                                                                         |
|   | 736555 | (ii) less than 3 mm (ECSC) but not less than 0.36 mm                                                                                                                                                      |
|   | 736570 | [0.0142 in], and not including black plate; (c) polished, clad, and coated, other than with metal, or otherwise surface-treated (ECSC), not less than 0.36 mm in thickness and not including black plate. |
| 1 |        | Alloy steel, the following:—                                                                                                                                                                              |
| } |        | (1) Coils for re-rolling (ECSC), other than tool steel, high-                                                                                                                                             |
| ĺ |        | speed tool steel and chipper knife steel, the following:                                                                                                                                                  |
|   | 737211 | <ul><li>(a) for "electrical" sheets and plates, other than silicon<br/>electrical;</li></ul>                                                                                                              |
| 1 | 737219 | (b) other, except stainless or heat-resisting;                                                                                                                                                            |
|   | 737239 | (2) Universal plates (ECSC), other than stainless or heat-<br>resisting or tool steel, high-speed tool steel or chipper                                                                                   |
|   |        | knife steel, more than 8 in in width; (3) Bars and rods (including wire rod); angles, shapes and                                                                                                          |
|   |        | sections; the following:                                                                                                                                                                                  |
|   |        | (a) structural shapes, not further worked than forged, of—                                                                                                                                                |
|   | 737313 | (i) stainless or heat-resisting;                                                                                                                                                                          |
|   | 737314 | (ii) high-speed steel;                                                                                                                                                                                    |
|   | 737319 | (iii) other;                                                                                                                                                                                              |
|   |        | (b) not further worked than hot-rolled or extruded (ECSC)—                                                                                                                                                |
|   |        | (i) wire rod—                                                                                                                                                                                             |
|   | 737325 | <ul><li>(a) of S, Pb and P steels (free-cutting and other), of<br/>circular section, 0.2 in or more in diameter, or<br/>of any other solid section;</li></ul>                                             |

| Tariff<br>Heading | Nimexe      | Description (C. 1)                                                                                                              |
|-------------------|-------------|---------------------------------------------------------------------------------------------------------------------------------|
| No.               | Code        | Description of Goods                                                                                                            |
|                   | 737326      | (b) of mangano-silicon steel;                                                                                                   |
|                   | 737329      | (c) other, except tool steel, high-speed tool steel                                                                             |
|                   | ,3,52       | and chipper knife steel, of rectangular section                                                                                 |
|                   |             | 3/16 in or more in thickness and 8 in or less in                                                                                |
|                   |             | width, or of any other solid section;                                                                                           |
|                   |             | (ii) other bars and rods; angles, shapes and sections—                                                                          |
|                   | 737333      | (a) stainless or heat-resisting (structural shapes                                                                              |
|                   | 727224      | only);  (b) high speed steel (structural shapes only);                                                                          |
|                   | 737334      | <ul><li>(b) high-speed steel (structural shapes only);</li><li>(c) S, Pb and P steels (free-cutting and other), other</li></ul> |
|                   | 137333      | than round blooms and billets;                                                                                                  |
|                   | 737336      | (d) mangano-silicon structural shapes; and                                                                                      |
|                   | , , , , , , | mangano-silicon bars and rods, other than round                                                                                 |
|                   |             | blooms and billets;                                                                                                             |
|                   | 737339      | (e) other, except bars and rods of tool steel, high-                                                                            |
|                   |             | speed tool steel or chipper knife steel and round                                                                               |
|                   |             | blooms and billets; (c) not further worked than cold-formed or cold-                                                            |
|                   |             | finished—                                                                                                                       |
|                   |             | (i) angles, shapes and sections made from coils for                                                                             |
|                   |             | re-rolling, universal plates, hoop, strip, sheets or                                                                            |
|                   |             | plates—                                                                                                                         |
|                   | 737343      | (a) stainless or heat-resisting;                                                                                                |
|                   | 737349      | (b) other;                                                                                                                      |
|                   | 727252      | (ii) other angles, shapes and sections; bars and rods—                                                                          |
|                   | 737353      | (a) stainless or heat-resisting (structural shapes only);                                                                       |
|                   | 737354      | (b) high-speed steel (structural shapes only);                                                                                  |
|                   | 737355      | (c) S, Pb and P steels (free-cutting or other);                                                                                 |
|                   | 737359      | (d) other, except bars and rods of tool steel, high-                                                                            |
|                   |             | speed tool steel and chipper knife steel;                                                                                       |
|                   |             | (d) clad or surface-worked—                                                                                                     |
|                   |             | (i) not further worked than clad—                                                                                               |
|                   | 737372      | (a) hot-rolled or extruded (ECSC), clad, or coated                                                                              |
|                   | 737374      | or plated with metal; (b) cold-formed or cold-finished, more than 12 in in                                                      |
|                   | 131314      | width and, if coated or plated with metal, less                                                                                 |
|                   |             | than 3/16 in in thickness;                                                                                                      |
|                   | 737383      | (ii) stainless or heat-resisting, clad, of rectangular                                                                          |
|                   |             | section and more than 12 in in width or, in the                                                                                 |
|                   |             | case of hot-rolled 3/16 in or more in thickness,                                                                                |
|                   | 727200      | more than 8 in in width;                                                                                                        |
|                   | 737389      | <ul><li>(iii) other, except tool steel, high-speed tool steel or<br/>chipper knife steel, of rectangular section and</li></ul>  |
|                   |             | more than 12 in in width or, in the case of hot-                                                                                |
|                   |             | rolled 3/16 in or more in thickness, more than 8 in                                                                             |
|                   |             | in width, or of circular section except with a                                                                                  |
|                   |             | diameter of 18.8 mm or less and in coils, or of any                                                                             |
|                   |             | other solid section;                                                                                                            |
|                   |             |                                                                                                                                 |
|                   | Ll          |                                                                                                                                 |

| Tariff<br>Heading<br>No. | Nimexe<br>Code   | Description of Goods                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | 737421<br>737428 | <ul> <li>(4) Hoop and strip, the following:</li> <li>(a) not further worked than hot-rolled (ECSC)—</li> <li>(i) "electrical", other than silicon electrical;</li> <li>(ii) other, except stainless or heat-resisting and too steel, high-speed tool steel or chipper knife steel;</li> <li>(b) not further worked than cold-rolled, less than 3/16 in thickness and more than 12 in in width—</li> </ul> |
|                          | 737451           | <ul> <li>(i) "electrical", other than silicon electrical—</li> <li>(a) with watt loss, regardless of thickness, of 0.75 watt or less;</li> </ul>                                                                                                                                                                                                                                                          |
|                          | 737452           | (b) other;                                                                                                                                                                                                                                                                                                                                                                                                |
|                          | 737459           | (ii) other, except tool steel, high-speed tool steel and                                                                                                                                                                                                                                                                                                                                                  |
|                          |                  | chipper knife steel; (c) clad, coated or otherwise surface-treated— (i) not further worked than clad—                                                                                                                                                                                                                                                                                                     |
|                          | 737472           | (a) hot-rolled (ECSC), coated or plated with metal;                                                                                                                                                                                                                                                                                                                                                       |
|                          | 737474           | (b) cold-rolled, coated or plated with metal, more than 12 in in width;                                                                                                                                                                                                                                                                                                                                   |
|                          | 737483           | <ul><li>(ii) stainless or heat-resisting, clad, and coated o plated with metal;</li><li>(iii) other, except tool steel, high-speed tool steel o</li></ul>                                                                                                                                                                                                                                                 |
|                          | 737511           | chipper knife steel, more than 12 in in width or in the case of hot-rolled 3/16 in or more in thick ness, more than 8 in in width;  (5) Sheets and plates, the following:  (a) "electrical" (ECSC), other than silicon electrical—  (i) with a watt loss, regardless of thickness, o 0.75 watt or less;  (ii) other;                                                                                      |
|                          | 737519           | (b) not further worked than hot-rolled (ECSC) and othe than stainless or heat-resisting, high-speed steel o tool steel, high-speed tool steel and chipper knift steel, of a thickness of—                                                                                                                                                                                                                 |
|                          | 737529           | (i) more than 4.75 mm;                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | 737539           | (ii) not less than 3 mm but not more than 4.75 mm;                                                                                                                                                                                                                                                                                                                                                        |
|                          | 737549           | <ul> <li>(iii) less than 3 mm;</li> <li>(c) not further worked than cold-rolled and other tha stainless or heat-resisting, high-speed steel or too steel, high-speed tool steel and chipper knife stee of a thickness of—</li> </ul>                                                                                                                                                                      |
|                          | 737559           | (i) 3 mm or more;                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | 737569           | <ul><li>(ii) less than 3 mm;</li><li>(d) polished, clad, or otherwise surface treated (ECSC)—</li></ul>                                                                                                                                                                                                                                                                                                   |
|                          | 737573           | <ul><li>(i) stainless or heat-resisting, clad, or plated or coate<br/>with metal;</li></ul>                                                                                                                                                                                                                                                                                                               |
|                          | 737579           | <ul><li>(ii) other, except tool steel, high-speed tool steel an<br/>chipper knife steel, clad, or coated or plated wit<br/>metal.</li></ul>                                                                                                                                                                                                                                                               |

| Tariff<br>Heading<br>No. | Nimexe<br>Code                       | Description of Goods                                                                                                                                                                                       |
|--------------------------|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ex 73.16                 | 731614<br>731616<br>731617<br>731620 | Steel railway and tramway track construction material (ECSC), the following:—  (1) New rails, with weight per metre of:  (a) not less than 20 kg;  (b) less than 20 kg;  (2) Used rails;  (3) Check-rails. |

#### **EXPLANATORY NOTE**

(This Note is not part of the Order.)

This Order further amends the Export of Goods (Control) Order 1981 by substituting for Group C of Part I of Schedule 1 to that Order (added by S.I. 1982/1556) a revised Group C which is set out in the Schedule to this Order.

The Order implements Commission Decision No. 2192/83/ECSC of 20th April 1983 (OJ No. L215, 5.8.1983, p. 24) and Council Regulation (EEC) No. 2190/83 of 18th April 1983 (OJ No. L215, 5.8.1983, p. 10), amending respectively Commission Decision No. 2872/82/ECSC (OJ No. L307, 1.11.1982, p. 27) and Council Regulation (EEC) No. 2870/82 (OJ No. L307, 1.11.1982, p. 3) which provided for the restriction of exports of certain steel products of Community origin to the United States of America or the Commonwealth of Puerto Rico.

The revised list of products identifies certain of the products more precisely in terms of form or dimensions and extends control to certain products not identified in the earlier list of NIMEXE codes on which the original Group C was based. These include steel coils for "electrical" sheets and plates, "electrical" steel hoop and strip, certain kinds of clad and metal-plated steel products, certain kinds of alloy wire rod and certain stainless steel products.

SI 1983/1266 ISBN 0-11-037266-2

