Document Generated: 2024-05-28

Status: This revised version has been created from an electronic version contributed by Westlaw which was originally derived from the printed publication. Read more (See end of Document for details) Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Road Vehicles (Construction and Use) Regulations 1986. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

SCHEDULE 6

(see regulation 41)

CONSTRUCTION OF MINIBUSES

The requirements referred to in regulation 41 are as follows—

Exhaust pipes

1. The outlet of every exhaust pipe fitted to a minibus shall be either at the rear or on the off side of the vehicle.

Commencement Information

II Sch. 6 para. 1 in force at 11.8.1986, see reg. 1

Doors-number and position

- 2.—(1) Every minibus shall be fitted with at least—
 - (a) one service door on the near side of the vehicle; and
 - (b) one emergency door either at the rear or on the off side of the vehicle so, however, that any emergency door fitted on the off side of the vehicle shall be in addition to the driver's door and there shall be no requirement for an emergency door on a minibus if it has a service door at the rear in addition to the service door on the near side.
- (2) No minibus shall be fitted with any door on its off side other than a driver's door and an emergency door.

Commencement Information

I2 Sch. 6 para. 2 in force at 11.8.1986, see reg. 1

Emergency Doors

- **3.** Every emergency door fitted to a minibus, whether or not required pursuant to these Regulations, shall—
 - (a) be clearly marked, in letters not less than 25 mm high, on both the inside and the outside, "EMERGENCY DOOR" or "FOR EMERGENCY USE ONLY", and the means of its operation shall be clearly indicated on or near the door;
 - (b) if hinged, open outwards;
 - (c) be capable of being operated manually; and
 - (d) when fully opened, give an aperture in the body of the vehicle not less than 1210 mm high nor less than 530 mm wide.

Commencement Information

I3 Sch. 6 para. 3 in force at 11.8.1986, see reg. 1

Power-operated doors

4.—(1) Every power-operated door fitted to a minibus shall—

Status: This revised version has been created from an electronic version contributed by Westlaw which was originally derived from the printed publication. Read more (See end of Document for details) Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Road Vehicles (Construction and Use) Regulations 1986. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (a) incorporate transparent panels so as to enable a person immediately inside the door to see any person immediately outside the door;
- (b) be capable of being operated by a mechanism controlled by the driver of the vehicle when in the driving seat;
- (c) be capable, in the event of an emergency or a failure of the supply of power for the operation of the door, of being opened from both inside and outside the vehicle by controls which—
 - (i) over-ride all other controls,
 - (ii) are placed on, or adjacent to, the door, and
 - (iii) are accompanied by markings which clearly indicate their position and method of operation and state that they may not be used by passengers except in an emergency;
- (d) have a soft edge so that a trapped finger is unlikely to be injured; and
- (e) be controlled by a mechanism by virtue of which if the door, when closing, meets a resistance exceeding 150 Newtons, either
 - —the door will cease to close and begin to open, or
 - —the closing force will cease and the door will become capable of being opened manually.
- (2) No minibus shall be equipped with a system for the storage or transmission of energy in respect of the opening or closing of any door which, either in normal operation or if the system fails, is capable of adversely affecting the operation of the vehicle's braking system.

Commencement Information

I4 Sch. 6 para. 4 in force at 11.8.1986, see reg. 1

Locks, handles and hinges of doors

- 5. No minibus shall be fitted with—
 - (a) a door which can be locked from the outside unless, when so locked, it is capable of being opened from inside the vehicle when stationary;
 - (b) a handle or other device for opening any door, other than the driver's door, from inside the vehicle unless the handle or other device is designed so as to prevent, so far as is reasonably practicable, the accidental opening of the door, and is fitted with a guard or transparent cover or so designed that it must be raised to open the door;
 - (c) a door which is not capable of being opened, when not locked, from inside and outside the vehicle by a single movement of the handle or other device for opening the door;
 - (d) a door in respect of which there is not a device capable of holding the door closed so as to prevent any passenger falling through the doorway;
 - (e) a side door which opens outwards and is hinged at the edge nearest the rear of the vehicle except in the case of a door having more than one rigid panel;
 - (f) a door, other than a power-operated door, in respect of which there is not either—
 - (i) a slam lock of the two-stage type; or
 - (ii) a device by means of which the driver, when occupying the driver's seat, is informed if the door is not securely closed, such device being operated by movement of the handle or other device for opening the door or, in the case of a handle or other device

Document Generated: 2024-05-28

Status: This revised version has been created from an electronic version contributed by Westlaw which was originally derived from the printed publication. Read more (See end of Document for details) Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Road Vehicles (Construction and Use) Regulations 1986. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

with a spring-return mechanism, by movement of the door as well as of the handle or other device.

Provided that the provisions of sub-paragraphs (a), (c), (d) and (f) of this paragraph shall not apply in respect of a near side rear door forming part of a pair of doors fitted at the rear of a vehicle if that door is capable of being held securely closed by the other door of that pair.

Commencement Information

I5 Sch. 6 para. 5 in force at 11.8.1986, see reg. 1

View of doors

- **6.**—(1) Save as provided in sub-paragraph (2), every minibus shall be fitted with mirrors or other means so that the driver, when occupying the driver's seat, can see clearly the area immediately inside and outside every service door of the vehicle.
- (2) The provisions of sub-paragraph (1) shall be deemed to be satisfied in respect of a rear service door if a person 1.3 metres tall standing 1 metre behind the vehicle is visible to the driver when occupying the driver's seat.

Commencement Information

I6 Sch. 6 para. 6 in force at 11.8.1986, see reg. 1

Access to doors

- 7.—(1) Save as provided in sub-paragraph (2), there shall be unobstructed access from every passenger seat in a minibus to at least two doors one of which must be on the nearside of the vehicle and one of which must be either at the rear or on the offside of the vehicle.
- (2) Access to one only of the doors referred to in sub-paragraph (1) may be obstructed by either or both of—
 - (a) a seat which when tilted or folded does not obstruct access to that door; and
 - (b) a lifting platform or ramp which—
 - (i) does not obstruct the handle or other device on the inside for opening the door with which the platform or ramp is associated, and
 - (ii) when the door is open, can be pushed or pulled out of the way from the inside so as to leave the doorway clear for use in an emergency.

Commencement Information

I7 Sch. 6 para. 7 in force at 11.8.1986, see reg. 1

Grab handles and hand rails

8. Every minibus shall be fitted as respects every side service door with a grab handle or a hand rail to assist passengers to get on or off the vehicle.

Status: This revised version has been created from an electronic version contributed by Westlaw which was originally derived from the printed publication. Read more (See end of Document for details) Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Road Vehicles (Construction and Use) Regulations 1986. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Commencement Information

I8 Sch. 6 para. 8 in force at 11.8.1986, see reg. 1

Seats

- **9.**—(1) No seat shall be fitted to any door of a minibus.
- (2) Every seat and every wheelchair anchorage fitted to a minibus shall be fixed to the vehicle.
- (3) No seat, other than a wheelchair, fitted to a minibus shall be less than 400 mm wide, and in ascertaining the width of a seat no account shall be taken of any arm-rests, whether or not they are folded back or otherwise put out of use.
- (4) No minibus shall be fitted with an anchorage for a wheelchair in such a manner that a wheelchair secured to the anchorage would face either side of the vehicle.
 - (5) No minibus shall be fitted with a seat—
 - (a) facing either side of the vehicle and immediately forward of a rear door unless the seat is fitted with an arm-rest or similar device to guard against a passenger on that seat falling through the doorway; or
 - (b) so placed that a passenger on it would, without protection, be liable to be thrown through any doorway which is provided with a power-operated door or down any steps, unless the vehicle is fitted with a screen or guard which affords adequate protection against that occurrence.

Commencement Information

I9 Sch. 6 para. 9 in force at 11.8.1986, see **reg. 1**

Electrical equipment and wiring

- 10.—(1) Save as provided in sub-paragraph (2) no minibus shall be fitted with any—
 - (a) electrical circuit which is liable to carry a current exceeding that for which it was designed;
 - (b) cable for the conduct of electricity unless it is suitably insulated and protected from damage;
 - (c) electrical circuit, other than a charging circuit, which includes any equipment other than—
 - (i) a starter motor,
 - (ii) a glow plug,
 - (iii) an ignition circuit, and
 - (iv) a device to stop the vehicle's engine,
 - unless it includes a fuse or circuit breaker so, however, that one fuse or circuit breaker may serve more than one circuit; or
 - (d) electrical circuit with a voltage exceeding 100 volts unless there is connected in each pole of the main supply of electricity which is not connected to earth a manually-operated switch which is—
 - (i) capable of disconnecting the circuit, or, if there is more than one, every circuit, from the main supply,

Document Generated: 2024-05-28

Status: This revised version has been created from an electronic version contributed by Westlaw which was originally derived from the printed publication. Read more (See end of Document for details) Changes to legislation: There are outstanding changes not yet made by the legislation. gov.uk editorial team to The Road Vehicles (Construction and Use) Regulations 1986. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (ii) not capable of disconnecting any circuit supplying any lamp with which the vehicle is required to be fitted, and
- (iii) located inside the vehicle in a position readily accessible to the driver.
- (2) The provisions of sub-paragraph (1) do not apply in respect of a high tension ignition circuit or a circuit within a unit of equipment.

```
Commencement Information
I10 Sch. 6 para. 10 in force at 11.8.1986, see reg. 1
```

Fuel tanks

11. No minibus shall be fitted with a fuel tank or any apparatus for the supply of fuel which is in the compartments or other spaces provided for the accommodation of the driver or passengers.

```
Commencement Information
II1 Sch. 6 para. 11 in force at 11.8.1986, see reg. 1
```

Lighting of steps

12. Every minibus shall be provided with lamps to illuminate every step at a passenger exit or in a gangway.

```
Commencement Information
112 Sch. 6 para. 12 in force at 11.8.1986, see reg. 1
```

General construction and maintenance

13. Every minibus, including all bodywork and fittings, shall be soundly and properly constructed of suitable materials and maintained in good and serviceable condition, and shall be of such design as to be capable of withstanding the loads and stresses likely to be met in the normal operation of the vehicle.

```
Commencement Information
113 Sch. 6 para. 13 in force at 11.8.1986, see reg. 1
```

Definitions

- **14.** In this Schedule—
 - "driver's door" means a door fitted to a minibus for use by the driver;
 - "emergency door" means a door fitted to a minibus for use by passengers in an emergency; and
 - "service door" means a door fitted to a minibus for use by passengers in normal circumstances.

Status: This revised version has been created from an electronic version contributed by Westlaw which was originally derived from the printed publication. Read more (See end of Document for details) Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Road Vehicles (Construction and Use) Regulations 1986. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Commencement Information

I14 Sch. 6 para. 14 in force at 11.8.1986, see reg. 1

Status:

This revised version has been created from an electronic version contributed by Westlaw which was originally derived from the printed publication.

Read more

Changes to legislation:

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Road Vehicles (Construction and Use) Regulations 1986. Any changes that have already been made by the team appear in the content and are referenced with annotations.

View outstanding changes

Changes and effects yet to be applied to:

- Regulations applied in part by S.I. 2003/1998, art. 58 (as inserted) by S.I. 2023/524 art. 4
- Regulations modified by S.I. 2022/470 art. 3

Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

Whole provisions yet to be inserted into this Instrument (including any effects on those provisions):

```
    Sch. 2A Pt. 1 para. 1(1) words inserted by S.I. 2009/2196 reg. 6(2)
```

- Sch. 11A Pt. 3 para. 6(1) substituted by S.I. 2017/881 reg. 17(3)(a)
- Sch. 11A Pt. 3 para. 6(4) substituted by S.I. 2017/881 reg. 17(3)(b)
- Sch. 2A Pt. 2 para. 9C inserted by S.I. 2009/2196 reg. 6(3)
- Sch. 11A Pt. 2 para. 3 substituted by S.I. 2017/881 reg. 17(2)
- Sch. 11A Pt. 4 para. 9(3) substituted by S.I. 2017/881 reg. 17(5)
- Sch. 11A Pt. 4 para. 9(1) words inserted by S.I. 2017/881 reg. 17(4)(a)
- Sch. 11A Pt. 4 para. 9(1) words inserted by S.I. 2017/881 reg. 17(4)(b)
- Sch. 11A Pt. 4 para. 9(1) words inserted by S.I. 2017/881 reg. 17(4)(c)
- s. 61C substituted by S.I. 2011/3065 reg. 4
- s. 61D inserted by S.I. 2011/3065 reg. 5
- Sch. 2A para. 9A9B inserted by S.I. 2000/3197 reg. 7
- Sch. 3B Pt. 2 para. 6(a) words substituted by S.I. 2003/1946 reg. 6(2)
- Sch. 3B Pt. 2 para. 6(b) words substituted by S.I. 2003/1946 reg. 6(3)
- Sch. 3B Pt. 2 para. 7 words substituted by S.I. 2003/1946 reg. 6(4)
- Sch. 3B Pt. 2 para. 8 words substituted by S.I. 2003/1946 reg. 6(5)
- Sch. 3B Pt. 2 para. 10 words substituted by S.I. 2003/1946 reg. 6(6)
- Sch. 5 para. 4(4)(4A) substituted by S.I. 2003/1690 reg. 5(3)
- Sch. 7B para. 3A inserted by S.I. 2002/227 reg. 2(4)
- Sch. 7B para. 3(b)(c) substituted for Sch. 7B para. 3(b) by S.I. 2003/3145 reg. 5(2)
 (b)
- Sch. 7B para. 3A(b)(c) substituted for Sch. 7B para. 3A(b) by S.I. 2003/3145 reg. 5(3)(b)
- Sch. 7B para. 3A word omitted by S.I. 2003/3145 reg. 5(3)(a)
- Sch. 7B Pt. 1 para. 7(b) substituted by S.I. 2017/1251 reg. 2(2)
- Sch. 7B Pt. 2 para. 8(1)(d) inserted by S.I. 2017/851 reg. 8(d)
- Sch. 7B Pt. 2 para. 8(2)(a)(b) substituted by S.I. 2017/851 reg. 8(e)
- Sch. 7B Pt. 2 para. 8(1)(a) words inserted by S.I. 2017/851 reg. 8(a)
- Sch. 7B Pt. 2 para. 8(1)(b) words inserted by S.I. 2017/851 reg. 8(b)
- Sch. 7B Pt. 2 para. 8(1)(c) words inserted by S.I. 2017/851 reg. 8(c)
- Sch. 7B Pt. 00I para. 7(b) substituted by S.I. 2003/1690 reg. 6
- Sch. 7B(b) substituted by S.I. 2009/1806 reg. 2(2)
- Sch. 7XA para. 1(4A) inserted by S.I. 2000/3197 reg. 8(3)
- Sch. 7XA para. 11(c) and word inserted by S.I. 2000/3197 reg. 8(9)
- Sch. 7XA para. 2(2)(c) and word inserted by S.I. 2006/2565 reg. 6(3)(e)
- Sch. 7XA para. 2(2A) inserted by S.I. 2006/2565 reg. 6(4)

```
Sch. 7XA para. 1(4B) inserted by S.I. 2009/2196 reg. 7(2)
Sch. 7XA para. 2(2B) inserted by S.I. 2009/2196 reg. 7(5)
Sch. 7XA para. 1(4A) replaced by S.I. 2006/2565 reg. 6(2)
Sch. 7XA para. 11(c) words inserted by S.I. 2006/2565 reg. 6(15)
Sch. 7XA para. 2(2A) words inserted by S.I. 2009/2196 reg. 7(4)(a)
Sch. 7XA para. 2(2A) words inserted by S.I. 2009/2196 reg. 7(4)(b)
Sch. 7XA Pt. 2 para. 2(2)(a) words inserted by S.I. 2007/2544 reg. 2(a)
Sch. 7XA Pt. 2 para. 2(2)(a) words inserted by S.I. 2007/2544 reg. 2(b)
Sch. 8 Pt. 3 para. 3A inserted by S.I. 2001/306 reg. 4(3)
Sch. 8 Pt. 3 para. 2(1) words inserted by S.I. 2001/306 reg. 4(1)(a)
Sch. 8 Pt. 3 para. 2(1) words inserted by S.I. 2001/306 reg. 4(1)(b)
Sch. 8 Pt. 3 para. 3 words inserted by S.I. 2001/306 reg. 4(2)
Sch. 11A heading substituted by S.I. 2017/881 reg. 17(1)
reg. 4(7)(8) inserted by S.I. 2005/3165 reg. 4(3)
reg. 7(3D) inserted by S.I. 2022/59 reg. 4(b)
reg. 7(10) inserted by S.I. 2022/59 reg. 4(c)
reg. 10B(3)(f) word substituted by S.S.I. 2013/119 Sch. 2 para. 4(2)(b)
reg. 10B(3)(f) words inserted by S.I. 2004/3168 art. 10(2)
reg. 10B(3)(f) words inserted by S.I. 2005/2929 art. 11(2)
reg. 10B(3)(f) words substituted by S.S.I. 2005/344 Sch. 1 para. 5(2)
reg. 10B(3)(f) words substituted by S.S.I. 2013/119 Sch. 2 para. 4(2)(a)
reg. 10C(7)(d) word substituted by S.S.I. 2013/119 Sch. 2 para. 4(3)(b)
reg. 10C(7)(d) words inserted by S.I. 2004/3168 art. 10(3)
reg. 10C(7)(d) words inserted by S.I. 2005/2929 art. 11(3)
reg. 10C(7)(d) words substituted by S.S.I. 2005/344 Sch. 1 para. 5(3)
reg. 10C(7)(d) words substituted by S.S.I. 2013/119 Sch. 2 para. 4(3)(a)
reg. 15(1D) inserted by S.I. 1995/551 reg. 3(5)
reg. 15(1E) inserted by S.I. 2001/3208 reg. 5(2)
reg. 15(1E) word substituted by S.I. 2002/1474 reg. 5
reg. 15(2)(aa) inserted by S.I. 2015/142 reg. 4(2)
reg. 15(2)(da) inserted by S.I. 2015/142 reg. 4(4)
reg. 15(3)(b)(iii) words substituted by S.I. 2001/3208 reg. 5(8)
reg. 15(3B) inserted by S.I. 1995/551 reg. 3(10)
reg. 15(3B) words substituted by S.I. 2001/3208 reg. 5(11)
reg. 15(3B)(a) words inserted by S.I. 2001/3208 reg. 5(12)
reg. 15(5B) inserted by S.I. 2001/3208 reg. 5(16)
reg. 15(8)(9) inserted by S.I. 2001/3208 reg. 5(18)
reg. 17A(1) words inserted by S.I. 2001/3208 reg. 8(3)
reg. 17A(1) words substituted by S.I. 2001/3208 reg. 8(2)
reg. 17A(3)(a) substituted by S.I. 2001/3208 reg. 8(4)
reg. 17A(4)(a) substituted by S.I. 2001/3208 reg. 8(5)
reg. 17A(5)(a) substituted by S.I. 2001/3208 reg. 8(6)
reg. 17A(7) substituted by S.I. 2001/3208 reg. 8(7)
reg. 17A(8) substituted by S.I. 2001/3208 reg. 8(8)
reg. 18(1C) inserted by S.I. 2001/3208 reg. 9(2)
reg. 18(2)(aa) inserted by S.I. 2015/142 reg. 7(2)
reg. 18(3A) inserted by S.I. 2017/851 reg. 3(b)
reg. 18A inserted by S.I. 2013/271 reg. 4
reg. 18A omitted by S.I. 2017/851 reg. 4
reg. 22(3)(ba) inserted by S.I. 2015/142 reg. 8(2)
reg. 25A inserted by S.I. 2010/312 reg. 3
reg. 27(1)(i)-(k) inserted by S.I. 2020/1178 reg. 2(4)(a)(iii)
reg. 27(1A) inserted by S.I. 2020/1178 reg. 2(4)(b)
reg. 27(4)(a)(v) added by S.I. 2015/142 reg. 11(4)
reg. 27(4)(ca) inserted by S.I. 2020/1178 reg. 2(4)(c)(ii)
reg. 32(7A) inserted by S.I. 2015/142 reg. 12(2)
reg. 32(11A) inserted by S.I. 2003/3145 reg. 3
reg. 33(6A)-(6H) inserted by S.I. 2009/142 reg. 3(3)
```

```
reg. 33(7)(e)(f) added by S.I. 2009/142 reg. 3(4)
reg. 33(9) added by S.I. 2009/142 reg. 3(5)
reg. 35(2)(ca) inserted by S.I. 2015/142 reg. 15(2)
reg. 36A(2A)-(2E) added by S.I. 2004/2102 reg. 3(2)
reg. 36A(2B) words substituted by S.I. 2009/142 reg. 4(2)
reg. 36A(2C) words substituted by S.I. 2009/142 reg. 4(3)
reg. 36A(2C)(b) substituted by S.I. 2005/3170 reg. 3(2)
reg. 36A(2D)(2E) omitted by S.I. 2009/142 reg. 4(4)
reg. 36A(7) substituted by S.I. 2004/2102 reg. 3(3)
reg. 36A(7A) added by S.I. 2004/2102 reg. 3(4)
reg. 36A(7A) substituted by S.I. 2005/3170 reg. 3(3)
reg. 36A(8)(b) words added by S.I. 2004/2102 reg. 3(5)
reg. 36A(9) words added by S.I. 2004/2102 reg. 3(6)(a)
reg. 36A(9) words added by S.I. 2004/2102 reg. 3(6)(b)
reg. 36A(9A) omitted by S.I. 2003/1946 reg. 4
reg. 36A(13)(c)-(e) added by S.I. 2005/3170 reg. 3(4)(b)
reg. 36A(13)(e) words substituted by S.S.I. 2013/119 Sch. 2 para. 4(4)
reg. 36A(13)(f) and word inserted by S.I. 2009/142 reg. 4(5)(b)
reg. 36B(1A)-(1D) added by S.I. 2004/2102 reg. 4(3)
reg. 36B(1B) substituted by S.I. 2005/3170 reg. 4(2)
reg. 36B(1B) word omitted by S.I. 2009/142 reg. 5(4)(b)
reg. 36B(1B) words substituted by S.I. 2009/142 reg. 5(4)(a)
reg. 36B(1C)(1D) omitted by S.I. 2009/142 reg. 5(5)
reg. 36B(2)(d) words substituted by S.I. 2004/2102 reg. 4(4)
reg. 36B(9) words added by S.I. 2004/2102 reg. 4(5)(b)
reg. 36B(9) words omitted by S.I. 2004/2102 reg. 4(5)(a)
reg. 36B(9) words substituted by S.I. 2004/2102 reg. 4(5)(c)
reg. 36B(10) omitted by S.I. 2003/1946 reg. 5(4)
reg. 36B(10)(b) words added by S.I. 2004/2102 reg. 4(6)
reg. 36B(14)(e) word omitted by S.I. 2009/142 reg. 5(6)(a)
reg. 36B(14)(e) words inserted by S.I. 2004/3168 art. 10(4)(a)
reg. 36B(14)(e) words inserted by S.I. 2005/2929 art. 11(4)(a)
reg. 36B(14)(e) words substituted by S.S.I. 2005/344 Sch. 1 para. 5(4)(a)
reg. 36B(14)(e) words substituted by S.S.I. 2013/119 Sch. 2 para. 4(5)(a)
reg. 36B(14)(g) and word inserted by S.I. 2009/142 reg. 5(6)(b)
reg. 37(1)(c) added by S.I. 2015/142 reg. 16(2)
reg. 37(5)(j)(k) added by S.I. 2005/2560 reg. 2(2)(b)
reg. 37(5)(k) substituted by S.I. 2011/935 reg. 5(a)
reg. 37(5)(k) words omitted by S.I. 2019/703 Sch. 10 para. 1(a)
reg. 37(5)(1) and word added by S.I. 2009/3221 reg. 2(b)
reg. 37(5)(aza) inserted by 2015 c. 20 Sch. 9 para. 6(3)
reg. 37(5)(aa) inserted by S.I. 2006/594 Sch. para. 8
reg. 37(5)(ab) inserted by S.S.I. 2006/129 sch. para. 1
reg. 37(5)(ca) inserted by S.I. 2019/734 Sch. para. 58(2) (This amendment comes
into force on the day on which s. 81 of the Forestry and Land Management
(Scotland) Act 2018 (asp 8) comes into force. That provision is commenced on
1.4.2019 by S.S.I. 2019/47, reg. 2)
reg. 37(9A) substituted by S.I. 2011/935 reg. 5(b)
reg. 37(9A) words substituted by S.I. 2019/703 Sch. 10 para. 1(b)
reg. 40(2A) inserted by S.I. 2003/1690 reg. 3(3)
reg. 40(2A) words inserted by S.I. 2017/881 reg. 12
reg. 41A added by S.I. 2005/2987 reg. 3
reg. 41A(1) reg. 41A renumbered as reg. 41A(1) by S.I. 2009/142 reg. 6(2)(a)
reg. 41A(2) added by S.I. 2009/142 reg. 6(2)(b)
reg. 47(2)(f)-(j) inserted by S.I. 2001/1043 reg. 4(2)(e)
reg. 47(4A) inserted by S.I. 2001/1043 reg. 4(5)
reg. 48A(3A) inserted by S.I. 2001/1043 reg. 6(2)
reg. 53C added by S.I. 2005/2987 reg. 4
```

```
reg. 53C(1) reg. 53C renumbered as reg. 53C(1) by S.I. 2009/142 reg. 7(2)(a)
reg. 53C(2) added by S.I. 2009/142 reg. 7(2)(b)
reg. 55(2)(ba) inserted by S.I. 2015/142 reg. 17(2)
reg. 56(1)(a)(aa) substituted for reg. 56(1)(a) by S.I. 2015/142 reg. 18
reg. 60(1F)(b) words inserted by S.I. 2018/682 Sch. 1 para. 1
reg. 61(2A) inserted by S.I. 2000/3197 reg. 4(2)
reg. 61(10AB)(ca) added by S.I. 2003/3145 reg. 4(c)
reg. 61A inserted by S.I. 2000/3197 reg. 5(1)
reg. 61A Table words inserted by S.I. 2001/1825 reg. 3
reg. 61A Table 1 words inserted by S.I. 2002/1474 reg. 2(2)
reg. 61A Table words replaced by S.I. 2006/2565 reg. 4(5)
reg. 61A(4) word substituted by S.I. 2001/3208 reg. 10
reg. 61A(4) words substituted by S.I. 2001/306 reg. 3
reg. 61A(7) replaced by S.I. 2006/2565 reg. 4(2)
reg. 61A(8)(b) replaced by S.I. 2006/2565 reg. 4(3)
reg. 61A(9) added by S.I. 2006/2565 reg. 4(4)
reg. 61B inserted by S.I. 2009/2196 reg. 4
reg. 61C inserted by S.I. 2011/427 reg. 3
reg. 63(1)(c)(ca) substituted for reg. 63(1)(c) by S.I. 2015/142 reg. 20(1)
reg. 66(8) inserted by S.I. 2017/881 reg. 13
reg. 82(10)(aa) inserted by 2015 c. 20 Sch. 9 para. 7(3)
reg. 94(2A) inserted by S.I. 2017/881 reg. 16(2)
reg. 101(2)(aa) inserted by 2015 c. 20 Sch. 9 para. 8(3)
reg. 107(2)(aa) inserted by 2015 c. 20 Sch. 9 para. 9(3)
reg. 110 and cross-heading inserted by S.I. 2003/2695 reg. 2
reg. 110(4) words substituted by S.I. 2022/81 reg. 3(1)(a)
reg. 110(5A) inserted by S.I. 2018/592 reg. 2(2)
reg. 110(5B) inserted by S.I. 2022/81 reg. 3(1)(b)
reg. 110(6)(a) words substituted by S.I. 2022/81 reg. 3(1)(c)
reg. 110(6)(c) substituted by S.I. 2022/81 reg. 3(1)(d)
reg. 110(6)(f)(g) inserted by S.I. 2022/81 reg. 3(2)
reg. 111 inserted by S.I. 2017/851 reg. 6
```