
STATUTORY INSTRUMENTS

1998 No. 2515

**MERCHANT SHIPPING
SAFETY**

**The Merchant Shipping (Passenger Ship Construction:
Ships of Classes III to VI(A)) Regulations 1998**

Made - - - - 8th October 1998

Laid before Parliament 19th October 1998

Coming into force 12th November 1998

**THE MERCHANT SHIPPING (PASSENGER SHIP CONSTRUCTION:
SHIPS OF CLASSES III TO VI(A)) REGULATIONS 1998**

PART I

PRELIMINARY

1. Citation and commencement
2. Interpretation
3. Application
4. Exemptions for certain Classes of ships and individual ships
5. Approved standards

PART II

STRENGTH, CONSTRUCTION AND WATERTIGHT SUBDIVISION

6. Structural strength
7. Construction of watertight bulkheads
8. Watertight subdivision
9. Peak and machinery space bulkheads, shaft tunnels
10. Weatherdeck
11. Partial subdivision above the bulkhead deck
12. Openings in watertight bulkheads
13. Openings in the shell plating below the bulkhead deck
14. Side and other openings above the bulkhead deck

Status: This is the original version (as it was originally made).

PART III

CLOSING OF OPENINGS IN HULLS AND WATERTIGHT BULKHEADS BELOW THE BULKHEAD DECK

15. Interpretations
16. Closure of hull openings and openings in watertight bulkheads
17. Marking of valves, doors and mechanisms
18. Drills and inspections
19. Notices
20. Entries to be recorded

PART IV

CLOSING OF OPENINGS IN ENCLOSED SUPERSTRUCTURES AND IN BULKHEADS ABOVE THE BULKHEAD DECK

21. Application and interpretation
22. Closure of main loading doors
23. Supervision and reporting of closure
24. Closure of weathertight doors in bulkheads
25. Opening of doors in an emergency
26. Entries in a record book
27. Listing of loading and unloading berths
28. Written instructions regarding the opening of weathertight doors
29. Compliance with written instructions

PART V

STABILITY, SURVIVABILITY AND SHIPSIDE MARKINGS

30. Intact stability standard
31. Inclining and stability information
32. Standard of survivability
33. Stability in the damaged condition
34. Loading and stability assessment of ro-ro passenger ships of Classes III, IV and V
35. Draught marks
36. Subdivision load lines
37. Freeboard marking
38. Exhibition of damage control plans
39. Sounding pipes

PART VI

BILGE PUMPING ARRANGEMENTS

40. General
41. Number and type of bilge pumps
42. Requirements for bilge pumps and bilge suction

PART VII

ELECTRICAL EQUIPMENT AND INSTALLATIONS

43. General
44. Main source of electrical power and main switchboards: ships of Class III

45. Lighting systems ***Requirements for ships constructed on or after 1st September 1984***
46. Emergency source of electrical power and emergency switchboards: ships of Class III
47. General precautions against shock, fire and other hazards
48. Electrical equipment in hazardous areas and spaces

PART VIII

BOILERS AND MACHINERY

49. General
50. Machinery
51. Means of manoeuvring and going astern
52. Boilers and other pressure vessels
53. Boiler feed systems
54. Steam pipe systems
55. Air pressure systems
56. Cooling systems
57. Oil fuel installations
58. Oil systems for lubricating, heating, cooling and control
59. Machinery controls ***Requirements for ships constructed on or after 1st September 1984***
60. Steering gear
61. Ventilation systems in machinery spaces ***Requirements for ships constructed on or after 1st September 1984***
62. Protection against noise ***Requirements for ships constructed on or after 1st September 1984***

PART IX

MISCELLANEOUS REQUIREMENTS

63. Guardrails and stanchions
64. Anchor handling equipment, anchors and chain cables
65. Hawsers and warps
66. Gas welding, flame cutting and domestic fuel installations
67. The use of asbestos

PART X

MISCELLANEOUS REQUIREMENTS FOR SHIPS WITH SPECIAL CATEGORY OR RO-RO CARGO SPACES

68. Application
69. Access opening indicator lights
70. Supplementary emergency lighting
71. Television surveillance

PART XI

EQUIVALENTS, PENALTIES, DETENTION AND INVALID STABILITY INFORMATION

72. Alternative construction, equipment and machinery
73. Penalties
74. Power to detain
75. Invalid stability information

Status: *This is the original version (as it was originally made).*

Signature
Explanatory Note