
STATUTORY INSTRUMENTS

2001 No. 2975

The Radiation (Emergency Preparedness and Public Information) Regulations 2001

Citation and commencement

1. These Regulations may be cited as the Radiation (Emergency Preparedness and Public Information) Regulations 2001 and shall come into force on 20th September 2001.

Commencement Information

II Reg. 1 in force at 20.9.2001, see [reg. 1](#)

Interpretation

2.—(1) In these Regulations, unless the context otherwise requires—

“the 1996 Regulations” means the Packaging, Labelling and Carriage of Radioactive Material by Rail Regulations 1996(1);

“the 1999 Regulations” means the Ionising Radiations Regulations 1999(2);

“the Agency” in relation to premises or transport or a plan relating to premises or transport—

(a) in England and Wales, means the Environment Agency,

(b) in Scotland, means the Scottish Environment Protection Agency;

“approved dosimetry service” means an approved dosimetry service within the meaning of the 1999 Regulations and which is approved for the purpose of regulation 14 of these Regulations;

“carrier” shall be construed in accordance with paragraph (2);

“carrier’s emergency plan” shall be construed in accordance with regulation 8;

“consignor” means an employer carrying out work with ionising radiation who presents to a carrier for transport by rail a consignment of any radioactive substance;

“dose assessment” means the dose assessment made and recorded by an approved dosimetry service in accordance with regulation 21 of the 1999 Regulations;

“dose record” means the record made and maintained in respect of an employee by the approved dosimetry service in accordance with regulation 21 of the 1999 Regulations;

“emergency exposure” means an exposure of an employee engaged in an activity of or associated with the response to a radiation emergency or potential radiation emergency in order to bring help to endangered persons, prevent exposure of a large number of persons or save a valuable installation or goods, whereby one of the individual dose limits referred to in paragraphs 1 or 2 of Part I of Schedule 4 to the 1999 Regulations could be exceeded;

“emergency services” means—

(1) S.I. 1996/2090, amended by S.I. 1999/303.

(2) S.I. 1999/3232.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Radiation (Emergency Preparedness and Public Information) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

(a) those police, fire and ambulance services who are likely to be required to respond to a radiation emergency which has occurred at the premises of an operator or at the location of a radiation emergency during the course of the transport of a radioactive substance, and

(b) where appropriate, Her Majesty's Coastguard;

“the Executive” means the Health and Safety Executive;

“health authority” means, in relation to England and Wales, a health authority established under section 8 of the National Health Service Act 1977(3) and, in relation to Scotland, a health board established under section 2 of the National Health Service (Scotland) Act 1978(4);

“installation” means a unit in which the radioactive substances present are, or are intended to be, produced, used, handled or stored, and it includes—

(a) equipment, structures, pipework, machinery and tools,

(b) railway sidings, docks and unloading quays serving the unit, and

(c) jetties, warehouses or similar structures, whether floating or not,

which are necessary for the operation of the unit;

“intervention” means a human activity that prevents or decreases the exposure of persons to radiation from a radiation emergency or from an event which could lead to a radiation emergency, by acting on the sources of radiation, the paths by which such radiation may be transmitted to persons and on persons themselves;

“ionising radiation” means the transfer of energy in the form of particles or electromagnetic waves of a wavelength of 100 nanometres or less or a frequency of 3×10^{15} hertz or more capable of producing ions directly or indirectly;

“licensed site” means a site in respect of which a nuclear site licence has been granted and is in force;

“licensee” means the person to whom a nuclear site licence has been granted;

“local authority” means—

(a) subject to sub-paragraphs (b) and (c) below, in relation to—

(i) London, the London Fire and Emergency Planning Authority,

(ii) an area where there is a fire and civil defence authority, that authority,

(iii) the Isles of Scilly, the Council of the Isles of Scilly,

(iv) an area in the rest of England, the county council for that area or, where there is no county council for that area, the district council for that area,

(v) an area in Scotland, the council for the local government area, and

(vi) an area in Wales, the county council or the county borough council for that area;

(b) for the purposes of regulation 16(2), in relation to—

(i) London, the London Fire and Emergency Planning Authority, and, in the City of London, the Common Council for the City of London, or, in an area in the rest of London, the London Borough Council for that area,

(ii) any other area where there is a fire and civil defence authority, that authority and the district council for that area,

(iii) the Isles of Scilly, the Council of the Isles of Scilly,

(3) 1977 c. 49; section 8 was substituted by the Health Authorities Act 1995 (c. 17), section 1(1).

(4) 1978 c. 29; section 2 was amended by the Health and Social Services and Social Security Adjustments Act 1983 (c. 41), Schedule 7.

- (iv) an area in the rest of England, the county council, if any, for that area and the district council, if any, for that area,
 - (v) an area in Scotland, the council for the local government area, and
 - (vi) an area in Wales, the county council or the county borough council for that area;
- (c) for the purposes of regulation 16(3), in relation to—
- (i) the City of London, the Common Council for the City of London,
 - (ii) an area in the rest of London, the London Borough Council for that area,
 - (iii) the Isles of Scilly, the Council of the Isle of Scilly,
 - (iv) an area in the rest of England, the district council for that area or, where there is no district council for that area, the county council for that area,
 - (v) an area in Scotland, the council for the local government area, and
 - (vi) an area in Wales, the county council or the county borough council for that area;

“medical surveillance” means medical surveillance carried out in accordance with regulation 24 of the 1999 Regulations;

“member of the public” means any person not being—

- (a) a person for the time being present upon premises where a radiation emergency is reasonably foreseeable or where a radiation emergency has actually occurred, or
- (b) a person engaged in an activity of or associated with the response to a radiation emergency;

“non-dispersible source” means a sealed source or a radioactive substance which in either case by virtue of its physical and chemical form cannot cause a radiation emergency in any reasonably foreseeable event but it does not include any radioactive substance inside a nuclear reactor or any nuclear fuel element;

“nuclear site licence” has the meaning assigned to it by section 1(1) of the Nuclear Installations Act 1965(5);

“off-site emergency plan” shall be construed in accordance with regulation 9;

“operator” shall be construed in accordance with paragraph (3);

“operator’s emergency plan” shall be construed in accordance with regulation 7;

“premises” means—

- (a) the whole area under the control of the same person where radioactive substances are present in one or more installations, and for this purpose two or more areas under the control of the same person and separated only by a road, railway or inland waterway shall be treated as one whole area, or
- (b) where radioactive substances are present on a licensed site, that licensed site,

and, where a radioactive substance forms an integral part of a vessel and is used in connection with the operation of that vessel, it includes that vessel when it is at fixed point moorings or alongside berths, save that such vessel shall be deemed to be separate premises only where such moorings or berths do not form part of a licensed site or part of premises under the control of the Secretary of State for Defence;

“radiation accident” means an accident where immediate action would be required to prevent or reduce the exposure to ionising radiation of employees or any other persons and includes a radiation emergency;

(5) 1965 c. 57; section 1 was amended by S.I. 1974/2056 and S.I. 1990/1918.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to *The Radiation (Emergency Preparedness and Public Information) Regulations 2001*. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

“radiation emergency” means any event (other than a pre-existing situation) which is likely to result in any member of the public being exposed to ionising radiation arising from that event in excess of any of the doses set out in Schedule 1 and for this purpose any health protection measure to be taken during the 24 hours immediately following the event shall be disregarded;

“radioactive substance” means any substance which contains one or more radionuclides whose activity cannot be disregarded for the purposes of radiation protection;

“sealed source” means a source containing any radioactive substance whose structure is such as to prevent, under normal conditions of use, any dispersion of radioactive substances into the environment;

“transport” means—

- (a) carriage of a radioactive substance by rail in or on a vehicle and a radioactive substance shall be deemed as being transported from the time that it is loaded onto the vehicle for the purpose of transporting it until it is unloaded from that vehicle;
- (b) transferring or conveying a radioactive substance through any public place otherwise than—
 - (i) by rail, road, inland waterway, sea or air; or
 - (ii) by means of a pipeline or similar means;

“vehicle” means a railroad car or railway wagon, and for the purposes of these Regulations each car or wagon forming part of a larger vehicle shall be treated as a separate vehicle;

“work with ionising radiation” means work involving the production, processing, handling, use, holding, storage, transport by rail or disposal of radioactive substances which can increase the exposure of persons to radiation from an artificial source, or from a radioactive substance containing naturally occurring radionuclides which are processed for their radioactive, fissile or fertile properties.

- (2) In these Regulations, any reference to a carrier is a reference to—
 - (a) an employer undertaking the transport by rail of any radioactive substance, and includes both a carrier for hire or reward and a carrier on own account, and
 - (b) an employer transferring or conveying a radioactive substance through any public place otherwise than by rail, road, inland waterway, sea or air or by means of a pipeline or similar means.
- (3) In these Regulations, any reference to an operator is a reference to—
 - (a) in relation to any premises other than a licensed site, the person who is, in the course of a trade, business or other undertaking carried on by him, in control of the operation of premises, and
 - (b) in relation to a licensed site, the licensee,

and any duty imposed by these Regulations on the operator shall extend only in relation to those premises.

- (4) In these Regulations, unless the context otherwise requires, any reference to—
 - (a) an employer includes a reference to a self-employed person and any duty imposed by these Regulations on an employer in respect of his employee shall extend to a self-employed person in respect of himself;
 - (b) exposure to ionising radiation is a reference to exposure to ionising radiation arising from work with ionising radiation.
- (5) Any reference in these Regulations to—
 - (a) a numbered regulation or Schedule is a reference to the regulation in or Schedule to these Regulations so numbered; and

- (b) a numbered paragraph is a reference to the paragraph so numbered in the regulation or Schedule in which the reference appears.

Commencement Information

I2 Reg. 2 in force at 20.9.2001, see [reg. 1](#)

Application

3.—(1) Subject to paragraph (4) and regulation 17, these Regulations apply to any work with ionising radiation which involves—

- (a) having on any premises or providing facilities for there to be on any premises a radioactive substance containing more than the quantity of any radionuclide specified in Schedule 2 or, in the case of fissile material, more than the mass of that material specified in Schedule 3;
- (b) transporting by rail a radioactive substance containing more than the quantity of radionuclides specified in Schedule 4 or, in the case of fissile material, more than the mass of that material specified in Schedule 3; or
- (c) transferring or conveying a radioactive substance of a quantity or mass referred to in sub-paragraph (b) above through any public place otherwise than by rail, road, inland waterway, sea or air or by means of a pipeline or similar means.

(2) For the purposes of paragraph (1)(a), a quantity specified in Schedule 2 shall be treated as being exceeded if—

- (a) where only one radionuclide is involved, the quantity of that radionuclide exceeds the quantity specified in the appropriate entry in Part I of Schedule 2; or
- (b) where more than one radionuclide is involved, the quantity ratio calculated in accordance with Part II of Schedule 2 exceeds one.

(3) For the purposes of paragraph (1)(b), a quantity specified in Schedule 4 shall be treated as being exceeded if—

- (a) where only one radionuclide is involved, the quantity of that radionuclide exceeds the quantity specified in the appropriate entry in Part I of Schedule 4; or
- (b) where more than one radionuclide is involved, the quantity ratio calculated in accordance with Part II of Schedule 4 exceeds one.

(4) These Regulations shall not apply in respect of—

- (a) except for the transport of such source, any non-dispersible source;
- (b) except for the transport of such substance, any radioactive substance which has an activity concentration of not more than 100Bqg-1;
- (c) any radioactive substance conforming to the specifications for special form radioactive material set out in the 1996 Regulations and which is certified pursuant to those Regulations as complying with them or where the transport forms part of an international transport operation as is referred to in regulation 2(3)(a), (b) or (c) of the 1996 Regulations;
- (d) any radioactive substance which is in a package which complies in every respect with either the requirements for—
 - (i) a Type B package design within the meaning of the 1996 Regulations; or
 - (ii) a consignment shipped under Special Arrangement Transport Operations for the equivalent of a Type B package within the meaning of the 1996 Regulations,

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Radiation (Emergency Preparedness and Public Information) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

and which is, in either case, certified pursuant to those Regulations as complying with them or where the transport forms part of an international transport operation as is referred to in regulation 2(3)(a), (b) or (c) of the 1996 Regulations;

- (e) the transport of any radioactive substance in the form of a low specific activity material conforming to the specifications for LSA-I, LSA-II or LSA-III within the meaning of the 1996 Regulations including cases where the transport forms part of an international transport operation as is referred to in regulation 2(3)(a), (b) or (c) of the 1996 Regulations;
 - (f) the transport of any radioactive substance in the form of a surface contaminated object conforming to the specifications for SCO-I or SCO-II within the meaning of the 1996 Regulations including cases where the transport forms part of an international transport operation as is referred to in regulation 2(3)(a), (b) or (c) of the 1996 Regulations;
 - (g) the presence of a radioactive substance while it is in or on the live body or corpse of a human being or animal where that presence occurs otherwise than in consequence of a radiation emergency.
- (5) These Regulations shall not apply in Northern Ireland.

Commencement Information

I3 Reg. 3 in force at 20.9.2001, see [reg. 1](#)

Hazard identification and risk evaluation

- 4.—(1) In relation to work with ionising radiation to which these Regulations apply—
- (a) every operator shall, before such work is for the first time carried out at the premises, make an assessment; and
 - (b) every carrier shall before he for the first time undertakes the transport of any radioactive substance make or ensure that there has been made an assessment,

which, in either case, is sufficient to demonstrate that—

- (c) all hazards arising from that work with the potential to cause a radiation accident have been identified; and
- (d) the nature and magnitude of the risks to employees and other persons arising from those hazards have been evaluated.

(2) Where the assessment made for the purposes of paragraph (1) or of regulation 5 shows that a radiation risk to employees or other persons exists from an identifiable radiation accident, the operator or carrier, as the case may be, shall take all reasonably practicable steps to—

- (a) prevent any such accident; and
- (b) limit the consequences of any such accident which does occur.

(3) The requirements of this regulation are without prejudice to the requirements of regulation 3 (Risk assessment) of the Management of Health and Safety at Work Regulations 1999(6) and to regulation 7 (Prior risk assessment etc.) of the 1999 Regulations.

Commencement Information

I4 Reg. 4 in force at 20.9.2001, see [reg. 1](#)

Review of hazard identification and risk evaluation

5.—(1) Where a material change occurs in the work with ionising radiation to which an assessment made pursuant to regulation 4(1) relates—

- (a) the operator shall make a further assessment to take account of that change; and
- (b) the carrier shall make or ensure that there has been made a further assessment to take account of that change.

(2) For such time as the work with ionising radiation in respect of which an assessment made pursuant to regulation 4(1) continues, the operator and carrier shall, within 3 years of the date of the last assessment (whether made in accordance with regulation 4(1), paragraph (1) or this paragraph) either—

- (a) make (or, in relation to a carrier, ensure that there has been made) a further assessment; or
- (b) if there is no change of circumstances which would affect the last report of the assessment required by regulation 6, sign a declaration to that effect.

Commencement Information

I5 Reg. 5 in force at 20.9.2001, see [reg. 1](#)

Reports of assessment

6.—(1) Where an assessment has been made pursuant to regulation 4(1) by an operator or carrier—

- (a) the operator in question shall send to the Executive a report of that assessment at least twelve months before the commencement of the work with ionising radiation to which the assessment relates or within such shorter time in advance as the Executive may agree; and
- (b) the carrier in question shall send to the Executive a report of that assessment at least 28 days before the commencement of the work with ionising radiation to which the assessment relates or within such shorter time in advance as the Executive may agree.

(2) Where an assessment has been made pursuant to regulation 5(1), the operator or carrier in question shall send to the Executive a report of that assessment within 28 days of the making of the material change or such longer time as the Executive may agree.

(3) Where an assessment or declaration has been made pursuant to regulation 5(2), the operator or carrier in question shall send to the Executive a report of that assessment or the declaration, as the case may be, within 28 days of the assessment or declaration being made.

(4) A report of an assessment made for the purposes of this regulation shall include the particulars specified in Schedule 5.

(5) Where, for the purpose of assessing the risk to health or safety of persons who could be affected by work with ionising radiation to which regulation 4 applies, the Executive may reasonably require a detailed assessment of any of the further particulars set out in Schedule 6, it may, by notice in writing served on the operator or carrier, require him to carry out (or, in relation to a carrier, require him to ensure that there has been carried out) such detailed assessment of such matters as are specified in the notice and the operator or carrier, as the case may be, shall send a report of that assessment to the Executive within such time as is specified in the notice or within such longer time as the Executive may subsequently allow.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Radiation (Emergency Preparedness and Public Information) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

Commencement Information

I6 Reg. 6 in force at 20.9.2001, see [reg. 1](#)

Operator's emergency plan

7.—(1) Where the assessment made by an operator in accordance with regulation 4(1) or regulation 5 shows that it is reasonably foreseeable that a radiation emergency might arise (having regard to the steps taken by the operator under regulation 4(2)), the operator shall prepare an adequate emergency plan (in these Regulations referred to as an “operator’s emergency plan”) designed to secure, so far as is reasonably practicable, the restriction of exposure to ionising radiation and the health and safety of persons who may be affected by such reasonably foreseeable emergencies as are identified by the said assessment.

(2) Without prejudice to paragraph (1), the operator’s emergency plan shall contain the information specified in Part I of Schedule 7.

(3) No person shall carry out work with ionising radiation to which the assessment made in accordance with regulation 4(1) applies unless—

- (a) the operator has complied with the requirements of paragraphs (1) and (2); and
- (b) the local authority has complied with the requirements of regulation 9(1), (2), (8) and (9) and has provided confirmation of this to the operator in accordance with regulation 9(13).

(4) The operator’s emergency plan shall be drawn up having regard to the principles set out in Part I of Schedule 8.

(5) Without prejudice to the generality of paragraph (1), the operator’s emergency plan shall secure, where appropriate, intervention for the purposes set out in Part II of Schedule 8.

(6) For the purpose of preparing the operator’s emergency plan pursuant to paragraph (1) or of reviewing the plan pursuant to regulation 10(1), the operator shall consult—

- (a) his employees, any person carrying out work on behalf of the operator, the Executive, the local authority in whose area the premises of the operator are situated, the emergency services, the health authority for the area in which the premises of the operator are situated and the Agency; and
- (b) such other persons, bodies and authorities as the operator considers appropriate,

and, in a case where the emergency services form part of the plan, shall give such information to those services as will enable them to perform their functions in accordance with the plan.

(7) The operator shall ensure that any employee who may be involved with or may be affected by arrangements in the operator’s emergency plan is or has been provided with—

- (a) suitable and sufficient information, instruction and training; and
- (b) the equipment necessary to restrict that employee’s exposure to ionising radiation including, where appropriate, the issue of suitable dosimeters or other devices obtained in either case from the approved dosimetry service with which the operator has entered into an arrangement under regulation 21 of the 1999 Regulations.

(8) The operator shall provide to the Executive upon request and within such reasonable time as the Executive may specify a copy of the operator’s emergency plan or such parts of that plan as the Executive may require.

Commencement Information

I7 Reg. 7 in force at 20.9.2001, see [reg. 1](#)

Carrier's emergency plan

8.—(1) Where the assessment made in accordance with regulation 4(1) or regulation 5 shows that it is reasonably foreseeable that a radiation emergency might arise in respect of the transport of a radioactive substance (having regard to the steps taken by the carrier under regulation 4(2)), the carrier shall prepare or ensure that there has been prepared an adequate emergency plan in respect of the transport of such substances (in these Regulations referred to as a “carrier’s emergency plan”) designed to secure, so far as is reasonably practicable, the restriction of exposure to ionising radiation and the health and safety of persons who may be affected by such reasonably foreseeable emergencies as are identified by the said assessment.

(2) Without prejudice to paragraph (1), the carrier’s emergency plan shall contain the information specified in Part II of Schedule 7.

(3) A carrier shall not undertake the transport of any radioactive substance to which the assessment made in accordance with regulation 4(1) applies unless he has complied with the requirements of paragraph (1) and (2).

(4) Where not also the carrier, the consignor shall, before presenting a consignment of any radioactive substance for transport, supply to the carrier such information as is necessary for the purpose of enabling the carrier to prepare or ensure that there is prepared the carrier’s emergency plan required by this regulation.

(5) The carrier’s emergency plan shall be drawn up having regard to the principles set out in Part I of Schedule 8.

(6) Without prejudice to the generality of paragraph (1), the carrier’s emergency plan shall secure, where appropriate, intervention for the purposes set out in Part II of Schedule 8.

(7) For the purpose of preparing a carrier’s emergency plan pursuant to paragraph (1) or of reviewing the plan pursuant to regulation 10(1), the carrier shall ensure that consultation is carried out with—

- (a) the Executive, (where not also the carrier) the consignor and the Agency; and
- (b) such local authorities, emergency services, health authorities and other persons, bodies or authorities (or in each case representatives thereof) as the carrier considers appropriate.

(8) The carrier shall ensure that any employee under his control who may be involved with or may be affected by arrangements in the carrier’s emergency plan is or has been provided with—

- (a) suitable and sufficient information, instruction and training; and
- (b) the equipment necessary to restrict that employee’s exposure to ionising radiation including, where appropriate, suitable dosimeters or other devices obtained in either case from the approved dosimetry service with which the carrier has entered into an arrangement under regulation 21 of the 1999 Regulations.

(9) Where requested by the Executive, the carrier shall provide to the Executive within such reasonable time as may be specified a copy of the carrier’s emergency plan or such parts of the plan as the Executive may require.

Commencement Information

I8 Reg. 8 in force at 20.9.2001, see [reg. 1](#)

Off-site emergency plan

9.—(1) The local authority in whose area there is situated premises at which there is carried out work with ionising radiation to which these Regulations apply and in respect of which an assessment made by the operator pursuant to regulation 4(1) or regulation 5 shows that it is reasonably foreseeable that a radiation emergency might arise (having regard to the steps taken by the operator under regulation 4(2)) shall prepare an adequate emergency plan (in these Regulations referred to as an “off-site emergency plan”) designed to secure, so far as is reasonably practicable, the restriction of exposure to ionising radiation and the health and safety of persons who may be affected by such reasonably foreseeable emergencies as are identified in that assessment and the plan shall be prepared in respect of such area as in the opinion of the Executive any member of the public is likely to be affected by such radiation emergencies.

(2) Without prejudice to paragraph (1), the off-site emergency plan shall contain the information specified in Part III of Schedule 7.

(3) The off-site emergency plan prepared pursuant to paragraph (1) shall address each reasonably foreseeable radiation emergency that has been identified by the operator for the purposes of regulation 7(1).

(4) Where an assessment has been made pursuant to regulation 4(1), within 28 days of sending the report of the assessment to the Executive in accordance with regulation 6(1), the operator shall supply to the local authority such information as is necessary for the purpose of enabling the authority to prepare the off-site emergency plan required by paragraph (1).

(5) Without prejudice to paragraph (4), the operator shall further supply to the local authority—

- (a) any additional information the local authority may reasonably request to enable the off-site emergency plan to be prepared; and
- (b) details of any material change to the information provided under paragraph (4) resulting from—
 - (i) a further assessment made pursuant to regulation 5(1) or (2); or
 - (ii) a revision of the operator’s emergency plan pursuant to regulation 10(1).

(6) The information provided to a local authority pursuant to paragraphs (4) or (5)(a) shall be reviewed and where necessary revised by the operator at suitable intervals not exceeding 3 years from the date at which information was last supplied to the local authority under those paragraphs and the operator shall within 28 days inform the local authority of the outcome of that review.

(7) The operator shall, within 28 days of any further assessment or revision referred to in paragraph (5)(b) inform the local authority of any material change to the information supplied arising from that assessment or review.

(8) Subject to paragraph (9), the off-site emergency plan shall be prepared no later than 6 months (or such longer period as the Executive may agree in writing) after whichever is the later of—

- (a) the receipt by the local authority of a notice from the Executive informing the local authority of the need to prepare an off-site emergency plan in respect of the area; or
- (b) the receipt by the local authority of the information referred to in paragraph (4).

(9) The off-site emergency plan shall be prepared before the operator carries out work with ionising radiation to which the assessment made in accordance with regulation 4(1) applies.

(10) The off-site emergency plan shall be drawn up having regard to the principles set out in Part I of Schedule 8.

(11) Without prejudice to the generality of paragraph (1), the off-site emergency plan shall secure, where appropriate, intervention for the purposes set out in Part II of Schedule 8.

(12) For the purpose of preparing an off-site emergency plan pursuant to paragraph (1) or of reviewing the plan pursuant to regulation 10(1), the local authority shall consult—

- (a) the operator carrying out the work with ionising radiation to which the plan relates, the Executive, the emergency services, each health authority in the vicinity of the premises of the operator and the Agency; and
- (b) such other persons, bodies and authorities and members of the public as the local authority considers appropriate.

(13) Once it has prepared the off-site emergency plan the local authority shall confirm in writing to the operator that it has done so.

(14) The employer of any employee who may be required to participate in the implementation of an off-site emergency plan shall ensure that such employees of his are or have been provided with—

- (a) suitable and sufficient information, instruction and training; and
- (b) the equipment necessary to restrict that employee's exposure to ionising radiation including, where appropriate, the issue of suitable dosimeters or other devices.

(15) The local authority shall provide to the Executive upon request and within such reasonable time as may be specified a copy of the off-site emergency plan or such parts of that plan as the Executive may require.

Commencement Information

I9 Reg. 9 in force at 20.9.2001, see [reg. 1](#)

Review and testing of emergency plans

10.—(1) The operator, carrier or local authority who has prepared (or, in relation to a carrier, has ensured that there has been prepared) an emergency plan pursuant to regulation 7, 8 or 9, as the case may be, shall at suitable intervals not exceeding 3 years—

- (a) review and where necessary revise the plan; and
- (b) test the plan and take reasonable steps to arrange for the emergency services to participate in the test to such extent as is necessary,

and any such review shall take into account changes occurring in the work with ionising radiation to which the plan relates and within the emergency services concerned, new technical knowledge and knowledge concerning the response to radiation emergencies and any material change to the assessment on which the plan was based since it was last reviewed or revised.

(2) The local authority shall endeavour to reach agreement with the operator who is subject to a duty to prepare an operator's emergency plan and the emergency services as to how the off-site emergency plan is to be tested.

(3) The carrier shall endeavour to reach agreement with such local authorities and emergency services as are appropriate as to how the carrier's emergency plan is to be tested.

Commencement Information

I10 Reg. 10 in force at 20.9.2001, see [reg. 1](#)

Consultation and co-operation

11.—(1) In performing the duties imposed on him by regulations 4(1)(a), 4(2), 5 and 7, the operator shall consult any other employer who carries out work with ionising radiation on the premises and shall for the purpose of compliance with those duties take into account relevant matters arising from that consultation.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Radiation (Emergency Preparedness and Public Information) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

(2) Any employer who carries out work with ionising radiation at premises to which these Regulations apply shall co-operate with the operator by providing information or otherwise to the extent necessary to ensure that the operator is enabled to comply with the requirements of these Regulations (including the testing of emergency plans) in so far as his ability depends on such co-operation.

(3) Any person who is subject to a duty under these Regulations to prepare an emergency plan and any employer of any other person whose participation is reasonably required by any such plan shall co-operate with each other by the exchange of information or otherwise to the extent necessary to ensure that each person is enabled to comply with the requirements of these Regulations (including the testing of emergency plans) in so far as his ability to comply depends upon such co-operation.

Commencement Information

I11 Reg. 11 in force at 20.9.2001, see [reg. 1](#)

Charge for preparation, review and testing of emergency plans

12.—(1) A local authority may charge—

- (a) the operator a fee for performing the local authority's functions in relation to the off-site emergency plan under regulations 9 and 10; and
- (b) the carrier a fee for performing the local authority's functions in relation to the carrier's emergency plan under regulation 10(1)(b).

(2) The fee charged under paragraph (1) shall not exceed the sum of costs reasonably incurred by the local authority in performing the functions referred to in that paragraph, including (but without prejudice to the generality of the foregoing provision of this paragraph) any costs reasonably incurred by the local authority in arranging for the emergency services to participate in the testing of the off-site emergency plan or the carrier's plan, as the case may be.

(3) When requiring payment the local authority shall send or give to the operator or carrier, as the case may be, a detailed statement of the work done and the costs incurred including the dates of any site visits and the period to which the statement relates and the fee, which shall be recoverable only as a civil debt, shall become payable one month after the statement has been sent or given.

Commencement Information

I12 Reg. 12 in force at 20.9.2001, see [reg. 1](#)

Implementation of emergency plans

13.—(1) An operator or carrier who has prepared (or, in relation to a carrier, has ensured that there has been prepared) an emergency plan pursuant to regulation 7 or 8, as the case may be, shall take reasonable steps to put it, or such parts of it as are necessary, into effect without delay when—

- (a) a radiation emergency occurs, or
- (b) an event occurs which could reasonably be expected to lead to a radiation emergency,

and shall notify such occurrence to the Executive without delay.

(2) A local authority which has prepared an emergency plan pursuant to regulation 9 shall take reasonable steps to ensure that it, or such parts of it as are necessary, is put into effect without delay when informed by the operator that—

- (a) a radiation emergency has occurred; or

- (b) an event has occurred which could reasonably be expected to lead to a radiation emergency.
- (3) In the event of a radiation emergency resulting from his work with ionising radiation, the operator or carrier shall—
 - (a) as soon as is reasonably practicable, make (or, in relation to a carrier, ensure that there has been made) a provisional assessment of the circumstances and consequences of such an emergency and for this purpose shall consult—
 - (i) in the case of the operator, the emergency services, the local authority, the health authority, the Agency and such other persons, bodies or authorities as have functions under the operator’s emergency plan or the off-site emergency plan; and
 - (ii) in the case of the carrier, the consignor, the Agency and any emergency services, local authority and health authority who were involved in the response to the emergency and such other persons, bodies or authorities as have functions under the carrier’s emergency plan;
 - (b) as soon as is practicable and in any event within 12 months or such longer time as the Executive may agree, make (or in relation to a carrier ensure that there has been made) a full assessment of the consequences of that emergency and the effectiveness of the emergency plans put into effect as a result of that emergency; and
 - (c) within 28 days of the completion of the assessment under sub-paragraph (b) make a report of the findings of the assessment and retain that report or a copy thereof for at least 50 years from the date upon which the report was completed.
- (4) The operator or carrier shall provide to the Executive within 28 days of the making of the report under paragraph (3)(c) above a copy of that report.

Commencement Information

I13 Reg. 13 in force at 20.9.2001, see [reg. 1](#)

Emergency exposures

- 14.—(1)** Where an emergency plan prepared pursuant to these Regulations provides for the possibility of any employee receiving an emergency exposure, each employer shall in relation to his employees—
- (a) identify those employees who may be subject to emergency exposures;
 - (b) provide such employees with appropriate training in the field of radiation protection and such information and instruction as is suitable and sufficient for them to know the risks to health created by exposure to ionising radiation and the precautions which should be taken;
 - (c) provide such equipment as is necessary to restrict the exposure of such employees to radiation;
 - (d) make arrangements for medical surveillance by an appointed doctor or employment medical adviser to be carried out without delay in the event of a radiation emergency in respect of those employees who receive emergency exposures;
 - (e) make arrangements with an approved dosimetry service for—
 - (i) dose assessments to be carried out without delay in the event of a radiation emergency in respect of those employees who receive emergency exposures, and a dose assessment made for the purpose of this sub-paragraph shall, where practicable, be made separately from any other dose assessment relating to those employees; and

- (ii) the results of the dose assessments carried out under sub-paragraph (i) above to be notified without delay to the employer and to the Executive;
 - (f) make arrangements, in respect of dose assessments to be carried out and notified pursuant to sub-paragraph (e) above, to notify the results of such assessments without delay to the appointed doctor or employment medical adviser who is carrying out the medical surveillance on the employee to whom the assessment relates;
 - (g) identify those employees who shall be authorised, in the event of a radiation emergency, to permit any employee referred to in sub-paragraph (a) above to be subject to an emergency exposure and provide employees who are so authorised with appropriate training.
- (2) An operator shall, at least 28 days before he for the first time commences work with ionising radiation, and a carrier shall at least 28 days before he for the first time undertakes transport of any radioactive substance, or in either case within such shorter time in advance as the Executive may agree, notify to the Executive the dose levels which he has determined are appropriate to be applied in respect of an employee identified for the purposes of paragraph (1)(a) in the event of such emergency.
- (3) Where an operator or carrier determines that a dose level notified under paragraph (2) above is no longer appropriate to be applied in respect of an employee identified for the purposes of paragraph (1)(a) in the event of such emergency, and that a revised level should be determined, the operator or carrier, as the case may be, shall, at least 28 days before formally determining the revised dose level, or within such shorter time in advance as the Executive may agree, notify to the Executive the revised dose level which he considers is appropriate to be applied.
- (4) In any case where in the opinion of the Executive the dose levels for emergency exposure notified pursuant to paragraph (2) or (3) are too high, the operator or carrier shall, if so directed by the Executive, substitute such other dose level or levels as the Executive may consider is appropriate.
- (5) Where an emergency plan is put into effect pursuant to the provisions of regulation 13, each employer shall ensure—
- (a) that no employee of his under 18 years of age, no trainee under 18 years of age and no female employee who is pregnant or breastfeeding is subject to an emergency exposure;
 - (b) that no other employee of his is subject to an emergency exposure unless—
 - (i) that employee has agreed to undergo such exposure;
 - (ii) the requirements of paragraph (1)(a) to (f) have been complied with in respect of that employee; and
 - (iii) that employee has been permitted to be so by an employee authorised for that purpose under paragraph (1)(g); and
 - (c) that no employee of his involved in implementing an emergency plan is exposed to a dose of radiation in excess of the dose level determined in accordance with paragraphs (2), (3) or (4).
- (6) The requirement imposed on the employer by paragraph (5)(a) shall not apply in respect of a female employee who is pregnant or breastfeeding until such time as the employee has notified the employer in writing of that fact or the employer should reasonably have been aware of that fact.
- (7) The requirement imposed by paragraph (5)(c) shall not apply in respect of an exposure of any employee who—
- (a) being informed about the risks involved in the intervention, agrees to undergo an exposure greater than any dose level referred to in that sub-paragraph for the purpose of saving human life; and
 - (b) is permitted to undergo such exposure by an employee authorised by the employer in accordance with paragraph (1)(g) to give such permission.

(8) Where an employee has undergone an emergency exposure, the employer shall ensure that the dose of ionising radiation received by that employee is assessed by an approved dosimetry service and that the dose assessed is recorded separately in the dose record of that employee or, where no dose record exists, in a record created for the purpose of this paragraph complying with the requirements to which it would be subject if it were a dose record.

(9) An employer shall at the request of an employee of his in respect of whom a record has been created for the purposes of paragraph (8), and on reasonable notice being given, obtain from the approved dosimetry service and make available to the employee a copy of the record of dose relating to that employee.

(10) In the event of a report made pursuant to regulation 13(3) relating to the circumstances of an emergency exposure and the action taken as a result of that exposure, an employer shall keep such report (or a copy thereof) until the person to whom the report relates has or would have attained the age of 75 years but in any event for at least 50 years from the termination of the work which involved any emergency exposure.

Commencement Information

I14 Reg. 14 in force at 20.9.2001, see [reg. 1](#)

Disapplication of dose limits

15. In the event of a radiation emergency, regulation 11 of the 1999 Regulations shall not apply to intervention.

Commencement Information

I15 Reg. 15 in force at 20.9.2001, see [reg. 1](#)

Prior information to the public

16.—(1) An operator or carrier who carries out work with ionising radiation from which a radiation emergency is reasonably foreseeable shall—

- (a) ensure that members of the public who are in an area in which, in the opinion of the Executive, they are likely to be affected by a radiation emergency arising from the undertaking of that operator or carrier, as the case may be, are supplied, in an appropriate manner, without their having to request it, with at least the information specified in Schedule 9; and
- (b) make that information publicly available.

(2) In preparing the information to be supplied in accordance with paragraph (1), the operator or carrier shall consult each local authority in the area or areas referred to in that paragraph, any authority likely to fall within paragraph 5 of Schedule 9 and such other persons who seem to him to be appropriate, but the operator or carrier, as the case may be, shall remain responsible for the accuracy, completeness and form of the information so supplied.

(3) Without prejudice to his duty under paragraph (1), the operator or carrier shall endeavour to enter into an agreement with the local authority in the area referred to in that paragraph for that authority to disseminate the information required to be supplied in accordance with that paragraph to the members of the public mentioned in it.

(4) The operator or carrier shall review and where necessary revise the information referred to in paragraph (1)—

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Radiation (Emergency Preparedness and Public Information) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (a) at regular intervals but, in any case, not less than once in three years; and
- (b) whenever significant changes to the emergency measures, action and authorities referred to in paragraphs 3, 4 and 5 of Schedule 9 take place.

(5) The operator or carrier shall ensure that the information referred to in paragraph (1) is supplied in accordance with that paragraph before carrying out work with ionising radiation to which the assessment made in accordance with regulation 4(1) (a) or (b), as the case may be, applies and that the information is so supplied again and made publicly available—

- (a) at intervals not exceeding three years; and
- (b) if it is revised pursuant to paragraph (4), as soon as is reasonably practicable after the revision.

(6) Where a report made pursuant to regulation 6 relates to an assessment which identifies any reasonably foreseeable radiation emergency, the operator or carrier, as the case may be, shall make such report available to the public as soon as is reasonably practicable after it has been sent to the Executive under that regulation (except that, with the approval of the Executive, the operator or carrier need not make available any parts of such reports for reasons of industrial, commercial or personal confidentiality, public security or national defence).

Commencement Information

I16 Reg. 16 in force at 20.9.2001, see [reg. 1](#)

Duty of local authority to supply information to the public in the event of a radiation emergency

17.—(1) Every local authority shall prepare and keep up to date arrangements to supply, in the event of any radiation emergency in that local authority's area (howsoever that emergency may arise), information of and advice on the facts of the emergency, of the steps to be taken and, as appropriate, of health protection measures applicable.

(2) The arrangements prepared and kept up to date under paragraph (1) shall provide for the information to be supplied at regular intervals in an appropriate manner, without delay, and without their having to request it, to members of the public who are in that local authority's area and who are actually affected by the radiation emergency.

(3) In preparing those arrangements and keeping them up to date, the local authority shall consult any authority likely to be responsible for implementing the relevant measures referred to in Schedule 10 and such other persons as appear to it to be appropriate.

(4) The information and advice to be supplied in accordance with arrangements prepared and kept up to date under paragraph (1) shall, if relevant to the type of radiation emergency, include that specified in Schedule 10 and shall, in any event, mention the authority or authorities responsible for implementing the relevant measures referred to in that Schedule.

(5) For the purposes of paragraph (2), the members of the public referred to in that paragraph as actually affected are those whose co-operation is sought to put into effect any steps or health protection measures referred to in paragraph (1).

Commencement Information

I17 Reg. 17 in force at 20.9.2001, see [reg. 1](#)

Modifications relating to the Ministry of Defence etc.

18.—(1) In this regulation, any reference to—

- (a) “visiting forces” is a reference to visiting forces within the meaning of any provision of Part 1 of the Visiting Forces Act 1952(7); and
- (b) “headquarters or organisation” is a reference to a headquarters or organisation designated for the purposes of the International Headquarters and Defence Organisations Act 1964(8).

(2) The Secretary of State for Defence may, in the interests of national security, by a certificate in writing exempt—

- (a) Her Majesty’s Forces;
- (b) visiting forces;
- (c) any member of a visiting force working in or attached to any headquarters or organisation; or
- (d) any person engaged in work with ionising radiation for, or on behalf of, the Secretary of State for Defence,

from all or any of the requirements or prohibitions imposed by these Regulations and any such exemption may be granted subject to conditions and to a limit of time and may be revoked at any time by a certificate in writing.

(3) The requirements of regulation 14 shall not have effect to the extent that this regulation would in the opinion of the Secretary of State for Defence be against the interests of national security.

Commencement Information

I18 Reg. 18 in force at 20.9.2001, see [reg. 1](#)

Enforcement and offences

19. Insofar as any provision of regulations 17 and 21 is made under section 2(2) of the European Communities Act 1972, sections—

- (a) 16 to 21 (approval of codes of practice and enforcement);
- (b) 23 (provisions supplementary to sections 21 and 22) and 24 (appeal against improvement or prohibition notice), so far as they relate to an improvement notice;
- (c) 26 (power to indemnify inspectors); and
- (d) 33 to 42 (provisions as to offences),

of the Health and Safety at Work etc. Act 1974 shall apply to that provision as if that provision had been made under section 15 of that Act.

Commencement Information

I19 Reg. 19 in force at 20.9.2001, see [reg. 1](#)

(7) 1952 c. 67.

(8) 1964 c. 5.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Radiation (Emergency Preparedness and Public Information) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

Transitional provisions

20.—(1) Where an operator or carrier has carried out work with ionising radiation before the date of the coming into force of these Regulations, an assessment made pursuant to any enactment for the purposes of identifying those matters referred to in sub-paragraphs (c) and (d) of regulation 4(1) shall be deemed to have been made pursuant to regulation 4.

(2) Where work with ionising radiation to which these Regulations apply has commenced before the date of the coming into force of these Regulations—

- (a) an operator or carrier who is required to send a report of assessment to the Executive under regulation 6(1) shall be deemed to have complied with the requirements of that paragraph if such report is sent to the Executive within 5 months of that date or within such longer time as the Executive may agree;
- (b) an operator who is required to prepare an operator’s emergency plan under regulation 7(1) and a carrier who is required to prepare a carrier’s emergency plan under regulation 8(1) shall be deemed to have complied with the requirements of that paragraph if that plan is prepared within 6 months of that date or within such longer time as the Executive may agree, and in such case paragraph (3) of regulation 7 or 8 respectively and regulation 9(9) shall not apply;
- (c) an operator who is required to provide information to the local authority in accordance with the requirements of paragraph (4) of regulation 9 shall be deemed to have complied with that paragraph if he provides the required information to the local authority within 6 months of that date or within such longer time as the Executive may agree;
- (d) an operator or carrier who is required to notify the Executive of the determined dose levels under regulation 14(2) shall be deemed to have complied with the requirements of that regulation if such notification is given to the Executive within 5 months of that date or within such longer time as the Executive may agree; and
- (e) subject to paragraph (3) below, an operator or carrier who is required to supply information to the public pursuant to paragraph (1) of regulation 16 shall be deemed to have complied with that paragraph if the information specified in Schedule 9 is supplied within a reasonable time after preparation of the off-site emergency plan or the carrier’s emergency plan, as the case may be.

(3) Where prior to the coming into force of these Regulations an operator or carrier has supplied information to the public pursuant to regulation 3 of the Public Information for Radiation Emergencies Regulations 1992(9), the supply of that information, to the extent that it relates to matters to which these Regulations apply, shall for a period of 3 years from the date upon which it was supplied or, where that information has been updated, the date upon which it was last updated, be deemed to comply with the requirements of regulation 16(1) of these Regulations and for the purposes of these Regulations that information shall be treated as if it had been supplied pursuant to regulation 16(1).

Commencement Information

120 Reg. 20 in force at 20.9.2001, see [reg. 1](#)

Amendment of Regulations

21. The Regulations referred to in Schedule 11 shall be amended in accordance with the provisions of that Schedule.

(9) [S.I. 1992/2997](#).

Commencement Information

I21 Reg. 21 in force at 20.9.2001, see [reg. 1](#)

Revocation and saving

22.—(1) The Public Information for Radiation Emergencies Regulations 1992 are revoked, save that—

- (a) to the extent that it applies in relation to the transport of radioactive substances by road, inland waterway, sea or air, regulation 3 (Employer or self-employed person to supply prior information) shall continue in force; and
- (b) any other provisions of the said 1992 Regulations in so far as is necessary to give effect to regulation 3 shall also continue in force.

(2) Paragraph (3) of regulation 41 of the 1999 Regulations is revoked.

(3) To the extent that it applies in relation to the transport of radioactive substances by road, inland waterway, sea or air, regulation 26 (Special hazard assessment) of the Ionising Radiations Regulations 1985⁽¹⁰⁾ (in this paragraph referred to as “the 1985 Regulations”) shall continue in force and, in respect of any employer subject to the said regulation 26, the following provisions shall also continue in force—

- (a) paragraphs (1) to (3), (4)(b) and (c) and (5) of regulation 27 (Contingency plans) with the modification that—
 - (i) in paragraph (1), the reference to regulation 25(1) of the 1985 Regulations shall be treated as a reference to regulation 7(1) or (2) of the 1999 Regulations;
 - (ii) in paragraph (1)(b), the reference to regulation 8(1) of and Schedule 6 to the 1985 Regulations shall be treated as a reference to regulation 16 of the 1999 Regulations;
 - (iii) in paragraph (4)(b), the reference to regulation 13(2) of the 1985 Regulations shall be treated as a reference to regulation 21(2) of the 1999 Regulations;
- (b) any other provisions of the 1985 Regulations in so far as is necessary to give effect to the provisions specified in this paragraph.

Commencement Information

I22 Reg. 22 in force at 20.9.2001, see [reg. 1](#)

Signed by order of the Secretary of State

27th August 2001.

Brian Wilson,
Minister of State for Industry and Energy,
Department of Trade and Industry

⁽¹⁰⁾ [S.I. 1976/2003](#); the only relevant amending instrument is [S.I. 1985/1333](#).

Changes to legislation:

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Radiation (Emergency Preparedness and Public Information) Regulations 2001. Any changes that have already been made by the team appear in the content and are referenced with annotations.

[View outstanding changes](#)

Changes and effects yet to be applied to :

- Sch. 2 Pt. 1 column 3 word substituted by S.I. 2002/2099 Sch. 4 para. 8
- Sch. 2 Pt. 2 para. 2 words substituted by S.I. 2002/2099 Sch. 4 para. 9
- Sch. 4 Pt. 1 Note 3 word substituted by S.I. 2002/2099 Sch. 4 para. 10
- Sch. 5 para. (h) words omitted by S.I. 2007/1573 Sch. 8
- Sch. 11 para. 2-9 omitted by S.I. 2017/1075 Sch. 9 para. 5(6)
- Sch. 11 para. 10 revoked by S.I. 2013/1471 reg. 18(1) Sch. 4 Table 1
- Regulations revoked by S.I. 2019/703 reg. 27
- defn(s) appl by S.I. 2005/2042 reg 12(e)
- reg. 2(1) words inserted by S.I. 2002/2099 Sch. 4 para. 3(b)
- reg. 2(1) words omitted by S.I. 2002/2099 Sch. 4 para. 3(a)
- reg. 2(1) words omitted by S.I. 2007/1573 Sch. 8
- reg. 2(1) words substituted by S.I. 2002/2469 Sch. 1 para. 95
- reg. 2(1) words substituted by S.I. 2004/568 Sch. 13 para. 11(2)
- reg. 2(1) words substituted by S.I. 2013/235 Sch. 2 para. 47(2)
- reg. 2(1) words substituted by S.I. 2017/1075 Sch. 9 para. 5(2)(a)
- reg. 2(1) words substituted by S.I. 2017/1075 Sch. 9 para. 5(2)(b)
- reg. 2(1) words substituted by S.I. 2017/1075 Sch. 9 para. 5(2)(c)
- reg. 2(1) words substituted by S.I. 2017/1075 Sch. 9 para. 5(2)(d)
- reg. 2(1) words substituted by S.I. 2017/1075 Sch. 9 para. 5(2)(e)
- reg. 2(1) words substituted by S.I. 2017/1075 Sch. 9 para. 5(2)(f)
- reg. 2(1) words substituted by S.I. 2018/269 Sch. para. 6(2)
- reg. 2(2)(a) and word omitted by S.I. 2007/1573 Sch. 8
- reg. 3(1) words substituted by S.I. 2002/2099 Sch. 4 para. 4(a)
- reg. 3(1)(b) omitted by S.I. 2007/1573 Sch. 8
- reg. 3(1)(c) words substituted by S.I. 2007/1573 Sch. 8
- reg. 3(3) words substituted by S.I. 2007/1573 Sch. 8
- reg. 3(4) words substituted by S.I. 2002/2099 Sch. 4 para. 4(b)
- reg. 3(4)(c) substituted by S.I. 2004/568 Sch. 13 para. 11(3)(a)
- reg. 3(4)(c) substituted by S.I. 2007/1573 Sch. 8
- reg. 3(4)(d) substituted by S.I. 2002/2099 Sch. 4 para. 4(c)
- reg. 3(4)(d) substituted by S.I. 2004/568 Sch. 13 para. 11(3)(b)
- reg. 3(4)(d) substituted by S.I. 2007/1573 Sch. 8
- reg. 3(4)(e) substituted by S.I. 2004/568 Sch. 13 para. 11(3)(c)
- reg. 3(4)(e) substituted by S.I. 2007/1573 Sch. 8
- reg. 3(4)(f) substituted by S.I. 2004/568 Sch. 13 para. 11(3)(d)
- reg. 3(4)(f) substituted by S.I. 2007/1573 Sch. 8
- reg. 4(3) words substituted by S.I. 2017/1075 Sch. 9 para. 5(3)
- reg. 7(7)(b) words substituted by S.I. 2017/1075 Sch. 9 para. 5(4)
- reg. 8(4) omitted by S.I. 2007/1573 Sch. 8
- reg. 8(7)(a) words omitted by S.I. 2007/1573 Sch. 8
- reg. 8(8)(b) words substituted by S.I. 2017/1075 Sch. 9 para. 5(4)
- reg. 13(3)(a)(i) words inserted by S.I. 2013/235 Sch. 2 para. 47(6)(a)
- reg. 13(3)(a)(i)(ii) words inserted by S.I. 2018/378 Sch. para. 20(d)
- reg. 13(3)(a)(ii) words omitted by S.I. 2007/1573 Sch. 8
- reg. 13(3)(a)(ii) words substituted by S.I. 2013/235 Sch. 2 para. 47(6)(b)
- reg. 15 words substituted by S.I. 2017/1075 Sch. 9 para. 5(5)
- reg. 18(3) words substituted by S.I. 2002/2099 Sch. 4 para. 5
- reg. 19 words substituted by S.I. 2002/2099 Sch. 4 para. 6

- reg. 22 revoked by [S.I. 2002/2099 Sch. 4 para. 7](#)

Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

Whole provisions yet to be inserted into this Instrument (including any effects on those provisions):

- reg. 2(9A) added by [S.I. 2005/2560 reg. 2\(3\)](#)
- reg. 3(6) added by [S.I. 2004/568 Sch. 13 para. 11\(3\)\(e\)](#)
- reg. 3(6) substituted by [S.I. 2007/1573 Sch. 8](#)
- reg. 7(6)(aa)(ab) substituted for word by [S.I. 2013/235 Sch. 2 para. 47\(3\)](#)
- reg. 7(6)(ab) words inserted by [S.I. 2018/378 Sch. para. 20\(d\)](#)
- reg. 8(7)(aa) substituted for word by [S.I. 2013/235 Sch. 2 para. 47\(4\)](#)
- reg. 8(7)(aa) words inserted by [S.I. 2018/378 Sch. para. 20\(d\)](#)
- reg. 9(12)(aa)(ab) substituted for word by [S.I. 2013/235 Sch. 2 para. 47\(5\)](#)
- reg. 9(12)(ab) words inserted by [S.I. 2018/378 Sch. para. 20\(d\)](#)
- reg. 18A inserted by [S.I. 2006/557 Sch. para. 10](#)
- reg. 18A heading words substituted by [S.I. 2015/1682 Sch. para. 10\(f\)](#)
- reg. 18A words substituted by [S.I. 2015/1682 Sch. para. 10\(f\)\(i\)](#)
- reg. 18A(2)(aa) inserted by [S.I. 2014/469 Sch. 3 para. 105\(2\)](#)
- reg. 18B inserted by [S.I. 2014/469 Sch. 3 para. 105\(3\)](#)
- reg. 18B(2)(b) words substituted by [S.I. 2015/1682 Sch. para. 10\(f\)\(ii\)](#)