

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.


## SCHEDULE 9

### LIGHT SIGNALS FOR PEDESTRIANS AND ANIMAL CROSSINGS

#### SCHEDULE 9


Regulations 47-52

#### LIGHT SIGNALS FOR PEDESTRIANS AND ANIMAL CROSSINGS



4002.1  
Light signals for pedestrians

Item	
1	Regulations: 4, 47
2	Directions: 18(1), 46, 55(4), 55(7), 56
3	Diagrams: 1001.3, 1055.1, 1055.2, 4003
4	Permitted variants: None




4003  
Instructions to pedestrians above the push button control for calling up pedestrian phases at light signals

Item	
1	Regulations: 4, 47(6), 47(7)
2	Directions: 46, 55(4), 56
3	Diagrams: 4002.1
4	Permitted variants: The legend "WAIT" may be illuminated in white, off-white or yellow

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 9 LIGHT SIGNALS FOR PEDESTRIANS AND ANIMAL CROSSINGS (contd.)




4003.1

Near side light signals and instructions for pedestrians at a pedestrian facility controlled by light signals

Item	
1	Regulations: 4, 47
2	Directions: 18(1), 46, 55(7), 56
3	Diagrams: 1001.3, 1055.1, 1055.2
4	Permitted variants: Schedule 16, item 28 The horizontal positions of the red and green figures may be varied independently of each other. Multiple red and green figures may be provided. The face containing the signal and instructions may be curved and may comprise more than one unit. The legend "Stand on mat" may be added between the legends "Push button" and "Wait for signal". The legend may be varied to another legend approved by the Secretary of State

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 9 LIGHT SIGNALS FOR PEDESTRIANS AND ANIMAL CROSSINGS (contd.)



4003.2  
Light signals for equestrian traffic


Item	
1	Regulations: 4, 48
2	Directions: 18(1), 46, 49, 55(5), 55(8), 56
3	Diagrams: 1001.3, 1055.1, 1055.2, 4003.3
4	Permitted variants: None

4003.3  
Instructions to horse riders above the push button control for calling up equestrian traffic phases at light signals

Item	
1	Regulations: 4, 48(6), 48(7)
2	Directions: 46, 55(5), 56
3	Diagrams: 4003.2
4	Permitted variants: The legend "WAIT" may be illuminated in white, off-white or yellow

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 9 LIGHT SIGNALS FOR PEDESTRIANS AND ANIMAL CROSSINGS (contd.)




4003.4

Near side light signals and instructions for horse riders at an equestrian traffic crossing facility controlled by light signals

Item	
1	Regulations: 4, 48
2	Directions: 18(1), 46, 49, 55(8), 56
3	Diagrams: 1001.3, 1055.1, 1055.2
4	Permitted variants: Schedule 16, item 28 The horizontal positions of the red and green ridden horse symbols may be varied independently of each other. Multiple red and green ridden horse symbols may be provided. The face containing the signal and instructions may be curved and may comprise more than one unit. The legend may be varied to another legend approved by the Secretary of State

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 9 LIGHT SIGNALS FOR PEDESTRIANS AND ANIMAL CROSSINGS (contd.)




4003.5  
Light signals for pedestrians and cyclists  
at a Toucan crossing

Item	
1	Regulations: 4, 49
2	Directions: 18(1), 46, 49, 55(6), 55(9), 56
3	Diagrams: 1001.3, 1055.1, 1055.2, 4003.6
4	Permitted variants: The cycle aspect may be positioned to the left of the green pedestrian aspect

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 9 LIGHT SIGNALS FOR PEDESTRIANS AND ANIMAL CROSSINGS (contd.)



Location for push button or pressure pad

Location for push button or pressure pad and call accepted indicator

4003.6  
Instructions to pedestrians and cyclists above the push button control for calling up pedestrian and cycle phases at a Toucan crossing


4003.7  
Near side light signals and instructions for pedestrians and cyclists at a Toucan crossing

Item	
1	Regulations: 4, 49(6), 49(7)
2	Directions: 46, 55(6), 56
3	Diagrams: 4003.5
4	Permitted variants: The legend "WAIT" may be illuminated in white, off-white or yellow

Item	
1	Regulations: 4, 49
2	Directions: 18(1), 46, 49, 55(9), 56
3	Diagrams: 1001.3, 1055.1, 1055.2
4	Permitted variants: The combined cycle and pedestrian symbols may be reversed in a mirror image. The face containing the signal and instructions may be curved and may comprise more than one unit. The legend may be varied to another legend approved by the Secretary of State


**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 9 LIGHT SIGNALS FOR PEDESTRIANS AND ANIMAL CROSSINGS (contd.)



4004  
Children likely to be crossing the road  
on their way to or from school ahead  
(Alternative types)

Item	
1	Regulations: 50
2	Directions: 20(2), 27, 46, 55(1), 56
3	Diagrams: 545, 546, 547.1, 547.7
4	Permitted variants: Container may be coloured grey



4005  
Cattle crossing ahead

Item	
1	Regulations: 51
2	Directions: 21(1), 46, 55(2), 56
3	Diagrams: 548, 548.1
4	Permitted variants: None
5	Illumination requirements: Schedule 17, item 4 (in respect of warning sign)

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 9 LIGHT SIGNALS FOR PEDESTRIANS AND ANIMAL CROSSINGS (contd.)



4006  
Light signal at level crossing for pedestrians

Item	
1	Regulations: 52
2	Directions: 46, 55(3), 56
3	Diagrams: 1003.2, 3014
4	Permitted variants: None