STATUTORY INSTRUMENTS

# 2003 No. 1998

# **ROAD TRAFFIC**

The Road Vehicles (Authorisation of Special Types) (General) Order 2003

Made	-	-	-	-
Coming	into	force	2	

4th August 2003 25th August 2003

# THE ROAD VEHICLES (AUTHORISATION OF SPECIAL TYPES) (GENERAL) ORDER 2003

#### PART 1

# GENERAL

#### Preliminary

- 1. Citation and commencement
- 2. Revocation

#### Interpretation

- 3. Interpretation: general
- 4. Interpretation: vehicles and their measurement
- 5. Interpretation: lateral projections of loads and their measurement
- 6. Interpretation: forward or rearward projections of loads and their measurement
- 7. Interpretation: axles, wheels, axle weights and wheel weights

#### Authorisation of certain vehicles for use on roads

- 8. Application of this Order
- 9. Authorisation of particular vehicles falling within recognised category of special vehicles

# PART 2

# SPECIAL VEHICLES FOR HAULAGE, LIFTING, ENGINEERING AND VEHICLE RECOVERY

- 10. Part 2 vehicles and Part 2 vehicle-combinations: recognised categories and defined terms
- 11. Part 2 vehicles and Part 2 vehicle-combinations: authorisation requirements

# Length and width of vehicle and projections of load

- 12. Length: police notification and attendants
- 13. Forward and rearward projections: police notification
- 14. Forward and rearward projections: attendants
- 15. Width and lateral projections: police notification, Secretary of State notification and attendants
- 16. Visibility and marking of forward, rearward and lateral projections of loads etc

# Weight of vehicle and load

- 17. Weight: police notification and road and bridge authority notification and indemnity
- 18. Use on bridges

# PART 3

# SPECIAL VEHICLES FOR AGRICULTURE

- 19. Agricultural vehicles: recognised categories and defined terms
- 20. Agricultural vehicles: authorisation requirements
- 21. General requirements as to construction and use
- 22. Restrictions on towing of trailers
- 23. Forward and rearward projections: police notification, Secretary of State notification and attendants
- 24. Width: police notification and attendants
- 25. Visibility and marking of forward, rearward and lateral projections
- 26. Track-laying agricultural motor vehicles: road and bridge authority notification and indemnity
- 27. Track-laying agricultural motor vehicles: use on bridges

#### PART 4

# OTHER SPECIAL VEHICLES REQUIRING NOTIFICATIONS OR ATTENDANTS

#### Vehicles carrying loads of exceptional width

- 28. Motor vehicles or trailers carrying loads of exceptional width: recognised category
- 29. Motor vehicles or trailers carrying loads of exceptional width: authorisation requirements
- 30. Motor vehicles or trailers carrying loads of exceptional width: restrictions on width and speed
- 31. Motor vehicles or trailers carrying loads of exceptional width: requirements as to width

# Local excavation vehicles

- 32. Local excavation vehicles: recognised category
- 33. Local excavation vehicles: authorisation requirements
- 34. Local excavation vehicles: requirements as to width
- 35. Local excavation vehicles: requirements as to weight

# Vehicles for tests, trials or non-UK use etc

- 36. Vehicles for tests, trials or non-UK use etc: recognised category
- 37. Vehicles for tests, trials or non-UK use etc: authorisation requirements
- 38. Vehicles for tests, trials or non-UK use etc: requirements as to length
- 39. Vehicles for tests, trials or non-UK use etc: requirements as to width
- 40. Vehicles for tests, trials or non-UK use etc: requirements as to weight

# Track-laying vehicles

- 41. Track-laying vehicles: recognised category
- 42. Track-laying vehicles: authorisation requirements
- 43. Track-laying vehicles: restrictions on use
- 44. Track-laying vehicles: consent of road authorities

#### Straddle carriers

- 45. Straddle carriers: recognised category
- 46. Straddle carriers: authorisation requirements
- 47. Straddle carriers: restrictions on use, speed and width
- 48. Straddle carriers: requirements as to length

### PART 5

# MISCELLANEOUS SPECIAL VEHICLES

- 49. Vehicles with moveable platforms
- 50. Pedestrian-controlled road maintenance vehicles
- 51. Motor vehicles used for cutting grass or trimming hedges
- 52. Trailers used for cutting grass or trimming hedges
- 53. Operational military vehicles
- 54. Track-laying vehicles belonging to Royal National Lifeboat Institution
- 55. Highway testing vehicles
- 56. Vehicles propelled by natural gas Signature

# SCHEDULE 1 — ABNORMAL INDIVISIBLE LOAD VEHICLES PART 1 — DEFINED TERMS

# General

1. In this Schedule— "AILV" means an abnormal indivisible load vehicle...

# Meaning of abnormal indivisible load

2. In this Order "abnormal indivisible load" means a load that...

# Meaning of abnormal indivisible load vehicle (AILV)

3. In this Order "abnormal indivisible load vehicle" means a vehicle...

Category 1, 2 or 3 AILVs or AILV-combinations

4. (1) For the purposes of this Schedule, an AILV or... PART 2 — CONSTRUCTION

# Wheeled vehicles

5. An AILV must be a wheeled vehicle.

# Tyres

6. Every wheel of an AILV must be fitted with a...

# Braking requirements

- 7. Paragraphs 8 to 12 apply to any AILV or AILV-combination...
- 8. (1) An AILV or AILV-combination must have a braking system...
- 9. (1) The following modifications apply for the purposes of each...
- 10. (1) The requirements of paragraphs 2.2.1.22 and 2.2.2.13 of Annex...
- 11. For the purposes of Type I tests conducted, in accordance...
- 12. The requirements of paragraph 2.1.3.2 of Annex II to Council... PART 3 — PLATES AND SIGNS

# Plates

- 13. (1) An AILV falling within Category 2 or 3 must...
- 14. Where an AlLV-combination consists of two or more modules, each...

# Signs

15. (1) Each AILV or AILV-combination must be fitted with— PART 4 — CONDITIONS RELATING TO USE

#### General restrictions

- 16. An AILV must not be used on roads for, or...
- 17. (1) Except as stated in paragraph 19, an AILV that...
- 18. (1) Except as stated in paragraph 19, an AILV that...
- 19. At any time when an AILV-combination consisting of two or...

#### Restrictions on carriage of multiple loads

- 20. (1) An AILV or AILV-combination may carry only one abnormal...
- 21. (1) If the conditions specified in sub-paragraph (2) are satisfied,...
- 22. (1) If the conditions specified in sub-paragraph (2) are satisfied,...
- 23. An AILV, or AILV-combination, that falls within Category 1 or...

# Maximum width

24. (1) An AILV or AILV-combination must not exceed the maximum...

# Maximum length

25. (1) The maximum length of an AILV or AILV-combination used...

Restrictions relating to weight: all AILVs and AILV-combinations

- 26. No AILV or AILV-combination may exceed the restrictions as to...
- 27. (1) An AILV falling within Category 1 must not exceed...

Restrictions relating to weight: Category 1 AILVs and AILV-combinations

- 28. (1) The total weight of any Category 1 AILV carrying...
- 29. (1) The total weight of— (a) any Category 1 AILV...

Restrictions relating to weight: Category 2 AILVs and AILV-combinations

- 30. (1) The total weight of— (a) any Category 2 AILV...
- 31. (1) The total weight of— (a) any Category 2 AILV...

Restrictions relating to weight: Category 3 AILVs and AILV-combinations

- 32. (1) The total weight of— (a) any Category 3 AILV...
- 33. (1) The total weight of— (a) any Category 3 AILV...

# Speed restrictions

 34. (1) An AILV falling within Category 2 or 3 must...
 PART 5 — APPLICATION OF REGULATIONS MADE UNDER SECTION 41 OF THE ROAD TRAFFIC ACT 1988

Category 1 AILVs and AILV-combinations

35. Any AILV or AILV-combination falling within Category 1 must, unless...

Category 2 or 3 AILVs and AILV-combinations

36. Any AILV or AILV-combination falling within Category 2 or 3...

AILVs manufactured before 1st October 1989

37. Instead of paragraphs 35 and 36, article 18(2)(p) of the...

SCHEDULE 2 — MOBILE CRANES PART 1 — DEFINED TERMS

#### General

1. In this Schedule— "Goods Vehicles Type Approval Regulations" means the...

# Meaning of mobile crane

2. (1) In this Order "mobile crane" means a motor vehicle...

# Category A, B or C mobile cranes

3. (1) For the purposes of this Schedule, a mobile crane... PART 2 — CONSTRUCTION

# Wheeled vehicles

4. A mobile crane must be a wheeled vehicle.

# Tyres

5. Every wheel of a mobile crane must be fitted with...

# Suspension

6. A mobile crane must have suspension on all axles.

# Braking requirements

- 7. A mobile crane must be fitted with—
- 8. (1) A mobile crane is to be treated as being...
- 9. (1) The following modifications apply for the purposes of each...
- 10. (1) The requirements of paragraphs 2.2.1.22 and 2.2.2.13 of Annex...
- 11. For the purposes of Type I tests conducted, in accordance...
- 12. The requirements of paragraph 2.1.3.2 of Annex II to Council...

# Design speed

13. (1) A mobile crane that is specially adapted for the...

# Warning beacon

- 14. A warning beacon emitting an amber light must be fitted... PART 3 — PLATES
- 15. (1) A mobile crane must be equipped with a plate...
- 16. (1) Where, in accordance with regulation 66 (plates for goods...
- 17. (1) In this paragraph "qualified person" means-
- Any additional plate that is specially fitted to a vehicle... PART 4 — CONDITIONS RELATING TO USE

#### General restrictions

- 19. A mobile crane may only be used on roads for—...
- 20. A mobile crane that has an overall width exceeding 3...
- 21. (1) When a mobile crane is used on roads, the...

#### Restriction on carriage of loads etc

- 22. (1) Any mobile crane that is used on roads must...
- 23. A mobile crane may carry its own necessary gear and...
- 24. A mobile crane may lift or transport goods or burden...

#### Restriction on towing trailers

25. A mobile crane must not tow any trailer.

#### Maximum width

26. The overall width of a mobile crane, together with the...

#### Maximum length

27. The overall length of a mobile crane, together with any...

#### *Restrictions relating to weight: all mobile cranes*

28. No mobile crane may exceed any of the restrictions as...

29. No mobile crane may exceed— (a) any of the maximum...

Restrictions relating to weight: Category A mobile cranes

30. (1) For a Category A mobile crane, the maximum axle...

Restrictions relating to weight: Category B mobile cranes

31. (1) For a Category B mobile crane, the maximum axle...

Restrictions relating to weight: Category C mobile cranes

32. (1) For a Category C mobile crane, the maximum axle...

#### Speed restrictions

 33. (1) A mobile crane falling within Category A, B or...
 PART 5 — APPLICATION OF REGULATIONS MADE UNDER SECTION 41 OF THE ROAD TRAFFIC ACT 1988

# Category A mobile cranes

34. (1) A Category A mobile crane must comply with-

#### Category B or C mobile cranes

35. (1) A Category B or C mobile crane must comply...

SCHEDULE 3 — ENGINEERING PLANT PART 1 — DEFINED TERMS

#### General

1. In this Schedule— "Goods Vehicles Type Approval Regulations" means the...

#### Meaning of engineering plant

2. (1) In this Order "engineering plant" means any moveable plant… PART 2 — CONSTRUCTION

# Wheeled or track-laying vehicles

3. Engineering plant must be a wheeled vehicle, a track-laying vehicle...

# Provisions applying to wheeled vehicles

- 4. (1) Any wheel of engineering plant which is not fitted...
- 5. Engineering plant which has wheels and may (in accordance with...

# Braking requirements

- 6. Engineering plant that is designed and constructed to operate on...
- (1) Any other engineering plant must be fitted with— PART 3 — CONDITIONS RELATING TO USE

# General restrictions

8. Engineering plant must not be used on roads for, or...

- 9. Engineering plant may only be used on roads for—
- 10. Engineering plant which has an overall width exceeding 3 metres...

### Restrictions on carriage of loads etc

- 11. (1) Engineering plant which is used on roads must not—...
- 12. Engineering plant may carry its own necessary gear and equipment....
- 13. (1) This paragraph applies at any time when engineering plant...

#### Restrictions on towing of trailers

14. (1) Except as stated in sub-paragraph (2), engineering plant must...

# Maximum width

15. The overall width of engineering plant, together with the width...

# Maximum length

16. The overall length of engineering plant (or of any vehicle-combination...

# Restrictions relating to weight: gross weight

17. (1) The gross weight of engineering plant, together with the...

# Restrictions relating to weight: weight transmitted to road surface

- 18. (1) This paragraph applies to determine the maximum weight that...
- 19. (1) This paragraph applies to determine the maximum weight that...

#### Speed restrictions

- 20. (1) Unless paragraph 21 applies, engineering plant must not travel...
- 21. (1) This paragraph— (a) applies to any engineering plant that...
- 22. (1) Engineering plant, or a vehicle-combination that includes engineering plant,...
- Nothing in this Schedule is to be taken to authorise...
  PART 4 APPLICATION OF REGULATIONS MADE UNDER SECTION 41 OF THE ROAD TRAFFIC ACT 1988

#### Engineering plant treated as falling within Category 1, 2 or 3

24. Engineering plant, or a vehicle-combination that includes engineering plant, which...

#### Slow plant

- 25. (1) Slow plant must comply with— (a) the Construction and...
- 26. (1) This paragraph applies to any slow plant that is...
- 27. (1) This paragraph applies to any slow plant that is...
- 28. (1) This paragraph applies to any slow plant that is...
- 29. (1) This paragraph applies to any slow plant that is...

# SCHEDULE 4 — ROAD RECOVERY VEHICLES PART 1 — DEFINED TERMS

1. (1) In this Order "road recovery vehicle" means a vehicle… PART 2 — CONSTRUCTION

- 2. (1) A road recovery vehicle must be a wheeled vehicle....
- 3. A warning beacon emitting an amber light must be fitted... PART 3 — PLATES
- 4. A road recovery vehicle must be equipped with a plate... PART 4 — CONDITIONS RELATING TO USE

# Restriction on carriage of loads and towing of vehicles

- 5. (1) A road recovery vehicle must not carry or tow...
- 6. A road recovery vehicle may carry its own necessary gear...
- 7. (1) Except as stated in sub-paragraph (2), a road recovery...
- 8. (1) At any time when a disabled vehicle or vehicle-combination...
- 9. A road recovery vehicle must not tow a disabled vehicle...

# Beacons

10. (1) When a road recovery vehicle is used on roads,...

# Maximum width

11. (1) The overall width of a road recovery vehicle must...

# Maximum length

12. (1) The overall length of a road recovery vehicle must...

# Maximum vehicle weight

13. The gross weight of a road recovery vehicle must not...

#### Maximum axle and wheel weights

- 14. (1) The distance between any two adjacent axles of a...
- 15. (1) If a road recovery vehicle has only one front...

#### Speed restrictions

- 16. (1) A road recovery vehicle must not, at any time...
  PART 5 APPLICATION OF REGULATIONS MADE UNDER SECTION 41 OF THE ROAD TRAFFIC ACT 1988
- 17. A road recovery vehicle must comply with-

# SCHEDULE 5 — NOTICES TO POLICE

# Defined term

1. In this Schedule "single rigid unit", in relation to a...

#### Notices

- 2. (1) A notice must be given to the chief officer...
- 3. The notice must be in a form acceptable to the...
- 4. (1) The notice must contain— (a) a list of all...

# Use of vehicle in accordance with notice

- 5. Except as stated in paragraph 6 or 7, the vehicle...
- 6. Paragraph 5 does not apply to the extent required to...

7. (1) This paragraph applies in relation to the use on...

# SCHEDULE 6 — ATTENDANTS

- 1. (1) A person ("an attendant") must be employed—
- 2. (1) A person may be employed as an attendant only...
- 3. (1) In a case where a journey is made by...
- 4. (1) A person employed by virtue of paragraph 1 must...

SCHEDULE 7 — NOTICES TO SECRETARY OF STATE

- 1. (1) An application for the consent of the Secretary of...
- 2. (1) If, following an application under paragraph 1, the Secretary...

# SCHEDULE 8 — MARKING OF PROJECTIONS PART 1 — DEFINED TERMS

- 1. In this Schedule— "end marker" means a marker fitted to... PART 2 — FORWARD AND REARWARD PROJECTIONS
- 2. Paragraphs 3 to 6 apply cumulatively.

# General visibility of forward or rearward projections

3. Where the length of a forward or rearward projection of...

# Markers for the end of a forward or rearward projection

4. (1) Where the length of a forward or rearward projection...

#### Markers for the side of a forward or rearward projection

- 5. (1) Where the length of a forward or rearward projection...
- 6. (1) This paragraph applies where any relevant vehicle is carrying... PART 3 — LATERAL PROJECTIONS

#### Markers for a lateral projection

- 7. (1) This paragraph applies where— (a) any relevant vehicle is...
- 8. (1) If the user of the vehicle shows that it...
  - PART 4 GENERAL VISIBILITY OF MARKERS
- 9. Any end marker or side marker which is required by...
- 10. Between sunset and sunrise, and at all times when visibility... PART 5 — APPEARANCE OF MARKERS

#### Diagram of end marker surface

#### SCHEDULE 9 — ROAD AND BRIDGE AUTHORITIES PART 1 — NOTICES

- 1. (1) In this Schedule "the authority" means—
- 2. (1) A notice must be given to—
- 3. The notice must be in a form acceptable to the...
- 4. (1) The notice must contain— (a) a list of all...
- 5. (1) This paragraph applies in relation to the use on... PART 2 — INDEMNITIES
- 6. (1) An indemnity under this Part of this Schedule may...
- 7. An indemnity is given in accordance with this Part of...

SCHEDULE 10 — LOCAL EXCAVATION VEHICLES

# PART 1 — MEANING OF LOCAL EXCAVATION VEHICLE

1. (1) In this Schedule "local excavation vehicle" means any moveable... PART 2 — CONSTRUCTION

# Wheels

 Every wheel of a local excavation vehicle must be fitted... PART 3 — CONDITIONS RELATING TO USE

#### General restrictions

3. (1) A local excavation vehicle may only be used on...

Restrictions on carriage of loads etc

4. (1) A local excavation vehicle must not carry any load...

#### Restrictions on towing of trailers

- 5. (1) A local excavation vehicle that is a heavy motor...
- 6. (1) This paragraph applies to a motor vehicle towing a...

# Maximum width

7. The overall width of a local excavation vehicle must not...

### Maximum length

8. The overall length of a local excavation vehicle must not...

#### *Restrictions relating to weight: gross weight*

9. (1) The gross weight of a local excavation vehicle—

#### *Restrictions relating to weight: axle weight*

10. (1) The axle weight for a local excavation vehicle—

#### Speed restrictions

- 11. (1) A local excavation vehicle must not travel at speeds...
  PART 4 APPLICATION OF REGULATIONS MADE UNDER SECTION 41 OF THE ROAD TRAFFIC ACT 1988
- 12. (1) A local excavation vehicle must comply with—
- 13. (1) In the case of a local excavation vehicle that...

# SCHEDULE 11 — VEHICLES FOR TESTS, TRIALS OR NON-UK USE ETC PART 1 — INTERPRETATION

1. In this Schedule "relevant vehicle" means any motor vehicle or... PART 2 — CONDITIONS RELATING TO USE

#### General restrictions

- 2. A relevant vehicle may only be used on roads for-...
- 3. Paragraph 2 does not apply in relation to a relevant...
- 4. A relevant vehicle must not be used in such a...

# Restriction of carriage of loads etc

- 5. (1) A relevant vehicle that is used on roads must...
- 6. A relevant vehicle may carry—(a) its own necessary gear...
- 7. (1) A relevant vehicle may carry a load if it...
- PART 3 CONDITIONS RELATING TO USE
- 8. (1) A relevant vehicle must comply with—
- 9. In their application to a relevant vehicle, the Construction and...
- 10. (1) In their application to a relevant vehicle, regulations 18...

# SCHEDULE 12 — VEHICLES PROPELLED BY COMPRESSED NATURAL GAS SYSTEMS

# Defined terms

1. In this Schedule— "an accredited testing laboratory" means a testing...

#### Gas containers

- 2. (1) This paragraph applies to any container for gas which...
- 3. (1) The owner of any vehicle (or, if it is...
- 4. (1) A gas container must—(a) be suitable to be...

#### Gas container isolation

5. (1) Any gas container must be capable of being isolated...

#### Pressure relief devices

6. (1) Every gas container must be provided with a suitable...

# Pipelines

7. (1) Every pipeline must be fixed in such a manner...

# Unions and joints

8. (1) Every union and joint on a pipeline or gas...

#### Filling connectors

9. (1) Any filling connector for the refuelling of the vehicle...

#### Valves, safety devices and control equipment

10. (1) Every gas propulsion system must be so designed and...

# Regulators

11. (1) Any regulator fitted must be designed so that—

# Special requirements for buses

12. In the case of a large bus there must be...

# Connections for articulated vehicles

13. (1) Where a trailer is used for the carriage of...

# Marking and labelling of the vehicle

14. (1) Every vehicle which is equipped to be fuelled by...

# General requirements

15. Every part of the gas system must—

Explanatory Note