

## SCHEDULE 4

Restrictions on the landing in and movement within England of relevant material

## PART B

Relevant material, from another part of the European Community, which may only be landed in or moved within England if special requirements are satisfied

(1)	(2)	(3)
<i>Item</i>	<i>Description of relevant material</i>	<i>Requirements of landing</i>
1.	Plants, other than seeds, of <i>Pinus</i> L., intended for planting	Without prejudice to the requirements in item 2, the plants shall be accompanied by an official statement that no symptoms of <i>Scirrhia pini</i> Funk and Parker have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
2.	Plants, other than seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. or <i>Tsuga</i> Carr., intended for planting	Without prejudice to the requirements in item 1, the plants shall be accompanied by an official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
3.	Plants, other than seeds, of <i>Populus</i> L., intended for planting	The plants shall be accompanied by an official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
4.	Plants, other than seeds, of <i>Castanea</i> Mill. or <i>Quercus</i> L., intended for planting	The plants shall be accompanied by an official statement that: <ol style="list-style-type: none"> <li>(a) they originate in an area or areas known to be free from <i>Cryphonectria</i></li> </ol>

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		<p><i>parasitica</i> (Murrill) Barr; or</p> <p>(b) no symptoms of <i>Cryphonectria parasitica</i> (Murrill) Barr have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation</p>
5.	Plants, other than seeds, of <i>Platanus</i> L., intended for planting	<p>The plants shall be accompanied by an official statement that:</p> <p>(a) they originate in an area or areas known to be free from <i>Ceratocystis fimbriata</i> f.sp. <i>platani</i> Walter; or</p> <p>(b) no symptoms of <i>Ceratocystis fimbriata</i> f.sp. <i>platani</i> Walter have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation</p>
6.	Plants, other than seeds, of <i>Amelanchier</i> Med., <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L., <i>Photinia davidiana</i> (Dcne.) Cardot, <i>Pyracantha</i> Roem., <i>Pyrus</i> L. or <i>Sorbus</i> L., intended for planting	<p>Without prejudice to the requirements in items 10 and 12, the plants shall be accompanied by an official statement that:</p> <p>(a) they originate in zones recognised as being free from <i>Erwinia amylovora</i> (Burr.) Winsl. <i>et al.</i>; or</p> <p>(b) the plants in the field of production or in its immediate vicinity, which have shown symptoms of <i>Erwinia amylovora</i> (Burr.) Winsl. <i>et al.</i>, have been rogued out</p>

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
7.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	<p>The plants shall be accompanied by an official statement that:</p> <p>(a) they originate in an area or areas known to be free from <i>Spiroplasma citri</i> Saglio <i>et al.</i>, <i>Phoma tracheiphila</i> (Petri) Kanchaveli and Gikashvili, <i>Citrus</i> vein enation woody gall and <i>Citrus tristeza</i> virus (European strains);</p> <p>(b) they derive from a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official individual testing for, at least, <i>Citrus tristeza</i> virus (European strains) and <i>Citrus</i> vein enation woody gall, and have been growing permanently in an insect proof glasshouse or in an isolated cage on which no symptoms of <i>Spiroplasma citri</i> Saglio <i>et al.</i>, <i>Phoma tracheiphila</i> (Petri) Kanchaveli and Gikashvili, <i>Citrus tristeza</i> virus (European strains) and <i>Citrus</i> vein enation woody gall have been observed; or</p> <p>(c) they:</p> <p>(i) have been derived from a certification scheme requiring them to be derived in direct line from material which has been maintained</p>

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		<p>under appropriate conditions and has been subjected to official individual testing for, at least, <i>Citrus</i> vein enation woody gall and <i>Citrus tristeza</i> virus (European strains), and has been found free from <i>Citrus tristeza</i> virus (European strains), and certified free from, at least, <i>Citrus tristeza</i> virus (European strains) in official individual tests, and</p> <p>(ii) have been inspected and no symptoms of <i>Spiroplasma citri</i> Saglio et al, <i>Phoma tracheiphila</i> (Petri) Kanchaveli and Gikashvili, <i>Citrus</i> vein enation woody gall or <i>Citrus tristeza</i> virus have been observed since the beginning of the last complete cycle of vegetation</p>
8.	Plants of <i>Araceae</i> , <i>Marantaceae</i> , <i>Musaceae</i> , <i>Persea</i> spp. or <i>Strelitziaceae</i> , rooted or with growing medium attached or which appear to have been in contact with growing medium	<p>The plants shall be accompanied by an official statement that:</p> <p>(a) no contamination by <i>Radopholus similis</i> (Cobb) Thorne has been observed at the place of production, since the beginning of the last complete cycle of vegetation; or</p> <p>(b) soil and roots from suspected plants have been subjected since</p>

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		the beginning of the last complete cycle of vegetation to official nematological testing for at least <i>Radopholus similis</i> (Cobb) Thorne and have been found free from that plant pest
9.	Plants, other than seeds, of <i>Fragaria</i> L., <i>Prunus</i> L. or <i>Rubus</i> L., intended for planting	<p>Without prejudice to the requirements in items 11 and 13, the plants shall be accompanied by an official statement that:</p> <p>(a) they originate in an area or areas known to be free from the following plant pests—</p> <p>(i) on <i>Fragaria</i> L.:  — <i>Phytophthora fragariae</i> Hickman var. <i>fragariae</i>,  — Arabis mosaic virus,  — Raspberry ringspot virus,  — Strawberry crinkle virus,  — Strawberry latent ringspot virus,  — Strawberry mild yellow edge virus,  — Tomato black ring virus,  — <i>Xanthomonas fragariae</i> Kennedy and King;</p> <p>(ii) on <i>Prunus</i> L.:  — Apricot chlorotic leaf roll mycoplasma,  — <i>Xanthomonas campestris</i></p>

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		<p>pv. <i>pruni</i> (Smith) Dye;</p> <p>(iii) on <i>Prunus persica</i> (L.) Batsch: — <i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier et al.) Young et al.; and</p> <p>(iv) on <i>Rubus</i> L.: — Arabis mosaic virus, — Raspberry ringspot virus, — Strawberry latent ringspot virus, — Tomato black ring virus; or</p> <p>(v) no symptoms of diseases caused by the plant pests in sub-paragraph (a) have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation</p>
10.	Plants, other than seeds, of <i>Cydonia</i> Mill. or <i>Pyrus</i> L., intended for planting	<p>Without prejudice to the requirements in items 6, the plants shall be accompanied by an official statement that:</p> <p>(a) they originate in an area or areas known to be free from Pear decline mycoplasma; or</p> <p>(b) the plants at the place of production and its immediate vicinity, which have shown symptoms giving rise to the suspicion of contamination by Pear decline mycoplasma, have been rogued out at that</p>

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		place within the last three complete cycles of vegetation
11.	Plants, other than seeds, of <i>Fragaria</i> L., intended for planting	<p>Without prejudice to the requirements in item 9, the plants shall be accompanied by an official statement that:</p> <p>(a) they originate in an area or areas known to be free from <i>Aphelenchoides besseyi</i> Christie;</p> <p>(b) no symptoms of <i>Aphelenchoides besseyi</i> Christie have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation; or</p> <p>(c) in the case of plants in tissue culture, the plants have been derived from plants complying with sub-paragraph (b) or have been officially tested by appropriate nematological methods and have been found free from <i>Aphelenchoides besseyi</i> Christie</p>
12.	Plants, other than seeds, of <i>Malus</i> Mill., intended for planting	<p>Without prejudice to the requirements in item 6, the plants shall be accompanied by an official statement that:</p> <p>(a) they originate in an area or areas known to be free from Apple proliferation mycoplasma; or</p> <p>(b) other than those raised from seed, the plants:</p> <p>(i) have been officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained</p>

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		<p>under appropriate conditions and subjected to official testing for at least Apple proliferation mycoplasma using appropriate indicators or equivalent methods and has been found free from that plant pest; or</p> <p>(ii) have been derived in direct line from material which is maintained under appropriate conditions and has been subjected, at least once, within the last six complete cycles of vegetation, to official testing for, at least, Apple proliferation mycoplasma using appropriate indicators or equivalent methods and has been found free from that plant pest; and</p> <p>(c) no symptoms of diseases caused by Apple proliferation mycoplasma have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation</p>
13.	Plants, other than seeds, of the following species of <i>Prunus</i> L., intended for planting:	Without prejudice to the requirements in item 9, the plants shall be accompanied by an official statement that



(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
	<ul style="list-style-type: none"> <li>— <i>Prunus amygdalus</i> Batsch,</li> <li>— <i>Prunus armeniaca</i> L.,</li> <li>— <i>Prunus blireiana</i> Andre,</li> <li>— <i>Prunus brigantina</i> Vill.,</li> <li>— <i>Prunus cerasifera</i> Ehrh.,</li> <li>— <i>Prunus cistena</i> Hansen,</li> <li>— <i>Prunus curdica</i> Fenzl and Fritsch.,</li> <li>— <i>Prunus domestica</i> ssp <i>domestica</i> L.,</li> <li>— <i>Prunus domestica</i> ssp <i>insititia</i> (L.) C K Schneid.,</li> <li>— <i>Prunus domestica</i> ssp <i>italica</i> (Borkh.) Hegi.,</li> <li>— <i>Prunus glandulosa</i> Thunb.,</li> <li>— <i>Prunus holosericea</i> Batal.,</li> <li>— <i>Prunus hortulana</i> Bailey,</li> <li>— <i>Prunus japonica</i> Thunb.,</li> <li>— <i>Prunus mandshurica</i> (Maxim) Koehne,</li> <li>— <i>Prunus maritima</i> Marsh.,</li> <li>— <i>Prunus mume</i> Sieb. and Zucc.,</li> <li>— <i>Prunus nigra</i> Ait.,</li> <li>— <i>Prunus persica</i> (L) Batsch,</li> <li>— <i>Prunus salicina</i> L.,</li> <li>— <i>Prunus sibirica</i> L.,</li> <li>— <i>Prunus simonii</i> Carr.,</li> <li>— <i>Prunus spinosa</i> L.,</li> <li>— <i>Prunus tomentosa</i> Thunb.,</li> <li>— <i>Prunus triloba</i> Lindl., or</li> <li>— other species of <i>Prunus</i> L. susceptible to Plum pox virus</li> </ul>	<p>(a) they originate in an area or areas known to be free from Plum pox virus, or</p> <p>(b) other than those raised from seed, the plants:</p> <p>(i) have been officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for, at least, Plum pox virus using appropriate indicators or equivalent methods and has been found free from that plant pest; or</p> <p>(ii) have been derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least Plum pox virus using appropriate indicators or equivalent methods and has been found free from that plant pest;</p> <p>(c) no symptoms of disease caused by Plum pox virus have been observed on plants at the place of production or on susceptible plants in its</p>

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		<p>immediate vicinity, since the beginning of the last three complete cycles of vegetation; and</p> <p>(d) plants at the place of production which have shown symptoms of disease caused by other viruses or virus-like pathogens, have been rogued out</p>
14.	Plants, other than fruit or seeds, of <i>Vitis</i> L.	<p>The plants shall be accompanied by an official statement that no symptoms of Grapevine flavescence dorée MLO or <i>Xylophilus ampelinus</i> (Panagopoulos) Willems <i>et al.</i> have been observed on the mother-stock plants at the place of production since the beginning of the last two complete cycles of vegetation</p>
15.	Tubers of <i>Solanum tuberosum</i> L., intended for planting	<p>Without prejudice to the requirements in item 16, the tubers shall be accompanied by an official statement that:</p> <p>(a) the Community provisions to combat <i>Synchytrium endobioticum</i> (Schilbersky) Percival have been complied with;</p> <p>(b) they originate in an area or areas known to be free from <i>Clavibacter michiganensis</i> ssp <i>sepedonicus</i> (Spieckermann and Kotthoff) Davis <i>et al.</i> or the Community provisions to combat <i>Clavibacter michiganensis</i> ssp <i>sepedonicus</i> (Spieckermann and Kotthoff) Davis <i>et al.</i> have been complied with;</p>

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		<p>(c) they originate from a field known to be free from <i>Globodera rostochiensis</i> (Wollenweber) Behrens and <i>Globodera pallida</i> (Stone) Behrens;</p> <p>(d) they originate in an area or areas in which <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i>:</p> <p>(i) is known not to occur; or</p> <p>(ii) is known to occur, and the tubers originate from a place of production found free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> or considered to be free of <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> as a consequence of the implementation of an appropriate procedure aimed at eradicating <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i>; and</p> <p>(e) they originate in an area or areas in which <i>Meloidogyne chitwoodi</i> Golden <i>et al.</i> (all populations) and <i>Meloidogyne fallax</i> Karssen are known not to occur, or in an area or areas where <i>Meloidogyne chitwoodi</i> Golden <i>et al.</i> (all populations) and <i>Meloidogyne fallax</i></p>

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
<i>Item</i>	<i>Description of relevant material</i>	<i>Requirements of landing</i>
		<p>Karssen are known to occur and:</p> <p>(i) they originate from a place of production which has been found free from <i>Meloidogyne chitwoodi</i> Golden <i>et al.</i> (all populations) and <i>Meloidogyne fallax</i> Karssen based on an annual survey of host crops by visual inspection of host plants at appropriate times and by visual inspection both externally and by cutting of tubers after harvest from potato crops grown at the place of production; or</p> <p>(ii) the tubers after harvest have been randomly sampled, and either checked for the presence of symptoms after an appropriate method to induce symptoms or laboratory tested, as well as inspected visually both externally and by cutting the tubers, at appropriate times and in all cases at the time of sealing of the packages or containers before marketing according to the provisions on sealing in Council Directive</p>

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		<a href="#">2002/56/EC</a> on the marketing of seed potatoes <sup>(1)</sup> , and no symptoms of <i>Meloidogyne chitwoodi</i> Golden <i>et al.</i> (all populations) or <i>Meloidogyne fallax</i> Karssen have been found
16.	Tubers of <i>Solanum tuberosum</i> L, intended for planting, other than tubers of those varieties accepted in one or more member States pursuant to Council Directive <a href="#">2002/53/EC</a> on the common catalogue of varieties of agricultural plant species <sup>(2)</sup>	Without prejudice to the requirements in item 15, the tubers shall be accompanied by an official statement that they: <ul style="list-style-type: none"> <li>(a) belong to advanced selections such a statement being indicated in an appropriate way on the document accompanying the relevant tubers;</li> <li>(b) have been produced within the Community; and</li> <li>(c) have been derived in direct line from material which has been maintained under appropriate conditions and has been subjected within the Community to official quarantine testing in accordance with appropriate methods and has been found, in these tests, free from harmful organisms</li> </ul>
17.	Plants of stolon- or tuber-forming species of <i>Solanum</i> L., intended for planting, other than those tubers of <i>Solanum</i>	Without prejudice to the requirements in item 20: <ul style="list-style-type: none"> <li>(a) the plants shall have been held under quarantine</li> </ul>

(1) OJNo. L 193, 20.7.2002, p.60, to which there are amendments not relevant to this Order.

(2) OJ No. L 193, 20.7.2002, p.1; amended by the Act concerning the Conditions of Accession of the Czech Republic, the Republic of Estonia, the Republic of Cyprus, the Republic of Latvia, the Republic of Lithuania, the Republic of Hungary, the Republic of Malta, the Republic of Poland, the Republic of Slovenia and the Slovak Republic and the adjustments to the Treaties on which the European Union is founded, OJ No. L 236, 23.9.2003, p 820, 828 and 910; there are other amending instruments but not is relevant.

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
<i>Item</i>	<i>Description of relevant material</i>	<i>Requirements of landing</i>
	<i>tuberosum</i> L specified in column 2 of items 15 and 16, and other than culture maintenance material being stored in gene banks or genetic stock collections in item 18	<p>conditions and shall have been found free of any plant pests in quarantine testing which shall:</p> <ul style="list-style-type: none"> <li>(i) be supervised by the responsible official body of the member State concerned and executed by scientifically trained staff of that organisation or of any officially approved body;</li> <li>(ii) be executed at a site provided with appropriate facilities sufficient to contain plant pests and maintain the material including indicator plants in such a way as to eliminate any risk of spreading plant pests;</li> <li>(iii) be executed on each unit of the material: <ul style="list-style-type: none"> <li>(aa) by visual examination at regular intervals during the full length of at least one vegetative cycle, having regard to the type of material and its stage of development during the testing programme, for symptoms</li> </ul> </li> </ul>

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		<p>caused by any plant pests; and</p> <p>(bb) by testing:</p> <ul style="list-style-type: none"> <li>— in the case of all potato material at least for:</li> <li>— Andean potato latent virus,</li> <li>— Arracacha virus B. oca strain,</li> <li>— Potato black ringspot virus,</li> <li>— Potato spindle tuber viroid,</li> <li>— Potato virus T,</li> <li>— Andean potato mottle virus,</li> <li>— common potato viruses A, M, S, V, X and Y (including Y<sup>o</sup>, Yn and Yc) and Potato leaf roll virus,</li> <li>— <i>Clavibacter michiganensis</i> ssp <i>sepedonicus</i> (Spieckermann et Kotthoff) Davis <i>et al.</i>,</li> <li>— <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i>;</li> <li>— in the case of true seed of potato at least for the viruses and</li> </ul>

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		viroid listed above; and
		(iv) by appropriate testing on any other symptom observed in the visual examination in order to identify the plant pests having caused such symptoms;
		(b) material, if any, which has not been found free, under the testing referred to in sub-paragraph (a) from plant pests specified in that sub-paragraph shall be immediately destroyed or subjected to procedures which eliminate the plant pest or pests; and
		(c) each organisation or research body holding this material shall inform their official Member State Plant Protection Organisation of the material held
18.	Plants of stolon, or tuber-forming species of <i>Solanum</i> L., intended for planting, being stored in gene banks or genetic stock collections	Each organisation or research body holding such material shall inform their official Member State Plant Protection Organisation of the material held
19.	Tubers of <i>Solanum tuberosum</i> L., other than those mentioned in column 2 of items 15 to 18	There shall be evidence by a registration number put on the packaging, or in the case of loose loaded potatoes transported in bulk, on the vehicle transporting the potatoes, that the potatoes have been grown by an officially registered producer, or originate from officially registered collective storage or dispatching centres located in the area of production,



(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
20.	Plants, other than seeds, of <i>Solanaceae</i> , intended for planting, other than plants mentioned in column 2 of items 18 or 19	<p>indicating that the tubers are free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> and that:</p> <p>(a) the Community provisions to combat <i>Synchytrium endobioticum</i> (Schilbersky) Percival; and</p> <p>(b) where appropriate, the Community provisions to combat <i>Clavibacter michiganensis</i> ssp <i>sepedonicus</i> (Spieckermann and Kotthoff) Davis <i>et al.</i> are complied with</p> <p>Without prejudice to the requirements in items 15 to 17, 21 and 31, the plants shall be accompanied by an official statement that:</p> <p>(a) they originate in an area or areas known to be free from Potato stolbur mycoplasma; or</p> <p>(b) no symptoms of Potato stolbur mycoplasma have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation</p>
21.	Plants, other than seeds, of <i>Capsicum annuum</i> L., <i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw., <i>Musa</i> L., <i>Nicotiana</i> L. or <i>Solanum melongena</i> L., intended for planting	<p>Without prejudice to the requirements in item 20, the plants shall be accompanied by an official statement that:</p> <p>(a) they originate in an area or areas which have been found free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i>; or</p> <p>(b) no symptoms of <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i></p>

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation
22.	Plants, other than seeds, of <i>Humulus lupulus</i> L. intended for planting	The plants shall be accompanied by an official statement that no symptoms of <i>Verticillium albo-atrum</i> Reinke and Berthold or <i>Verticillium dahliae</i> Klebahn have been observed on hops at the place of production since the beginning of the last complete cycle of vegetation
23.	Plants, other than seeds, of <i>Dendranthema</i> (DC) Des Moul., <i>Dianthus</i> L. or <i>Pelargonium</i> l'Hérit ex Ait., intended for planting	Without prejudice to the requirements in items 24, 25 and 27, the plants shall be accompanied by an official statement that: <ul style="list-style-type: none"> <li>(a) no signs of <i>Heliothis armigera</i> Hubner, or <i>Spodoptera littoralis</i> (Boisd.) have been observed at the place of production since the beginning of the last complete cycle of vegetation; or</li> <li>(b) they have undergone appropriate treatment to protect them from these pests</li> </ul>
24.	Plants, other than seeds, of <i>Dendranthema</i> (DC) Des Moul., intended for planting	Without prejudice to the requirements in items 23 and 27, the plants shall be accompanied by an official statement that: <ul style="list-style-type: none"> <li>(a) they are no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during virological tests, or are directly</li> </ul>

(1)	(2)	(3)
<i>Item</i>	<i>Description of relevant material</i>	<i>Requirements of landing</i>
		<p>derived from material of which a representative sample of at least 10% has been found to be free from Chrysanthemum stunt viroid during an official inspection carried out at the time of flowering;</p> <p>(b) they or cuttings have come from premises:</p> <p>(i) which have been officially inspected at least monthly, during the three months prior to dispatch and on which no symptoms of <i>Puccinia horiana</i> Hennings have been observed during that period, and in the immediate vicinity of which no symptoms of <i>Puccinia horiana</i> Hennings have been known to have occurred during the three months prior to marketing; or</p> <p>(ii) the consignment has undergone appropriate treatment against <i>Puccinia horiana</i> Hennings; and</p> <p>(c) in the case of unrooted cuttings no symptoms of <i>Didymella ligulicola</i> (Baker, Dimock and Davis) v. Arx were observed either on the cuttings or on the plants from which the cuttings were derived, or that, in the case of rooted</p>

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		cuttings, no symptoms of <i>Didymella ligulicola</i> (Baker, Dimock and Davis) v. Arx were observed either on the cuttings or the rooting bed
25.	Plants, other than seeds, of <i>Dianthus</i> L., intended for planting	Without prejudice to the requirements in items 23 and 27, the plants shall be accompanied by an official statement that: <ul style="list-style-type: none"> <li>(a) they have been derived in direct line from mother plants which have been found free from <i>Erwinia chrysanthemi</i> pv. <i>dianthicola</i> (Hellmers) Dickey, <i>Pseudomonas caryophylli</i> (Burkholder) Starr and Burkholder and <i>Phialophora cinerescens</i> (Wollenw.) van Beyma on officially approved tests carried out at least once within the two previous years; and</li> <li>(b) no symptoms of these plants pests have been observed on the plants</li> </ul>
26.	Bulbs of <i>Tulipa</i> L. or <i>Narcissus</i> L., other than those for which there is evidence from their packaging, or from other means, that they are intended for sale to final consumers not involved in professional cut flower production	The bulbs shall be accompanied by an official statement that no symptoms of <i>Ditylenchus dipsaci</i> (Kühn) Filipjev have been observed on the plants since the beginning of the last complete cycle of vegetation
27.	Plants of herbaceous species intended for planting, other than: <ul style="list-style-type: none"> <li>— bulbs,</li> <li>— corms,</li> <li>— plants of the family Gramineae</li> <li>— rhizomes,</li> </ul>	Without prejudice to the requirements in items 23 to 25 and 31, the plants shall be accompanied by an official statement that: <ul style="list-style-type: none"> <li>(a) they originate in an area or areas known to be free from <i>Liriomyza</i></li> </ul>

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
	— seeds, or — tubers	<p><i>huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess);</p> <p>(b) no signs of <i>Liriomyza huidobrensis</i> (Blanchard) or <i>Liriomyza trifolii</i> (Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to harvesting; or</p> <p>(c) immediately prior to marketing, the plants have been officially inspected and found free from <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess) and have been subjected to an appropriate treatment against <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess)</p>
28.	Plants with roots, planted or intended for planting, grown in the open air	<p>There shall be evidence that the place of production is known to be free from <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> (Spieckermann and Kotthoff) Davis <i>et al.</i>, <i>Globodera pallida</i> (Stone) Behrens, <i>Globodera rostochiensis</i> (Wollenweber) Behrens and <i>Synchytrium endobioticum</i> (Schilbersky) Percival</p>
29.	Plants, other than seeds, of <i>Beta vulgaris</i> L, intended for planting	<p>The plants shall be accompanied by an official statement that:</p> <p>(a) they originate in area or areas known to be free from Beet leaf curl virus; or</p> <p>(b) Beet leaf curl virus has not been known to occur</p>

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		in the area of production and no symptoms of Beet leaf curl virus have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
30.	Seeds of <i>Helianthus annuus</i> L	<p>The seeds shall be accompanied by an official statement that:</p> <p>(a) they originate in areas known to be free from <i>Plasmopara halstedii</i> (Farlow) Berl. and de Toni; or</p> <p>(b) other than those seeds that have been produced on varieties resistant to all races of <i>Plasmopara halstedii</i> (Farlow) Berl. and de Toni present in the area of production, they have been subjected to an appropriate treatment against <i>Plasmopara halstedii</i> (Farlow) Berl. and de Toni</p>
31.	Plants, other than seeds, of <i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw., intended for planting	<p>Without prejudice to the requirements in items 20 and 27, the plants shall be accompanied by an official statement that:</p> <p>(a) they originate in areas known to be free from Tomato yellow leaf curl virus;</p> <p>(b) no symptoms of Tomato yellow leaf curl virus have been observed on the plants, and:</p> <p>(i) the plants originate in an area or areas known to be free from <i>Bemisia tabaci</i> Gena; or</p>

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		<p>(ii) the place of production has been found free from <i>Bemisia tabaci</i> Genn on official inspections carried out at least monthly during the three months prior to export; or</p> <p>(c) no symptoms of Tomato yellow leaf curl virus have been observed at the place of production and the place of production has been subjected to an appropriate treatment and monitoring regime to ensure freedom from <i>Bemisia tabaci</i> Genn.</p>
32.	Seeds of <i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw.	<p>The seeds shall be accompanied by an official statement that they have been obtained by means of an appropriate acid extraction method, and:</p> <p>(a) the seeds originate in an area or areas where <i>Clavibacter michiganensis</i> ssp <i>michiganensis</i> (Smith) Davis <i>et al.</i> or <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (Doidge) Dye are not known to occur;</p> <p>(b) no symptoms of diseases caused by those plant pests have been observed on the plants at the place of production during their last complete cycle of vegetation; or</p> <p>(c) the seeds have been subjected to official testing for at least those plant pests, on a representative sample</p>

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		and using appropriate methods, and have been found to be free from those plant pests
33.	Seeds of <i>Medicago sativa</i> L.	<p>Without prejudice to the requirements in item 34, the seeds shall be accompanied by an official statement that:</p> <p>(a) no symptoms of <i>Ditylenchus dipsaci</i> (Kühn) Filipjev have been observed at the place of production since the beginning of the last complete cycle of vegetation and that no <i>Ditylenchus dipsaci</i> (Kühn) Filipjev has been revealed by laboratory tests on a representative sample; or</p> <p>(b) fumigation has taken place prior to marketing</p>
34.	Seeds of <i>Medicago sativa</i> L.	<p>Without prejudice to the requirements in item 33, the seeds shall be accompanied by an official statement:</p> <p>(a) that they originate in an area or areas known to be free from <i>Clavibacter michiganensis</i> ssp <i>insidiosus</i> Davis <i>et al.</i>; or</p> <p>(b) that:</p> <p>(i) <i>Clavibacter michiganensis</i> ssp <i>insidiosus</i> Davis <i>et al</i> has not been known to occur on the farm or in the immediate vicinity since the beginning of the past 10 years, and</p> <p>(aa) the crop belongs to a variety recognised as being highly</p>



(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		<p>resistant to <i>Clavibacter michiganensis</i> ssp <i>insidiosus</i> Davis et al.,</p> <p>(bb) it had not yet started its fourth complete cycle of vegetation from sowing when the seed was harvested, and there was not more than one preceding seed harvest from the crop; or</p> <p>(cc) the content of inert matter which has been determined in accordance with the rules applicable for certification of seed marketed in the Community, does not exceed 0.1 % by weight ;</p> <p>(ii) no symptoms of <i>Clavibacter michiganensis</i> ssp <i>insidiosus</i> Davis et al. have been observed at the place of production or on any <i>Medicago sativa</i> L. crop adjacent to it, during the last complete cycle</p>

**Status:** This is the original version (as it was originally made).

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		of vegetation or, where appropriate, the last two cycles of vegetation; and (iii) the crop has been grown on land on which no previous <i>Medicago sativa</i> L crop has been present during the last three years prior to sowing
35.	Seeds of <i>Phaseolus</i> L.	The seeds shall be accompanied by an official statement that: (a) they originate in an area or areas known to be free from <i>Xanthomonas campestris</i> pv. <i>phaseoli</i> (Smith) Dye; or (b) a representative sample of the seeds has been tested and found free from <i>Xanthomonas campestris</i> pv. <i>phaseoli</i> (Smith) Dye
36.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	The packaging, any label attached to the packaging or any document normally used for trade purposes which accompanies the consignment shall bear an appropriate origin mark (which may be a reference to the name of the country of origin)