

SCHEDULE 1

Regulation 6(4)(a)

REQUIREMENTS FOR EXISTING PLACES OF WORK
AND MEANS OF ACCESS OR EGRESS AT HEIGHT

Every existing place of work or means of access or egress at height shall—

- (a) be stable and of sufficient strength and rigidity for the purpose for which it is intended to be or is being used;
- (b) where applicable, rest on a stable, sufficiently strong surface;
- (c) be of sufficient dimensions to permit the safe passage of persons and the safe use of any plant or materials required to be used and to provide a safe working area having regard to the work to be carried out there;
- (d) possess suitable and sufficient means for preventing a fall;
- (e) possess a surface which has no gap—
 - (i) through which a person could fall;
 - (ii) through which any material or object could fall and injure a person; or
 - (iii) giving rise to other risk of injury to any person, unless measures have been taken to protect persons against such risk;
- (f) be so constructed and used, and maintained in such condition, as to prevent, so far as is reasonably practicable—
 - (i) the risk of slipping or tripping; or
 - (ii) any person being caught between it and any adjacent structure;
- (g) where it has moving parts, be prevented by appropriate devices from moving inadvertently during work at height.

Changes to legislation:

There are currently no known outstanding effects for the The Work at Height Regulations 2005, SCHEDULE 1.