
STATUTORY INSTRUMENTS

2006 No. 2647

WEIGHTS AND MEASURES

The Measuring Instruments (Gas Meters) Regulations 2006

Made - - - - *1st October 2006*
Laid before Parliament *5th October 2006*
Coming into force *30th October 2006*

**THE MEASURING INSTRUMENTS
(GAS METERS) REGULATIONS 2006**

PART 1

1. Citation and commencement
2. Interpretation
3. Relevant instrument

PART 2

4. Requirements for placing on the market and putting into use
5. Compliance with the essential requirements
6. Conformity assessment procedures
7. Designation of United Kingdom notified bodies
8. Functions of notified bodies
9. Provisions supplemental to regulation 7
10. Variation and termination of designation
11. Fees
12. Marking and identification requirements
13. Conformity with other directives

PART 3

14. Enforcement authority
15. Unauthorised application of authorised marks
16. Compliance notice procedures
17. Immediate enforcement action
18. Powers of entry and inspection
19. Obstruction of enforcement officer

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Measuring Instruments (Gas Meters) Regulations 2006. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

20. Review of decisions of enforcement authority
21. Penalties for offences
22. Defence of due diligence
23. Liability of persons other than the principal offender

PART 4

24. Adaptation for Northern Ireland
25. GEMA's power to act on behalf of Northern Ireland Regulator
26. Service of documents
27. Savings for certain privileges
28. Consequential modifications of enactments: Great Britain
29. Consequential modifications of enactments: Northern Ireland
Signature

SCHEDULE 1 —

PART 1 — ESSENTIAL REQUIREMENTS

1. The essential requirements are the relevant requirements relating to relevant...
2. Definitions
3. Allowable errors
4. Reproducibility
5. Repeatability
6. Discrimination and sensitivity
7. Reliability
8. Protection against corruption
9. Information to be borne by and to accompany the relevant instrument
10. Indication of result
11. Conformity evaluation
12. Rated operating conditions
13. Maximum permissible error (MPE)
14. Permissible effect of disturbances
15. Durability
16. Suitability
17. Units

PART 2 — PUTTING INTO USE REQUIREMENTS

18. (1) Measurement of residential use shall be performed by means...

SCHEDULE 2 — NOTIFIED BODIES

PART 1 — NOTIFIED BODY CRITERIA

1. The body, its director and staff involved in conformity assessment...
2. The body, its director and staff involved in conformity assessment...
3. The conformity assessment shall be carried out with the highest...
4. The body shall be capable of carrying out all the...
5. The body's staff shall have— (a) sound technical and vocational...
6. The impartiality of the body, its director and staff shall...
7. The body shall satisfy GEMA (or NIAER, where that authority...
8. The body's director and staff shall be bound to observe...

PART 2 — FUNCTIONS

9. Assessment of applications for certificates or notifications
10. Limitations on duties to exercise functions

11. Contractors
12. Form of certificates and notifications
13. Conditions in certificates or notifications
14. Withdrawal of certificates or notifications
15. Procedure where a notified body is minded to refuse to give, or to vary or withdraw a certificate or notification

SCHEDULE 3 — TECHNICAL DOCUMENTATION

1. The technical documentation shall render the design, manufacture and operation...
2. The technical documentation shall be sufficiently detailed to ensure—
3. The technical documentation shall include insofar as relevant for assessment...
4. The manufacturer shall specify where seals and markings have been...
5. The manufacturer shall indicate the conditions for compatibility with interfaces...

SCHEDULE 4 — MARKING AND INSCRIPTIONS

1. The CE marking consists of the symbol “CE” according to...
2. The M marking consists of the capital letter “M” and...
3. The identification number of the notified body concerned shall follow...
4. When a relevant instrument consists of a set of devices...
5. The CE marking and the M marking shall be indelible....

SCHEDULE 5 — ADAPTATIONS FOR NORTHERN IRELAND

1. In regulation 14, for paragraph (2) there shall be substituted...
2. In regulation 18— (a) the references in paragraph (3) to...
3. In regulation 27(3), the reference to subsection (1) of section...

Explanatory Note

Changes to legislation:

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Measuring Instruments (Gas Meters) Regulations 2006. Any changes that have already been made by the team appear in the content and are referenced with annotations.

[View outstanding changes](#)

Changes and effects yet to be applied to :

- Sch. 1 para. 2 word inserted by [S.I. 2010/2881 reg. 7\(a\)\(ii\)](#)
- Sch. 1 para. 12 heading word substituted by [S.I. 2010/2881 reg. 7\(b\)](#)
- Sch. 1 para. 2 words inserted by [S.I. 2010/2881 reg. 7\(a\)\(i\)](#)
- Sch. 1 para. 13(3) words omitted by [S.I. 2010/2881 reg. 7\(c\)\(i\)](#)
- Regulations revoked by [S.I. 2016/1153 Sch. 3 para. 1 table](#)

Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

Whole provisions yet to be inserted into this Instrument (including any effects on those provisions):

- Sch. 1 para. 13(5) inserted by [S.I. 2010/2881 reg. 7\(c\)\(ii\)](#)