

## SCHEDELE 1

Regulations 3 and 4

## ENTRIES INSERTED IN SCHEDELE 1 TO THE PRINCIPAL REGULATIONS

Column 1	Column 2
<i>Pesticide</i>	<i>Residue</i>
Captan	Captan
Desmedipham	Desmedipham
Phenmedipham	(1) for products of plant origin: phenmedipham (2) for foodstuffs of animal origin: phenmedipham (Methyl-N-(3-hydroxyphenyl) carbamate (MHPC) expressed as phenmedipham)

## SCHEDELE 2

Regulations 3 and 4

ENTRIES SUBSTITUTED OR INSERTED IN  
SCHEDELE 2 TO THE PRINCIPAL REGULATIONS

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphosmediphos</i>	<i>DichlorEpsilon</i>	<i>Folpet</i>	<i>Phenmedipham</i>
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>						
i)						
CITRUS						
FRUIT						
Grapefruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
Lemons	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
Limes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
Mandarins (inc clementines & similar hybrids)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
Oranges	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
Pomelos	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
ii) TREE NUTS (Shelled or Unshelled)						
Almonds	0.3	0.02*	0.05*	0.01*	0.01*	0.02*
Brazil nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<i>Dichlorprop</i>	<i>Diclorprop</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Cashew nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Chestnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Coconuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Hazelnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Macadamia nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pecans	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pine nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pistachios	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Walnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
iii) POME FRUIT								
	Apples	3 <sup>(48)</sup>	0.02*	0.05*	0.01*	0.01*	3 <sup>(48)</sup>	0.05*
	Pears	3 <sup>(48)</sup>	0.02*	0.05*	0.01*	0.01*	3 <sup>(48)</sup>	0.05*
	Quinces	3 <sup>(48)</sup>	0.02*	0.05*	0.01*	0.01*	3 <sup>(48)</sup>	0.05*
	Others	3 <sup>(48)</sup>	0.02*	0.05*	0.01*	0.01*	3 <sup>(48)</sup>	0.05*
iv) STONE FRUIT								
	Apricots	3	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Cherries	5	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Peaches (inc nectarines & similar hybrids)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Plums	1	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
v) BERRIES AND SMALL FRUIT								
a)	Table & wine grapes							
	Table grapes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Wine grapes	0.02*	0.02*	0.05*	0.01*	0.01*	5	0.05*
b)	Strawberries (other than wild)	3 <sup>(48)</sup>	0.02*	0.05*	0.01*	0.01*	3 <sup>(48)</sup>	0.1*
c)	Cane fruit (other than wild)							
	Blackberries	3 <sup>(48)</sup>	0.02*	0.05*	0.01*	0.01*	3 <sup>(48)</sup>	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<i>Dichlorprop</i>	<i>Dichlorprop-P</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Dewberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Loganberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Raspberries	3 <sup>(48)</sup>	0.02*	0.05*	0.01*	0.01*	3 <sup>(48)</sup>	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Cranberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Currants (red, black & white)	3 <sup>(48)</sup>	0.02*	0.05*	0.01*	0.01*	3 <sup>(48)</sup>	0.05*
	Gooseberries	3 <sup>(48)</sup>	0.02*	0.05*	0.01*	0.01*	3 <sup>(48)</sup>	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
e)	Wild berries & wild fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Bananas	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Dates	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Figs	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Kiwi fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Kumquats	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Litchis	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Mangoes	2	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Olives (Table Consumption)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Olives (Oil Extract)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Papaya	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Passion fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pineapples	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pomegranates	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

## 2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<del><i>Dichlorodiphenyltrichloroethane</i></del>	<i>Folpet</i>	<i>Phenmedipham</i>
i) ROOT AND TUBER VEGETABLES						
Beetroot	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.1*
Carrots	0.1	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Cassava	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Celeriac	0.1	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Horseradish	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Jerusalem artichokes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Parsnips	0.02*	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Parsley root	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Radishes	0.02*	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Salsify	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Sweet potatoes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Swedes	0.02*	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Turnips	0.02*	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Yams	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
ii) BULB VEGETABLES						
Garlic	0.02*	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Onions	0.02*	0.02*	0.05*	0.01*	0.01*	0.1 0.05*
Shallots	0.02*	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Spring onions	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
iii) FRUITING VEGETABLES						
a) Solanaceae						
Tomatoes	2 <sup>(48)</sup>	0.02*	0.05*	0.01*	0.01*	2 <sup>(48)</sup> 0.05*
Peppers	0.1	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Chilli Peppers	0.1	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Aubergines	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Okra	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
b) Cucurbits-edible peel						
Cucumbers	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<del><i>Dichlorprop</i></del>	<i>Diclorprop</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
c)	Gherkins	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Courgettes	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
c)	Cucurbits-inedible peel							
	Melons	0.1	0.02*	0.05*	0.01*	0.01*	1	0.05*
	Squashes	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.05*
	Watermelons	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.05*
d)	Others	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.05*
	Sweet corn	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
iv) BRASSICA VEGETABLES								
a)	Flowering Brassicas							
	Broccoli	0.02*	0.02*(13)	0.05*(13)	0.01*	0.01*	0.02*	0.05*(13)
	Cauliflower	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Head Brassicas							
	Brussels sprouts	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
c)	Head cabbage	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Leafy Brassicas							
c)	Chinese cabbage	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Kale	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Kohlrabi	0.02*	0.3	0.05*	0.01*	0.01*	0.05	0.05*
v) LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar							
	Cress	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Lamb's lettuce	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Lettuce	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Scarole	2	0.02*(6)	0.05*(6)	0.01*	0.01*	0.02*	0.05*(6)
	Ruccola	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<del><i>Dichlorprop</i></del>	<i>Dichlorprop</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Leaves and stems of brassica	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Spinach & similar							
	Spinach	0.1	0.1	0.05*	0.01*	0.01*	0.02*	0.5
	Beet leaves (chard)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.5
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.5
c)	Watercress	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Witloof	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
e)	Herbs							
	Chervil	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Chives	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Parsley	0.1	0.5	0.05*	0.01*	2	0.02*	0.05*
	Celery leaves	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
vi)	LEGUME VEGETABLES (Fresh)							
	Beans (with pods)	2 <sup>(48)</sup>	0.02*	0.05*	0.01*	0.01*	2 <sup>(48)</sup>	0.05*
	Beans (without pods)	2 <sup>(48)</sup>	0.02*	0.05*	0.01*	0.01*	2 <sup>(48)</sup>	0.05*
	Peas (with pods)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Peas (without pods)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
vii)	STEM VEGETABLES							
	Asparagus	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Cardoons	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Celery	0.1	0.5	0.05*	0.01*	0.1	0.02*	0.05*
	Fennel	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Globe artichokes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.2
	Leeks	2	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Rhubarb	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
viii)	FUNGI							

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<del><i>Dichlorprop</i></del>	<i>Diclorprop</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
a)	Cultivated mushrooms	0.02*	0.05	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Wild mushrooms	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>3. PULSES</b>								
	Beans	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Lentils	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Peas	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Lupins	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>4. OILSEEDS</b>								
	Linseed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Peanuts	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Poppy seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Sesame seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Sunflower seed (with shell)	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Rape seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Soya bean	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Mustard seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Cotton seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Hemp seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Others	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
<b>5. POTATOES</b>								
	Early potatoes	0.05	0.02*	0.05*	0.01*	0.01*	0.1	0.05*
	Ware potatoes	0.05	0.02*	0.05*	0.01*	0.01*	0.1	0.05*
<b>6. TEA</b>								
	Tea (dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.05*	0.1*	0.02*	3	0.05*	0.1*
<b>7. HOPS (Dried)</b>								
	Hops (dried (including hop pellets & unconcentrated powder))	0.05*	0.05*	0.1*	0.02*	0.02*	150	0.1*
<b>8. CEREALS</b>								
	Wheat	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<i>Diphenmediphos</i>	<i>Echchlorofos</i>	<i>Folpet</i>	<i>Phenmedipham</i>
Rye	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Barley	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*
Sorghum	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Oats	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Triticale	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Maize	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Buckwheat	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Millet	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Rice <sup>(1)</sup>	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

**9. PRODUCTS OF ANIMAL ORIGIN**

Meat, edible offal, fat & preparations of meat & edible offal <sup>(2)</sup>	0.01*	0.05	0.05*
Milk <sup>(3)</sup> & Dairy produce <sup>(4)</sup>	0.01*	0.02	0.05*
Eggs <sup>(5)</sup>	0.01*	0.05*	0.05*

**10. SPICES**

- Cumin seed
- Juniper seed
- Nutmeg
- Pepper, black and white
- Vanilla pods
- Spices - others

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

Key:

\* Level at or about the limit of determination.

**FOOTNOTES:**

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad—leaf endive.
- (13) Broccoli includes calabrese.
- (48) Sum of captan and folpet.