

## SCHEDULE

Regulations 3, 4 and 5

Entries substituted in Schedule 2

**Acetamiprid to Indoxacarb**

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acetamiprid</i>	<i>Deltamethrin</i>	<i>Imazalil</i>	<i>Indoxacarb</i>
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>					
i) CITRUS FRUIT					
	Grapefruit	1	0.05*	5	0.02*
	Lemons	1	0.05*	5	0.02*
	Limes	1	0.05*	5	0.02*
	Mandarins (inc clementines & similar hybrids)	1	0.05*	5	0.02*
	Oranges	1	0.05*	5	0.02*
	Pomelos	1	0.05*	5	0.02*
	Others	1	0.05*	5	0.02*
ii) TREE NUTS (shelled or unshelled)					
	Almonds	0.01*	0.05*	0.05*	0.05
	Brazil nuts	0.01*	0.05*	0.05*	0.05
	Cashew nuts	0.01*	0.05*	0.05*	0.05
	Chestnuts	0.01*	0.05*	0.05*	0.05
	Coconuts	0.01*	0.05*	0.05*	0.05
	Hazelnuts	0.01*	0.05*	0.05*	0.05
	Macadamia nuts	0.01*	0.05*	0.05*	0.05
	Pecans	0.01*	0.05*	0.05*	0.05
	Pine nuts	0.01*	0.05*	0.05*	0.05
	Pistachios	0.01*	0.05*	0.05*	0.05
	Walnuts	0.01*	0.05*	0.05*	0.05
	Others	0.01*	0.05*	0.05*	0.05
iii) POME FRUIT					
	Apples	0.1	0.2	2	0.5
	Pears	0.1	0.1	2	0.3

Status: This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acetamiprid</i>	<i>Deltamethrin</i>	<i>Imazalil</i>	<i>Indoxacarb</i>
	Quinces	0.1	0.1	2	0.3
	Others	0.1	0.1	2	0.3
iv) STONE FRUIT					
	Apricots	0.1	0.1	0.05*	0.3
	Cherries	0.2	0.2	0.05*	0.02*
	Peaches (incl nectarines & similar hybrids)	0.1	0.1	0.05*	0.3
	Plums	0.02	0.1	0.05*	0.02*
	Others	0.01*	0.1	0.05*	0.02*
v) BERRIES AND SMALL FRUIT					
	a) Table & wine grapes				
	Table grapes	0.01*	0.2	0.05*	2
	Wine grapes	0.01*	0.2	0.05*	2
	b) Strawberries (other than wild)	0.01*	0.2	0.05*	0.02*
	c) Cane fruit (other than wild)				
	Blackberries	0.01*	0.5	0.05*	0.02*
	Dewberries	0.01*	0.05*	0.05*	0.02*
	Loganberries	0.01*	0.05*	0.05*	0.02*
	Raspberries	0.01*	0.5	0.05*	0.02*
	Others	0.01*	0.05*	0.05*	0.02*
	d) other small fruit & berries (other than wild)				
	Bilberries	0.01*	0.05*	0.05*	0.02*
	Cranberries	0.01*	0.05*	0.05*	0.02*
	Currants (red, black & white)	0.01*	0.5	0.05*	1
	Gooseberries	0.01*	0.2	0.05*	1
	Others	0.01*	0.05*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acetamiprid</i>	<i>Deltamethrin</i>	<i>Imazalil</i>	<i>Indoxacarb</i>
	e) Wild berries & wild fruit	0.01*	0.05*	0.05*	0.02*
vi) MISCELLANEOUS FRUIT					
	Avocados	0.01*	0.05*	0.05*	0.02*
	Bananas	0.01*	0.05*	2	0.2
	Dates	0.01*	0.05*	0.05*	0.02*
	Figs	0.01*	0.05*	0.05*	0.02*
	Kiwi fruit	0.01*	0.2	0.05*	0.02*
	Kumquats	0.01*	0.05*	0.05*	0.02*
	Litchis	0.01*	0.05*	0.05*	0.02*
	Mangoes	0.01*	0.05*	0.05*	0.02*
	Olives (table consumption)	0.01*	1	0.05*	0.02*
	Olives (oil extract)	0.01*	1	0.05*	0.02*
	Papaya	0.01*	0.05*	0.05*	0.02*
	Passion fruit	0.01*	0.05*	0.05*	0.02*
	Pineapples	0.01*	0.05*	0.05*	0.02*
	Pomegranates	0.01*	0.05*	0.05*	0.02*
	Others	0.01*	0.05*	0.05*	0.02*
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>					
i) ROOT AND TUBER VEGETABLES					
	Beetroot	0.01*	0.05*	0.05*	0.02*
	Carrots	0.01*	0.05*	0.05*	0.02*
	Cassava	0.01*	0.05*	0.05*	0.02*
	Celeriac	0.01*	0.05*	0.05*	0.02*
	Horseradish	0.01*	0.05*	0.05*	0.02*
	Jerusalem artichokes	0.01*	0.05*	0.05*	0.02*
	Parsnips	0.01*	0.05*	0.05*	0.02*
	Parsley root	0.01*	0.05*	0.05*	0.02*
	Radishes	0.01*	0.05*	0.05*	0.2
	Salsify	0.01*	0.05*	0.05*	0.02*

*Status: This is the original version (as it was originally made).*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acetamiprid</i>	<i>Deltamethrin</i>	<i>Imazalil</i>	<i>Indoxacarb</i>
	Sweet potatoes	0.01*	0.05*	0.05*	0.02*
	Swedes	0.01*	0.05*	0.05*	0.02*
	Turnips	0.01*	0.05*	0.05*	0.02*
	Yams	0.01*	0.05*	0.05*	0.02*
	Others	0.01*	0.05*	0.05*	0.02*
ii)	BULB				
	VEGETABLES				
	Garlic	0.01*	0.1	0.05*	0.02*
	Onions	0.01*	0.1	0.05*	0.02*
	Shallots	0.01*	0.1	0.05*	0.02*
	Spring onions	0.01*	0.1	0.05*	0.02*
	Others	0.01*	0.05*	0.05*	0.02*
iii)	FRUITING				
	VEGETABLES				
	a) Solanacea				
	Tomatoes	0.1	0.3	0.5	0.5
	Peppers	0.3	0.2	0.05*	0.3
	Chilli Peppers	0.3	0.2	0.05*	0.3
	Aubergines	0.1	0.3	0.05*	0.5
	Okra	0.01*	0.3	0.05*	0.02*
	Others	0.01*	0.2	0.05*	0.02*
	b) Cucurbits- edible peel				
	Cucumbers	0.3	0.2	0.2	0.2
	Gherkins	0.3	0.2	0.2	0.2
	Courgettes	0.3	0.2	0.2	0.2
	Others	0.3	0.2	0.2	0.2
	c) Cucurbits- inedible peel				
	Melons	0.01*	0.2	2	0.1
	Squashes	0.01*	0.2	0.05*	0.1
	Watermelons	0.01*	0.2	0.05*	0.1
	Others	0.01*	0.2	0.05*	0.1
	d) Sweet corn	0.01*	0.05*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acetamiprid</i>	<i>Deltamethrin</i>	<i>Imazalil</i>	<i>Indoxacarb</i>
iv)	BRASSICA				
	VEGETABLES				
	a) Flowering Brassicas				
	Broccoli	0.01*(13)	0.1(13)	0.05*(13)	0.3(13)
	Cauliflower	0.01*	0.1	0.05*	0.3
	Others	0.01*	0.1	0.05*	0.3
	b) Head Brassicas				
	Brussels sprouts	0.01*	0.1	0.05*	0.02*
	Head cabbage	0.01*	0.1	0.05*	3
	Others	0.01*	0.1	0.05*	0.02*
	c) Leafy Brassicas				
	Chinese cabbage	0.01*	0.5	0.05*	0.2
	Kale	0.01*	0.5	0.05*	0.2
	Others	0.01*	0.5	0.05*	0.02*
	d) Kohlrabi	0.01*	0.05	0.05*	0.02*
v)	LEAF VEGETABLES AND FRESH HERBS				
	a) Lettuce & similar				
	Cress	0.01*	0.5	0.05*	0.02*
	Lamb's lettuce	5	0.5	0.05*	1
	Lettuce	5	0.5	0.05*	2
	Scarole	5 <sup>(6)</sup>	0.5 <sup>(6)</sup>	0.05* <sup>(6)</sup>	2 <sup>(6)</sup>
	Ruccola	0.01*	0.5	0.05*	0.02*
	Leaves and stems of brassica, including turnip greens	0.01*	0.5	0.05*	0.02*
	Others	0.01*	0.5	0.05*	0.02*
	b) Spinach & similar				
	Spinach	0.01*	0.5	0.05*	2

*Status: This is the original version (as it was originally made).*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acetamiprid</i>	<i>Deltamethrin</i>	<i>Imazalil</i>	<i>Indoxacarb</i>
	Beet leaves (chard)	0.01*	0.5	0.05*	0.02*
	Others	0.01*	0.5	0.05*	0.02*
	c) Watercress	0.01*	0.05*	0.05*	0.02*
	d) Witloof	0.01*	0.05*	0.05*	0.02*
	e) Herbs				
	Chervil	0.01*	0.5	0.05*	2
	Chives	0.01*	0.5	0.05*	2
	Parsley	5	0.5	0.05*	2
	Celery leaves	0.01*	0.5	0.05*	2
	Others	0.01*	0.5	0.05*	2
vi)	LEGUME VEGETABLES (Fresh)				
	Beans (with pods)	0.01*	0.2	0.05*	0.02*
	Beans (without pods)	0.01*	0.2	0.05*	0.02*
	Peas (with pods)	0.01*	0.2	0.05*	0.02*
	Peas (without pods)	0.01*	0.2	0.05*	0.02*
	Others	0.01*	0.2	0.05*	0.02*
vii)	STEM VEGETABLES				
	Asparagus	0.01*	0.05*	0.05*	0.02*
	Cardoons	0.01*	0.05*	0.05*	0.02*
	Celery	0.01*	0.05*	0.05*	0.02*
	Fennel	0.01*	0.05*	0.05*	0.02*
	Globe artichokes	0.01*	0.1	0.05*	0.1
	Leeks	0.01*	0.2	0.05*	0.02*
	Rhubarb	0.01*	0.05*	0.05*	0.02*
	Others	0.01*	0.05*	0.05*	0.02*
viii)	FUNGI				

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acetamiprid</i>	<i>Deltamethrin</i>	<i>Imazalil</i>	<i>Indoxacarb</i>
	a) Cultivated mushrooms	0.01*	0.05	0.05*	0.02*
	b) Wild mushrooms	0.01*	0.05	0.05*	0.02*
<b>3. PULSES</b>					
	Beans	0.01*	1	0.05*	0.02*
	Lentils	0.01*	1	0.05*	0.02*
	Peas	0.01*	1	0.05*	0.02*
	Lupins	0.01*	1	0.05*	0.02*
	Others	0.01*	1	0.05*	0.02*
<b>4. OILSEEDS</b>					
	Linseed	0.01*	0.05*	0.05*	0.05*
	Peanuts	0.01*	0.05*	0.05*	0.05*
	Poppy seed	0.01*	0.05*	0.05*	0.05*
	Sesame seed	0.01*	0.05*	0.05*	0.05*
	Sunflower seed (with shell)	0.01*	0.05*	0.05*	0.05*
	Rape seed	0.01*	0.1	0.05*	0.05*
	Soya bean	0.01*	0.05*	0.05*	0.5
	Mustard seed	0.01*	0.1	0.05*	0.05*
	Cotton seed	0.02	0.05*	0.05*	0.05*
	Hemp seed	0.01*	0.05*	0.05*	0.05*
	Pumpkin seed	0.01*	0.05*	0.05*	0.05*
	Others	0.01*	0.05*	0.05*	0.05*
<b>5. POTATOES</b>					
	Early potatoes	0.01*	0.05*	3	0.02*
	Ware potatoes	0.01*	0.05*	3	0.02*
<b>6. TEA</b>					
	Tea (dried leaves and stalks, fermented or otherwise, Camellia sinesis)	0.1*	5	0.1*	0.05*
<b>7. HOPS (dried)</b>					

**Status:** This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acetamiprid</i>	<i>Deltamethrin</i>	<i>Imazalil</i>	<i>Indoxacarb</i>
	including hop pellets & unconcentrated powder	0.1*	5	0.1*	0.05*
<b>8. CEREALS</b>					
	Wheat	0.01*	2	0.02*	0.02*
	Rye	0.01*	2	0.02*	0.02*
	Barley	0.01*	2	0.02*	0.02*
	Sorghum	0.01*	2	0.02*	0.02*
	Oats	0.01*	2	0.02*	0.02*
	Triticale	0.01*	2	0.02*	0.02*
	Maize	0.01*	2	0.02*	0.02*
	Buckwheat	0.01*	2	0.02*	0.02*
	Millet	0.01*	2	0.02*	0.02*
	Rice <sup>(1)</sup>	0.01*	2	0.02*	0.02*
	Others	0.01*	2	0.02*	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>					
	Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>	0.05* <sup>(10)</sup>	0.03 <sup>(11)</sup>	0.02*	0.3 <sup>(49)</sup>
		0.1 <sup>(42)</sup>	0.1 <sup>(47)</sup>		0.01 <sup>(50)</sup>
		0.2 <sup>(30)</sup>	0.5 <sup>(9)</sup>		
		0.05* <sup>(49)</sup>			
	Milk <sup>(3)</sup> and dairy produce <sup>(4)</sup>	0.05*	0.05	0.02*	0.02 <sup>(51)</sup>
					0.3 <sup>(52)</sup>
	Eggs <sup>(5)</sup>	0.05*	0.05*	0.02*	0.01*
<b>10. SPICES</b>					
	Cumin seed				
	Juniper seed				
	Nutmeg				
	Pepper, black and white				
	Vanilla pods				
	Spices - others				



**Status:** This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acetamiprid</i>	<i>Deltamethrin</i>	<i>Imazalil</i>	<i>Indoxacarb</i>
------------------------------------	--	--------------------	---------------------	-----------------	-------------------

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd.

Whether made from cow's milk or other milk or a combination, the following levels apply:

-if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;

-if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (10) All meat.
- (11) All liver and kidney.
- (13) Broccoli includes calabrese.
- (30) All kidney.
- (42) All liver.
- (47) Poultry and poultry products.
- (49) All fat.
- (50) All other meat, edible offal and preparations of meat and edible offal.
- (51) Milk except cream of milk.
- (52) Cream of milk.

**Pendimethalin to Trifloxystrobin**

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pendimethalin</i>	<i>Flymetrozin</i>	<i>Pyraclostrobin</i>	<i>Thiacloprid</i>	<i>Trifloxystrobin</i>
------------------------------------	--	----------------------	--------------------	-----------------------	--------------------	------------------------

**1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS**

*Status: This is the original version (as it was originally made).*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pendimethalin</i>	<i>Flymetrozin</i>	<i>Pyraclostrobin</i>	<i>Thiacloprid</i>	<i>Trifloxystrobin</i>
i) CITRUS FRUIT						
	Grapefruit	0.05*	0.3	1	0.02*	0.3
	Lemons	0.05*	0.3	1	0.02*	0.3
	Limes	0.05*	0.3	1	0.02*	0.3
	Mandarins (inc clementines & similar hybrids)	0.05*	0.3	1	0.02*	0.3
	Oranges	0.05*	0.3	1	0.02*	0.3
	Pomelos	0.05*	0.3	1	0.02*	0.3
	Others	0.05*	0.3	1	0.02*	0.3
ii) TREE NUTS (shelled or unshelled)						
	Almonds	0.05*	0.02*	0.02*	0.02*	0.02*
	Brazil nuts	0.05*	0.02*	0.02*	0.02*	0.02*
	Cashew nuts	0.05*	0.02*	0.02*	0.02*	0.02*
	Chestnuts	0.05*	0.02*	0.02*	0.02*	0.02*
	Coconuts	0.05*	0.02*	0.02*	0.02*	0.02*
	Hazelnuts	0.05*	0.02*	0.02*	0.02*	0.02*
	Macadamia nuts	0.05*	0.02*	0.02*	0.02*	0.02*
	Pecans	0.05*	0.02*	0.02*	0.02*	0.02*
	Pine nuts	0.05*	0.02*	0.02*	0.02*	0.02*
	Pistachios	0.05*	0.02*	1	0.02*	0.02*
	Walnuts	0.05*	0.02*	0.02*	0.02*	0.02*
	Others	0.05*	0.02*	0.02*	0.02*	0.02*
iii) POME FRUIT						
	Apples	0.05*	0.02*	0.3	0.3	0.5
	Pears	0.05*	0.02*	0.3	0.3	0.5
	Quinces	0.05*	0.02*	0.3	0.3	0.5
	Others	0.05*	0.02*	0.3	0.3	0.5
iv) STONE FRUIT						
	Apricots	0.05*	0.05	0.2	0.3	1
	Cherries	0.05*	0.02*	0.3	0.3	1

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pendimethalin</i>	<i>Flymetrozin</i>	<i>Pyraclostrobin</i>	<i>Thiacloprid</i>	<i>Trifloxystrobin</i>
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05	0.2	0.3	1
	Plums	0.05*	0.02*	0.1	0.1	0.2
	Others	0.05*	0.02*	0.02*	0.02*	0.02*
v) BERRIES AND SMALL FRUIT						
	a) Table & wine grapes					
	Table grapes	0.05*	0.02*	1	0.02*	5
	Wine grapes	0.05*	0.02*	2	0.02*	5
	b) Strawberries (other than wild)	0.05*	0.5	0.5	0.5	0.5
	c) Cane fruit (other than wild)					
	Blackberries	0.05*	3	1	1	0.02*
	Dewberries	0.05*	0.02*	0.02*	1	0.02*
	Loganberries	0.05*	0.02*	0.02*	1	0.02*
	Raspberries	0.05*	3	1	1	0.02*
	Others	0.05*	0.02*	0.02*	1	0.02*
	d) other small fruit & berries (other than wild)					
	Bilberries	0.05*	0.02*	0.5	1	0.02*
	Cranberries	0.05*	0.02*	0.5	1	0.02*
	Currants (red, black & white)	0.05*	0.5	2	1	1
	Gooseberries	0.05*	0.5	0.5	1	1
	Others	0.05*	0.02*	0.5	1	0.02*
	e) Wild berries & wild fruit	0.05*	0.02*	0.02*	0.02*	0.02*
vi) MISCELLANEOUS FRUIT						
	Avocados	0.05*	0.02*	0.02*	0.02*	0.02*
	Bananas	0.05*	0.02*	0.02*	0.02*	0.05

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Pendimethalin	Flymetrozin	Pyraclostrobin	Thiacloprid	Trifloxystrobin
	Dates	0.05*	0.02*	0.02*	0.02*	0.02*
	Figs	0.05*	0.02*	0.02*	0.02*	0.02*
	Kiwi fruit	0.05*	0.02*	0.02*	0.02*	0.02*
	Kumquats	0.05*	0.02*	0.02*	0.02*	0.02*
	Litchis	0.05*	0.02*	0.02*	0.02*	0.02*
	Mangoes	0.05*	0.02*	0.05	0.02*	0.5
	Olives (table consumption)	0.05*	0.02*	0.02*	0.02*	0.02*
	Olives (oil extract)	0.05*	0.02*	0.02*	0.02*	0.02*
	Papaya	0.05*	0.02*	0.05	0.5	1
	Passion fruit	0.05*	0.02*	0.02*	0.02*	0.02*
	Pineapples	0.05*	0.02*	0.02*	0.02*	0.02*
	Pomegranates	0.05*	0.02*	0.02*	0.02*	0.02*
	Others	0.05*	0.02*	0.02*	0.02*	0.02*

**2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY**

**i) ROOT AND TUBER VEGETABLES**

Beetroot	0.05*	0.02*	0.02*	0.02*	0.02*
Carrots	0.2	0.02*	0.1	0.02*	0.05
Cassava	0.05*	0.02*	0.02*	0.02*	0.02*
Celeriac	0.1	0.02*	0.02*	0.02*	0.02*
Horseradish	0.2	0.02*	0.3	0.02*	0.02*
Jerusalem artichokes	0.05*	0.02*	0.02*	0.02*	0.02*
Parsnips	0.2	0.02*	0.3	0.02*	0.02*
Parsley root	0.2	0.02*	0.1	0.02*	0.02*
Radishes	0.05*	0.02*	0.02*	0.02*	0.02*
Salsify	0.05*	0.02*	0.1	0.02*	0.02*
Sweet potatoes	0.05*	0.02*	0.02*	0.02*	0.02*
Swedes	0.05*	0.02*	0.02*	0.02*	0.02*
Turnips	0.05*	0.02*	0.02*	0.02*	0.02*
Yams	0.05*	0.02*	0.02*	0.02*	0.02*
Others	0.05*	0.02*	0.02*	0.02*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pendimethalin</i>	<i>Fluroxypyr</i>	<i>Metolachlor</i>	<i>Thiacloprid</i>	<i>Trifloxystrobin</i>
ii)	BULB					
VEGETABLES						
	Garlic	0.05*	0.02*	0.2	0.02*	0.02*
	Onions	0.05*	0.02*	0.2	0.02*	0.02*
	Shallots	0.05*	0.02*	0.2	0.02*	0.02*
	Spring onions	0.05*	0.02*	0.02*	0.02*	0.02*
	Others	0.05*	0.02*	0.02*	0.02*	0.02*
iii)	FRUITING					
VEGETABLES						
	a) Solanacea					
	Tomatoes	0.05*	0.5	0.2	0.5	0.5
	Peppers	0.05*	1	0.5	1	0.3
	Chilli Peppers	0.05*	1	0.5	1	0.3
	Aubergines	0.05*	0.5	0.2	0.5	0.02*
	Okra	0.05*	0.02*	0.02*	0.02*	0.02*
	Others	0.05*	0.02*	0.02*	0.02*	0.02*
	b) Cucurbits-edible peel					
	Cucumbers	0.05*	0.5	0.02*	0.3	0.2
	Gherkins	0.05*	0.5	0.02*	0.3	0.2
	Courgettes	0.05*	0.5	0.02*	0.3	0.2
	Others	0.05*	0.5	0.02*	0.3	0.2
	c) Cucurbits-inedible peel					
	Melons	0.05*	0.2	0.02*	0.2	0.3
	Squashes	0.05*	0.2	0.02*	0.02*	0.02*
	Watermelons	0.05*	0.2	0.02*	0.2	0.2
	Others	0.05*	0.2	0.02*	0.02*	0.02*
	d) Sweet corn	0.05*	0.02*	0.02*	0.02*	0.02*
iv)	BRASSICA					
VEGETABLES						
	a) Flowering Brassicas					
	Broccoli	0.05 <sup>(13)</sup>	0.02 <sup>(13)</sup>	0.1 <sup>(13)</sup>	0.02 <sup>(13)</sup>	0.05 <sup>(13)</sup>

*Status: This is the original version (as it was originally made).*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pendimethalin</i>	<i>Azinphosmethyl</i>	<i>Imidacloprid</i>	<i>Thiacloprid</i>	<i>Trifloxystrobin</i>
	Cauliflower	0.05*	0.02*	0.1	0.02*	0.05
	Others	0.05*	0.02*	0.1	0.02*	0.02*
	b) Head Brassicas					
	Brussels sprouts	0.05*	0.02*	0.2	0.02*	0.2
	Head cabbage	0.05*	0.05	0.2	0.02*	0.2
	Others	0.05*	0.02*	0.02*	0.02*	0.2
	c) Leafy Brassicas					
	Chinese cabbage	0.05*	0.2	0.02*	0.02*	0.02*
	Kale	0.05*	0.2	0.02*	0.02*	0.02*
	Others	0.05*	0.2	0.02*	0.02*	0.02*
	d) Kohlrabi	0.05*	0.02*	0.02*	0.02*	0.02*
v) VEGETABLES AND FRESH HERBS	LEAF AND					
	a) Lettuce & similar					
	Cress	0.05*	2	2	2	0.02*
	Lamb's lettuce	0.05*	2	10	2	0.02*
	Lettuce	0.05*	2	2	2	0.02*
	Scarole	0.05* <sup>(6)</sup>	2 <sup>(6)</sup>	2 <sup>(6)</sup>	2 <sup>(6)</sup>	0.02* <sup>(6)</sup>
	Ruccola	0.05*	2	2	2	0.02*
	Leaves and stems of brassica, including turnip greens	0.05*	2	2	2	0.02*
	Others	0.05*	2	2	2	0.02*
	b) Spinach & similar					
	Spinach	0.05*	0.02*	0.02*	0.02*	0.02*
	Beet leaves (chard)	0.05*	0.02*	0.02*	0.02*	0.02*
	Others	0.05*	0.02*	0.02*	0.02*	0.02*
	c) Watercress	0.05*	0.02*	0.02*	0.02*	0.02*
	d) Witloof	0.05*	0.02*	0.02*	0.02*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pendimethalin</i>	<i>Flymetrozin</i>	<i>Pyraclostrobin</i>	<i>Thiacloprid</i>	<i>Trifloxystrobin</i>
	e) Herbs					
	Chervil	0.05*	1	2	3	0.02*
	Chives	0.05*	1	2	3	0.02*
	Parsley	0.05*	1	2	3	0.02*
	Celery leaves	0.05*	1	2	3	0.02*
	Others	0.05*	1	2	3	0.02*
vi)	LEGUME VEGETABLES (Fresh)					
	Beans (with pods)	0.2	1	0.02*	1	0.5
	Beans (without pods)	0.2	1	0.02*	0.02*	0.02*
	Peas (with pods)	0.2	1	0.02*	0.02*	0.02*
	Peas (without pods)	0.2	1	0.02*	0.02*	0.02*
	Others	0.2	1	0.02*	0.02*	0.02*
vii)	STEM VEGETABLES					
	Asparagus	0.05*	0.02*	0.02*	0.02*	0.02*
	Cardoons	0.05*	0.02*	0.02*	0.02*	0.02*
	Celery	0.1	0.02*	0.02*	0.02*	0.02*
	Fennel	0.05*	0.02*	0.02*	0.02*	0.02*
	Globe artichokes	0.05*	0.02*	0.02*	0.02*	0.02*
	Leeks	0.05*	0.02*	0.5	0.02*	0.2
	Rhubarb	0.05*	0.02*	0.02*	0.02*	0.02*
	Others	0.05*	0.02*	0.02*	0.02*	0.02*
viii)	FUNGI					
	a) Cultivated mushrooms	0.05*	0.02*	0.02*	0.02*	0.02*
	b) Wild mushrooms	0.05*	0.02*	0.02*	0.02*	0.02*
	<b>3. PULSES</b>					
	Beans	0.2	0.02*	0.3	0.02*	0.02*
	Lentils	0.2	0.02*	0.3	0.02*	0.02*

*Status: This is the original version (as it was originally made).*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pendimethalin</i>	<i>Azinphosmethyl</i>	<i>Pyraclostrobin</i>	<i>Thiacloprid</i>	<i>Trifloxystrobin</i>
	Peas	0.2	0.02*	0.3	0.02*	0.02*
	Lupins	0.2	0.02*	0.3	0.02*	0.02*
	Others	0.2	0.02*	0.3	0.02*	0.02*
<b>4. OILSEEDS</b>						
	Linseed	0.1*	0.02*	0.02*	0.05*	0.05*
	Peanuts	0.1*	0.02*	0.02*	0.05*	0.05*
	Poppy seed	0.1*	0.02*	0.02*	0.05*	0.05*
	Sesame seed	0.1*	0.02*	0.02*	0.05*	0.05*
	Sunflower seed (with shell)	0.1*	0.02*	0.02*	0.05*	0.05*
	Rape seed	0.1*	0.02*	0.02*	0.3	0.05*
	Soya bean	0.1*	0.02*	0.02*	0.05*	0.05*
	Mustard seed	0.1*	0.02*	0.02*	0.2	0.05*
	Cotton seed	0.1*	0.05	0.02*	0.05*	0.05*
	Hemp seed	0.1*	0.02*	0.02*	0.05*	0.05*
	Pumpkin seed	0.1*	0.02*	0.02*	0.05*	0.05*
	Others	0.1*	0.02*	0.02*	0.05*	0.05*
<b>5. POTATOES</b>						
	Early potatoes	0.05*	0.02*	0.02*	0.02*	0.02*
	Ware potatoes	0.05*	0.02*	0.02*	0.02*	0.02*
<b>6. TEA</b>						
	Tea (dried leaves and stalks, fermented or otherwise, Camellia sinesis)	0.1*	0.1*	0.05*	0.05*	0.05*
<b>7. HOPS (dried)</b>						
	including hop pellets & unconcentrated powder	0.1*	15	10	0.05*	30
<b>8. CEREALS</b>						
	Wheat	0.05*	0.02*	0.1	0.02*	0.05
	Rye	0.05*	0.02*	0.1	0.02*	0.05
	Barley	0.05*	0.02*	0.3	0.02*	0.3



**Status:** This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Pendimethalin	Fluroxypyr	Metolachlor	Thiacloprid	Trifloxystrobin
	Sorghum	0.05*	0.02*	0.02*	0.02*	0.02*
	Oats	0.05*	0.02*	0.3	0.02*	0.02*
	Triticale	0.05*	0.02*	0.1	0.02*	0.05
	Maize	0.05*	0.02*	0.02*	0.02*	0.02*
	Buckwheat	0.05*	0.02*	0.02*	0.02*	0.02*
	Millet	0.05*	0.02*	0.02*	0.02*	0.02*
	Rice <sup>(1)</sup>	0.05*	0.02*	0.02*	0.02*	0.02*
	Others	0.05*	0.02*	0.02*	0.02*	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>						
	Meat, edible offal, fat & preparations of meat and edible offal <sup>(2)</sup>	0.05*	0.01*	0.05*	0.05 <sup>(10)</sup>	0.3 <sup>(11)</sup> 0.05 <sup>(49)</sup> 0.01 <sup>(9)</sup>
	Milk <sup>(3)</sup> and dairy produce <sup>(4)</sup>	0.05*	0.01*	0.01*	0.03	
	Eggs <sup>(5)</sup>	0.05*	0.01*	0.05*	0.01*	
<b>10. SPICES</b>						
	Cumin seed					
	Juniper seed					
	Nutmeg					
	Pepper, black and white					
	Vanilla pods					
	Spices - others					

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

\* Level at or about the limit of determination.

**Status:** This is the original version (as it was originally made).

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd.

Whether made from cow's milk or other milk or a combination, the following levels apply:

-if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;

-if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (10) All meat.
- (11) All liver and kidney.
- (13) Broccoli includes calabrese.
- (49) All fat.