

Status: There are multiple versions of this provision on screen. These apply to different geographical extents. **Skip to:** E+W+S - England, Wales and Scotland extent N.I. - Northern Ireland extent

Changes to legislation: There are currently no known outstanding effects for the The Pressure Equipment (Safety) Regulations 2016, Paragraph 29. (See end of Document for details)

SCHEDULE 2

Essential Safety Requirements

PART 3

MANUFACTURING

Marking and labelling **E+W+S**

29.—(1) In addition to the [F¹UK] marking referred to in regulation 49 and the information to be provided in accordance with regulations 13(1)(b) and 23(1), the following information must be provided—

- (a) for all pressure equipment—
 - (i) the year of manufacture;
 - (ii) identification of the pressure equipment according to its nature, such as type, series or batch identification and serial number;
 - (iii) essential maximum/minimum allowable limits.
- (b) depending on the type of pressure equipment, further information necessary for the safe installation, operation or use and, where applicable, maintenance and periodic inspection of the pressure equipment such as:
 - (i) the volume V of the pressure equipment in L;
 - (ii) the nominal size for piping DN;
 - (iii) the test pressure PT applied in bar and date;
 - (iv) safety device set pressure in bar;
 - (v) output of the pressure equipment in kW;
 - (vi) supply voltage in V (volts);
 - (vii) intended use;
 - (viii) filling ratio kg/L;
 - (ix) maximum filling mass in kg;
 - (x) tare mass in kg;
 - (xi) the fluid group;
- (c) where necessary, warnings fixed to the pressure equipment drawing attention to misuse which experience has shown might occur.

(2) The information referred to in sub-paragraph (1) must be given on the pressure equipment or on a dataplate firmly attached to it, with the following exceptions—

- (a) where applicable, appropriate documentation may be used to avoid repetitive marking of individual parts such as piping components, intended for the same assembly;
- (b) where the pressure equipment is too small, for example in the case of accessories, this information may be given on a label attached to that pressure equipment;
- (c) labelling or other adequate means may be used for the mass to be filled and the warnings referred to in sub-paragraph (1)(c), provided it remains legible for the appropriate period of time.

Status: There are multiple versions of this provision on screen. These apply to different geographical extents. Skip to: E+W+S - England, Wales and Scotland extent N.I. - Northern Ireland extent

Changes to legislation: There are currently no known outstanding effects for the The Pressure Equipment (Safety) Regulations 2016, Paragraph 29. (See end of Document for details)

Extent Information

- E1** This version of this provision extends to England and Wales and Scotland only; a separate version has been created for Northern Ireland only
- F1** Word in [Sch. 2 para. 29\(1\)](#) substituted (E.W.S.) (31.12.2020) by [The Product Safety and Metrology etc. \(Amendment etc.\) \(EU Exit\) Regulations 2019 \(S.I. 2019/696\)](#), [reg. 1](#), [Sch. 24 para. 45\(b\)](#) (with [Sch. 24 para. 41](#)) (as amended by [S.I. 2020/676](#), [regs. 1\(1\), 2](#)); [2020 c. 1](#), [Sch. 5 para. 1\(1\)](#)

Marking and labelling **N.I.**

29.—(1) In addition to the CE marking referred to in regulation 49 and the information to be provided in accordance with regulations 13(1)(b) and 23(1), the following information must be provided—

- (a) for all pressure equipment—
 - (i) the year of manufacture;
 - (ii) identification of the pressure equipment according to its nature, such as type, series or batch identification and serial number;
 - (iii) essential maximum/minimum allowable limits.
- (b) depending on the type of pressure equipment, further information necessary for the safe installation, operation or use and, where applicable, maintenance and periodic inspection of the pressure equipment such as:
 - (i) the volume V of the pressure equipment in L;
 - (ii) the nominal size for piping DN;
 - (iii) the test pressure PT applied in bar and date;
 - (iv) safety device set pressure in bar;
 - (v) output of the pressure equipment in kW;
 - (vi) supply voltage in V (volts);
 - (vii) intended use;
 - (viii) filling ratio kg/L;
 - (ix) maximum filling mass in kg;
 - (x) tare mass in kg;
 - (xi) the fluid group;
- (c) where necessary, warnings fixed to the pressure equipment drawing attention to misuse which experience has shown might occur.

(2) The information referred to in sub-paragraph (1) must be given on the pressure equipment or on a dataplate firmly attached to it, with the following exceptions—

- (a) where applicable, appropriate documentation may be used to avoid repetitive marking of individual parts such as piping components, intended for the same assembly;
- (b) where the pressure equipment is too small, for example in the case of accessories, this information may be given on a label attached to that pressure equipment;
- (c) labelling or other adequate means may be used for the mass to be filled and the warnings referred to in sub-paragraph (1)(c), provided it remains legible for the appropriate period of time.

Status: *There are multiple versions of this provision on screen. These apply to different geographical extents.***Skip to:** *E+W+S - England, Wales and Scotland extentN.I. - Northern Ireland extent*

Changes to legislation: *There are currently no known outstanding effects for the The Pressure Equipment (Safety) Regulations 2016, Paragraph 29. (See end of Document for details)*

Extent Information

- E2** This version of this provision extends to Northern Ireland only; a separate version has been created for England and Wales and Scotland only

Status:

There are multiple versions of this provision on screen. These apply to different geographical extents.

Skip to:

- E+W+S - England, Wales and Scotland extent
- N.I. - Northern Ireland extent

Changes to legislation:

There are currently no known outstanding effects for the The Pressure Equipment (Safety) Regulations 2016, Paragraph 29.