#### STATUTORY INSTRUMENTS

## 2019 No. 1137

# The National Health Service (General Medical Services Contracts and Personal Medical Services Agreements) (Amendment) Regulations 2019

#### PART 2

### Amendment of the GMS Contracts Regulations

#### Amendment of regulation 74C of the GMS Contracts Regulations

**10.** For the table in regulation 74C(1) of the GMS Contracts Regulations (information relating to indicators no longer in the Quality and Outcomes Framework), substitute—

#### "Table

Indicator ID	nes Framework – indicators no longer in the Quality and Outcomes Framework  Indicator Description
Clinical domain	
CHD003	The percentage of patients with coronary heart disease whose last measured cholesterol (measured in the preceding 12 months) is 5 mmol/l or less
CKD002	The percentage of patients on the CKD register in whom the last blood pressure reading (measured in the preceding 12 months) is 140/85 mmHg or less
CKD004	The percentage of patients on the CKD register whose notes have a record of a urine albumin: creatinine ratio (or protein: creatinine ratio) test in the preceding 12 months
NM84	The percentage of patients on the CKD register with hypertension and proteinuria who are currently treated with renin-angiotensin system antagonists
CVD-PP002	The percentage of patients diagnosed with hypertension (diagnosed after or on 1st April 2009) who are given lifestyle advice in the preceding 12 months for: smoking cessation, safe alcohol consumption and healthy diet
DM005	The percentage of patients with diabetes, on the register, who have a record of an albumin: creatinine ratio test in the preceding 12 months
DMO11	The percentage of patients with diabetes, on the register, who have a record of retinal screening in the preceding 12 months

Indicator ID	Indicator Description
EP002	The percentage of patients 18 or over on drug treatment for epilepsy who have been seizure free for the last 12 months recorded in the preceding 12 months
EP003	The percentage of women aged 18 or over and who have not attained the age of 55 who are taking antiepileptic drugs who have a record of information and counselling about contraception, conception and pregnancy in the preceding 12 months
LD002	The percentage of patients on the learning disability register with Down's syndrome aged 18 or over who have a record of blood TSH in the preceding 12 months
MH004	The percentage of patients aged 40 or over with schizophrenia, bipolar affective disorder and other psychoses who have a record of total cholesterol: hdl ratio in the preceding 12 months
MH005	The percentage of patients aged 40 or over with schizophrenia, bipolar affective disorder and other psychoses who have a record of blood glucose or HbA1c in the preceding 12 months
MH007	The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a record of alcohol consumption in the preceding 12 months
MH008	The percentage of women aged 25 or over and who have not attained the age of 65 with schizophrenia, bipolar affective disorder and other psychoses whose notes record that a cervical screening test has been performed in the preceding 5 years
PAD002	The percentage of patients with peripheral arterial disease in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less
PAD003	The percentage of patients with peripheral arterial disease in whom the last measured total cholesterol (measured in the preceding 12 months) is 5 mmol/l or less
PAD004	The percentage of patients with peripheral arterial disease with a record in the preceding 12 months that aspirin or an alternative anti-platelet is being taken
RA003	The percentage of patients with rheumatoid arthritis aged 30 or over and who have not attained the age of 85 who have had a cardiovascular risk assessment using a CVD risk assessment tool adjusted for RA in the preceding 12 months
RA004	The percentage of patients aged 50 or over and who have not attained the age of 91 with rheumatoid arthritis who have had an assessment of fracture risk using a risk assessment toll adjusted for RA in the preceding 24 months
SMOK001	The percentage of patients aged 15 or over whose notes record smoking status in the preceding 24 months
STIA005	The percentage of patients with a stroke shown to be non-haemorrhagic, or a history of TIA whose last measured total cholesterol (measured in the preceding 12 months) is 5 mmol/l or less

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Indicator ID	Indicator Description
THY001	The contractor establishes and maintains a register of patients with hypothyroidism who are currently treated with levothyroxine
THY002	The percentage of patients with hypothyroidism, on the register, with thyroid function tests recorded in the preceding 12 months"