

SCHEDULES

SCHEDULE 12

PROTECTIVE PROVISIONS

PART 5

FOR THE PROTECTION OF CADENT GAS LIMITED

Interpretation

51.—(1) Subject to the following provisions of this paragraph, Network Rail must pay to Cadent on demand, all charges, costs and expenses reasonably anticipated or reasonably incurred by Cadent in, or in connection with, the inspection, removal, relaying or replacing, alteration or protection of any apparatus or the construction of any new or alternative apparatus which may be required in consequence of the execution of any authorised works as are referred to in this Part of this Schedule including without limitation—

- (a) any costs reasonably incurred by or compensation properly paid by Cadent in connection with the necessary acquisition of rights or the necessary exercise of statutory powers for such apparatus including without limitation all costs (including professional fees) incurred by Cadent as a consequence of Cadent—
 - (i) using its own compulsory purchase powers to acquire any necessary rights under paragraph 48(3) if it elects to do so; or
 - (ii) exercising any necessary compulsory purchase powers under this Order transferred to or benefitting Cadent;
- (b) in connection with the cost of the carrying out of any necessary diversion work or the provision of any necessary alternative apparatus;
- (c) the necessary cutting off of any apparatus from any other apparatus or the making safe of redundant apparatus;
- (d) the approval of plans;
- (e) the carrying out of necessary protective works, plus a capitalised sum to cover the cost of maintaining and renewing permanent protective works;
- (f) the survey of any land, apparatus or works, the inspection and monitoring of works or the installation or removal of any temporary works reasonably necessary in consequence of the execution of any such works referred to in this Part of this Schedule;
- (g) any watching brief pursuant to sub-paragraph 50(6).

(2) There will be deducted from any sum payable under sub-paragraph (1) the value of any apparatus removed under the provisions of this Part of this Schedule and which is not re-used as part of the alternative apparatus, that value being calculated after removal.

(3) If in accordance with the provisions of this Part of this Schedule—

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (a) apparatus of better type, of greater capacity or of greater dimensions is placed in substitution for existing apparatus of worse type, of smaller capacity or of smaller dimensions; or
- (b) apparatus (whether existing apparatus or apparatus substituted for existing apparatus) is placed at a depth greater than the depth at which the existing apparatus was situated,

and the placing of apparatus of that type or capacity or of those dimensions or the placing of apparatus at that depth, as the case may be, is not agreed by Network Rail or, in default of agreement, is not determined by arbitration in accordance with paragraph 56 to be necessary, then, if such placing involves cost in the construction of works under this Part of this Schedule exceeding that which would have been involved if the apparatus placed had been of the existing type, capacity or dimensions, or at the existing depth, as the case may be, the amount which apart from this sub-paragraph would be payable to Cadent by virtue of sub-paragraph (1) will be reduced by the amount of that excess save to the extent that it is not possible or appropriate in the circumstances (or it would be unlawful due to a statutory or regulatory change) to obtain the existing type of apparatus at the same capacity and dimensions or place at the existing depth in which case full costs will be borne by Network Rail.

(4) For the purposes of sub-paragraph (3)—

- (a) an extension of apparatus to a length greater than the length of existing apparatus will not be treated as a placing of apparatus of greater dimensions than those of the existing apparatus; and
- (b) where the provision of a joint in a pipe or cable is agreed, or is determined to be necessary, the consequential provision of a jointing chamber or of a manhole will be treated as if it also had been agreed or had been so determined.

(5) An amount which apart from this sub-paragraph would be payable to Cadent in respect of works by virtue of sub-paragraph (1) will, if the works include the placing of apparatus provided in substitution for apparatus placed more than 7 years and 6 months earlier so as to confer on Cadent any financial benefit by deferment of the time for renewal of the apparatus in the ordinary course, be reduced by the amount which represents that benefit.