

OFFERYNNAU STATUDOL CYMRU

2006 Rhif 3166 (Cy.291)

ANIFEILIAID, CYMRU

IECHYD ANIFEILIAID

**Gorchymyn Clefydau Anifeiliaid (Diheintyddion
a Gymeradwywyd) (Diwygio) (Cymru) 2006**

| | | |
|---------------------|-----|------------------|
| <i>Wedi'i wneud</i> | - - | 28 Tachwedd 2006 |
| <i>Yn dod i rym</i> | - - | 30 Tachwedd 2006 |

Mae Cynulliad Cenedlaethol Cymru, drwy arfer y pwerau a roddwyd gan adrannau 1, 7 a 23(f) ac (g) o Ddeddf Iechyd Anifeiliaid 1981(1) ac a freiniwyd ynddo bellach, yn gwneud y Gorchymyn a ganlyn:

Enwi, cychwyn a chymhwyso

1. Enw'r Gorchymyn hwn yw Gorchymyn Clefydau Anifeiliaid (Diheintyddion a Gymeradwywyd) (Diwygio) (Cymru) 2006. Mae'n gymwys o ran Cymru a daw i rym ar 30 Tachwedd 2006.

Diwygio Gorchymyn Clefydau Anifeiliaid (Diheintyddion a Gymeradwywyd) 1978

2.—(1) Mae Gorchymyn Clefydau Anifeiliaid (Diheintyddion a Gymeradwywyd) 1978(2) wedi'i ddiwygio yn unol â pharagraffau (2) i (4).

(2) Ym mharagraff (2) o erthygl 6 (sy'n pennu tan ba ddyddiad y bydd diheintyddion sy'n ddarostyngedig i ddarpariaethau trosiannol yn aros yn gymeradwy), yn lle "30 June 2005" rhodder "28 February 2007".

(3) Yn lle'r tabl yn Atodlen 1 (sy'n rhestru'r diheintyddion a gymeradwywyd), rhodder y tabl yn Atodlen 1 i'r Gorchymyn hwn.

(4) Yn lle'r tabl yn Atodlen 2 (sy'n rhestru'r diheintyddion sy'n ddarostyngedig i ddarpariaethau trosiannol), rhodder y tabl yn Atodlen 2 i'r Gorchymyn hwn.

(1) 1981 p.22. *Gweler* adran 86(1) i gael diffiniad o "the Ministers". Trosglwyddwyd swyddogaethau "the Ministers" i'r graddau y maent yn arferadwy o ran Cymru, i Gynulliad Cenedlaethol Cymru yn rhinwedd O.S. 1999/672 ac O.S. 2004/3044.
(2) O.S. 1978/32, ac O.S. 2005/583 (Cy.49) yw'r diwygiad perthnasol diweddaraf i'r rhestrau o ddiheintyddion a gymeradwywyd.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

Dirymu

3. Mae Gorchymyn Clefydau Anifeiliaid (Diheintyddion a Gymeradwywyd) (Diwygio) (Cymru) 2005(3) wedi'i ddirymu.

Llofnodwyd ar ran Cynulliad Cenedlaethol Cymru o dan adran 66(1) o Ddeddf Llywodraeth Cymru 1998(4)

28 Tachwedd 2006

D. Elis-Thomas
Llywydd y Cynulliad Cenedlaethol

(3) O.S. 2005/583 (Cy.49).
(4) 1998 p.38.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

SCHEDULE 1

"SCHEDULE 1

Article 2(3)

Approved disinfectants

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|--|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Action Iodophor Disinfectant (New Formulation) | 525 | 400 | 150 | 15 | 110 |
| Activate 04 | – | – | 50 | – | 25 |
| Agri Disinfex | 550 | 600 | 150 | 20 | 180 |
| AgriChlor | 424* | 317* | 953* | – | 360* |
| Agricide | 100 | 300 | 300 | – | – |
| AgriGene | – | – | – | – | 50 |
| Agrimar Iodophor Disinfectant | 550 | 600 | 150 | 20 | 180 |
| Akaton BGF | – | 50 | 75 | – | 18 |
| Akaton BGM | – | 300 | 220 | – | 64 |
| Akaton HSA | – | 220 | 260 | – | 103 |
| Akaton PD1 | 1300 | – | 300 | – | 160 |
| Akaton 148 | – | 800 | 200 | – | 200 |
| Aldekol Des FF | 60 | 300 | – | – | 50 |
| Alodine | 550 | – | 185 | 33 | 50 |
| Alodine (New Formulation) | 525 | 400 | 150 | 15 | 110 |
| Amazon MP36 | 99 | 99 | 99 | – | 99 |
| Animax H D Extra | – | – | – | – | 100 |
| Animax TB Plus | 300 | – | – | 100 | 250 |
| Annihilate | 50 | 30 | 20 | – | 30 |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|--|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Annihilate ACR | 50 | 30 | 20 | – | 30 |
| Antec Ambicide | – | – | – | – | 30 |
| Antec Chicgard | – | – | – | – | 31 |
| Antec Farm Fluid | 219 | 100 | – | – | 29 |
| Antec Hipodine | 450 | 300 | 130 | – | 180 |
| Antec Hyperox | 150 | 50 | 375 | – | 179 |
| Antec (LPAH) Liquid Perasafe Animal Health | 125 | – | 110 | – | 120 |
| Antec New Formula White Fluid | – | – | 45 | – | 103 |
| Antec Ovation | – | – | – | – | 46 |
| Antec Virkon E | 1300 | 200 | 280 | – | 120 |
| Antec Virkon S | 1300 | 200 | 280 | – | 120 |
| Antigermen Potente | 525 | 400 | 150 | 15 | 110 |
| Avi-Cleanse | 240 | 300 | 80 | – | 100 |
| Avisafe | – | – | – | – | 2 |
| Bactacol KK Disinfectant | 80 | 250 | 190 | – | – |
| Bactipal5.22 | 500 | 80 | 150 | – | 200 |
| Bactipal DB | 500 | 80 | 150 | – | 178 |
| Ballista | 200* | – | 200* | – | 200* |
| Barrier V1 | – | – | 50 | – | 40 |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|--------------------------------------|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Battles Black Disinfectant Fluid | – | – | 45 | – | 60 |
| Battles Universal Disinfectant Fluid | 300 | – | – | 37 | – |
| Battles White Disinfectant Fluid | – | – | 50 | – | 60 |
| Biocid | 525 | 400 | 150 | 15 | 110 |
| Biocid 15 | 250 | 300 | 100 | – | 50 |
| Biocid 30 | 550 | 600 | 150 | 20 | 180 |
| Bio-Dine | – | – | 145 | – | – |
| Bio-Guard | – | – | 80 | – | – |
| Bio-Kill | 140 | – | 365 | – | 160 |
| Bio-oo-cyst | – | – | 125 | – | – |
| Bio-Phen | – | 175 | 190 | – | – |
| Bio-Phen Plus | 400 | 160 | 210 | – | – |
| Bio-Shield | – | – | 155 | – | – |
| Biospot | 424* | 317* | 953* | | 360* |
| Bio-VX | 1200 | 135 | 285 | – | 100 |
| Black Disinfectant | – | – | 41 | – | 80 |
| Black Extreme | 710 | 220 | 200 | – | – |
| Blitz ' | 800 | 160 | 145 | – | 256 |
| Breaker | 200* | – | 200* | – | 200* |
| Bulk Tank Idophor | 550 | – | 185 | 33 | 50 |
| C S Disinfectant | – | – | 65 | – | 40 |
| Carela Bio Plus | 10 | – | – | – | – |
| Carela Bio-Des | 99 | – | – | – | – |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|---|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Cascade Disinfectant | 800 | 160 | 145 | – | 256 |
| Cekocide | 1300 | – | 300 | – | 160 |
| Chemtab | 424* | 317* | 953* | – | 360* |
| Chlorisept | 424* | 317* | 953* | – | 360* |
| Citrox BC | 20 | – | 2.5 | 1.5 | 4 |
| Clinidine | 320 | – | 140 | – | – |
| Clinidine 28 | 500 | 400 | 170 | – | 100 |
| Combat 2 | 550 | 600 | 150 | 20 | 180 |
| Commando (New Formulation) | 80 | 250 | 190 | – | – |
| Conficleane VP | 1300 | – | 300 | – | 160 |
| Credence 200 | 299* | 299* | 449* | – | 299* |
| Credence 1000 | 299* | 299* | 449* | – | 299* |
| Cromessol New Animal Health Care Disinfectant (New Formulation) | 80 | 250 | 190 | – | – |
| Cyst-Guard | – | – | 125 | – | – |
| D50 | 800 | 160 | 145 | – | 256 |
| Davidson's Approved Foaming Disinfectant | – | – | 155 | – | – |
| Davidson's Coccidal Disinfectant | – | – | 125 | – | – |
| Davidson's Concentrate Virucudal Disinfectant | 400 | 160 | 210 | – | – |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|---------------------------------------|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Davidson's Eco foaming Disinfectant | – | – | 80 | – | – |
| Davidson's Farm Safe Disinfectant | 140 | – | 365 | – | 160 |
| Davidson's Powder Disinfectant | 1200 | 135 | 285 | – | 100 |
| Davidson's Virucidal Disinfectant | – | 175 | 190 | – | – |
| Defence 7 | 100 | 300 | 300 | – | – |
| Delladet VS2 | – | – | – | – | 10 |
| Deocide PA Disinfectant | 800 | 160 | 145 | – | 256 |
| Deptil AF | – | – | 100 | – | – |
| Detsan 1 | – | – | – | – | 25 |
| Disteola Disinfectant | 240 | 300 | 80 | – | 100 |
| Divosan DB | – | – | 60 | – | 49 |
| Emprasan Approved Iodine Disinfectant | – | – | – | – | 111 |
| Euractiv S+ | 99 | 300 | 150 | – | 37 |
| Envirocare A | 99 | 99 | 99 | – | 99 |
| Envirocide + | – | – | 145 | – | – |
| Enviroguard | 60 | 300 | 150 | – | 50 |
| Equigard | – | 50 | 100 | – | 22 |
| Equipsept | 299 | 299 | 449 | – | 299 |
| ERFS White Disinfectant Fluid | – | – | 50 | – | 60 |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|---|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| F10SC General Farm Disinfectant | 499 | – | – | – | – |
| F10SC Veterinary Disinfectant | – | – | 35 | – | 9 |
| FAM (New Formulation) | 525 | 400 | 150 | 15 | 110 |
| FAM 15 | 250 | 300 | 100 | – | 50 |
| FAM 30 | 550 | 600 | 150 | 20 | 180 |
| FAM 30C | 891 | 970 | 200 | 30 | 290 |
| Farm Guard | – | 175 | 190 | – | – |
| Farm Klear 95 (New Formulation) | 80 | 250 | 190 | – | – |
| FarmKlear | 80 | 250 | 190 | – | – |
| Farm Phenol + | – | 175 | 190 | – | – |
| Farm Phenol Super + | – | – | 210 | – | – |
| Farmsan | 550 | 600 | 150 | 20 | 180 |
| Formalin BP (Containing not less than 34% Formaldehyde) | 9 | 9 | – | – | – |
| Formula H 100 | – | 300 | 220 | – | 64 |
| Genus Universal (New Formulation) | 550 | 600 | 150 | 20 | 180 |
| GeoSIL | – | – | – | – | 9 |
| Germacert FG Plus | – | – | 10 | – | – |
| Gluta-Guard | – | – | 155 | – | – |
| GPC8 (New Formulation) | 80 | 250 | 190 | – | – |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|-----------------------------|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Halamid | 200 | 90 | 1000 | – | 300 |
| Haztab | 424* | 317* | 953* | – | 360* |
| Hemex Chlor Powder | – | 2000 | – | – | 530 |
| Hemexol Iodine Liquid | 160 | 140 | 100 | – | 110 |
| Hemexol Iodine Liquid Plus | – | 800 | 200 | – | 200 |
| Hemexol Liquid G | – | 50 | 75 | – | 18 |
| Hemexol V 260 | – | 220 | 260 | – | 103 |
| Hemexol Virucidal Powder | 1300 | – | 300 | – | 160 |
| HPPA | – | – | 400 | – | 190 |
| Hyprelva SF | 99 | 300 | 150 | – | 37 |
| Hysol DSL 1 + 2 | 70 | 15 | – | – | 100 |
| Hyspray PA 5 | 99 | 20 | 350 | – | 158 |
| Impact | 1300 | 300 | 300 | – | 112 |
| Incidin AL | 30 | 400 | 90 | – | 19 |
| Incidin OXI | 500 | 80 | 150 | – | 178 |
| Incidin PD | – | – | 20 | – | 32 |
| Intercept | 150 | 450 | 200 | – | – |
| Interkokask | – | – | 50 | – | 50 |
| Iodocleanse New Formulation | 600 | 650 | 160 | – | – |
| Iodel FD 11 | 450 | 500 | 145 | 15 | 150 |
| Iodosure Bio | 240 | 160 | 110 | – | 25 |
| Jentabs Agriculture | 299* | 299* | 449* | – | 299* |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|----------------------------------|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Jentabs Professional | 424* | 317* | 953* | – | 360* |
| Kennel Safe Disinfectant | 80 | 250 | 190 | – | – |
| Kick Start (2) | 800 | 160 | 145 | – | 256 |
| Kilcrobe WO Disinfectant Fluid | – | – | – | – | 99 |
| Special Grade | | | | | |
| Killgerm Black Disinfectant RW | – | – | 41 | – | 80 |
| Coefficient 18/22 | | | | | |
| Killgerm lodair | 250 | 260 | 61 | – | – |
| Killgerm Lysol BP | – | – | 50 | – | 49 |
| Killgerm White Farm Disinfectant | – | – | 21 | – | 100 |
| Leecyl Farm Disinfectant | | | 50 | | . |
| Life Guard (New Formulation) | 80 | 250 | 190 | – | – |
| Lindores 30 | 550 | 600 | 150 | 20 | 180 |
| Lysol BP 1968 | 9 | – | 39 | – | 49 |
| Macroclor 1000 | – | 2000 | – | – | 530 |
| Macrodyne 200 | – | 800 | 200 | – | 200 |
| Macrokill 200 | – | 300 | 220 | – | 64 |
| Macroline 500 | – | 220 | 260 | – | 103 |
| Macromist | – | – | 50 | – | 15 |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|----------------------------------|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Maskells Omnicide | 60 | 300 | 150 | – | 50 |
| Mastercide | 100 | 300 | 300 | – | – |
| Micro-Chlor | – | 100 | 250 | – | 210 |
| Micro-Cyst | – | – | 125 | – | – |
| Micro VX | 1200 | 135 | 285 | – | 100 |
| Microcide | – | – | 155 | – | – |
| Microdine | 160 | 140 | 100 | – | 110 |
| Microguard | – | – | 80 | – | – |
| Microkill | 140 | – | 365 | – | 160 |
| Microphen | – | 175 | 190 | – | – |
| Microphen Plus | 400 | 160 | 210 | – | – |
| Micro-Quat | – | – | – | – | 15 |
| Milton Double Concentrate | – | 100 | – | – | 25 |
| Mira 8 | 80 | 250 | 190 | – | – |
| Mira 30 | 550 | 600 | 150 | 20 | 180 |
| MP36 | 99 | 99 | 99 | – | 99 |
| MVF Broad Spectrum Disinfectants | – | – | 400 | – | 190 |
| MVF Heavy Duty Disinfectant | – | – | 165 | – | 25 |
| MVF Total Disinfectant | 1300 | 200 | 300 | – | 112 |
| Novagen FP | 240 | 180 | 80 | 18 | 145 |
| Omnicide | 60 | 300 | 150 | – | 50 |
| Omnicide Extra | – | 300 | 175 | – | 27 |
| Ortho-phosphoric Acid | 330 | – | – | – | – |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|----------------------------------|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| (Technical Grade) | | | | | |
| Ovitek Biocidal Sol. Concentrate | – | – | 200 | – | 25 |
| Oxsan | 800 | 160 | 145 | – | 256 |
| Oxykil | 800 | 160 | 145 | – | 256 |
| P100 + | – | – | 80 | – | – |
| P100 Max | – | – | 155 | – | – |
| Parvovirucide | 100 | 300 | 300 | – | – |
| Parvocide Plus | 60 | 300 | 150 | – | 50 |
| Perbac Farm | 800 | 160 | 145 | – | 256 |
| Peroxide | 1320 | 220 | – | – | – |
| PharmaqVetredin | 550 | 600 | 150 | 20 | 180 |
| PharmaqVetrekil | 160 | 300 | 150 | – | 50 |
| PharmaqVetroxid PA | 100 | 20 | 350 | – | 158 |
| Phoraid Disinfectant | – | – | – | – | 25 |
| Phor-Vet | – | – | – | – | 25 |
| Powerkill | 1300 | 300 | 300 | – | 112 |
| Premier | – | – | – | – | 10 |
| Proxitane AHC (2) | 800 | 160 | 145 | – | 256 |
| Purogene | 250 | 240 | 20 | – | 22 |
| Quinticare Plus | – | – | – | – | 2 |
| QC Iodocleanse | – | – | 140 | – | – |
| QC Virukill 260 | – | – | 260 | – | – |
| Quatdet Clear | – | – | – | – | 13 |
| Rapacid | 550 | 600 | 150 | 20 | 180 |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|--|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Response 904 Vet | – | – | 29 | – | – |
| Ryodophor SP | 240 | 160 | 91 | – | 145 |
| Safe 4 | – | – | – | – | 2 |
| Secure Iodophor Disinfectant | 150 | – | 30 | – | 30 |
| Septrivet | 299* | 299* | 449* | – | 299* |
| Septrivet 17 | 299* | 299* | 449* | – | 299* |
| Sodium Carbonate (Decahydrate) | 24 | – | – | – | – |
| Complying with BS 3674 of 1963 | | | | | |
| Sodium Hydroxide | – | 100 | – | – | – |
| Somplex Detsan | – | – | – | – | 8 |
| Sorgene 5 | 75 | 75 | 100 | – | 200 |
| Sorgene Biodine | 215 | 234 | 130 | – | 147 |
| Stable Safe Disinfectant (New Formulation) | 80 | 250 | 190 | – | – |
| Stableguard | 150 | 450 | 200 | – | – |
| Steril Tabs | 200* | – | 200* | – | 200* |
| Sterilite Farm Disinfectant Extra | 840 | 400 | 200 | 20 | 82 |
| Sterilite Virucidal Disinfectant | 60 | 300 | 150 | – | 50 |
| Sterilite White Disinfectant | – | – | 45 | – | – |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|-------------------------------|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Sterlitz | 240 | 300 | 80 | – | 100 |
| Sulphamic Acid | 500 | – | – | – | – |
| Supercide | 150 | 450 | 200 | – | 200 |
| Supercide Extra | – | – | 165 | – | 25 |
| Supercide Max | – | – | 155 | – | – |
| Supercide Plus | – | 300 | 175 | – | 27 |
| Superdine | 550 | 600 | 150 | 20 | 180 |
| Superdine Max | 550 | – | 185 | 33 | 50 |
| Superfluid Max | – | 200 | 210 | – | – |
| Superguard | 150 | 450 | 200 | – | – |
| Superkill | – | 50 | 100 | – | 22 |
| Superperacetic Max | – | – | 400 | – | 190 |
| Superstrong Max | – | – | 240 | – | – |
| Super Virucidal Max | 1300 | 200 | 300 | – | 112 |
| Surekill | – | – | 140 | – | 20 |
| SWC Bacto Detsan | 20 | 10 | – | – | 10 |
| SWC Bacto Detsan Defoamed | 20 | 10 | – | – | 10 |
| SWC Broadol (New Formulation) | 80 | 250 | 190 | – | – |
| SWC Maxikleen | 600 | 400 | 100 | – | 43 |
| SWC V3 | 1300 | 300 | 300 | – | 112 |
| TAD CID | 200 | – | 400 | – | – |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|-------------------------|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Tegodor Farm New | – | – | 51 | – | – |
| Tego 2000 | – | – | – | – | 32 |
| Tego 2001 | – | – | – | – | 16 |
| Tekpro Safe Solutions | – | – | – | – | 2 |
| Terminator Disinfectant | 100 | 300 | 300 | – | – |
| Terminol | – | – | – | – | 33 |
| TK10 | 150 | 450 | 200 | – | – |
| TK12 | – | 50 | 100 | – | 22 |
| Total | 50 | 30 | 20 | – | 30 |
| Total Farm Disinfectant | 550 | 600 | 150 | 20 | 180 |
| Tri-Guard | – | – | 80 | – | – |
| Turbokill | – | 300 | 220 | – | 64 |
| Turbosure | – | 50 | 75 | 18 | – |
| Turbophen | – | 220 | 260 | – | 103 |
| Turbophor 24 | 160 | 140 | 100 | – | 110 |
| Turbophor 48 | – | 800 | 200 | – | 200 |
| Turbo V Powder | 1300 | – | 300 | – | 160 |
| Ultracide | 100 | 300 | 300 | – | – |
| V26 | 200 | 200 | 300 | – | 200 |
| Vanodin | 525 | 400 | 150 | 15 | 110 |
| Vanodine | 525 | 400 | 150 | 15 | 110 |
| Vanodine FAM | 525 | 400 | 150 | 15 | 110 |
| Vanodox | 200 | 30 | 300 | – | 300 |
| Vanoquat | – | – | – | – | 7 |
| Venno FF Super | 50 | – | 150 | – | 88 |
| Vesphene D39 | 10 | – | 50 | – | 55 |

* The volume of mls. of water to which 1 g of the product is to be added.

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|--------------------------------|---|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Vibacide | 100 | – | 40 | – | 17 |
| Victor | 1300 | 200 | 280 | – | 120 |
| Viktor | 1300 | 200 | 280 | – | 120 |
| Viragi Plus | – | – | 190 | – | – |
| Viraguard (New Formulation) | 80 | 250 | 190 | – | – |
| Virasure | 1300 | 200 | 280 | – | 120 |
| Viratec P | 1300 | – | 150 | – | 100 |
| Virex | 1300 | 200 | 300 | – | 112 |
| VI-RID | – | – | 10 | – | – |
| Virkon Professional | 1300 | 200 | 280 | – | 120 |
| Virkon S Tablets | – | – | – | – | 100 |
| Viro-Cid | 100 | 250 | 150 | – | – |
| Virodox | – | – | 400 | – | 190 |
| Virofree | 200 | – | 300 | – | 150 |
| Viroguard (New Formulation) | – | – | 175 | – | 10 |
| Virokill | 60 | 300 | 150 | – | 50 |
| Virophen | – | 200 | 210 | – | – |
| Virophen Plus | – | – | 240 | – | – |
| Virophor 2.8% | 550 | – | 185 | 33 | 50 |
| Viroshield | – | – | 165 | – | 25 |
| Viroxide Super | 1320 | 220 | – | – | – |
| Virucidal Extra | 1300 | 300 | 300 | – | 112 |
| Viru-Guard | 1200 | 135 | 285 | – | 100 |
| Zal Perax (2) | 800 | 160 | 145 | – | 256 |
| Zoetox 5 | – | – | 50 | – | 50 ^o |

* The volume of mls. of water to which 1 g of the product is to be added.

SCHEDULE 2

Article 2(4)

APPROVED DISINFECTANTS SUBJECT TO TRANSITIONAL PROVISIONS

| <i>Disinfectant</i> | Orders in respect of which use is approved; and dilution rates | | | | |
|---------------------|--|--|----------------------------------|----------------------------|-----------------------|
| | <i>Foot and Mouth Disease Orders</i> | <i>Swine Vesicular Diseases Orders</i> | <i>Diseases of Poultry Order</i> | <i>Tuberculosis Orders</i> | <i>General Orders</i> |
| Alzogur | – | – | – | – | 2 |
| Betane Plus | – | – | 50 | – | 15 |
| Citric Acid BP | 500 | – | – | – | – |
| Deosan lodel FD | 215 | 234 | 130 | – | 147 |
| Equisept | 299 | 299 | 449 | – | 299 |
| FAM | 525 | 500 | 100 | – | 110 |
| Farmodyne | 550 | 600 | 150 | 20 | 180 |
| GPC8 | 80 | – | 200 | – | – |
| Iodet | 550 | – | 185 | 33 | 50 |
| Intercept | – | – | – | – | 200 |
| Jewel-Black 34 | – | – | – | – | 77 |
| Microcide 755N | – | – | 50 | – | 15 |
| Pinalene | – | – | – | – | 11 |
| San-5-Pine | – | – | – | – | 11 |
| Stableguard | – | – | – | – | 200 |
| Superfluid Max | – | – | – | 33 | – |
| Superguard | – | – | – | – | 200 |
| TK10 | – | – | – | – | 200 |
| V26 | – | – | – | 105() | – |

Statws This is the original version (as it was originally made). Dim ond ar ei ffurf wreiddiol y mae'r eitem hon o ddeddfwriaeth ar gael ar hyn o bryd.

EXPLANATORY NOTE

(Nid yw'r nodyn hwn yn rhan o'r Gorchymyn)

Mae'r Gorchymyn hwn, sy'n gymwys o ran Cymru, yn diwygio Gorchymyn Clefydau Anifeiliaid (Diheintyddion a Gymeradwywyd) 1978 ("Gorchymyn 1978"), [O.S. 1978/32](#).

Mae'n rhoi yn lle'r tablau yn Atodlenni 1 a 2 i Orchymyn 1978 y tablau a nodir yn Atodlenni 1 a 2 i'r Gorchymyn hwn. Mae Atodlen 1 yn rhestru diheintyddion a gymeradwywyd gan Gynulliad Cenedlaethol Cymru ac mae Atodlen 2 yn rhestru diheintyddion nad ydynt bellach yn gymeradwy, ond sy'n ddarostyngedig i drefniadau trosiannol a gellir parhau i'w defnyddio fel diheintyddion a gymeradwywyd tan 28 Chwefror 2007.

Hysbyswyd y Comisiwn Ewropeaidd o'r Gorchymyn hwn ar ffurf drafft yn unol â Chyfarwyddeb 98/34/EC Senedd Ewrop a'r Cyngor dyddiedig 22 Mehefin 1998, a honno'n Gyfarwyddeb a osododd weithdrefn ar gyfer darparu gwybodaeth ym maes safonau a rheoliadau technegol⁽⁵⁾.

Mae'r Gorchymyn hwn yn dirymu Gorchymyn Clefydau Anifeiliaid (Diheintyddion a Gymeradwywyd) (Diwygio) (Cymru) 2005 ([O.S. 2005/583](#)) ([Cy.49](#)).

Mae arfarniad rheoliadol wedi'i baratoi. Gellir cael copïau oddi wrth yr Is-adran Iechyd Anifeiliaid a Phlanhigion, Llywodraeth Cynulliad Cymru, Parc Cathays, Caerdydd CF10 3NQ.

(5) OJ Rhif L 204, 21.7.98, t.37, fel y'i diwygiwyd gan Gyfarwyddeb 98/48/EC Senedd Ewrop a'r Cyngor dyddiedig 20 Gorffennaf 1998 sy'n diwygio Cyfarwyddeb [98/34/EC](#), sy'n gosod gweithdrefn ar gyfer darparu gwybodaeth ym maes safonau a rheoliadau technegol (OJ Rhif L 217, 5.8.98, t.18).