



OFFERYNNAU STATUDOL
CYMRU

WELSH STATUTORY
INSTRUMENTS

2014 Rhif 110 (Cy. 10)

2014 No. 110 (W. 10)

**ADEILADU AC ADEILADAU,
CYMRU**

**BUILDING AND BUILDINGS,
WALES**

**Rheoliadau Adeiladu (Diwygio)
(Cymru) 2014**

**The Building (Amendment) (Wales)
Regulations 2014**

NODYN ESBONIADOL

(Nid yw'r nodyn hwn yn rhan o'r Rheoliadau)

Mae Rhan 2 o'r Rheoliadau hyn yn diwygio Rheoliadau Adeiladu 2010 ("y Rheoliadau Adeiladu") er mwyn mewnosod darpariaethau newydd ac ymestyn rhai presennol sy'n ymwneud ag effeithlonrwydd ynni adeiladau.

Mae rheoliad 4 yn ychwanegu at reoliad 21(4) o Reoliadau 2010 i ymestyn y gofynion effeithlonrwydd ynni yn Rheoliadau 2010 i gynnwys heulfan neu borth lle mae dyfais wresogi osodedig wedi cael ei ddarparu i wresogi'r heulfan neu'r porth. Mae rheoliad 5 yn galluogi Gweinidogion Cymru i gymeradwyo cyfraddau targed ar gyfer defnyddio ynni sylfaenol mewn adeiladau newydd (ac eithrio anheddau newydd) a gwerthoedd targed ar gyfer perfformiad ffabrig mewn anheddau newydd. Mae rheoliad 6 yn mewnosod rheoliadau 26A a 26B i Reoliadau 2010 i'w gwneud yn ofynnol na chaniateir i adeiladau newydd (ar eithrio anheddau newydd) ddefnyddio mwy o ynni sylfaenol na'r cyfraddau targed a na chaniateir i werthoedd perfformiad ffabrig anheddau newydd fod yn fwy na'r gwerthoedd targed. Mae rheoliad 7 yn mewnosod rheoliadau 27A a 27B i Reoliadau 2010 sy'n nodi'r weithdrefn i'w dilyn er mwyn cyflwyno i awdurdodau lleol dystiolaeth sy'n ymwneud â'r cyfraddau targed ar gyfer defnyddio ynni sylfaenol a gwerthoedd targed ar gyfer perfformiad ffabrig. Rhoddir rheoliad 8 yn lle rheoliad 28 o Reoliadau 2010 er mwyn ategu gofynion penodol a'u hymestyn i gynnwys adeiladau sydd â chyfanswm arwynebedd llawr defnyddiol o dan 1000m².

Mae Rhan 3 o'r Rheoliadau hyn yn diwygio Rheoliadau Adeiladu (Arolygwyr Cymeradwy etc.) 2010. Mae'r diwygiadau a wneir yn ganlyniadol i'r diwygiadau i Reoliadau 2010.

EXPLANATORY NOTE

(This note is not part of the Regulations)

Part 2 of these Regulations amends the Building Regulations 2010 ("the 2010 Regulations") to insert new and to extend existing provisions relating to the energy efficiency of buildings.

Regulation 4 supplements regulation 21(4) of the 2010 Regulations to extend the energy efficiency requirements in the 2010 Regulations to a conservatory or porch in which a fixed heating appliance has been provided to heat the conservatory or porch. Regulation 5 enables the Welsh Ministers to approve target primary energy consumption rates for new buildings (other than new dwellings) and target fabric performance values for new dwellings. Regulation 6 inserts regulations 26A and 26B into the 2010 Regulations to require that new buildings (other than new dwellings) must not exceed the target primary energy consumption rates and new dwellings must not exceed the target fabric performance values. Regulation 7 inserts regulations 27A and 27B into the 2010 Regulations which set out the procedure to be followed to submit evidence regarding the target primary energy consumption rates and the target fabric performance values to the local authority. Regulation 8 substitutes regulation 28 of the 2010 Regulations to supplement and to extend certain requirements to buildings with a total useful floor area under 1000m².

Part 3 of these Regulations amends the Building (Approved Inspectors etc.) Regulations 2010. The amendments made are consequential to the amendments to the 2010 Regulations.

Mae asesiad effaith rheoleiddiol wedi ei baratoi mewn perthynas â'r Rheoliadau hyn. Mae copïau ar gael gan Lywodraeth Cymru ym Mharc Cathays, Caerdydd, CF10 3NQ ac ar wefan Llywodraeth Cymru yn www.cymru.gov.uk.

A regulatory impact assessment has been prepared in relation to these Regulations. Copies are available from the Welsh Government at Cathays Park, Cardiff, CF10 3NQ and on the Welsh Government's website at www.wales.gov.uk.

2014 Rhif 110 (Cy. 10)

2014 No. 110 (W. 10)

**ADEILADU AC ADEILADAU,
CYMRU**

**BUILDING AND BUILDINGS,
WALES**

**Rheoliadau Adeiladu (Diwygio)
(Cymru) 2014**

**The Building (Amendment) (Wales)
Regulations 2014**

Gwnaed 21 Ionawr 2014

Made 21 January 2014

*Gosodwyd gerbron Cynulliad Cenedlaethol
Cymru* 23 Ionawr 2014

Laid before the National Assembly for Wales
23 January 2014

Yn dod i rym 31 Gorffennaf 2014

Coming into force 31 July 2014

Mae Gweinidogion Cymru, drwy arfer y pwerau a roddwyd i'r Ysgrifennydd Gwladol gan adrannau 1 a 34 o Ddeddf Adeiladu 1984(1), a pharagraffau 1, 4, 7 a 10 o Atodlen 1 iddi, sydd bellach yn arferadwy ganddynt hwy(2), ar ôl ymgynghori â Phwyllgor Cynghori Cymru ar Reoliadau Adeiladu a'r cyrff eraill hynny yr ymddengys i Weinidogion Cymru eu bod yn cynrychioli'r buddiannau dan sylw, yn unol ag adran 14(7) o'r Ddeddf honno, yn gwneud y Rheoliadau canlynol:

The Welsh Ministers, in exercise of the powers conferred on the Secretary of State by sections 1 and 34 of and paragraphs 1, 4, 7 and 10 of Schedule 1 to the Building Act 1984(1), now exercisable by them(2), having consulted, in accordance with section 14(7) of that Act, the Building Regulations Advisory Committee for Wales and such other bodies as appear to them to be representative of the interests concerned, make the following Regulations:

RHAN 1

PART 1

Cyffredinol

General

Enwi, cymhwyso a chychwyn

Title, application and commencement

1.—(1) Enw'r Rheoliadau hyn yw Rheoliadau Adeiladu (Diwygio) (Cymru) 2014.

1.—(1) The title of these Regulations is the Building (Amendment) (Wales) Regulations 2014.

(1) 1984 p.55. Diwygiwyd adran 1 gan adran 1 o Ddeddf Adeiladu Cynaliadwy a Diogel 2004 (p.22); diwygiwyd paragraff 7 o Atodlen 1 gan adran 3 o'r Ddeddf honno a chan adran 11 o Ddeddf Newid yn yr Hinsawdd ac Ynni Cynaliadwy 2006 (p.19).

(2) Trosglwyddwyd y swyddogaethau a roddwyd i'r Ysgrifennydd Gwladol gan adrannau 1 a 34 o Ddeddf Adeiladu 1984 a pharagraffau 1, 4, 7 a 10 o Atodlen 1 iddi, i'r graddau yr oeddent yn arferadwy o ran Cymru, i Weinidogion Cymru gan Orchymyn Gweinidogion Cymru (Trosglwyddo Swyddogaethau) (Rhif 2) 2009 (O.S. 2009/3019).

(1) 1984 c.55. Section 1 was amended by section 1 of the Sustainable and Secure Buildings Act 2004 (c.22); paragraph 7 of Schedule 1 was amended by section 3 of that Act and by section 11 of the Climate Change and Sustainable Energy Act 2006 (c. 19).

(2) The functions conferred on the Secretary of State by sections 1 and 34 of and paragraphs 1, 4, 7 and 10 of Schedule 1 to the Building Act 1984 were, so far as exercisable in relation to Wales, transferred to the Welsh Ministers by the Welsh Ministers (Transfer of Functions) (No. 2) Order 2009 (S.I. 2009/3019).

(2) Mae'r Rheoliadau hyn yn gymwys o ran Cymru ond nid ydynt yn gymwys o ran adeiladau ynni a eithrir yng Nghymru.

(3) Daw'r Rheoliadau hyn i rym ar 31 Gorffennaf 2014.

(4) Yn y rheoliad hwn, mae i "adeilad ynni a eithrir" yr ystyr a roddir i "excepted energy building" yn yr Atodlen i Orchymyn Gweinidogion Cymru (Trosglwyddo Swyddogaethau) (Rhif 2) 2009(1).

(2) These Regulations apply in relation to Wales but do not apply in relation to excepted energy buildings in Wales.

(3) These Regulations come into force on 31 July 2014.

(4) In this regulation "excepted energy building" has the meaning given by the Schedule to the Welsh Ministers (Transfer of Functions) (No. 2) Order 2009(1).

RHAN 2

Diwygio Rheoliadau Adeiladu 2010

Diwygio Rheoliadau Adeiladu 2010

2. Mae Rheoliadau Adeiladu 2010(2) wedi eu diwygio fel a nodir yn Rheoliadau 3 i 9.

Dehongli

3. Yn rheoliad 2(1), yn y diffiniad o "energy efficiency requirements", ar ôl "26," mewnosoder "26A, 26B,".

Cymhwyso gofynion effeithlonrwydd ynni

4. Yn rheoliad 21—

- (a) ar ddiwedd paragraff 4(a) dileer "or";
- (b) ar ôl "extended" ym mharagraff (4)(b) mewnosoder—
"to heat the conservatory or porch; or
- (c) in which a fixed heating appliance has been provided to heat the conservatory or porch."

Adeiladau newydd: y gofynion sylfaenol ar gyfer perfformiad ynni

5. Ar ôl rheoliad 25B mewnosoder—

"New buildings: minimum energy performance requirements

PART 2

Amendment of the Building Regulations 2010

Amendment of the Building Regulations 2010

2. The Building Regulations 2010(2) are amended as set out in Regulations 3 to 9.

Interpretation

3. In regulation 2(1), in the definition of "energy efficiency requirements", after "26," insert "26A, 26B,".

Application of energy efficiency requirements

4. In regulation 21—

- (a) at the end of paragraph 4(a) omit "or";
- (b) after "extended" in paragraph (4)(b) insert—
"to heat the conservatory or porch; or
- (c) in which a fixed heating appliance has been provided to heat the conservatory or porch."

New buildings: minimum energy performance requirements

5. After regulation 25B insert—

"New buildings: minimum energy performance requirements

(1) O.S. 2009/3019. Trosglwyddodd Gorchymyn Gweinidogion Cymru (Trosglwyddo Swyddogaethau) (Rhif 2) 2009 swyddogaethau penodol a roddwyd i'r Ysgrifennydd Gwladol gan Ddeddf Adeiladu 1984, neu oddi tani, i Weiniogion Cymru, i'r graddau yr oeddent yn arferadwy o ran Cymru. Darparodd erthygl 3(a) o'r Gorchymyn nad oedd swyddogaethau wedi eu trosglwyddo i'r graddau yr oeddent yn arferadwy mewn perthynas ag adeilad ynni a eithrir fel y'i diffinnir yn yr Atodlen i'r Gorchymyn.

(2) O.S. 2010/2214; yr offerynnau diwygio perthnasol yw O.S. 2012/3119, O.S. 2013/181, O.S. 2013/747 (Cy.89) ac O.S. 2013/1959.

(1) S.I. 2009/3019. The Welsh Ministers (Transfer of Functions) (No. 2) Order 2009 transferred certain functions conferred on the Secretary of State by or under the Building Act 1984, so far as exercisable in relation to Wales, to the Welsh Ministers. Article 3(a) of the Order provided that functions were not transferred so far as they were exercisable in relation to an excepted energy building as defined by the Schedule to the Order.

(2) S.I. 2010/2214; relevant amending instruments are S.I. 2012/3119, S.I. 2013/181, S.I. 2013/747 (W.89) and S.I. 2013/1959.

25C. Minimum energy performance requirements may be approved by the Welsh Ministers, in accordance with the methodology approved pursuant to regulation 24, for—

- (a) new buildings (other than new dwellings), in the form of target primary energy consumption rates; and
- (b) new dwellings, in the form of target fabric performance values.”

Cyfraddau defnyddio ynni sylfaenol a gwerthoedd perfformiad ffabrig

6. Ar ôl rheoliad 26, mewnosoder—

“Primary energy consumption rates for new buildings

26A. Where a building (other than a dwelling) is erected, it must not exceed the target primary energy consumption rate for the building which has been approved pursuant to regulation 25C(a).

Fabric performance values for new dwellings

26B. Where a dwelling is erected, it must not exceed the target fabric performance values for the dwelling which have been approved pursuant to regulation 25C(b).”

Cyfrifo cyfradd defnyddio ynni sylfaenol a gwerthoedd perfformiad ffabrig

7. Ar ôl rheoliad 27 mewnosoder—

“Primary energy consumption rate calculations

27A.—(1) This regulation applies where a building (other than a dwelling) is erected and regulation 26A applies.

(2) Not later than the day before the work starts, the person carrying out the work must give the local authority a notice which specifies—

- (a) the target primary energy consumption rate for the building;
- (b) the calculated primary energy consumption rate for the building as designed; and
- (c) a list of specifications to which the building is to be constructed.

25C. Minimum energy performance requirements may be approved by the Welsh Ministers, in accordance with the methodology approved pursuant to regulation 24, for—

- (a) new buildings (other than new dwellings), in the form of target primary energy consumption rates; and
- (b) new dwellings, in the form of target fabric performance values.”

Primary energy consumption rates and fabric performance values

6. After regulation 26, insert—

“Primary energy consumption rates for new buildings

26A. Where a building (other than a dwelling) is erected, it must not exceed the target primary energy consumption rate for the building which has been approved pursuant to regulation 25C(a).

Fabric performance values for new dwellings

26B. Where a dwelling is erected, it must not exceed the target fabric performance values for the dwelling which have been approved pursuant to regulation 25C(b).”

Primary energy consumption rate and fabric performance values calculations

7. After regulation 27 insert—

“Primary energy consumption rate calculations

27A.—(1) This regulation applies where a building (other than a dwelling) is erected and regulation 26A applies.

(2) Not later than the day before the work starts, the person carrying out the work must give the local authority a notice which specifies—

- (a) the target primary energy consumption rate for the building;
- (b) the calculated primary energy consumption rate for the building as designed; and
- (c) a list of specifications to which the building is to be constructed.

(3) Not later than five days after the work has been completed, the person carrying out the work must give the local authority—

- (a) a notice which specifies—
 - (i) the target primary energy consumption rate for the building;
 - (ii) the calculated primary energy consumption rate for the building as constructed; and
 - (iii) whether the building has been constructed in accordance with the list of specifications referred to in paragraph 2(c), and if not a list of any changes to those specifications; or
- (b) a certificate of the sort referred to in paragraph (4) accompanied by the information referred to in subparagraph (a).

(4) A local authority is authorised to accept, as evidence that the requirements of regulation 26A have been satisfied, a certificate to that effect by an energy assessor who is accredited to produce such certificates for that category of building.

(5) In this regulation, “specifications” means specifications used for the calculation of the primary energy consumption rate.

Fabric performance values calculations

27B.—(1) This regulation applies where a dwelling is erected and regulation 26B applies.

(2) Not later than the day before the work starts, the person carrying out the work must give the local authority a notice which specifies—

- (a) the target fabric performance values for the dwelling;
- (b) the calculated fabric performance values for the dwelling as designed; and
- (c) a list of specifications to which the dwelling is to be constructed.

(3) Not later than five days after the work has been completed, the person carrying out the work must give the local authority—

- (a) a notice which specifies—
 - (i) the target fabric performance values for the dwelling;

(3) Not later than five days after the work has been completed, the person carrying out the work must give the local authority—

- (a) a notice which specifies—
 - (i) the target primary energy consumption rate for the building;
 - (ii) the calculated primary energy consumption rate for the building as constructed; and
 - (iii) whether the building has been constructed in accordance with the list of specifications referred to in paragraph 2(c), and if not a list of any changes to those specifications; or
- (b) a certificate of the sort referred to in paragraph (4) accompanied by the information referred to in subparagraph (a).

(4) A local authority is authorised to accept, as evidence that the requirements of regulation 26A have been satisfied, a certificate to that effect by an energy assessor who is accredited to produce such certificates for that category of building.

(5) In this regulation, “specifications” means specifications used for the calculation of the primary energy consumption rate.

Fabric performance values calculations

27B.—(1) This regulation applies where a dwelling is erected and regulation 26B applies.

(2) Not later than the day before the work starts, the person carrying out the work must give the local authority a notice which specifies—

- (a) the target fabric performance values for the dwelling;
- (b) the calculated fabric performance values for the dwelling as designed; and
- (c) a list of specifications to which the dwelling is to be constructed.

(3) Not later than five days after the work has been completed, the person carrying out the work must give the local authority—

- (a) a notice which specifies—
 - (i) the target fabric performance values for the dwelling;

- (ii) the calculated fabric performance values for the dwelling as constructed; and
 - (iii) whether the dwelling has been constructed in accordance with the list of specifications referred to in paragraph 2(c), and if not a list of any changes to those specifications; or
- (b) a certificate of the sort referred to in paragraph (4) accompanied by the information referred to in subparagraph (a).
- (4) A local authority is authorised to accept, as evidence that the requirements of regulation 26B have been satisfied, a certificate to that effect by an energy assessor who is accredited to produce such certificates for that category of building.
- (5) In this regulation, “specifications” means specifications used for the calculation of the fabric performance values.”

- (ii) the calculated fabric performance values for the dwelling as constructed; and
 - (iii) whether the dwelling has been constructed in accordance with the list of specifications referred to in paragraph 2(c), and if not a list of any changes to those specifications; or
- (b) a certificate of the sort referred to in paragraph (4) accompanied by the information referred to in subparagraph (a).
- (4) A local authority is authorised to accept, as evidence that the requirements of regulation 26B have been satisfied, a certificate to that effect by an energy assessor who is accredited to produce such certificates for that category of building.
- (5) In this regulation, “specifications” means specifications used for the calculation of the fabric performance values.”

Gwelliannau canlyniadol i berfformiad ynni

8. Yn lle rheoliad 28 (a'r pennawd o'i flaen) rhodder—

“Consequential improvements to energy performance

28.—(1) Paragraph (3) applies to an existing building with a total useful floor area over 1000m² where the proposed building work consists of or includes—

- (a) the initial provision of any fixed building services; or
- (b) an increase to the installed capacity of any fixed building services.

(2) Paragraph (3) applies to an existing building where the proposed building work consists of or includes—

- (a) an extension; or
- (b) the extension of the building’s heating system or the provision of a fixed heating appliance, to heat a previously unheated space.

(3) Subject to paragraph (4), where this paragraph applies, such work, if any, shall be carried out as is necessary to ensure that the building complies with the requirements of Part L of Schedule 1.

Consequential improvements to energy performance

8. For regulation 28 (and the heading before it) substitute—

“Consequential improvements to energy performance

28.—(1) Paragraph (3) applies to an existing building with a total useful floor area over 1000m² where the proposed building work consists of or includes—

- (a) the initial provision of any fixed building services; or
- (b) an increase to the installed capacity of any fixed building services.

(2) Paragraph (3) applies to an existing building where the proposed building work consists of or includes—

- (a) an extension; or
- (b) the extension of the building’s heating system or the provision of a fixed heating appliance, to heat a previously unheated space.

(3) Subject to paragraph (4), where this paragraph applies, such work, if any, shall be carried out as is necessary to ensure that the building complies with the requirements of Part L of Schedule 1.

(4) Nothing in paragraph (3) requires work to be carried out if it is not technically, functionally and economically feasible.”

(4) Nothing in paragraph (3) requires work to be carried out if it is not technically, functionally and economically feasible.”

Torri rheoliadau penodol yn peidio â bod yn drosedd

9. Yn rheoliad 47 ar ôl “27,” mewnosoder “27A, 27B,”.

Contravention of certain regulations not to be an offence

9. In regulation 47, after “27,” insert “27A, 27B,”.

Darpariaethau trosiannol

10.—(1) Nid yw'r diwygiadau a wneir gan reoliad 4 (o ran y rheoliad 21(4)(c) newydd y mae'n ei gyflwyno i Reoliadau Adeiladu 2010), rheoliad 6 a rheoliad 8 (o ran y rheoliad 28(2) newydd y mae'n ei gyflwyno i Reoliadau Adeiladu 2010) yn gymwys mewn unrhyw achos pan fo'r canlynol yn gymwys ar y dyddiad y daw'r Rheoliadau hyn i rym—

- (a) bod gwaith adeiladu wedi dechrau yn unol ag unrhyw ddarpariaeth hysbysu berthnasol; neu
- (b) y cydymffuriwyd â darpariaeth hysbysu berthnasol mewn perthynas â gwaith adeiladu arfaethedig a bod gwaith adeiladu yn dechrau o fewn y cyfnod o ddeuddeg mis yn dechrau ar y dyddiad y daw'r Rheoliadau hyn i rym.

(2) Yn y rheoliad hwn, ystyr “darpariaeth hysbysu berthnasol” (“*relevant notification provision*”) yw rheoliad 12(2) o Reoliadau Adeiladu 2010 ac adrannau 47(1), 50, 51A(2) a 54 o Ddeddf Adeiladu 1984.

Transitional provisions

10.—(1) The amendments made by regulation 4 (in respect of the new regulation 21(4)(c) which it introduces to the Building Regulations 2010), regulation 6 and regulation 8 (in respect of the new regulation 28(2) which it introduces to the Building Regulations 2010) do not apply in any case where on the date these Regulations come into force—

- (a) building work has started in accordance with any relevant notification provision; or
- (b) a relevant notification provision has been complied with in relation to proposed building work and the building work is started within the period of twelve months beginning on the day these Regulations come into force.

(2) In this regulation, “relevant notification provision” (“*darpariaeth hysbysu berthnasol*”) means regulation 12(2) of the Building Regulations 2010 and sections 47(1), 50, 51A(2) and 54 of the Building Act 1984.

RHAN 3

Diwygio Rheoliadau Adeiladu (Arolygwyr Cymeradwy etc.) 2010

Diwygio Rheoliadau Adeiladu (Arolygwyr Cymeradwy etc.) 2010

11. Mae Rheoliadau Adeiladu (Arolygwyr Cymeradwy etc.) 2010(1) wedi eu diwygio fel a nodir yn rheoliadau 12 i 13.

Swyddogaethau arolygwyr cymeradwy

12. Yn rheoliad 8(1)—

- (a) yn is-baragraff (a), ar ôl “26 (CO₂ emission rates for new buildings),” mewnosoder “26A (primary energy consumption rates for new

PART 3

Amendment of the Building (Approved Inspectors etc.) Regulations 2010

Amendment of the Building (Approved Inspectors etc.) Regulations 2010

11. The Building (Approved Inspectors etc.) Regulations 2010(1) are amended as set out in regulations 12 and 13.

Functions of approved inspectors

12. In regulation 8(1)—

- (a) in sub-paragraph (a), after “26 (CO₂ emission rates for new buildings),” insert “26A (primary energy consumption rates for new

(1) O.S. 2010/2215 fel y'i diwygir gan O.S. 2012/3119, O.S. 2013/747 (Cy.89), O.S. 2013/1959 ac O.S. 2013/2730 (Cy.264).

(1) S.I. 2010/2215 as amended by S.I. 2012/3119, S.I. 2013/747 (W.89), S.I. 2013/1959 and S.I. 2013/2730 (W.264).

buildings), 26B (fabric performance values for new dwellings),”; a

(b) yn is-baragraff (b), ar ôl “27,” mewnosoder “27A, 27B,”.

Cymhwyso rheoliadau 20, 25A, 27, 29, 37, 41, 42, 43 a 44 o'r Rheoliadau Adeiladu

13. Yn rheoliad 20—

- (a) Yn y pennawd, ar ôl “27,” mewnosoder “27A, 27B,”;
- (b) ym mharagraff (1), ar ôl “27 (CO² emission rate calculations),” mewnosoder “27A (primary energy consumption rate calculations), 27B (fabric performance values calculations),”; ac
- (c) ar ôl paragraff (2) mewnosoder—

“(2A) Regulation 27A(3) of the Principal Regulations applies in relation to building work which is the subject of an initial notice as if after “work has been completed,” there were inserted “or, if earlier, the date on which in accordance with regulation 17 of the Building (Approved Inspectors etc.) Regulations 2010 the initial notice ceases to be in force”.

(2B) Regulation 27B(3) of the Principal Regulations applies in relation to building work which is the subject of an initial notice as if after “work has been completed,” there were inserted “or, if earlier, the date on which in accordance with regulation 17 of the Building (Approved Inspectors etc.) Regulations 2010 the initial notice ceases to be in force”.

buildings), 26B (fabric performance values for new dwellings),”; and

(b) in sub-paragraph (b), after “27,” insert “27A, 27B,”.

Application of regulations 20, 25A, 27, 29, 37, 41, 42, 43 and 44 of the Building Regulations

13. In regulation 20—

- (a) in the heading, after “27,” insert “27A, 27B,”;
- (b) in paragraph (1), after “27 (CO² emission rate calculations),” insert “27A (primary energy consumption rate calculations), 27B (fabric performance values calculations),”; and
- (c) after paragraph (2) insert—

“(2A) Regulation 27A(3) of the Principal Regulations applies in relation to building work which is the subject of an initial notice as if after “work has been completed,” there were inserted “or, if earlier, the date on which in accordance with regulation 17 of the Building (Approved Inspectors etc.) Regulations 2010 the initial notice ceases to be in force”.

(2B) Regulation 27B(3) of the Principal Regulations applies in relation to building work which is the subject of an initial notice as if after “work has been completed,” there were inserted “or, if earlier, the date on which in accordance with regulation 17 of the Building (Approved Inspectors etc.) Regulations 2010 the initial notice ceases to be in force”.

Carl Sargeant

Y Gweinidog Tai ac Adfywio, un o Weinidogion Cymru

21 Ionawr 2014

© 2014 Hawlfraint y Goron 2014

Argraffwyd a chyhoeddwyd yn y Deyrnas Unedig gan The Stationery Office Limited o dan awdurdod ac arolygiaeth Carol Tullo, Rheolwr Gwasg Ei Mawrhydi ac Argraffydd Deddfau Seneddol y Frenhines.

Minister for Housing and Regeneration, one of the Welsh Ministers

21 January 2014

© Crown copyright 2014

Printed and Published in the UK by the Stationery Office Limited under the authority and superintendence of Carol Tullo, Controller of Her Majesty's Stationery Office and Queen's Printer of Acts of Parliament.

OFFERYNNAU STATUDOL
CYMRU

WELSH STATUTORY
INSTRUMENTS

2014 Rhif 110 (Cy. 10)

2014 No. 110 (W. 10)

**ADEILADU AC ADEILADAU,
CYMRU**

**BUILDING AND BUILDINGS,
WALES**

Rheoliadau Adeiladu (Diwygio)
(Cymru) 2014

The Building (Amendment) (Wales)
Regulations 2014

£5.75

W1838/01/14

ON

ISBN 978-0-348-10861-3



9 780348 108613