

OFFERYNNAU STATUDOL CYMRU

2022 No. 564

Rheoliadau Adeiladu (Diwygio) (Cymru) 2022

RHAN 2

Diwygio'r Rheoliadau Adeiladu

Diwygio Atodlen 1 i'r Rheoliadau Adeiladu

16. Yn Atodlen 1 (gofynion)—

- (a) yn Rhan L, ar ôl cofnod L1 mewnosoder—

“On-site generation of electricity

L2. Where a system for on-site electricity generation is installed—

Requirement L2 applies only to dwellings.”

- (a) reasonable provision must be made to ensure that—
- (i) the system and its electrical output are appropriately sized for the site and available infrastructure;
- (ii) the system has effective controls; and
- (b) it must be commissioned by testing and adjusting as necessary to ensure that it produces the maximum electricity that is reasonable in the circumstances.”

- (b) ar ôl Rhan N o Atodlen 1 mewnosoder—

“PART O OVERHEATING

Overheating Mitigation

O1.—(1) Reasonable provision must be made to—

Requirement O1 applies only to the erection of the following buildings—

- (a) limit unwanted solar gains in summer;
- (b) provide an adequate means to remove heat from the indoor environment.
- (a) a dwelling;
- (b) an institution; or
- (c) any other building containing one or more rooms for residential purposes (other than a room in a hotel).”

(2) In meeting the obligations in sub-paragraph (1)—

- (a) account must be taken of the safety of any occupant, and their reasonable enjoyment of the building; and
- (b) mechanical cooling may only be used where insufficient heat is capable of being removed from the indoor environment without it."

Gwybodaeth Cychwyn

II Rhl. 16 mewn grym ar 23.11.2022, gweler [rhl. 1\(3\)](#)

Newidiadau i ddeddfwriaeth:

Ar hyn o bryd nid oes unrhyw effeithiau heb eu gweithredu yn hysbys ar gyfer y Rheoliadau Adeiladu (Diwygio) (Cymru) 2022, Adran 16.