
SCOTTISH STATUTORY INSTRUMENTS

2007 No. 142

**AGRICULTURE
PESTICIDES**

**The Pesticides (Maximum Residue Levels in Crops, Food
and Feeding Stuffs) (Scotland) Amendment Regulations 2007**

Made - - - - 1st March 2007
Laid before the Scottish
Parliament - - - - 5th March 2007
Coming into force in accordance with regulation 1(3)
to (5)

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972⁽¹⁾ and of all other powers enabling them in that behalf, hereby make the following Regulations:

Citation, interpretation and commencement

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2007.

(2) In these Regulations, “the principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005⁽²⁾.

(3) Subject to paragraphs (4) and (5), these Regulations shall come into force on 31st March 2007.

(4) Regulation 4 shall come into force on 11th May 2007.

(5) Regulation 5 shall come into force on 21st January 2008.

Amendment of the principal Regulations

2. The principal Regulations are amended in accordance with regulations 3 to 5.

(1) 1972 c. 68. Section 2(2) was amended by the Scotland Act 1998 (c. 46), Schedule 8, paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

(2) S.S.I. 2005/599 as amended by S.S.I. 2006/151, S.S.I. 2006/312 and S.S.I. 2006/548.

Amendments coming into force on 31st March 2007

3.—(1) In regulation 2(1) (interpretation), for the definition of “the Residues Directives” substitute—

““the Residues Directives” means Directive 76/895(3), Directive 86/362(4), Directive 86/363(5) and Directive 90/642(6).”.

(2) In Schedule 2 (maximum residue levels), in the column relating to the pesticide Atrazine, for the entries for all products (Wheat, Rye, Barley, Sorghum, Oats, Triticale, Maize, Buckwheat, Millet, Rice, and Other Cereals), in the food group 8 (Cereals), substitute “0.1”.

Amendments coming into force on 11th May 2007

4. Schedules 1 (pesticide residues) and 2 (maximum residue levels) of the principal Regulations are amended as follows—

- (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Captan set out in Schedule 1 to these Regulations; and
- (b) in Schedule 2—
 - (i) for the entries in the columns relating to the pesticides Dichlorvos, Ethion and Folpet, substitute the entries in the columns relating to those pesticides set out in Schedule 2 to these Regulations;
 - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Captan set out in Schedule 2 to these Regulations; and
 - (iii) at the end, insert as footnote 48, the footnote numbered (48) set out at the end of Schedule 2 to these Regulations.

Amendments coming into force on 21st January 2008

5. Schedules 1 (pesticide residues) and 2 (maximum residue levels) of the principal Regulations are amended as follows—

- (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entries for the pesticides Desmedipham and Phenmedipham set out in Schedule 1 to these Regulations; and
- (b) in Schedule 2—
 - (i) for the entries in the column relating to the pesticide Chlorfenvinphos substitute the entries in the column relating to that pesticide set out in Schedule 2 to these Regulations; and
 - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the columns relating to the pesticides Desmedipham and Phenmedipham set out in Schedule 2 to these Regulations.

(3) O.J. No. L 340, 9.12.76, p.26, as last amended by Commission Directive 2006/92/EC (O.J. No. L 311, 10.11.06, p.31).

(4) O.J. No. L 221, 7.8.86, p.37, as last amended by Commission Directive 2006/92/EC (O.J. No. L 311, 10.11.06, p.31).

(5) O.J. No. L 221, 7.8.86, p.43, as last amended by Commission Directive 2006/62/EC (O.J. No. L 206, 27.07.06, p.27).

(6) O.J. No. L 350, 14.12.90, p.71, as last amended by Commission Directive 2006/92/EC (O.J. No. L 311, 10.11.06, p.31).

St Andrew's House,
Edinburgh
1st March 2007

ROSS FINNIE
A member of the Scottish Executive

Status: This is the original version (as it was originally made).

SCHEDULE 1

Regulations 4 and 5

ENTRIES INSERTED IN SCHEDULE 1 TO THE PRINCIPAL REGULATIONS

<i>Column 1 Pesticide</i>	<i>Column 2 Residue</i>
Captan	captan
Desmedipham	desmedipham
Phenmedipham	(1) for products of plant origin: phenmedipham (2) for foodstuffs of animal origin: phenmedipham (Methyl-N-(3-hydroxyphenyl) carbamate (MHPC) expressed as phenmedipham)

SCHEDULE 2

Regulations 3, 4 and 5

ENTRIES SUBSTITUTED OR INSERTED IN
SCHEDULE 2 TO THE PRINCIPAL REGULATIONS

<i>Group to which food belongs</i>	<i>Groups to include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<i>Desmedipham</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
------------------------------------	---	---------------	------------------------	--------------------	-------------------	---------------	---------------	---------------------

1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS

i) CITRUS FRUIT

Grapefruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Lemons	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Limes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Mandarins (inc clementines & similar hybrids)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Oranges	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Pomelos	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

ii) TREE NUTS (Shelled or Unshelled)

Almonds	0.3	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Brazil nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<i>Diazinon</i>	<i>Diphenylpicrylhydrazyl</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Cashew nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Chestnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Coconuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Hazelnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Macadamia nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Pecans	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Pine nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Pistachios	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Walnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
iii)	POME FRUIT								
	Apples	3	0.02*	0.05*	0.01*	0.01*	3	0.05*	0.05*
	Pears	3	0.02*	0.05*	0.01*	0.01*	3	0.05*	0.05*
	Quinces	3	0.02*	0.05*	0.01*	0.01*	3	0.05*	0.05*
	Others	3	0.02*	0.05*	0.01*	0.01*	3	0.05*	0.05*
iv)	STONE FRUIT								
	Apricots	3	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*	0.05*
	Cherries	5	0.02*	0.05*	0.01*	0.01*	2	0.05*	0.05*
	Peaches (inc nectarines & similar hybrids)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*	0.05*
	Plums	1	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*	0.05*
v)	BERRIES AND SMALL FRUIT								
a)	Table & wine grapes								
	Table grapes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*	0.05*
	Wine grapes	0.02*	0.02*	0.05*	0.01*	0.01*	5	0.05*	0.05*

Status: This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<i>Diazinon</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
b)	Strawberries (other than wild)		0.02*	0.05*	0.01*	0.01*	3	0.1*
c)	Cane fruit (other than wild)							
	Blackberries		0.02*	0.05*	0.01*	0.01*	3	0.05*
	Dewberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Loganberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Raspberries		0.02*	0.05*	0.01*	0.01*	3	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Cranberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Currants (red, black & white)	3	0.02*	0.05*	0.01*	0.01*	3	0.05*
	Gooseberries		0.02*	0.05*	0.01*	0.01*	3	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
e)	Wild berries & wild fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Bananas	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Dates	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Figs	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<i>Diazinon</i>	<i>Disulfoton</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Kiwi fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Kumquats	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Litchis	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Mangoes	2	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Olives (Table Consumption)	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Olives (Oil Extract)	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Papaya	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Passion fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Pineapples	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Pomegranates	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*

2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.1*
Carrots	0.1	0.5	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
Cassava	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
Celeriac	0.1	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
Horseradish	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
Jerusalem artichokes	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
Parsnips	0.02*	0.5	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
Parsley root	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
Radishes	0.02*	0.5	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
Salsify	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
Sweet potatoes	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
Swedes	0.02*	0.5	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
Turnips	0.02*	0.5	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*

Status: This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<i>Diazinon</i>	<i>Imidacloprid</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Yams	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
ii) BULB VEGETABLES									
	Garlic	0.02*	0.5	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Onions	0.02*	0.02*	0.05*	0.01*	0.01*	0.1	0.02*	0.05*
	Shallots	0.02*	0.5	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Spring onions	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*
iii) FRUITING VEGETABLES									
a)	Solanacea								
	Tomatoes	2	0.02*	0.05*	0.01*	0.01*	2	0.02*	0.05*
	Peppers	0.1	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Chilli Peppers	0.1	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Aubergines	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Okra	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
b)	Cucurbits-edible peel								
	Cucumbers	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Gherkins	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Courgettes	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
c)	Cucurbits-inedible peel								
	Melons	0.1	0.02*	0.05*	0.01*	0.01*	1	0.02*	0.05*
	Squashes	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.02*	0.05*
	Watermelons	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.02*	0.05*
d)	Sweet corn	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups to include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<i>Diazinon</i>	<i>Disulfoton</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas								
	Broccoli	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Cauliflower	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
b)	Head Brassicas								
	Brussels sprouts	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Head cabbage	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
c)	Leafy Brassicas								
	Chinese cabbage	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Kale	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
d)	Kohlrabi	0.02*	0.3	0.05*	0.01*	0.01*	0.05	0.05	0.05*
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar								
	Cress	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Lamb's lettuce	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Lettuce	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.02*	0.05*
	Scarole	2	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Rucicola	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Leaves and stems of brassica	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
b)	Spinach & similar								

Status: This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<i>Diazinon</i>	<i>Disulfoton</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Spinach	0.1	0.1	0.05*	0.01*	0.01*	0.02*	0.02*	0.5
	Beet leaves (chard)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.5
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.5
c)	Watercress	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
d)	Witloof	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
e)	Herbs								
	Chervil	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Chives	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Parsley	0.1	0.5	0.05*	0.01*	2	0.02*	0.02*	0.05*
	Celery leaves	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
vi) LEGUME VEGETABLES (Fresh)									
	Beans (with pods)	2	0.02*	0.05*	0.01*	0.01*	2	0.02*	0.05*
	Beans (without pods)	2	0.02*	0.05*	0.01*	0.01*	2	0.02*	0.05*
	Peas (with pods)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Peas (without pods)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
vii) STEM VEGETABLES									
	Asparagus	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Cardoons	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Celery	0.1	0.5	0.05*	0.01*	0.1	0.02*	0.02*	0.05*
	Fennel	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Globe artichokes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.2
	Leeks	2	0.1	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<i>Diazinon</i>	<i>Disulfoton</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Rhubarb	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
viii) FUNGI									
a)	Cultivated mushrooms	0.02*	0.05	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
b)	Wild mushrooms	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
3. PULSES									
	Beans	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Lentils	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Peas	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Lupins	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.02*	0.05*
4. OILSEEDS									
	Linseed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.02*	0.1*
	Peanuts	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.02*	0.1*
	Poppy seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.02*	0.1*
	Sesame seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.02*	0.1*
	Sunflower seed (with shell)	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.02*	0.1*
	Rape seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.02*	0.1*
	Soya bean	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.02*	0.1*
	Mustard seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.02*	0.1*
	Cotton seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.02*	0.1*
	Hemp seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.02*	0.1*
	Others	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.02*	0.1*
5. POTATOES									

Status: This is the original version (as it was originally made).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<i>Disos</i>	<i>Diphenylpiclorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Early potatoes	0.05	0.02*	0.05*	0.01*	0.01*	0.1	0.05*
	Ware potatoes	0.05	0.02*	0.05*	0.01*	0.01*	0.1	0.05*
6. TEA								
	Tea (dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.05*	0.1*	0.02*	3	0.05*	0.1*
7. HOPS (Dried)								
	Hops (dried (including hop pellets & unconcentrated powder))	0.05*	0.05*	0.1*	0.02*	0.02*	150	0.1*
8. CEREALS								
	Wheat	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Rye	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Barley	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Sorghum	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Oats	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Triticale	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Maize	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Buckwheat	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Millet	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Rice	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN								
	Meat, edible offal,		0.01*		0.05			0.05*

Group to which food belongs	Groups to include the following products	Captan	Chlorfenvinphos	Diazinon	Disulfoton	Dichlorvos	Ethion	Folpet	Phenmedipham
	fat & preparations of meat & edible offal								
	Milk & Dairy produce		0.01*			0.02			0.05*
	Eggs		0.01*			0.05*			0.05*

10. SPICES

Cumin seed

Juniper seed

Nutmeg

Pepper, black and white

Vanilla pods

Spices – others

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

Key:

* Level at or about the limit of determination.

FOOTNOTES:

- a** Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- b** Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- c** These levels are for fresh raw cow’s milk and fresh whole cream cow’s milk expressed on the whole milk.
- d** For preserved, concentrated or sweetened cow’s milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow’s milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- e** Bird’s eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- f** Scarole includes broad—leaf endive.

Status: This is the original version (as it was originally made).

- g** Broccoli includes calabrese.
- h** Sum of captan and folpet.

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which are made under section 2(2) of the European Communities Act 1972, amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005 (“the principal Regulations”).

These Regulations implement Commission Directives [2006/62/EC](#) (O.J. No. L 206, 27.07.06, p.27) and [2006/92/EC](#) (O.J. No. L 311, 10.11.06, p.31) and implement in part Commission Directive [2007/7/EC](#) (O.J. No. L43, 15.02.07, p.19).

The Regulations come into force, in stages, on 31st March 2007, 11th May 2007 and 21st January 2008.

The Regulations substitute or insert—

- (a) new residue definitions for the pesticides Captan, Desmedipham and Phenmedipham in Schedule 1 to the principal Regulations which identifies the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) new maximum residue levels for the pesticides Atrazine, Captan, Chlorfenvinphos, Desmedipham, Dichlorvos, Ethion, Folpet and Phenmedipham in Schedule 2 to the principal Regulations.

A Regulatory Impact Assessment (“RIA”) was prepared in respect of the principal Regulations which provides a basis for establishing the impact of amendments to those Regulations. Copies of the RIA can be obtained from the Scottish Executive Environment and Rural Affairs Department, EPHAS2, Area 1-B, Pentland House, 47 Robb’s Loan, Edinburgh, EH14 1TY. Copies have been placed in the Scottish Parliament Information Centre.