

Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power consumption and average active efficiency of external power supplies (Text with EEA relevance) (repealed)

COMMISSION REGULATION (EC) No 278/2009

of 6 April 2009

implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power consumption and average active efficiency of external power supplies

(Text with EEA relevance) (repealed)

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community,

Having regard to Directive 2005/32/EC of the European Parliament and of the Council of 6 July 2005 establishing a framework for the setting of ecodesign requirements for energy-using products and amending Council Directive 92/42/EEC and Directives 96/57/EC and 2000/55/EC of the European Parliament and of the Council⁽¹⁾ and in particular Article 15(1) thereof,

After consulting the Ecodesign Consultation Forum,

Whereas:

- (1) Under Directive 2005/32/EC ecodesign requirements are to be set by the Commission for energy-using products representing significant volumes of sales and trade, having a significant environmental impact and presenting significant potential for improvement in terms of their environmental impact without entailing excessive costs.
- (2) Article 16(2) of Directive 2005/32/EC provides that in accordance with the procedure referred to in Article 19(3) and the criteria set out in Article 15(2), and after consulting the consultation forum, the Commission will as appropriate introduce an implementing measure for office equipment and consumer electronics.
- (3) Office equipment and consumer electronics are often powered by external power supplies (EPS) which convert electricity from the mains power source. The power conversion efficiency of external power supplies is an important aspect of the energy performance of such products, and thus external power supplies are one of the priority product groups for which ecodesign requirements should be established.
- (4) The Commission has carried out a preparatory study to analyse the technical, environmental and economic aspects of external power supplies. The study has been carried out together with stakeholders and interested parties from the Community and third countries, and the results have been made publicly available.

Status: Point in time view as at 09/01/2017.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EC) No 278/2009 (repealed). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

- (5) It is stated in the preparatory study that external power supplies are placed on the Community market in large quantities, with their annual energy consumption in all lifecycle stages being the most significant environmental aspect, and their annual electricity consumption due to losses for power conversion and no-load amounting to 17 TWh, corresponding to 6,8 Mt of CO₂ emissions. In the absence of measures this consumption is predicted to increase to 31 TWh in 2020. It has been concluded that the lifecycle energy consumption and the use-phase electricity consumption can be improved significantly.
- (6) Improvements in the electricity consumption of external power supplies should be achieved by applying existing non-proprietary cost-effective technologies that can reduce the total costs of purchasing and operating external power supplies.
- (7) Ecodesign requirements should harmonise electricity consumption requirements for no-load condition power consumption and average active efficiency of external power supplies throughout the Community, thus contributing to the functioning of the internal market and to the improvement of the environmental performance of these products.
- (8) The ecodesign requirements should not have negative impact on the functionality of the product and should not affect negatively health, safety and the environment. In particular, the benefits of reducing electricity consumption during the use phase should more than offset potential additional environmental impacts during the production phase.
- (9) The two-staged entry into force of the ecodesign requirements should provide an appropriate time-frame for manufacturers to redesign products. The timing of the stages should be such that negative impacts on the functionalities of equipment on the market are avoided, and cost impacts for manufacturers, in particular small and medium-sized enterprises, are taken into account, while ensuring timely achievement of the objectives of the Regulation. Measurements of the power consumption should be performed taking into account the generally recognised state of the art. Manufacturers may use harmonised standards established in accordance with Article 10 of Directive 2005/32/EC.
- (10) This Regulation should increase the market penetration of technologies that improve the lifecycle environmental impact of external power supplies, leading to estimated lifecycle energy savings of 118 PJ and electricity savings of 9 TWh by 2020, respectively, compared to the situation without taking any measures.
- (11) In conformity with Article 8 of Directive 2005/32/EC, this Regulation should specify that the applicable conformity assessment procedures are the internal design control set out in Annex IV of Directive 2005/32/EC and the management system set out in Annex V of Directive 2005/32/EC.
- (12) In order to facilitate compliance checks manufacturers should be requested to provide information in the technical documentation referred to in Annexes IV and V of Directive 2005/32/EC on average active efficiency and no-load electric power consumption.

Status: Point in time view as at 09/01/2017.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EC) No 278/2009 (repealed). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

- (13) Benchmarks for currently available technologies with high active efficiency and low no-load power consumption should be identified. This will help to ensure the wide availability and easy accessibility of information, in particular for small and medium-sized enterprises and very small firms, which will further facilitate the integration of best design technologies for reducing energy consumption.
- (14) Ecodesign requirements for the no-load condition of low voltage external power supplies address the same environmental impact parameter as eco-design requirements for the off-mode condition of electrical and electronic household and office equipment placed on the market with a low voltage external power supply. As eco-design requirements for the no-load condition of low voltage external power supplies should be more demanding than eco-design requirements for off-mode condition of electrical and electronic household and office equipment placed on the market with a low voltage external power supply, the requirements of Regulation (EC) No 1275/2008 of 17 December 2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to eco-design requirements for standby and off-mode power consumption of electrical and electronic household and office equipment⁽²⁾, should not apply to electrical and electronic household and office equipment which is placed on the market with a low voltage external power supply. Regulation (EC) No 1275/2008 should therefore be amended accordingly.
- (15) The measures provided for in this Regulation are in accordance with the opinion of the Committee established by Article 19(1) of Directive 2005/32/EC,

HAS ADOPTED THE FOLLOWING REGULATION:

Article 1

Subject matter and scope

- 1 This Regulation establishes eco-design requirements related to electric power consumption in no-load condition and average active efficiency of external power supplies.
- 2 This Regulation shall not apply to:
- a voltage converters;
 - b uninterruptible power supplies;
 - c battery chargers;
 - d halogen lighting converters;
 - e external power supplies for medical devices;
 - f external power supplies placed on the market no later than 30 June 2015 as a service part or spare part for an identical external power supply which was placed on the market not later than one year after this Regulation has come into force, under the condition that the service part or spare part, or its packaging, clearly indicates the primary load product(s) for which the spare part or service part is intended to be used with.

Status: Point in time view as at 09/01/2017.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EC) No 278/2009 (repealed). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

Article 2

Definitions

For the purposes of this Regulation, the definitions set out in Directive 2005/32/EC shall apply.

The following definitions shall also apply:

1. 'external power supply' means a device which meets all of the following criteria:
 - (a) it is designed to convert alternating current (AC) power input from the mains power source input into lower voltage direct current (DC) or AC output;
 - (b) it is able to convert to only one DC or AC output voltage at a time;
 - (c) it is intended to be used with a separate device that constitutes the primary load;
 - (d) it is contained in a physical enclosure separate from the device that constitutes the primary load;
 - (e) it is connected to the device that constitutes the primary load via a removable or hard-wired male/female electrical connection, cable, cord or other wiring;
 - (f) it has nameplate output power not exceeding 250 Watts;
 - (g) [^Fit is intended for use with electrical and electronic household and office equipment as referred to in Article 2(1) of Regulation (EC) No 1275/2008 or with computers as defined in Commission Regulation (EU) No 617/2013⁽³⁾];]
2. 'low voltage external power supply' means an external power supply with a nameplate output voltage of less than 6 volts and a nameplate output current greater than or equal to 550 milliamperes;
3. 'halogen lighting converter' means an external power supply used with extra low voltage tungsten halogen lamps;
4. 'uninterruptible power supply' means a device providing automatically backup power when the electrical power from the mains power source drops to an unacceptable voltage level;
5. 'battery charger' means a device which connects directly to a removable battery at its output interface;
6. 'voltage converter' means a device converting 230 V mains power source output to 110 V power output with characteristics similar to mains power source output characteristics;
7. 'nameplate output power' (P_O) means the output power as specified by the manufacturer;
8. 'no-load condition' means the condition in which the input of an external power supply is connected to the mains power source, but the output is not connected to any primary load;

Status: Point in time view as at 09/01/2017.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EC) No 278/2009 (repealed). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

9. 'active mode' means a condition in which the input of an external power supply is connected to the mains power source and the output is connected to a load;
10. 'active mode efficiency' means the ratio of the power produced by an external power supply in active mode to the input power required to produce it;
11. 'average active efficiency' means the average of the active mode efficiencies at 25 %, 50 %, 75 % and 100 % of the nameplate output power.

Textual Amendments

- F1** Substituted by [Commission Regulation \(EU\) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers \(Text with EEA relevance\)](#).

Article 3

Ecodesign requirements

The ecodesign requirements related to no-load electric power consumption and average active efficiency of external power supplies placed on the market are set out in Annex I.

Article 4

Conformity assessment

The procedure for assessing conformity referred to in Article 8 of Directive 2005/32/EC shall be the internal design control system set out in Annex IV of Directive 2005/32/EC or the management system for assessing conformity set out in Annex V of Directive 2005/32/EC.

Article 5

Verification procedure for market surveillance purposes

Surveillance checks shall be carried out in accordance with the verification procedure set out in Annex II.

Article 6

Indicative benchmarks

The indicative benchmarks for best-performing products and technology currently available on the market are identified in Annex III.

Status: Point in time view as at 09/01/2017.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EC) No 278/2009 (repealed). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

Article 7

Revision

No later than four years after the entry into force of this Regulation the Commission shall review it in the light of technological progress and present the result of this review to the consultation forum.

Article 8

Amendments to Regulation (EC) No 1275/2008

Regulation (EC) No 1275/2008 is amended as follows:

1. The following second paragraph is added to Article 1:

This Regulation shall not apply to electrical and electronic household and office equipment placed on the market with a low voltage external power supply.
2. The following point 9 is added to Article 2:
 9. “low voltage external power supply” means an external power supply with a nameplate output voltage of less than 6 volts and a nameplate output current greater than or equal to 550 milliamperes.

Article 9

Entry into force

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

Point 1(a) of Annex I shall apply as from one year after the date referred to in the first paragraph.

Point 1(b) of Annex I shall apply as from two years after the date referred to in the first paragraph.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Status: Point in time view as at 09/01/2017.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EC) No 278/2009 (repealed). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

ANNEX I

ECODESIGN REQUIREMENTS

1. NO-LOAD POWER CONSUMPTION AND AVERAGE ACTIVE EFFICIENCY

(a) **One year** after this Regulation has come into force:

The no-load condition power consumption shall not exceed 0,50 W.

The average active efficiency shall be not less than:

$0,500 \cdot P_O$, for $P_O < 1,0$ W;

$0,090 \cdot \ln(P_O) + 0,500$, for $1,0$ W $\leq P_O \leq 51,0$ W;

0,850, for $P_O > 51,0$ W.

(b) **Two years** after this Regulation has come into force:

The no-load condition power consumption shall not exceed the following limits:

	AC-AC external power supplies, except low voltage external power supplies	AC-DC external power supplies except low voltage external power supplies	Low voltage external power supplies
$P_O \leq 51,0$ W	0,5 W	0,3 W	0,3 W
$P_O > 51,0$ W	0,5 W	0,5 W	n/a

The average active efficiency shall be not less than the following limits:

	AC-AC and AC-DC external power supplies, except low voltage external power supplies	Low voltage external power supplies
$P_O \leq 1,0$ W	$0,480 \cdot P_O + 0,140$	$0,497 \cdot P_O + 0,067$
$1,0$ W $< P_O \leq 51,0$ W	$0,063 \cdot \ln(P_O) + 0,622$	$0,075 \cdot \ln(P_O) + 0,561$
$P_O > 51,0$ W	0,87	0,86

2. MEASUREMENTS

The no-load condition power consumption and the average active efficiency referred to in point 1 shall be established by a reliable, accurate and reproducible measurement procedure, which takes into account the generally recognised state of the art.

[^{F2}.....]

Textual Amendments

- F2** Deleted by Commission Regulation (EU) 2016/2282 of 30 November 2016 amending Regulations (EC) No 1275/2008, (EC) No 107/2009, (EC) No 278/2009, (EC) No 640/2009, (EC) No 641/2009, (EC) No 642/2009, (EC) No 643/2009, (EU) No 1015/2010, (EU) No 1016/2010, (EU) No 327/2011, (EU) No 206/2012, (EU) No 547/2012, (EU) No 932/2012, (EU) No 617/2013, (EU) No 666/2013, (EU) No 813/2013, (EU) No 814/2013, (EU) No 66/2014, (EU) No 548/2014, (EU) No 1253/2014, (EU)

Status: Point in time view as at 09/01/2017.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EC) No 278/2009 (repealed). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

2015/1095, (EU) 2015/1185, (EU) 2015/1188, (EU) 2015/1189 and (EU) 2016/2281 with regard to the use of tolerances in verification procedures (Text with EEA relevance).

3. INFORMATION TO BE PROVIDED BY MANUFACTURERS

For the purposes of conformity assessment pursuant to Article 4, the technical documentation shall contain the following elements:

Reported quantity	Description
Root mean square (Rms) output current (mA)	Measured at load conditions 1-4
Rms output voltage (V)	
Active output power (W)	
Rms input voltage (V)	Measured at load conditions 1-5
Rms input power (W)	
Total harmonic distortion (THD)	
True power factor	
Power consumed (W)	Calculated at load condition 1-4, measured at load condition 5
Efficiency	Calculated at load conditions 1-4
Average efficiency	Arithmetic average of efficiency at load conditions 1-4

The relevant load conditions are as follows:

Percentage of nameplate output current	
Load condition 1	100 % ± 2 %
Load condition 2	75 % ± 2 %
Load condition 3	50 % ± 2 %
Load condition 4	25 % ± 2 %
Load condition 5	0 % (no-load condition)

[^{F3}ANNEX II

Product compliance verification by market surveillance authorities

Textual Amendments

F3 Substituted by Commission Regulation (EU) 2016/2282 of 30 November 2016 amending Regulations (EC) No 1275/2008, (EC) No 107/2009, (EC) No 278/2009, (EC) No 640/2009, (EC) No 641/2009, (EC) No 642/2009, (EC) No 643/2009, (EU) No 1015/2010, (EU) No 1016/2010, (EU) No 327/2011, (EU) No 206/2012, (EU) No 547/2012, (EU) No 932/2012, (EU) No 617/2013, (EU) No 666/2013, (EU) No 813/2013, (EU) No 814/2013, (EU) No 66/2014, (EU) No 548/2014, (EU) No 1253/2014, (EU)

Status: Point in time view as at 09/01/2017.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EC) No 278/2009 (repealed). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

2015/1095, (EU) 2015/1185, (EU) 2015/1188, (EU) 2015/1189 and (EU) 2016/2281 with regard to the use of tolerances in verification procedures (Text with EEA relevance).

The verification tolerances defined in this Annex relate only to the verification of the measured parameters by Member State authorities and shall not be used by the manufacturer or importer as an allowed tolerance to establish the values in the technical documentation or in interpreting these values with a view to achieving compliance or to communicate better performance by any means.

When verifying the compliance of a product model with the requirements laid down in this Regulation pursuant to Article 3(2) of Directive 2009/125/EC, for the requirements referred to in this Annex, the authorities of the Member States shall apply the following procedure:

- (1) The Member State authorities shall verify one single unit of the model.
- (2) The model shall be considered to comply with the applicable requirements if:
 - (a) the values given in the technical documentation pursuant to point 2 of Annex IV to Directive 2009/125/EC (declared values), and, where applicable, the values used to calculate these values, are not more favourable for the manufacturer or importer than the results of the corresponding measurements carried out pursuant to paragraph (g) thereof; and
 - (b) the declared values meet any requirements laid down in this Regulation, and any required product information published by the manufacturer or importer does not contain values that are more favourable for the manufacturer or importer than the declared values; and
 - (c) when the Member State authorities test the unit of the model, the determined values (the values of the relevant parameters as measured in testing and the values calculated from these measurements) comply with the respective verification tolerances as given in the table below.
- (3) If the results referred to in point 2(a) or (b) are not achieved, the model shall be considered not to comply with this Regulation.
- (4) If the result referred to in point 2(c) is not achieved, the Member State authorities shall select three additional units of the same model for testing.
- (5) The model shall be considered to comply with the applicable requirements if, for these three units, the arithmetical mean of the determined values complies with the respective verification tolerances given in the table below.
- (6) If the result referred to in point 5 is not achieved, the model shall be considered not to comply with this Regulation.
- (7) The Member State authorities shall provide all relevant information to the authorities of the other Member States and to the Commission without delay after a decision being taken on the non-compliance of the model according to points 3 and 6.

The Member State authorities shall use the measurement and calculation methods set out in Annex I.

The Member State authorities shall only apply the verification tolerances that are set out in the table below and shall only use the procedure described in points 1 to 7 for the requirements referred to in this Annex. No other tolerances, such as those set out in harmonised standards or in any other measurement method, shall be applied.

Status: Point in time view as at 09/01/2017.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EC) No 278/2009 (repealed). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

VERIFICATION TOLERANCES

Parameters	Verification tolerances
No-load condition	The determined value shall not exceed the declared value by more than 0,10 W.
Arithmetical mean of efficiency at load conditions 1-4 as defined in Annex I	The determined value shall not be lower than the declared value by more than 5 %.]

ANNEX III

INDICATIVE BENCHMARKS REFERRED TO IN ARTICLE 6

(a) No-load condition

The lowest available no-load condition power consumption of external power supplies can be approximated by:

- 0,1 W or less, for $P_O \leq 90$ W,
- 0,2 W or less, for 90 W < $P_O \leq 150$ W,
- 0,4 W or less, for 150 W < $P_O \leq 180$ W,
- 0,5 W or less, for $P_O > 180$ W.

(b) Average active efficiency

The best available active average efficiency of external power supplies according to most recent available data (status January 2008) can be approximated by:

- $0,090 \cdot \ln (P_O) + 0,680$, for $1,0$ W $\leq P_O \leq 10,0$ W,
- 0,890, for $P_O > 10,0$ W.

Status: Point in time view as at 09/01/2017.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EC) No 278/2009 (repealed). Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

- (1) OJ L 191, 22.7.2005, p. 29.
- (2) OL L 339, 18.12.2008, p. 45.
- (3) [^{F1}OJ L 175, 27.6.2013, p. 13.]

Textual Amendments

- F1** Substituted by Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (Text with EEA relevance).

Status:

Point in time view as at 09/01/2017.

Changes to legislation:

There are outstanding changes not yet made to Commission Regulation (EC) No 278/2009 (repealed). Any changes that have already been made to the legislation appear in the content and are referenced with annotations.