

Commission Regulation (EU) No 1015/2010 of 10 November 2010 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for household washing machines (Text with EEA relevance)

COMMISSION REGULATION (EU) No 1015/2010

of 10 November 2010

implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for household washing machines

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Directive 2009/125/EC of the European Parliament and of the Council of 21 October 2009 establishing a framework for the setting of ecodesign requirements for energy-related products⁽¹⁾, and in particular Article 15(1) thereof,

After consulting the Ecodesign Consultation Forum,

Whereas:

- (1) Under Directive 2009/125/EC ecodesign requirements should be set by the Commission for energy-related products representing significant volumes of sales and trade, having significant environmental impact and presenting significant potential for improvement in terms of their environmental impact without entailing excessive costs.
- (2) Article 16(2), first indent, of Directive 2009/125/EC provides that in accordance with the procedure referred to in Article 19(3) and the criteria set out in Article 15(2), and after consulting the Ecodesign Consultation Forum, the Commission shall, as appropriate, introduce an implementing measure for domestic appliances, including household washing machines.
- (3) The Commission has carried out a preparatory study to analyse the technical, environmental and economic aspects of household washing machines typically used in households. The study has been developed together with stakeholders and interested parties from the Union and third countries, and the results have been made publicly available.
- (4) This Regulation should cover products designed for washing laundry in households.
- (5) Household combined washer-driers have particular characteristics and should therefore be excluded from the scope of this Regulation. However, considering that they offer similar functionalities as household washing machines, they should be addressed as soon as possible in another implementing measure of Directive 2009/125/EC.
- (6) The environmental aspect of the household washing machines, identified as significant for the purposes of this Regulation, is energy and water consumption in the use phase.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

The annual electricity and water consumption of products subject to this Regulation was estimated to have been 35 TWh and 2 213 million m³, respectively, in the Union in 2005. Unless specific measures are taken, annual electricity and water consumption is predicted to be 37,7 TWh and 2 051 million m³ in 2020. The preparatory study shows that the electricity and water consumption of products subject to this Regulation can be significantly reduced.

- (7) The preparatory study shows that requirements regarding other ecodesign parameters referred to in Part 1 of Annex I to Directive 2009/125/EC are not necessary as electricity and water consumptions of household washing machines in the use phase are by far the most important environmental aspect.
- (8) The electricity and water consumptions of products subject to this Regulation should be made more efficient by applying existing non-proprietary cost-effective technologies that can reduce the combined costs of purchasing and operating these products.
- (9) The ecodesign requirements should not affect functionality from the end-user's perspective and should not negatively affect health, safety or the environment. In particular, the benefits of reducing electricity and water consumption during the use phase should more than offset any additional environmental impacts during the production phase.
- (10) The ecodesign requirements should be introduced gradually in order to provide a sufficient timeframe for manufacturers to redesign products subject to this Regulation. The timing should be such as to avoid negative impacts on the functionalities of equipment on the market, and to take into account cost impacts for end-users and manufacturers, in particular small and medium-sized enterprises, while ensuring timely achievement of the objectives of this Regulation.
- (11) Measurements of the relevant product parameters should be performed using reliable, accurate and reproducible measurement methods, which take into account the recognised state-of-the-art measurement methods including, where available, harmonised standards adopted by the European standardisation bodies, as listed in Annex I to Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations and of rules on Information Society services⁽²⁾.
- (12) In accordance with Article 8 of Directive 2009/125/EC, this Regulation should specify the applicable conformity assessment procedures.
- (13) In order to facilitate compliance checks, manufacturers should provide information in the technical documentation referred to in Annexes V and VI to Directive 2009/125/EC in so far as this information relates to the requirements laid down in this Regulation.
- (14) In addition to the legally binding requirements laid down in this Regulation, indicative benchmarks for best available technologies should be identified to ensure the wide availability and easy accessibility of information on the lifecycle environmental performance of products subject to this Regulation.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (15) The measures provided for in this Regulation are in accordance with the opinion of the Committee referred to in Article 19(1) of Directive 2009/125/EC,

HAS ADOPTED THIS REGULATION:

Article 1

Subject matter and scope

1 This Regulation establishes ecodesign requirements for the placing on the market of electric mains-operated household washing machines and electric mains-operated household washing machines that can also be powered by batteries, including those sold for non-household use and built-in household washing machines.

2 This Regulation shall not apply to household combined washer-driers.

Article 2

Definitions

In addition to the definitions laid down in Article 2 of Directive 2009/125/EC, the following definitions shall apply for the purpose of this Regulation:

- (1) ‘household washing machine’ means an automatic washing machine which cleans and rinses textiles using water which also has a spin extraction function and which is designed to be used principally for non-professional purposes;
- (2) ‘built-in household washing machine’ means a household washing machine intended to be installed in a cabinet, a prepared recess in a wall or a similar location, requiring furniture finishing;
- (3) ‘automatic washing machine’ means a washing machine where the load is fully treated by the machine without the need for user intervention at any point during the programme;
- (4) ‘household combined washer-drier’ means a household washing machine which includes both a spin extraction function and also a means for drying the textiles, usually by heating and tumbling;
- (5) ‘programme’ means a series of operations that are pre-defined and are declared by the manufacturer as suitable for washing certain types of textile;
- (6) ‘cycle’ means a complete washing, rinsing and spinning process, as defined for the selected programme;
- (7) ‘programme time’ means the time that elapses from the initiation of the programme until the completion of the programme excluding any end-user programmed delay;
- (8) ‘rated capacity’ means the maximum mass in kilograms stated by the manufacturer at 0,5 kg intervals kg of dry textiles of a particular type, which can be treated in a household washing machine on the selected programme, when loaded in accordance with the manufacturer’s instructions;

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (9) ‘partial load’ means half of the rated capacity of a household washing machine for a given programme;
- (10) ‘remaining moisture content’ means the amount of moisture contained in the load at the end of the spinning phase;
- (11) ‘off-mode’ means a condition where the household washing machine is switched off using appliance controls or switches accessible to and intended for operation by the end-user during normal use to attain the lowest power consumption that may persist for an indefinite time while the household washing machine is connected to a power source and used in accordance with the manufacturer’s instructions; where there is no control or switch accessible to the end-user, ‘off-mode’ means the condition reached after the household washing machine reverts to a steady-state power consumption on its own;
- (12) ‘left-on mode’ means the lowest power consumption mode that may persist for an indefinite time after completion of the programme without any further intervention by the end-user besides unloading of the household washing machine;
- (13) ‘equivalent washing machine’ means a model of household washing machine placed on the market with the same rated capacity, technical and performance characteristics, energy and water consumption and airborne acoustical noise emissions during washing and spinning as another model of household washing machine placed on the market under a different commercial code number by the same manufacturer.

Article 3

Ecodesign requirements

The generic ecodesign requirements for household washing machines are set out in point 1 of Annex I.

The specific ecodesign requirements for household washing machines are set out in point 2 of Annex I.

Article 4

Conformity assessment

1 The conformity assessment procedure referred to in Article 8 of Directive 2009/125/EC shall be the internal design control system set out in Annex IV to that Directive or the management system set out in Annex V to that Directive.

2 For the purposes of conformity assessment pursuant to Article 8 of Directive 2009/125/EC, the technical documentation file shall contain a copy of the calculation set out in Annex II to this Regulation.

Where the information included in the technical documentation for a particular household washing machine model has been obtained by calculation on the basis of design, or extrapolation from other equivalent washing machines, or both, the technical documentation shall include details of such calculations or extrapolations, or both, and of tests undertaken by manufacturers to verify the accuracy of the calculations undertaken. In such cases, the technical documentation shall also include a list of all

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

other equivalent household washing machine models where the information included in the technical documentation was obtained on the same basis.

Article 5

Verification procedure for market surveillance purposes

Member States shall apply the verification procedure described in Annex III to this Regulation when performing the market surveillance checks referred to in Article 3(2) of Directive 2009/125/EC for compliance with requirements set out in Annex I to this Regulation.

Article 6

Benchmarks

The indicative benchmarks for best-performing household washing machines available on the market at the time of entry into force of this Regulation are set out in Annex IV.

Article 7

Revision

The Commission shall review this Regulation in the light of technological progress no later than 4 years after its entry into force and present the result of this review to the Ecodesign Consultation Forum. The review shall in particular assess the verification tolerances set out in Annex III, the opportunity of setting requirements on rinsing and spin-drying efficiency and the potential for hot water inlet.

Article 8

Entry into force and application

1 This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

2 It shall apply from 1 December 2011.

However, the ecodesign requirements listed below shall apply in accordance with the following timetable:

- a the generic ecodesign requirements set out in point 1(1) of Annex I shall apply from 1 December 2012;
- [^{X1}b the generic ecodesign requirements set out in point 1(2) of Annex I shall apply from 1 June 2012;]
- c the generic ecodesign requirements set out in point 1(3) of Annex I shall apply from 1 December 2013;
- d the specific ecodesign requirements set out in point 2(2) of Annex I shall apply from 1 December 2013.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

Editorial Information

- X1** Substituted by [Corrigendum to Commission Regulation \(EU\) No 1015/2010 of 10 November 2010 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for household washing machines \(Official Journal of the European Union L 293 of 11 November 2010\)](#).

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

ANNEX I

Ecodesign requirements

1. GENERIC ECODESIGN REQUIREMENTS

- (1) For the calculation of the energy consumption and other parameters for household washing machines, the cycles which clean normally soiled cotton laundry (hereafter standard cotton programmes) at 40 °C and 60 °C shall be used. These cycles shall be clearly identifiable on the programme selection device of the household washing machines or the household washing machines display, if any, or both, and indicated as 'standard 60 °C cotton programme' and 'standard 40 °C cotton programme'.
- (2) The booklet of instructions provided by the manufacturer shall provide:
 - (a) the standard 60 °C and 40 °C cotton programmes, referred to as 'standard 60 °C cotton programme' and 'standard 40 °C cotton programme', and shall specify that they are suitable to clean normally soiled cotton laundry and that they are the most efficient programmes in terms of combined energy and water consumptions for washing that type of cotton laundry; in addition, an indication that the actual water temperature may differ from the declared cycle temperature;
 - (b) the power consumption of the off-mode and of the left-on mode;
 - (c) indicative information on the programme time, remaining moisture content, energy and water consumption for the main washing programmes at full or partial load, or both;
 - (d) recommendation on the type of detergents suitable for the various washing temperatures.
- (3) Household washing machines shall offer to end-users a cycle at 20 °C. This programme shall be clearly identifiable on the programme selection device of the household washing machines or the household washing machines display, if any, or both.

2. SPECIFIC ECODESIGN REQUIREMENTS

Household washing machines shall comply with the following requirements:

- (1) From 1 December 2011:
 - for all household washing machines, the Energy Efficiency Index (*EEI*) shall be less than 68,
 - for household washing machines with a rated capacity higher than 3 kg, the Washing Efficiency Index (*I_w*) shall be greater than 1,03,
 - for household washing machines with a rated capacity equal to or lower than 3 kg, the Washing Efficiency Index (*I_w*) shall be greater than 1,00,
 - for all household washing machines, the Water Consumption (*W_t*) shall be:
$$W_t \leq 5 \times c + 35$$
where *c* is the household washing machine's rated capacity for the standard 60 °C cotton programme at full load or for the standard 40 °C cotton programme at full load, whichever is the lower.

- (2) From 1 December 2013:

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- for household washing machines with a rated capacity equal to or higher than 4 kg, the Energy Efficiency Index (*EEl*) shall be less than 59,
- for all household washing machines, the water consumption shall be,

$$W_t \leq 5 \times c_{1/2} + 35$$

where $c_{1/2}$ is the household washing machine's rated capacity for the standard 60 °C cotton programme at partial load or for the standard 40 °C cotton programme at partial load, whichever is the lower.

The Energy Efficiency Index (*EEl*), the Washing Efficiency Index (I_w) and the Water Consumption (W_t) are calculated in accordance with Annex II.

ANNEX II

Method for calculating the Energy Efficiency Index, Washing Efficiency Index, water consumption and remaining moisture content

1. CALCULATION OF THE ENERGY EFFICIENCY INDEX

For the calculation of the Energy Efficiency Index (*EEl*) of a household washing machine model, the weighted annual energy consumption of a household washing machine for the standard 60 °C cotton programme at full and partial load and for the standard 40 °C cotton programme at partial load is compared to its standard annual energy consumption.

- (a) The Energy Efficiency Index (*EEl*) is calculated as follows and rounded to one decimal place:

$$EEI = \frac{AE_C}{SAE_C} \times 100$$

where:

- AE_C = weighted annual energy consumption of the household washing machine;
- SAE_C = standard annual energy consumption of the household washing machine.

- (b) The standard annual energy consumption (SAE_C) is calculated in kWh/year as follows and rounded to two decimal places:

$$SAE_C = 47,0 \times c + 51,7$$

where:

- c = rated capacity of the household washing machine for the standard 60 °C cotton programme at full load or the standard 40 °C cotton programme at full load, whichever is the lower.

- (c) The weighted annual energy consumption (AE_C) is calculated in kWh/year as follows and is rounded to two decimal places:

$$(i) \quad AE_C = E_t \times 220 + \frac{P_0 \times \frac{53560 - (T_1 \times 220)}{2} + P_1 \times \frac{53560 - (T_1 \times 220)}{2}}{60 \times 1000}$$

where:

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| | | |
|-------|---|---|
| E_t | = | weighted energy consumption; |
| P_o | = | weighted power in ‘off-mode’; |
| P_l | = | weighted power in the ‘left-on mode’; |
| T_t | = | programme time; |
| 220 | = | total number of standard washing cycles per year. |

- (ii) Where the household washing machine is equipped with a power management system, with the household washing machine reverting automatically to ‘off-mode’ after the end of the programme, the weighted annual energy consumption (AE_C) is calculated taking into consideration the effective duration of the ‘left-on mode’, according to the following formula:

$$AE_C = E_t \times 220 + \frac{(P_l \times T_l \times 220) + P_o \times [525600 - (T_l \times 220)] - (T_l \times 220)}{60 \times 1000}$$

where:

T_l = time in ‘left-on mode’.

- (d) The weighted energy consumption (E_t) is calculated in kWh as follows and rounded to three decimal places:

$$E_t = \left[3 \times E_{t,60} + 2 \times E_{t,60\frac{1}{2}} + 2 \times E_{t,40\frac{1}{2}} \right] / 7$$

where:

| | | |
|-----------------------|---|--|
| $E_{t,60}$ | = | energy consumption of the standard 60 °C cotton programme; |
| $E_{t,60\frac{1}{2}}$ | = | energy consumption of the standard 60 °C cotton programme at partial load; |
| $E_{t,40\frac{1}{2}}$ | = | energy consumption of the standard 40 °C cotton programme at partial load. |

- (e) The weighted power in ‘off-mode’ (P_o) is calculated in W as follows and rounded to two decimal places:

$$P_o = \left(3 \times P_{o,60} + 2 \times P_{o,60\frac{1}{2}} + 2 \times P_{o,40\frac{1}{2}} \right) / 7$$

where:

| | | |
|-----------------------|---|---|
| $P_{o,60}$ | = | power in ‘off-mode’ of the standard 60 °C cotton programme at full load; |
| $P_{o,60\frac{1}{2}}$ | = | power in ‘off-mode’ of the standard 60 °C cotton programme at partial load; |
| $P_{o,40\frac{1}{2}}$ | = | power in ‘off-mode’ of the standard 40 °C cotton programme at partial load. |

- (f) The weighted power in the ‘left-on mode’ (P_l) is calculated in W as follows and rounded to two decimal places:

$$P_l = \left(3 \times P_{l,60} + 2 \times P_{l,60\frac{1}{2}} + 2 \times P_{l,40\frac{1}{2}} \right) / 7$$

where:

| | | |
|-----------------------|---|---|
| $P_{l,60}$ | = | power in ‘left-on mode’ of the standard 60 °C cotton programme at full load; |
| $P_{l,60\frac{1}{2}}$ | = | power in ‘left-on mode’ of the standard 60 °C cotton programme at partial load; |

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

$P_{1,40\frac{1}{2}}$ = power in 'left-on mode' of the standard 40 °C cotton programme at partial load.

- (g) The weighted programme time (T_t) is calculated in minutes as follows and rounded to the nearest minute:

$$T_t = (3 \times T_{t,60} + 2 \times T_{t,60\frac{1}{2}} + 2 \times T_{t,40\frac{1}{2}}) / 7$$

where:

$T_{t,60}$ = programme time of the standard 60 °C cotton programme at full load;

$T_{t,60\frac{1}{2}}$ = programme time of the standard 60 °C cotton programme at partial load;

$T_{t,40\frac{1}{2}}$ = programme time of the standard 40 °C cotton programme at partial load.

- (h) The weighted time in 'left-on mode' (T_l) is calculated in minutes as follows and rounded to the nearest minute:

$$T_l = (3 \times T_{l,60} + 2 \times T_{l,60\frac{1}{2}} + 2 \times T_{l,40\frac{1}{2}}) / 7$$

where:

$T_{l,60}$ = time in 'left-on mode' of the standard 60 °C cotton programme at full load;

$T_{l,60\frac{1}{2}}$ = time in 'left-on mode' of the standard 60 °C cotton programme at partial load;

$T_{l,40\frac{1}{2}}$ = time in 'left-on mode' of the standard 40 °C cotton programme at partial load.

2. CALCULATION OF THE WASHING EFFICIENCY INDEX

For the calculation of the Washing Efficiency Index (I_w), the weighted washing efficiency of the household washing machine for the standard 60 °C cotton programme at full and partial load and for the standard 40 °C cotton programme at partial load is compared to the washing efficiency of a reference washing machine, where the reference washing machine shall have the characteristics indicated in the generally recognised state-of-the-art measurement methods, including methods set out in documents the reference numbers of which have been published for that purpose in the *Official Journal of the European Union*.

- (a) The Washing Efficiency Index (I_w) is calculated as follows and rounded to three decimal places

$$I_w = \frac{3 \times I_{w,60} + 2 \times I_{w,60\frac{1}{2}} + 2 \times I_{w,40\frac{1}{2}}}{7}$$

where:

$I_{w,60}$ = Washing Efficiency Index of the standard 60 °C cotton programme at full load;

$I_{w,60\frac{1}{2}}$ = Washing Efficiency Index of the standard 60 °C cotton programme at partial load;

$I_{w,40\frac{1}{2}}$ = Washing Efficiency Index of the standard 40 °C cotton programme at partial load.

- (b) The Washing Efficiency Index of one standard cotton programme (p) is calculated as follows:

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

$$I_{W,p} = \frac{1}{n} \times \sum_{i=1}^n \left(\frac{W_{T,i}}{W_{R,a}} \right)$$

where:

- | | | |
|-----------|---|--|
| $W_{T,i}$ | = | Washing Efficiency of the household washing machine under test for one test cycle (i); |
| $W_{R,a}$ | = | Average Washing Efficiency of the reference washing machine; |
| n | = | number of test cycles, $n \geq 3$ for the standard 60 °C cotton programme at full load, $n \geq 2$ for the standard 60 °C cotton programme at partial load and $n \geq 2$ for the standard 40 °C cotton programme at partial load. |

- (c) The Washing Efficiency (W) is the average of the reflectance values of each test strip after completion of a test cycle.

3. CALCULATION OF WATER CONSUMPTION

The water consumption (W_t) is calculated as follows and rounded to one decimal place:

$$W_t = W_{t,60}$$

where:

- $W_{t,60}$ = water consumption of the standard 60 °C cotton programme at full load.

4. CALCULATION OF THE REMAINING MOISTURE CONTENT

The remaining moisture content (D) of a programme is calculated in percentage and rounded to the nearest whole percent.

[^{F1}ANNEX III

Product compliance verification by market surveillance authorities

Textual Amendments

- F1** Substituted by Commission Regulation (EU) 2016/2282 of 30 November 2016 amending Regulations (EC) No 1275/2008, (EC) No 107/2009, (EC) No 278/2009, (EC) No 640/2009, (EC) No 641/2009, (EC) No 642/2009, (EC) No 643/2009, (EU) No 1015/2010, (EU) No 1016/2010, (EU) No 327/2011, (EU) No 206/2012, (EU) No 547/2012, (EU) No 932/2012, (EU) No 617/2013, (EU) No 666/2013, (EU) No 813/2013, (EU) No 814/2013, (EU) No 66/2014, (EU) No 548/2014, (EU) No 1253/2014, (EU) 2015/1095, (EU) 2015/1185, (EU) 2015/1188, (EU) 2015/1189 and (EU) 2016/2281 with regard to the use of tolerances in verification procedures (Text with EEA relevance).

The verification tolerances defined in this Annex relate only to the verification of the measured parameters by Member State authorities and shall not be used by the manufacturer or importer as an allowed tolerance to establish the values in the technical documentation or in interpreting these values with a view to achieving compliance or to communicate better performance by any means.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

When verifying the compliance of a product model with the requirements laid down in this Regulation pursuant to Article 3(2) of Directive 2009/125/EC, for the requirements referred to in this Annex, the authorities of the Member States shall apply the following procedure:

- (1) The Member State authorities shall verify one single unit of the model.
- (2) The model shall be considered to comply with the applicable requirements if:
 - (a) the values given in the technical documentation pursuant to point 2 of Annex IV to Directive 2009/125/EC (declared values), and, where applicable, the values used to calculate these values, are not more favourable for the manufacturer or importer than the results of the corresponding measurements carried out pursuant to paragraph (g) thereof; and
 - (b) the declared values meet any requirements laid down in this Regulation, and any required product information published by the manufacturer or importer does not contain values that are more favourable for the manufacturer or importer than the declared values; and
 - (c) when the Member State authorities test the unit of the model, the determined values (the values of the relevant parameters as measured in testing and the values calculated from these measurements) comply with the respective verification tolerances as given in Table 1.
- (3) If the results referred to in point 2(a) or (b) are not achieved, the model and all models that have been listed as equivalent household washing machine models in the manufacturer's or importer's technical documentation shall be considered not to comply with this Regulation.
- (4) If the result referred to in point 2(c) is not achieved, the Member State authorities shall select three additional units of the same model for testing. As an alternative, the three additional units selected may be of one or more different models that have been listed as equivalent models in the manufacturer's or importer's technical documentation.
- (5) The model shall be considered to comply with the applicable requirements if, for these three units, the arithmetical mean of the determined values complies with the respective verification tolerances given in Table 1.
- (6) If the result referred to in point 5 is not achieved, the model and all models that have been listed as equivalent household washing machine models in the manufacturer's or importer's technical documentation shall be considered not to comply with this Regulation.
- (7) The Member State authorities shall provide all relevant information to the authorities of the other Member States and to the Commission without delay after a decision being taken on the non-compliance of the model according to points 3 and 6.

Member States' authorities shall use measurement procedures which take into account the generally recognised, state-of-the-art, reliable, accurate and reproducible measurement methods, including methods set out in documents whose reference numbers have been published for that purpose in the *Official Journal of the European Union*. The Member State authorities shall use the measurement and calculation methods set out in Annex II.

The Member State authorities shall only apply the verification tolerances that are set out in Table 1 and shall only use the procedure described in points 1 to 7 for the requirements referred to in this Annex. No other tolerances, such as those set out in harmonised standards or in any other measurement method, shall be applied.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

TABLE I

Verification tolerances

| Parameters | Verification tolerances |
|--|---|
| Annual energy consumption (AE_C) | The determined value shall not exceed the declared value of AE_C by more than 10 %. |
| Washing efficiency index (I_W) | The determined value shall not be less than the declared value of I_W by more than 4 %. |
| Energy consumption (E_t) | The determined value shall not exceed the declared value of E_t by more than 10 %. Where three additional units need to be selected, the arithmetic mean of the determined values of these three units shall not exceed the declared value of E_t by more than 6 %. |
| Programme time (T_t) | The determined values shall not exceed the declared values of T_t by more than 10 %. |
| Water consumption (W_t) | The determined value shall not exceed the declared value of W_t by more than 10 %. |
| Power consumption in off mode and left-on mode (P_o and P_l) | The determined values of power consumption P_o and P_l of more than 1,00 W shall not exceed the declared values of P_o and P_l by more than 10 %. The determined values of power consumption P_o and P_l of less than or equal to 1,00 W shall not exceed the declared values of P_o and P_l by more than 0,10 W. |
| Duration of the left-on mode (T_l) | The determined value shall not exceed the declared value of T_l by more than 10 %.] |

ANNEX IV

Benchmarks

At the time of entry into force of this Regulation, the best available technology on the market for household washing machines, in terms of their water and energy consumptions, washing efficiency and airborne acoustical noise emissions during washing/spinning for the standard 60 °C cotton programme at full load, is identified as follows⁽³⁾:

- (1) Household washing machines with a rated capacity of 3 kg:
 - (a) : 0,57 kWh/cycle (or 0,19 kWh/kg), corresponding to an overall annual energy consumption of 117,84 kWh/year, of which 105,34 kWh/year for 220 cycles and 12,5 kWh/year during the low-power modes;

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- | | | |
|---|---|---|
| (b) | : | 39 litres/cycle, corresponding to 8 580 litres/year for 220 cycles; |
| water consumption | | |
| (c) | : | of $1,03 \geq I_w > 1,00$; |
| washing efficiency index | | |
| (d) | : | not available; |
| airborne acoustical noise emissions during washing/spinning (900 rpm) | | |
- (2) Household washing machines with a rated capacity of 3,5 kg:
- | | | |
|---|---|--|
| (a) | : | 0,66 kWh/cycle (or 0,19 kWh/kg), corresponding to an overall annual energy consumption of 134,50 kWh/year, of which 122,00 kWh/year for 220 cycles and 12,5 kWh/year during the low-power modes; |
| energy consumption | | |
| (b) | : | 39 litres/cycle, corresponding to 8 580 litres/year for 220 cycles; |
| water consumption | | |
| (c) | : | I_w of 1,03; |
| washing efficiency index | | |
| (d) | : | not available; |
| airborne acoustical noise emissions during washing/spinning (1 100 rpm) | | |
- (3) Household washing machines with a rated capacity of 4,5 kg:
- | | | |
|--------------------|---|---|
| (a) | : | 0,76 kWh/cycle (or 0,17 kWh/kg) corresponding to an overall annual energy consumption of 152,95 kWh/year, of which 140,45 kWh/year for 220 cycles and 12,5 kWh/year during the low-power modes; |
| energy consumption | | |
| (b) | : | 40 litres/cycle, corresponding to 8 800 litres/year for 220 cycles; |
| water consumption | | |
| (c) | : | I_w of 1,03; |
| washing | | |

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- efficiency index
(d) : 55/70 dB(A) re 1 pW;
airborne acoustical noise emissions during washing/spinning (1 000 rpm)
- (4) Household washing machines with a rated capacity of 5 kg:
- (a) : 0,850 kWh/cycle (or 0,17 kWh/kg) corresponding to an overall annual energy consumption of 169,60 kWh/year, of which 157,08 kWh/year for 220 cycles and 12,5 kWh/year during the low-power modes;
energy consumption
- (b) : 39 litres/cycle, corresponding to an annual water consumption of 8 580 litres for 220 cycles;
water consumption
- (c) : I_w of 1,03;
washing efficiency index
- (d) : 53/73 dB(A) re 1pW;
airborne acoustical noise emissions during washing/spinning (1 200 rpm)
- (5) Household washing machines with a rated capacity of 6 kg:
- (a) : 0,90 kWh/cycle (or 0,15 kWh/kg) corresponding to an overall annual energy consumption of 178,82 kWh/year, of which 166,32 kWh/year for 220 cycles and 12,5 kWh/year during the low-power modes;
energy consumption
- (b) : 37 litres/cycle, corresponding to an annual water consumption of 8 140 litres for 220 cycles;
water consumption
- (c) : I_w of 1,03;
washing efficiency index
- (d) : not available;
airborne acoustical noise

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

emissions
during
washing/
spinning
(1 600
rpm)

(6) Household washing machines with a rated capacity of 7 kg:

(a) : 1,05 kWh/cycle (or 0,15 kWh/kg) corresponding to an overall annual energy consumption of 201,00 kWh/year, of which 188,50 kWh/year for 220 cycles and 12,5 kWh/year during the low-power modes;

(b) : 43 litres/cycle, corresponding to an annual water consumption of 9 460 litres for 220 cycles;

(c) : I_w of 1,03;

washing
efficiency
index

(d) : 57/73 dB(A) re 1pW;

airborne
acoustical
noise
emissions
during
washing/
spinning
(1 000
rpm)

(e) : 59/76 dB(A) re 1pW;

airborne
acoustical
noise
emissions
during
washing/
spinning
(1 400
rpm)

(f) : 48/62 dB(A) re 1pW (for built-in household washing machines);

airborne
acoustical
noise
emissions
during
washing/
spinning
(1 200
rpm)

(7) Household washing machines with a rated capacity of 8 kg:

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

- (a) : 1,200 kWh/cycle (or 0,15 kWh/kg) corresponding to energy consumption an overall annual energy consumption of 234,26 kWh/year, of which 221,76 kWh/year for 220 cycles and 12,5 kWh/year during the low-power modes;
- (b) : 56 litres/cycle, corresponding to an annual water consumption of 12 320 litres for 220 cycles;
- (c) : I_w of 1,03;
- (d) : 54/71 dB(A) re 1 pW;
- airborne acoustical noise emissions during washing/spinning (1 400 rpm)
- (e) : 54/74 dB(A) re 1 pW.
- airborne acoustical noise emissions during washing/spinning (1 600 rpm)

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

- (1) [OJ L 285, 31.10.2009, p. 10.](#)
- (2) [OJ L 204, 21.7.1998, p. 37.](#)
- (3) For evaluation of the annual energy consumption, the calculation method set out in Annex II was used for a programme time of 90 min along with an off-mode power of 1 W and a left-on mode power of 2 W.

Changes to legislation:

There are outstanding changes not yet made to Commission Regulation (EU) No 1015/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations.

[View outstanding changes](#)

Changes and effects yet to be applied to :

- Regulation revoked by S.I. 2021/745 Sch. 29 para. 4
- Annex 3 word substituted by S.I. 2019/539 Sch. 2 para. 10(8)(f)(i)
- Annex 3 word substituted by S.I. 2019/539 Sch. 2 para. 10(8)(f)(ii)
- Annex 3 words substituted by S.I. 2019/539 Sch. 2 para. 10(8)(a)
- Annex 3 words substituted by S.I. 2019/539 Sch. 2 para. 10(8)(b)
- Annex 3 words substituted by S.I. 2019/539 Sch. 2 para. 10(8)(e)
- Annex 3 words substituted in earlier amending provision S.I. 2019/539, Sch. 2 para. 10(8)(a) by S.I. 2020/1528 reg. 6(1)reg. 6(2)(b)(ix)
- Annex 3 words substituted in earlier amending provision S.I. 2019/539, Sch. 2 para. 10(8)(b) by S.I. 2020/1528 reg. 6(3)reg. 6(4)(b)(ix)
- Annex 3 words substituted in earlier amending provision S.I. 2019/539, Sch. 2 para. 10(8)(e) by S.I. 2020/1528 reg. 6(3)reg. 6(4)(b)(ix)
- Art. 2 words substituted by S.I. 2019/539 Sch. 2 para. 10(2)
- Art. 2 words substituted in earlier amending provision S.I. 2019/539, Sch. 2 para. 10(2) by S.I. 2020/1528 reg. 4
- Art. 4 words substituted by S.I. 2019/539 Sch. 2 para. 10(3)(a)
- Art. 4 words substituted by S.I. 2019/539 Sch. 2 para. 10(3)(b)
- Art. 5 substituted by S.I. 2019/539 Sch. 2 para. 10(4)
- Art. 5 words substituted in earlier amending provision S.I. 2019/539, Sch. 2 para. 10(4) by S.I. 2020/1528 reg. 6(3)reg. 6(4)(b)(ix)
- Art. 7 omitted by S.I. 2019/539 Sch. 2 para. 10(5)

Changes and effects yet to be applied to the whole legislation item and associated provisions

- Signature words omitted by S.I. 2019/539 Sch. 2 para. 10(6)
- Annex 3(2)(a) words substituted by S.I. 2019/539 Sch. 2 para. 10(8)(c)(i)
- Annex 3(2)(a) words substituted by S.I. 2019/539 Sch. 2 para. 10(8)(c)(ii)
- Annex 3(7) omitted by S.I. 2019/539 Sch. 2 para. 10(8)(d)
- Annex 2 para. 2 words omitted by S.I. 2019/539 Sch. 2 para. 10(7)