Commission Regulation (EU) No 748/2012 of 3 August 2012 laying down implementing rules for the airworthiness and environmental certification of aircraft and related products, parts and appliances, as well as for the certification of design and production organisations (recast) (Text with EEA relevance)

COMMISSION REGULATION (EU) No 748/2012

of 3 August 2012

laying down implementing rules for the airworthiness and environmental certification of aircraft and related products, parts and appliances, as well as for the certification of design and production organisations

(recast)

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 216/2008 of the European Parliament and of the Council of 20 February 2008 on common rules in the field of civil aviation and establishing a European Aviation Safety Agency, and repealing Council Directive 91/670/EEC, Regulation (EC) No 1592/2002 and Directive 2004/36/EC⁽¹⁾, and in particular Articles 5(5) and 6(3) thereof,

Whereas:

- (1) Commission Regulation (EC) No 1702/2003 of 24 September 2003 laying down implementing rules for the airworthiness and environmental certification of aircraft and related products, parts and appliances, as well as for the certification of design and production organisations⁽²⁾ has been substantially amended several times⁽³⁾. Since further amendments are to be made, it should be recast in the interests of clarity.
- (2) Regulation (EC) No 216/2008 establishes common essential requirements to provide for a high uniform level of civil aviation safety and environmental protection. It requires the Commission to adopt the necessary implementing rules to ensure their uniform application. It establishes the 'European Aviation Safety Agency' (hereinafter referred to as the 'Agency') to assist the Commission in the development of such implementing rules.
- (3) It is necessary to lay down common technical requirements and administrative procedures to ensure the airworthiness and environmental compatibility of aeronautical products, parts and appliances, subject to Regulation (EC) No 216/2008. Such requirements and procedures should specify the conditions to issue, maintain, amend, suspend or revoke the appropriate certificates.
- (4) Organisations involved in the design and production of products, parts and appliances should be required to comply with certain technical requirements in order to demonstrate their capability and means to discharge their obligations and associated

privileges. The Commission is required to lay down measures to specify conditions to issue, maintain, amend, suspend or revoke certificates attesting such compliance.

- (5) In laying down measures for the implementation of common essential requirements in the field of airworthiness, the Commission must take care that they reflect the state of the art and the best practices, take into account worldwide aircraft experience and scientific and technical progress and allow for immediate reaction to established causes of accidents and serious incidents.
- (6) The need to ensure uniformity in the application of common airworthiness and environmental requirements for aeronautical products, parts and appliances requires that common procedures be followed by the competent authorities of the Member States and, where applicable, the Agency to assess compliance with these requirements. The Agency should develop certification specifications and guidance material to facilitate the necessary regulatory uniformity.
- (7) It is necessary to recognise the continuing validity of certificates issued before the entry into force of Regulation (EC) No 1702/2003, in accordance with Article 69 of Regulation (EC) No 216/2008.
- (8) In order to maintain a high uniform level of aviation safety in Europe, it is necessary to introduce changes to requirements and procedures for the certification of aircraft and related products, parts and appliances and of design and production organisations, in particular to elaborate the rules related to the demonstration of compliance with the type-certification basis and environmental protection requirements and to introduce the possibility to choose to comply with later standards for changes to type-certificates.
- (9) The concept and complexity of auxiliary power units (APU) resembles that of aircraft engines and in some cases APU designs are even derived from engine designs. Changes to provisions for repairs to APU are therefore needed to restore consistency with repairs process to engines.
- (10) In order to subject non-complex motor-powered aircraft, recreational aircraft and related products, parts and appliances to measures that are proportionate to their simple design and type of operation, while maintaining a high uniform level of aviation safety in Europe, it is necessary to introduce changes to requirements and procedures for the certification of those aircraft and related products, parts and appliances and of design and production organisations and in particular, for the owners of European Light Aircraft below 2 000 kg (ELA2) or below 1 200 kg (ELA1), to introduce the possibility to accept certain not safety critical parts for installation without an EASA Form 1.
- (11) The Agency prepared draft implementing rules and submitted them as opinions No 01/2009 on 'Possibility to deviate from airworthiness code in case of design changes', No 02/2009 on 'Repair and design changes to European Technical Standard Order', No 01/2010 on 'SubPart J DOA' and Opinion No 01/2011 on 'ELA Process and "standard changes and repairs" to the Commission in accordance with Article 19(1) of Regulation (EC) No 216/2008.

(12) The measures provided for in this Regulation are in accordance with the opinion of the European Aviation Safety Agency Committee established by Article 65(1) of Regulation (EC) No 216/2008,

HAS ADOPTED THIS REGULATION:

Article 1

Scope and definitions

1 This Regulation lays down, in accordance with Article 5(5) and Article 6(3) of Regulation (EC) No 216/2008, common technical requirements and administrative procedures for the airworthiness and environmental certification of products, parts and appliances specifying:

- a the issue of type-certificates, restricted type-certificates, supplemental type-certificates and changes to those certificates;
- b the issue of certificates of airworthiness, restricted certificates of airworthiness, permits to fly and authorised release certificates;
- c the issue of repair design approvals;
- d the showing of compliance with environmental protection requirements;
- e the issue of noise certificates;

2

- f the identification of products, parts and appliances;
- g the certification of certain parts and appliances;
- h the certification of design and production organisations;
- i the issue of airworthiness directives.
 - For the purpose of this Regulation, the following definitions shall apply:
- a 'JAA' means the 'Joint Aviation Authorities';
- b 'JAR' means 'Joint Aviation Requirements';
- c 'Part 21' means the requirements and procedures for the certification of aircraft and related products, parts and appliances, and of design and production organisations laid down in Annex I to this Regulation;
- [^{F1}d 'Part M' means the applicable continuing airworthiness requirements adopted in pursuance of Regulation (EC) No 216/2008;]
 - e 'principal place of business' means the head office or registered office of the undertaking within which the principal financial functions and operational control of the activities referred to in this Regulation are exercised;
 - f 'article' means any part and appliance to be used on civil aircraft;
 - g [^{F2} UKTSO'] means [^{F3}United Kingdom Technical Standard Order]. The [^{F3}United Kingdom Technical Standard Order] is a detailed airworthiness specification issued by the [^{F4}Civil Aviation Authority (the 'CAA')] to ensure compliance with the requirements of this Regulation as a minimum performance standard for specified articles;
- [^{F5}gg 'Agency' means the European Union Aviation Safety Agency;]
 - h [^{F6}·UKPA'] means [^{F7}United Kingdom] Part Approval. [^{F7}United Kingdom] Part Approval of an article means the article has been produced in accordance with approved design data not belonging to the type-certificate holder of the related product, except for [^{F8}UKTSO] articles;
 - i 'ELA1 aircraft' means the following manned European Light Aircraft:

- (i) an aeroplane with a Maximum Take-off Mass (MTOM) of 1 200 kg or less that is not classified as complex motor-powered aircraft;
- (ii) a sailplane or powered sailplane of 1 200 kg MTOM or less;
- (iii) a balloon with a maximum design lifting gas or hot air volume of not more than 3 400 m³ for hot air balloons, 1 050 m³ for gas balloons, 300 m³ for tethered gas balloons;
- (iv) an airship designed for not more than 4 occupants and a maximum design lifting gas or hot air volume of not more than 3 400 m³ for hot air airships and 1 000 m³ for gas airships;
- j 'ELA2 aircraft' means the following manned European Light Aircraft:
 - (i) an aeroplane with a Maximum Take-off Mass (MTOM) of 2 000 kg or less that is not classified as complex motor-powered aircraft;
 - (ii) a sailplane or powered sailplane of 2 000 kg MTOM or less;
 - (iii) a balloon;
 - (iv) a hot air airship;
 - (v) a gas airship complying with all of the following characteristics:
 - 3 % maximum static heaviness,
 - Non-vectored thrust (except reverse thrust),
 - Conventional and simple design of: structure, control system and ballonet system,
 - Non-power assisted controls;
 - (vi) a Very Light Rotorcraft [^{F9};]
- [^{F10}k 'Operational Suitability Data (OSD)' means data, which are part of an aircraft typecertificate, restricted type-certificate or supplemental type-certificate, consisting of all of the following:
 - (i) the minimum syllabus of pilot type rating training, including determination of type rating;
 - (ii) the definition of scope of the aircraft validation source data to support the objective qualification of simulators or the provisional data to support their interim qualification;
 - (iii) the minimum syllabus of maintenance certifying staff type rating training, including determination of type rating;
 - (iv) determination of type or variant for cabin crew and type specific data for cabin crew;
 - (v) the master minimum equipment list.]

Textual Amendments

F1 Deleted by Commission Delegated Regulation (EU) 2020/570 of 28 January 2020 amending and correcting Regulation (EU) No 748/2012 as regards the alignment of rules for continuing airworthiness of aircraft and aeronautical products, parts and appliances with Regulation (EU) No 1321/2014 (Text with EEA relevance).

- F2 Word in Art. 1(2)(g) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **182(a)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F3** Words in Art. 1(2)(g) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **182(a)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F4 Words in Art. 1(2)(g) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 182(a)(iii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F5 Art. 1(2)(gg) inserted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 182(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F6 Word in Art. 1(2)(h) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 182(c)(i) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F7 Words in Art. 1(2)(h) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 182(c)(ii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F8 Word in Art. 1(2)(h) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 182(c)(iii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F9** Substituted by Commission Delegated Regulation (EU) 2019/897 of 12 March 2019 amending Regulation (EU) No 748/2012 as regards the inclusion of risk-based compliance verification in Annex I and the implementation of requirements for environmental protection (Text with EEA relevance).
- **F10** Inserted by Commission Delegated Regulation (EU) 2019/897 of 12 March 2019 amending Regulation (EU) No 748/2012 as regards the inclusion of risk-based compliance verification in Annex I and the implementation of requirements for environmental protection (Text with EEA relevance).

Article 2

Products, parts and appliances certification

1 Products, parts and appliances shall be issued certificates as specified in Annex I (Part 21).

2 By way of derogation from point 1, aircraft, including any installed product, part and appliance, which are not registered in [^{F11}the United Kingdom] shall be exempted from the provisions of Subparts H and I of Annex I (Part 21). They shall also be exempted from the provisions of Subpart P of Annex I (Part 21) except when aircraft identification marks are prescribed by [^{F12}the Secretary of State].

Textual Amendments	
F11	Words in Art. 2(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit)
	Regulations 2019 (S.I. 2019/645), regs. 1, 183(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs.
	1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
F12	Words in Art. 2(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit)
	Regulations 2019 (S.I. 2019/645), regs. 1, 183(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs.
	1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Article 3

Continued validity of type-certificates and related certificates of airworthiness

1 With regard to products which had a type-certificate, or a document allowing the issuing of a certificate of airworthiness, issued before 28 September 2003 by a Member State [^{F13} or the United Kingdom], the following provisions shall apply:

- a the product shall be deemed to have a type-certificate issued in accordance with this Regulation when:
 - (i) [^{F14}its type-certification basis was:
 - the JAA type-certification basis, for products that have been certificated under JAA procedures, as defined in their JAA data sheet, or
 - for other products, the type-certification basis as defined in the type-certificate data sheet of the State of design, if that State of design was:
 - a Member State, unless the [^{F15}CAA] determines, taking into account, in particular, certification specifications used and service experience, that such type-certification basis does not provide for a level of safety equivalent to that required by Regulation (EC) No 216/2008 and this Regulation, or
 - a State with which a Member State had concluded a bilateral airworthiness agreement or similar arrangement under which such products have been certificated on the basis of the certification specifications of that State of design, unless the [^{F15}CAA] determines that such certification specifications or service experience or the safety system of that State of design do not provide for a level of safety equivalent to that required by Regulation (EC) No 216/2008 and this Regulation.

^{F16}...]

- (ii) the environmental protection requirements were those laid down in Annex 16 to the Chicago Convention, as applicable to the product;
- (iii) the applicable airworthiness directives were those of the State of design;
- b the design of an individual aircraft, which was on the register of a Member State before 28 September 2003, shall be deemed to have been approved in accordance with this Regulation when:
 - (i) its basic type design was part of a type-certificate referred to in point (a);
 - (ii) all changes to this basic type design, which were not under the responsibility of the type-certificate holder, had been approved; and
 - (iii) the airworthiness directives issued or adopted by the Member State of registry before 28 September 2003 were complied with, including any variations to the airworthiness directives of the State of design agreed by the Member State of registry.

2 With regard to products for which a type-certification process was proceeding through the JAA or a Member State on 28 September 2003, the following shall apply:

- a if a product is under certification by several Member States, the most advanced project shall be used as the reference;
- b points 21.A.15(a), (b) and (c) of Annex I (Part 21) shall not apply;
- [^{F14}c by way of derogation from point 21.A.17A of Annex I (Part 21), the type-certification basis shall be that established by the JAA or, where applicable, the Member State at the date of application for the approval;
 - d compliance findings made under JAA or Member State procedures shall be deemed to have been made by the Agency for the purpose of complying with points 21.A.20(a) and (d) of Annex I (Part 21).]

3 With regard to products that have a national type-certificate, or equivalent, and for which the approval process of a change carried out by a Member State was not finalised at the time when the type-certificate had to be in accordance with this Regulation, the following shall apply:

- a if an approval process is being carried out by several Member States, the most advanced project shall be used as the reference;
- b point 21.A.93 of Annex I (Part 21) shall not apply;
- c the applicable type-certification basis shall be that established by the JAA or, where applicable, the Member State at the date of application for the approval of change;
- d compliance findings made under JAA or Member State procedures shall be deemed to have been made by the Agency for the purpose of complying with points 21.A.103(a) (2) and (b) of Annex I (Part 21).

4 With regard to products that had a national type-certificate, or equivalent, and for which the approval process of a major repair design carried out by a Member State was not finalised at the time when the type-certificate had to be determined in accordance with this Regulation, compliance findings made under JAA or Member State procedures shall be deemed to have been made by the Agency for the purpose of complying with point 21.A.433(a) of Annex I (Part 21).

5 A certificate of airworthiness issued by a Member State attesting conformity with a type-certificate determined in accordance with point 1 shall be deemed to comply with this Regulation.

Textual Amendments

- **F13** Words in Art. 3(1) inserted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **184(2)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F14** Substituted by Commission Regulation (EU) No 69/2014 of 27 January 2014 amending Regulation (EU) No 748/2012 laying down implementing rules for the airworthiness and environmental certification of aircraft and related products, parts and appliances, as well as for the certification of design and production organisations (Text with EEA relevance).
- F15 Word in Art. 3(1)(a)(i) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 184(2)(b)(i) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F16 Words in Art. 3(1)(a)(i) omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 184(2)(b)(ii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Article 4

Continued validity of supplemental type-certificates

1 With regard to supplemental type-certificates issued by a Member State [^{F17} or the United Kingdom] under JAA procedures or applicable national procedures and with regard to changes to products proposed by persons other than the type-certificate holder of the product, which were approved by a Member State [^{F17} or the United Kingdom] under applicable national procedures, if the supplemental type-certificate, or change, was valid on 28 September 2003, the supplemental type-certificate, or change shall be deemed to have been issued under this Regulation.

2 With regard to supplemental type-certificates for which a certification process was being carried out by a Member State on 28 September 2003 under applicable JAA supplemental type-certificate procedures and with regard to major changes to products, proposed by persons other than the type-certificate holder of the product, for which a certification process was being carried out by a Member State on 28 September 2003 under applicable national procedures, the following shall apply:

- a if a certification process was being carried out by several Member States, the most advanced project shall be used as the reference;
- b point 21.A.113 (a) and (b) of Annex I (Part 21) shall not apply;
- c the applicable certification basis shall be that established by the JAA or, where applicable, the Member State at the date of application for the supplemental type-certificate or the major change approval;
- d the compliance findings made under JAA or Member State procedures shall be deemed to have been made by the Agency for the purpose of complying with point 21.A.115(a) of Annex I (Part 21).

Textual Amendments

F17 Words in Art. 4(1) inserted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 185 (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

F18Article 5

[^{F18}Continued operation of certain aircraft registered by Member States]

Textual Amendments

F18 Deleted by Commission Regulation (EU) No 69/2014 of 27 January 2014 amending Regulation (EU) No 748/2012 laying down implementing rules for the airworthiness and environmental certification of aircraft and related products, parts and appliances, as well as for the certification of design and production organisations (Text with EEA relevance).

Article 6

Continued validity of parts and appliances certificates

1 Approvals of parts and appliances issued by a Member State [F19 or the United Kingdom] and valid on 28 September 2003 shall be deemed to have been issued in accordance with this Regulation.

2 With regard to parts and appliances for which an approval or authorisation process was being carried out by a Member State on 28 September 2003, the following shall apply:

- a if an authorisation process was being carried out by several Member States, the most advanced project shall be used as the reference;
- b point 21.A.603 of Annex I (Part 21) shall not apply;
- c the applicable data requirements laid down in point 21.A.605 of Annex I (Part 21) shall be those established by the relevant Member State, at the date of application for the approval or authorisation;
- d compliance findings made by the relevant Member State shall be deemed to have been made by the Agency for the purpose of complying with point 21.A.606(b) of Annex I (Part 21).

Textual Amendments

F19 Words in Art. 6(1) inserted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 186 (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Article 7

Permit to fly

The conditions determined before 28 March 2007 by the Member States [^{F20}or the United Kingdom] for permits to fly or other airworthiness certificate issued for aircraft which did not hold a certificate of airworthiness or restricted certificate of airworthiness issued under this Regulation, are deemed to have been determined in accordance with this Regulation, unless the Agency has determined before 28 March 2008 that such conditions do not provide for a level of safety equivalent to that required by Regulation (EC) No 216/2008 or this Regulation.

Textual Amendments

F20 Words in Art. 7 inserted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 187 (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

[^{F21} Article 7a

Operational suitability data

1 The holder of an aircraft type-certificate issued before 17 February 2014 intending to deliver a new aircraft to an EU operator [^{F22} or a UK operator] on or after 17 February 2014 shall obtain approval in accordance with point 21.A.21(e) of Annex I (Part 21) except for the minimum syllabus of maintenance certifying staff type rating training and except for aircraft validation source data to support the objective qualification of simulator(s). The approval shall be obtained not later than 18 December 2015 or before the aircraft is operated by an EU operator [^{F22} or a UK operator], whichever is the latest. The operational suitability data may be limited to the model which is delivered.

The applicant for an aircraft type-certificate for which the application was filed before 17 February 2014 and for which a type-certificate is not issued before 17 February 2014 shall obtain approval in accordance with point 21.A.21(e) of Annex I (Part 21) except for the minimum syllabus of maintenance certifying staff type rating training and for aircraft validation source data to support the objective qualification of simulator(s). The approval shall be obtained not later than 18 December 2015 or before the aircraft is operated by an EU operator [^{F23} or a UK operator], whichever is the latest. Compliance findings made by the authorities in Operational Evaluation Board processes conducted under the responsibility of the JAA or the Agency before the entry into force of this Regulation shall be accepted by the [^{F24}CAA] without further verification.

3 Operational Evaluation Board reports and master minimum equipment lists issued in accordance with JAA procedures or by the Agency before the entry into force of this Regulation shall be deemed to constitute the operational suitability data approved in accordance with point 21.A.21(e) of Annex I (Part 21) and shall be included in the relevant type-certificate. Before 18 June 2014 the relevant type-certificate holders shall propose the Agency a division of the operational suitability data in mandatory data and non-mandatory data.

4 Holders of a type-certificate including operational suitability data shall be required to obtain approval of an extension of the scope of their design organisation approval or procedures alternative to design organisation approval, as applicable, to include operational suitability aspects before 18 December 2015.]

Textual Amendments

- **F21** Inserted by Commission Regulation (EU) No 69/2014 of 27 January 2014 amending Regulation (EU) No 748/2012 laying down implementing rules for the airworthiness and environmental certification of aircraft and related products, parts and appliances, as well as for the certification of design and production organisations (Text with EEA relevance).
- F22 Words in Art. 7a(1) inserted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 188(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F23** Words in Art. 7a(2) inserted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **188(3)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F24 Word in Art. 7a(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 188(3)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Article 8

Design organisations

1 An organisation responsible for the design of products, parts and appliances or for changes or repairs thereto shall demonstrate its capability in accordance with Annex I (Part 21).

2 By way of derogation from point 1, an organisation whose principal place of business is in a [^{F25}foreign state] may demonstrate its capability by holding a certificate issued by that State for the product, part and appliance for which it applies, provided:

- a that State is the State of design; and
- b the [^{F26}CAA] has determined that the system of that State includes the same independent level of checking of compliance as provided by this Regulation, either through an equivalent system of approvals of organisations or through direct involvement of the competent authority of that State.

3 Design organisation approvals issued or recognised by a Member State [^{F27}or the United Kingdom] in accordance with the JAA requirements and procedures and valid before 28 September 2003 shall be deemed to comply with this Regulation.

Textual Amendments

- **F25** Words in Art. 8(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **189(2)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F26** Word in Art. 8(2)(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **189(2)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F27 Words in Art. 8(3) inserted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 189(3) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Article 9

Production organisations

1 An organisation responsible for the manufacture of products, parts and appliances shall demonstrate its capability in accordance with the provisions of Annex I (Part 21).

[^{F28}2 By way of derogation from paragraph 1, a manufacturer may demonstrate its capability as follows:

a where a manufacturer's principal place of business is in a State other than the United Kingdom, by holding a certificate issued by that State for the product, part and appliance for which it applies, provided:

i that State is the State of manufacture, and

ii the CAA has determined that the system of that State includes the same independent level of checking compliance as provided by this Regulation, either through an equivalent system of approvals of organisations or through direct involvement of the competent authority of that State; or

- b where a manufacturer's principal place of business is in a State other than the United Kingdom or a Member State, by holding a production organisation approval for either or both part and appliance issued by the Agency, provided:
 - i either or both the part and appliance is of a type which is incorporated into a product produced by a manufacturer in the European Union which holds a certificate issued by the Agency, or a Member State, for that product, and
 - ii the production certificate for the product is recognised under Article 21 of Annex 30 to the Trade and Cooperation Agreement of 30th December 2020 between the United Kingdom of Great Britain and Northern Ireland, of the one part, and the European Union and the European Atomic Energy Community, of the other part.]

3 Production organisation approvals issued or recognised by a Member State [^{F29} or the United Kingdom] in accordance with the JAA requirements and procedures and valid before 28 September 2003 shall be deemed to comply with this Regulation.

[^{F10}4 By way of derogation from paragraph 1, the production organisation may apply to the [^{F30}CAA] for exemptions from the environmental requirements referred to in the first subparagraph of Article 9(2) of Regulation (EU) 2018/1139⁽⁴⁾.]

Textual Amendments

- **F10** Inserted by Commission Delegated Regulation (EU) 2019/897 of 12 March 2019 amending Regulation (EU) No 748/2012 as regards the inclusion of risk-based compliance verification in Annex I and the implementation of requirements for environmental protection (Text with EEA relevance).
- **F28** Art. 9(2) substituted (23.12.2022) by The Aviation Safety and Air Traffic Management (Amendment) Regulations 2022 (S.I. 2022/1235), regs. 1(2), **2(2)**
- F29 Words in Art. 9(3) inserted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 190(3) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F30 Word in Art. 9(4) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), 60

Article 10

[^{F31}CAA] measures

1 The $[^{F32}CAA]$ shall develop acceptable means of compliance (hereinafter called 'AMC') that F33 ... organisations and personnel may use to demonstrate compliance with the provisions of the Annex I (Part 21) to this Regulation.

2 The AMC issued by the $[^{F34}CAA]$ shall neither introduce new requirements nor alleviate the requirements of the Annex I (Part 21) to this Regulation.

3 Without prejudice to Articles 54 and 55 of Regulation (EC) No 216/2008, when the acceptable means of compliance issued by the [^{F35}CAA] are used, the related requirements of the Annex I (Part 21) to this Regulation shall be considered as met without further demonstration.

Textual Amendments

- **F31** Word in Art. 10 heading substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **191(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F32** Word in Art. 10(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **191(3)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F33 Words in Art. 10(1) omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 191(3)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F34 Word in Art. 10(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 191(4) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F35** Word in Art. 10(3) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **191(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Article 11

Repeal

Regulation (EC) No 1702/2003 is repealed.

References to the repealed Regulation shall be construed as references to this Regulation and shall be read in accordance with the correlation table in Annex III.

Article 12

Entry into force

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

F36

Textual Amendments

F36 Words in Signature omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 192 (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

ANNEX I

PART 21

Certification of aircraft and related products, parts and appliances, and of design and production organisations

21.1 General

For the purpose of this Annex I (Part 21), 'competent authority' shall be:

- (a) for organisations having their principal place of business in a Member State, the authority designated by that Member State; or the Agency if so requested by that Member State; or
- (b) for organisations having their principal place of business in a non-member State, the Agency.

SECTION A

TECHNICAL REQUIREMENTS

SUBPARGENERAL PROVISIONS

А—

21.A.1 Scope

This Section establishes general provisions governing the rights and obligations of the applicant for, and holder of, any certificate issued or to be issued in accordance with this Section.

21.A.2 Undertaking by another person than the applicant for, or holder of, a certificate

The actions and obligations required to be undertaken by the holder of, or applicant for, a certificate for a product, part or appliance under this Section may be undertaken on its behalf by any other natural or legal person, provided the holder of, or applicant for, that certificate can show that it has made an agreement with the other person such as to ensure that the holder's obligations are and will be properly discharged.

21.A.3A Failures, malfunctions and defects

(a) System for Collection, Investigation and Analysis of Data

The holder of a type-certificate, restricted type-certificate, supplemental type-certificate, [^{F37}United Kingdom] Technical Standard Order ([^{F38}UKTSO]) authorisation, major repair design approval or any other relevant approval deemed to have been issued under this Regulation shall have a system for collecting, investigating and analysing reports of and information related to failures, malfunctions, defects or other occurrences which cause or might cause adverse effects on the continuing airworthiness of the product, part or appliance covered by the type-certificate, restricted type-certificate, supplemental type-certificate, [^{F38}UKTSO] authorisation, major repair design approval or any other relevant approval deemed to have been issued under this Regulation. Information about this system shall be made available to all known operators of the product, part or appliance and, on request, to any person authorised under other associated implementing Regulations.

Textual Amendments

- F37 Words in Annex 1 point 21.A.3A(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 195(2)(a)(i) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F38** Word in Annex 1 point 21.A.3A(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **195(2)(a)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) Reporting to the $[^{F39}CAA]$

- 1. The holder of a type-certificate, restricted type-certificate, supplemental type-certificate, [^{F40}UKTSO] authorisation, major repair design approval or any other relevant approval deemed to have been issued under this Regulation shall report to the [^{F41}CAA] any failure, malfunction, defect or other occurrence of which it is aware related to a product, part, or appliance covered by the type-certificate, restricted type-certificate, supplemental type-certificate, [^{F42}UKTSO] authorisation, major repair design approval or any other relevant approval deemed to have been issued under this Regulation, and which has resulted in or may result in an unsafe condition.
- 2. These reports shall be made in a form and manner established by the [^{F43}CAA], as soon as practicable and in any case dispatched not later than 72 hours after the identification of the possible unsafe condition, unless exceptional circumstances prevent this.

Textual Amendments

- F40 Word in Annex 1 point 21.A.3A(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 195(2)(b)(ii)(aa) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F41 Word in Annex 1 point 21.A.3A(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 195(2)(b)(ii)(bb) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F42** Word in Annex 1 point 21.A.3A(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **195(2)(b)(ii)(cc)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F43 Word in Annex 1 point 21.A.3A(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 195(2)(b)(iii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Textual Amendments

- F39 Word in Annex 1 point 21.A.3A(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 195(2)(b)(i) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (c) Investigation of Reported Occurrences
- 1. When an occurrence reported under point (b), or under points 21.A.129(f)(2) or 21.A.165(f)(2) results from a deficiency in the design, or a manufacturing deficiency, the holder of the type-certificate, restricted type-certificate, supplemental

type-certificate, major repair design approval, [^{F44}UKTSO] authorisation, or any other relevant approval deemed to have been issued under this Regulation, or the manufacturer as appropriate, shall investigate the reason for the deficiency and report to the [^{F45}CAA] the results of its investigation and any action it is taking or proposes to take to correct that deficiency.

2. If the [^{F46}CAA] finds that an action is required to correct the deficiency, the holder of the type-certificate, restricted type-certificate, supplemental type-certificate, major repair design approval, [^{F47}UKTSO] authorisation, or any other relevant approval deemed to have been issued under this Regulation, or the manufacturer as appropriate, shall submit the relevant data to the [^{F48}CAA].

Textual Amendments

- **F44** Word in Annex 1 point 21.A.3A(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **195(2)(c)(i)(aa)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F45 Word in Annex 1 point 21.A.3A(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 195(2)(c)(i)(bb) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F46 Word in Annex 1 point 21.A.3A(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 195(2)(c)(ii)(aa) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F47 Word in Annex 1 point 21.A.3A(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 195(2)(c)(ii)(bb) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F48** Word in Annex 1 point 21.A.3A(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **195(2)(c)(ii)(cc)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.3B Airworthiness directives

(a) An airworthiness directive means a document issued or adopted by the [^{F49}CAA] which mandates actions to be performed on an aircraft to restore an acceptable level of safety, when evidence shows that the safety level of this aircraft may otherwise be compromised.

Textual Amendments

- F49 Word in Annex 1 point 21.A.3B(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 195(3)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) The [^{F50}CAA] shall issue an airworthiness directive when:
- 1. an unsafe condition has been determined by the [^{F50}CAA] to exist in an aircraft, as a result of a deficiency in the aircraft, or an engine, propeller, part or appliance installed on this aircraft; and
- 2. that condition is likely to exist or develop in other aircraft.

Textual Amendments

- **F50** Word in Annex 1 point 21.A.3B(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **195(3)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (c) When an airworthiness directive has to be issued by the [^{F51}CAA] to correct the unsafe condition referred to in point (b), or to require the performance of an inspection, the holder of the type-certificate, restricted type-certificate, supplemental type-certificate, major repair design approval, [^{F52}UKTSO] authorisation or any other relevant approval deemed to have been issued under this Regulation, shall:
- 1. propose the appropriate corrective action or required inspections, or both, and submit details of these proposals to the [^{F53}CAA] for approval;
- 2. following the approval by the [^{F53}CAA] of the proposals referred to under point (1), make available to all known operators or owners of the product, part or appliance and, on request, to any person required to comply with the airworthiness directive, appropriate descriptive data and accomplishment instructions.

Textual Amendments

F53 Word in Annex 1 point 21.A.3B(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 195(3)(c)(iii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Textual Amendments

- F51 Word in Annex 1 point 21.A.3B(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 195(3)(c)(i) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F52 Word in Annex 1 point 21.A.3B(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 195(3)(c)(ii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (d) An airworthiness directive shall contain at least the following information:
- 1. an identification of the unsafe condition;
- 2. an identification of the affected aircraft;
- 3. the action(s) required;
- 4. the compliance time for the required action(s);
- 5. the date of entry into force.

[^{F14}21.A.4Coordination between design and production

Each holder of a type-certificate, restricted type-certificate, supplemental type- certificate, [^{F54}UKTSO] authorisation, approval of a change to type-certificate or approval of a repair design, shall collaborate with the production organisation as necessary to ensure:

Textual Amendments

- **F54** Word in Annex 1 point 21.A.4 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **195(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (a) the satisfactory coordination of design and production required by 21A.122, 21A.130(b)(3) and (4), 21A.133 and 21A.165(c)(2) and (3) as appropriate, and
- (b) the proper support of the continued airworthiness of the product, part or appliance.]

SUBPARTYPE-CERTIFICATES AND RESTRICTED TYPE-CERTIFICATES B—

21.A.11 Scope

This Subpart establishes the procedure for issuing type-certificates for products and restricted type-certificates for aircraft, and establishes the rights and obligations of the applicants for, and holders of, those certificates.

21.A.13 Eligibility

Any natural or legal person that has demonstrated, or is in the process of demonstrating, its capability in accordance with point 21.A.14 shall be eligible as an applicant for a type-certificate or a restricted type-certificate under the conditions laid down in this Subpart.

21.A.14 Demonstration of capability

[^{F9}(a) An applicant for a type-certificate or restricted type-certificate shall demonstrate its capability by holding a design organisation approval, issued by the [^{F55}CAA] in accordance with Subpart J.]

Textual Amendments

F55 Word in Annex 1 point 21.A.14 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **196(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) By way of derogation from point (a), as an alternative procedure to demonstrate its capability, an applicant may seek the agreement of the [^{F55}CAA] for the use of procedures setting out the specific design practices, resources and sequence of activities necessary to comply with this Annex I (Part 21), when the product is one of the following:
- 1. an ELA2 aircraft;
- 2. an engine or propeller installed in ELA2 aircraft;
- 3. a piston engine;
- 4. a fixed or adjustable pitch propeller.
- [^{F9}(c) By way of derogation from point (a), an applicant may demonstrate its capability by obtaining the [^{F55}CAA]'s acceptance of its certification programme established in accordance with point 21.A.15(b), where the product to be certified is:

- 1. an ELA1 aircraft; or
- 2. an engine or propeller installed in ELA1 aircraft.]

21.A.15 Application

(a) An application for a type-certificate or restricted type-certificate shall be made in a form and manner established by the $[^{F56}CAA]$.

Textual Amendments

- **F56** Word in Annex 1 point 21.A.15 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **196(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- [^{F9}(b) An application for a type-certificate or restricted type-certificate shall include, as a minimum, preliminary descriptive data of the product, the intended use of the product and the kind of operations for which certification is requested. In addition, it shall include, or be supplemented after the initial application, [^{F57}by] a certification programme for the demonstration of compliance in accordance with point 21.A.20, consisting of:
- 1. a detailed description of the type design, including all the configurations to be certified;
- 2. the proposed operating characteristics and limitations;
- 3. the intended use of the product and the kind of operations for which certification is requested;
- 4. a proposal for the initial type-certification basis, operational suitability data certification basis and environmental protection requirements, prepared in accordance with the requirements and options specified in points 21.B.80, 21.B.82 and 21.B.85;
- 5. a proposal for a breakdown of the certification programme into meaningful groups of compliance demonstration activities and data, including a proposal for the means of compliance and related compliance documents;
- 6. a proposal for the assessment of the meaningful groups of compliance demonstration activities and data, addressing the likelihood of an unidentified non-compliance with the type-certification basis, operational suitability data certification basis or environmental protection requirements and the potential impact of that non-compliance on product safety or environmental protection. The proposed assessment shall take into account at least the elements set out in subpoints (1) to (4) of point 21.B.100(a). Based on this assessment, the application shall include a proposal for the [^{F58}CAA's] involvement in the verification of the compliance demonstration activities and data; and
- 7. a project schedule including major milestones.

Textual Amendments

F58 Word in Annex 1 point 21.A.15(b)(6) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(3)**

Textual Amendments

- **F57** Word in Annex 1 point 21.A.15(b) inserted (21.6.2023) by virtue of The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(3)(a)(i)**
- (c) After its initial submission to the [^{F56}CAA], the certification programme shall be updated by the applicant when there are changes to the certification project affecting any of the points 1 to 7 of point (b).
- (d) An application for a type-certificate or restricted type-certificate for an aircraft shall include, or be supplemented after the initial application, [^{F59}by] an application supplement for approval of the operational suitability data.]

Textual Amendments

F59 Word in Annex 1 point 21.A.15(d) inserted (21.6.2023) by virtue of The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(3)(a)(ii)**

- [^{F10}(e) An application for a type-certificate or restricted type-certificate for a large aeroplane or a large rotorcraft shall be valid for five years and an application for any other type-certificate or restricted type-certificate shall be valid for three years, unless the applicant demonstrates at the time of application that its product requires a longer time period to demonstrate and declare compliance and the [^{F56}CAA] agrees to that longer time period.
- (f) In the case where a type-certificate or restricted type-certificate has not been issued, or it is evident that it will not be issued, within the time limit provided for in point (e), the applicant may:
- 1. submit a new application and comply with the type-certification basis, operational suitability data certification basis and environmental protection requirements, as established and notified by the [^{F56}CAA] in accordance with points 21.B.80, 21.B.82 and 21.B.85 for the date of the new application; or
- 2. apply for an extension of the time period provided for in point (e) and propose a new date for the issuance of the type-certificate or restricted type-certificate. In that case, the applicant shall comply with the type-certification basis, operational suitability data certification basis and environmental protection requirements, as established and notified by the [^{F56}CAA] in accordance with points 21.B.80, 21.B.82 and 21.B.85 for a date to be selected by the applicant. However, that date shall not precede the new date proposed by the applicant for the issuance of the type-certificate or restricted type-certificate for a large aeroplane or a large rotorcraft, and by more than three years for an application for any other type-certificate or restricted type certificate.]

^{F60}21.A.16 Apriliation specifications

Textual Amendments

F60 Deleted by Commission Delegated Regulation (EU) 2019/897 of 12 March 2019 amending Regulation (EU) No 748/2012 as regards the inclusion of risk-based compliance verification in Annex I and the implementation of requirements for environmental protection (Text with EEA relevance).

^{F60}21.A.1 Special conditions

^{F60}21.A.17 Appe-certification basis

- (a) The type-certification basis to be notified for the issuance of a type-certificate or a restricted type-certificate shall consist of:
- (b)
- (c) In the case where a type-certificate has not been issued, or it is clear that a type-certificate will not be issued, within the time limit established under point (b), the applicant may:
- (d)

^{F60}21.A.1 Operational suitability data certification basis

F6021.A.1 Designation of applicable environmental protection requirements and certification specifications

(a) The applicable noise requirements for the issue of a type certificate for an aircraft are prescribed according to the provisions of Chapter 1 of Annex 16, Volume I, Part II to the Chicago Convention and:

(b) The applicable emission requirements for the issue of a type-certificate for an aircraft and engine are prescribed in Annex 16 to the Chicago Convention:

(c)

21.A.19 Changes requiring a new type-certificate

Any natural or legal person proposing to change a product shall apply for a new type-certificate if the [^{F61}CAA] finds that the change in design, power, thrust, or mass is so extensive that a substantially complete investigation of compliance with the applicable type-certification basis is required.

Textual Amendments

F61 Word in Annex 1 point 21.A.19 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **196(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

[^{F9}21.A.2**D**emonstration of compliance with the type certification basis, operational suitability data certification basis and environmental protection requirements

- (a) Following the acceptance of the certification programme by the [^{F62}CAA], the applicant shall demonstrate compliance with the type certification basis, operational suitability data certification basis and environmental protection requirements, as established and notified to the applicant by the [^{F62}CAA] in accordance with points 21.B.80, 21.B.82, 21.B.85, and shall provide the [^{F62}CAA] with the means by which such compliance has been demonstrated.
- (b) The applicant shall report to the [^{F62}CAA] any difficulty or event encountered during the process of demonstration of compliance that may have an appreciable effect on the risk assessment under point 21.A.15(b)(6) or on the certification programme, or may otherwise necessitate a change to the level of involvement of the [^{F62}CAA] previously notified to the applicant in accordance with point 21.B.100(c).
- (c) The applicant shall record justifications of compliance within the compliance documents as referred to in the certification programme.
- (d) After completion of all demonstrations of compliance in accordance with the certification programme, including any inspections and tests in accordance with point 21.A.33, and after all flight tests in accordance with point 21.A.35, the applicant shall declare that:
 - 1. it has demonstrated compliance with the type-certification basis, operational suitability data certification basis and environmental protection requirements, as established and notified by the [^{F62}CAA], following the certification programme as accepted by the [^{F62}CAA]; and
 - 2. no feature or characteristic has been identified that may make the product unsafe for the uses for which certification is requested.
- (e) The applicant shall submit to the [^{F62}CAA] the declaration of compliance provided for in point (d). Where the applicant holds an appropriate design organisation approval, the declaration of compliance shall be made in accordance with Subpart J and submitted to the [^{F62}CAA].

Textual Amendments

F62 Word in Annex 1 point 21.A.20 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 196(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.21 Requirements for the issuance of a type certificate or restricted type certificate

- (a) In order to be issued a product type certificate or, when the aircraft does not meet the essential requirements of Annex II to Regulation (EU) 2018/1139 an aircraft restricted type certificate, the applicant shall:
 - 1. demonstrate its capability in accordance with point 21.A.14;
 - 2. comply with point 21.A.20;
 - 3. demonstrate that the engine and propeller, if installed in the aircraft:
 - (A) have a type-certificate issued or determined in accordance with this Regulation; or
 - (B) have been demonstrated to be in compliance with the aircraft typecertification basis established and the environmental protection requirements designated and notified by the [^{F63}CAA] as necessary to ensure the safe flight of the aircraft.
- (b) By derogation from point (a)(2), at the applicant's request included in the declaration referred to in point 21.A.20(d), the applicant is entitled to have the aircraft type-certificate or restricted type-certificate issued before the applicant has demonstrated compliance with the operational suitability data certification basis, provided that the applicant demonstrates such compliance before the date at which those data are to be actually used.]

Textual Amendments

F63 Word in Annex 1 point 21.A.21 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 196(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

^{F60}21.A.2Jssue of a restricted type-certificate

21.A.31 Type design

- (a) The type design shall consist of:
- 1. the drawings and specifications, and a listing of those drawings and specifications, necessary to define the configuration and the design features of the product shown to comply with the applicable type-certification basis and environmental protection requirements;
- 2. information on materials and processes and on methods of manufacture and assembly of the product necessary to ensure the conformity of the product;
- 3. [^{F14}an approved airworthiness limitations section of the instructions for continued airworthiness as defined by the applicable certification specifications; and]
- 4. [^{F9}any other data allowing by comparison the determination of the airworthiness and, if relevant, the environmental characteristics of later products of the same type.]
- (b) Each type design shall be adequately identified.

[^{F9}21.A.33 Inspections and tests

- (a) (Reserved)
- (b) Before each test is undertaken during the demonstration of compliance required by point 21.A.20, the applicant shall have verified:
 - 1. for the test specimen, that:
 - (i) the materials and processes adequately conform to the specifications for the proposed type design;
 - (ii) the parts of the products adequately conform to the drawings in the proposed type design; and
 - (iii) the manufacturing processes, construction and assembly adequately conform to those specified in the proposed type design; and
 - 2. for the test and measuring equipment to be used for the test, that those are adequate for the test and appropriately calibrated.
- (c) On the basis of the verifications carried out in accordance with point (b), the applicant shall issue a statement of conformity listing any potential non-conformity, together with a justification that this will not affect the test results, and shall allow the [^{F64}CAA] to make an inspection it considers necessary to check the validity of that statement.
- (d) The applicant shall allow the $[^{F64}CAA]$ to:
 - 1. review any data and information related to the demonstration of compliance; and
 - 2. witness or carry out any test or inspection conducted for the purpose of the demonstration of compliance.
- (e) For all the tests and inspections witnessed or carried out by the $[^{F64}CAA]$ in accordance with point (d)(2):
 - 1. the applicant shall submit to the $[^{F64}CAA]$ a statement of conformity provided for in point (c); and
 - 2. no change that affects the validity of the statement of conformity shall be made to the test specimen, or the test and measuring equipment, between the time the statement of conformity provided for in point (c) was issued and the time the test specimen is presented to the [^{F64}CAA] for test.]

Textual Amendments

F64 Word in Annex 1 point 21.A.33 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 196(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.35 Flight Tests

(a) Flight testing for the purpose of obtaining a type-certificate shall be conducted in accordance with conditions for such flight testing specified by the [^{F65}CAA].

Textual Amendments

F65 Word in Annex 1 point 21.A.35 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **196(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The applicant shall make all flight tests that the $[^{F65}CAA]$ finds necessary:
- 1. to determine compliance with the applicable type-certification basis and environmental protection requirements; and
- 2. to determine whether there is reasonable assurance that the aircraft, its parts and appliances are reliable and function properly for aircraft to be certificated under this Annex I (Part 21), except for,
 - (i) sailplanes and powered sailplanes;
 - (ii) balloons and airships defined in ELA1 or ELA2;
 - (iii) aeroplanes of 2 722 kg or less maximum take-off mass (MTOM).
- (c) (Reserved)
- (d) (Reserved)
- (e) (Reserved)
- (f) The flight tests prescribed in point (b)(2) shall include:
- 1. for aircraft incorporating turbine engines of a type not previously used in a typecertificated aircraft, at least 300 hours of operation with a full complement of engines that conform to a type-certificate; and
- 2. for all other aircraft, at least 150 hours of operation.

[^{F9}21.A.4**]**Type-certificate

The type-certificate and restricted type-certificate shall include the type design, the operating limitations, the type-certificate data sheet for airworthiness and emissions, the applicable type-certification basis and environmental protection requirements with which the [^{F66}CAA] records compliance, and any other conditions or limitations prescribed for the product in the applicable certification specifications and environmental protection requirements. The aircraft type-certificate and restricted type-certificate shall include in addition the applicable operational suitability data certification basis, the operational suitability data and the type-certificate data sheet for noise. The aircraft type-certificate and restricted type-certificate and restricted type-certificate data sheet shall include the record of CO ₂ emissions compliance and the engine type-certificate data sheet shall include the record of exhaust emissions compliance.]

Textual Amendments

F66 Word in Annex 1 point 21.A.41 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **196(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Each holder of a type-certificate or restricted type-certificate shall:

- (a) [^{F67}undertake the obligations laid down in points 21.A.3A to 21.A.8, 21.A.62 and 21.A.65 and, for this purpose, must continue to meet the qualification requirements for eligibility under point 21.A.13;]
- (b) specify the marking in accordance with Subpart Q.

Textual Amendments

F67 Annex 1 point 21.A.44(a) substituted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(3)(c)**

21.A.47 Transferability

Transfer of a type-certificate or restricted type-certificate may only be made to a natural or legal person that is able to undertake the obligations under point 21.A.44, and, for this purpose, has demonstrated its ability to qualify under the criteria of point 21.A.14.

21.A.51 Duration and continued validity

- (a) A type-certificate and restricted type-certificate shall be issued for an unlimited duration. They shall remain valid subject to:
- 1. the holder remaining in compliance with this Annex 1 (Part 21); and
- 2. the certificate not being surrendered or revoked under the applicable administrative procedures established by the $[^{F68}CAA]$.

Textual Amendments

- **F68** Word in Annex 1 point 21.A.51 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **196(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) Upon surrender or revocation, the type-certificate and restricted type-certificate shall be returned to the [^{F68}CAA].

[^{F14}21.A.**5**Record-keeping

All relevant design information, drawings and test reports, including inspection records for the product tested, shall be held by the type-certificate or restricted type-certificate holder at the disposal of the [^{F69}CAA] and shall be retained in order to provide the information necessary to ensure the continued airworthiness, continued validity of the operational suitability data and compliance with applicable environmental protection requirements of the product.]

Textual Amendments

F69 Word in Annex 1 point 21.A.55 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 196(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

[^{F14}21.A.5 Manuals

The holder of a type-certificate or restricted type-certificate shall produce, maintain and update master copies of all manuals required by the applicable type-certification basis, the applicable operational suitability data certification basis and environmental protection requirements for the product, and provide copies, on request, to the [^{F70}CAA].]

Textual Amendments

F70 Word in Annex 1 point 21.A.57 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 196(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.61 Instructions for continued airworthiness

- (a) The holder of the type-certificate or restricted type-certificate shall furnish at least one set of complete instructions for continued airworthiness, comprising descriptive data and accomplishment instructions prepared in accordance with the applicable type-certification basis, to each known owner of one or more aircraft, engine or propeller upon its delivery or upon issue of the first certificate of airworthiness for the affected aircraft, whichever occurs later and thereafter make those instructions available on request to any other person required to comply with any of the terms of those instructions. The availability of some manual or portion of the instructions for continued airworthiness, dealing with overhaul or other forms of heavy maintenance, may be delayed until after the product has entered into service, but shall be available before any of the products reaches the relevant age or flight-hours/cycles.
- (b) In addition, changes to the instructions for continued airworthiness shall be made available to all known operators of the product and shall be made available on request to any person required to comply with any of those instructions. A programme showing how changes to the instructions for continued airworthiness are distributed shall be submitted to the [^{F71}CAA].

Textual Amendments

F71 Word in Annex 1 point 21.A.61 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 196(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

[^{F21}21.A.6² vailability of operational suitability data

The holder of the type-certificate or restricted type-certificate shall make available:

- (a) at least one set of complete operational suitability data prepared in accordance with the applicable operational suitability certification basis, to all known [^{F72}United Kingdom operators] of the aircraft, before the operational suitability data must be used by a training organisation or [^{F73}a United Kingdom operator]; and
- (b) any change to the operational suitability data to all known [^{F74}United Kingdom operators] of the aircraft; and
- (c) on request, the relevant data referred to in points (a) and (b) above, to:
 - 1. [^{F75}the CAA; and]

28

Changes to legislation: Commission Regulation (EU) No 748/2012 is up to date with all changes known to be in force on or before 19 November 2023. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

2. any person required to comply with one or more elements of this set of operational suitability data.]

Textual Amendments

- F72 Words in Annex 1 point 21.A.62(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 196(3)(a)(i) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F73 Words in Annex 1 point 21.A.62(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 196(3)(a)(ii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F74** Words in Annex 1 point 21.A.62(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **196(3)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F75** Annex 1 point 21.A.62(c)(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **196(3)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), **12**); 2020 c. 1, **Sch. 5 para. 1(1)**

[^{F76}21.A.65 ontinuing structural integrity for aeroplane structures

The holder of a type-certificate or restricted type-certificate for a large aeroplane must ensure that the continuing structural integrity programme remains valid throughout the operational life of the aeroplane, taking into account service experiences and current operations.]

Textual Amendments

F76 Annex 1 point 21.A.65 inserted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(3)(f)**

(SUBPART C — NOT APPLICABLE)

SUBPAR CHANGES TO TYPE-CERTIFICATES AND RESTRICTED TYPE-D— CERTIFICATES

[^{F14}21.A.990cope

This Subpart establishes the procedure for the approval of changes to type-certificates, and establishes the rights and obligations of the applicants for, and holders of, those approvals. This Subpart also defines standard changes that are not subject to an approval process under this Subpart. In this Subpart, references to type-certificates include type-certificate and restricted type-certificate.]

21.A.90BStandard changes

- $I^{F14}(a)$ Standard changes are changes to a type-certificate:
- 1. in relation to:
 - (i) aeroplanes of 5 700 kg Maximum Take-Off Mass (MTOM) or less;
 - (ii) rotorcraft of 3 175 kg MTOM or less;
 - (iii) sailplanes, powered sailplanes, balloons and airships, as defined in ELA1 or ELA2,

- 2. that follow design data included in certification specifications issued by the [^{F77}CAA], containing acceptable methods, techniques and practices for carrying out and identifying standard changes, including the associated instructions for [^{F78}continued] airworthiness; and
- 3. that are not in conflict with TC holders data.]

Textual Amendments

- F77 Word in Annex 1 point 21.A.90B substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 197(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F78** Word in Annex 1 point 21.A.90B(a) substituted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(4)(a)**

(b) Points 21.A.91 to 21.A.109 are not applicable to standard changes.

[^{F9}21.A.9 Classification of changes to a type-certificate

Changes to a type-certificate are classified as minor and major. A ' minor change ' has no appreciable effect on the mass, balance, structural strength, reliability, operational characteristics, operational suitability data, or other characteristics affecting the airworthiness of the product or its environmental characteristics. Without prejudice to point 21.A.19, all other changes are ' major changes ' under this Subpart. Major and minor changes shall be approved in accordance with points 21.A.95 or 21.A.97, as appropriate, and shall be adequately identified.]

[^{F14}21.A.9¹2ligibility

- (a) Only the type-certificate holder may apply for approval of a major change to a typecertificate under this Subpart; all other applicants for a major change to a typecertificate shall apply under Subpart E.
- (b) Any natural or legal person may apply for approval of a minor change to a typecertificate under this Subpart.]

[^{F9}21.A.93 Application

- (a) An application for approval of a change to a type-certificate shall be made in a form and manner established by the [^{F79}CAA].
- (b) An application shall include, or be supplemented after the initial application, [^{F80}by] a certification programme for the demonstration of compliance in accordance with point 21.A.20, consisting of:
 - 1. a description of the change identifying:
 - (i) the configuration(s) of the product in the type certificate upon which the change is to be made;
 - (ii) all areas of the product in the type-certificate, including the approved manuals, that are changed or affected by the change; and
 - (iii) when the change affects the operational suitability data, any necessary changes to the operational suitability data;

- 2. an identification of any reinvestigations necessary to demonstrate compliance of the change and areas affected by the change with the type-certification basis, operational suitability data certification basis and environmental protection requirements; and
- 3. for a major change to a type-certificate:
 - (i) a proposal for the initial type-certification basis, operational suitability data certification basis and environmental protection requirements, prepared in accordance with the requirements and options specified in point 21.A.101;
 - a proposal for a breakdown of the certification programme into meaningful groups of compliance demonstration activities and data, including a proposal for the means of compliance and related compliance documents;
 - (iii) a proposal for the assessment of the meaningful groups of compliance demonstration activities and data, addressing the likelihood of an unidentified non-compliance with the type-certification basis, operational suitability data certification basis or environmental protection requirements and the potential impact of that non-compliance on product safety or environmental protection. The proposed assessment shall take into account at least the elements set out in subpoints (1)–(4) of point 21.B.100(a). Based on this assessment, the application shall include a proposal for the [^{F79}CAA]'s involvement in the verification of the compliance demonstration activities and data; and
 - (iv) a project schedule including major milestones.
- (c) An application for a change to a type-certificate of a large aeroplane or a large rotorcraft shall be valid for five years and an application for a change to any other type-certificate shall be valid for three years. In the case where the change has not been approved, or it is evident that it will not be approved, within the time limit provided for in this point, the applicant may:
 - 1. submit a new application for a change to the type-certificate and comply with the type-certification basis, operational suitability data certification basis and environmental protection requirements, as established by the [^{F79}CAA] in accordance with point 21.A.101 and notified in accordance with point 21.B.105 for the date of the new application; or
 - 2. [^{F81}apply for an extension of the time period provided for in the first sentence of point (c) for the original application and propose a new date for the issuance of the approval. In that case, the applicant shall comply with the type-certification basis, operational suitability data certification basis and environmental protection requirements, as established by the [^{F79}CAA] in accordance with point 21.A.101 and notified in accordance with point 21.B.105, for a date to be selected by the applicant. However, that date shall not precede the new date proposed by the applicant for the issuance of the approval by more than five years for an application for a change to type-certificate or restricted type-certificate for a large aeroplane or a large

rotorcraft, and by more than three years for an application for [^{F82}a change to any other] to type-certificate or restricted type certificate.]]

Textual Amendments

- **F79** Word in Annex 1 point 21.A.93 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **197(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F80** Word in Annex 1 point 21.A.93(b) inserted (21.6.2023) by virtue of The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(4)(c)(i)**
- **F81** Substituted by Commission Delegated Regulation (EU) 2020/570 of 28 January 2020 amending and correcting Regulation (EU) No 748/2012 as regards the alignment of rules for continuing airworthiness of aircraft and aeronautical products, parts and appliances with Regulation (EU) No 1321/2014 (Text with EEA relevance).
- **F82** Words in Annex 1 point 21.A.93(c) substituted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(4)(c)(ii)**

[^{F9}21.A.9 Requirements for approval of a minor change

- (a) Minor changes to a type-certificate shall be classified and approved by:
 - 1. the $[^{F83}CAA]$; or
 - 2. an approved design organisation within the scope of its privileges provided for in points (1) and (2) of point 21.A.263(c), as recorded in the terms of approval.
- (b) A minor change to a type-certificate shall only be approved:
 - 1. when it has been demonstrated that the change and areas affected by the change comply with the type-certification basis and the environmental protection requirements incorporated by reference in the type-certificate;
 - 2. in the case of a change affecting the operational suitability data, when it has been demonstrated that the necessary changes to the operational suitability data comply with the operational suitability data certification basis incorporated by reference in the type-certificate;
 - 3. when compliance with the type-certification basis that applies in accordance with point (1) has been declared and the justifications of compliance have been recorded in the compliance documents; and
 - 4. when no feature or characteristic has been identified that may make the product unsafe for the uses for which certification is requested.
- (c) By derogation from point (1) in point (b), certification specifications which became applicable after those incorporated by reference in the type-certificate can be used for approval of a minor change, provided they do not affect the demonstration of compliance.
- (d) By derogation from point (a), at the applicant's request included in the declaration referred to in point 21.A.20(d), a minor change to an aircraft type-certificate may be approved before compliance with the operational suitability data certification basis has been demonstrated, provided that the applicant demonstrates such compliance before the date at which those data are actually used.

- (e) The applicant shall submit to the $[^{F83}CAA]$ the substantiation data for the change and a statement that compliance has been demonstrated in accordance with point (b).
- (f) An approval of a minor change to a type-certificate shall be limited to the specific configuration(s) in the type-certificate to which the change relates.

Textual Amendments

F83 Word in Annex 1 point 21.A.95 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **197(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.97 Requirements for approval of a major change

- (a) Major changes to a type-certificate shall be classified and approved by:
 - 1. the $[^{F84}CAA]$; or
 - 2. an approved design organisation within the scope of its privileges provided for in points (1) and (8) of point 21.A.263(c), as recorded in the terms of approval.
- (b) A major change to a type-certificate shall only be approved:
 - 1. when it has been demonstrated that the change and areas affected by the change comply with the type-certification basis and environmental protection requirements, as established by the [^{F84}CAA] in accordance with point 21.A.101;
 - 2. in the case of a change affecting the operational suitability data, when it has been demonstrated that the necessary changes to the operational suitability data meet the operational suitability data certification basis, as established by the [^{F84}CAA] in accordance with point 21.A.101; and
 - 3. when compliance with points (1) and (2) has been demonstrated in accordance with point 21.A.20, as applicable to the change.
- (c) By derogation from points (2) and (3) of point (b), at the applicant's request included in the declaration referred to in point 21.A.20(d), a major change to an aircraft typecertificate may be approved before compliance with the operational suitability data certification basis has been demonstrated, provided that the applicant demonstrates such compliance before the date at which those data are actually used.
- (d) An approval of a major change to a type-certificate shall be limited to the specific configuration(s) in the type-certificate to which the change relates.

Textual Amendments

F84 Word in Annex 1 point 21.A.97 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **197(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.101 Type-certification basis, operational suitability data certification basis and environmental protection requirements for a major change to a type-certificate

- (a) A major change to a type-certificate and areas affected by the change shall comply with either the certification specifications applicable to the changed product on the date of the application for the change or certification specifications which became applicable after that date in accordance with point (f) below. The validity of the application shall be determined in accordance with point 21.A.93(c). In addition, the changed product shall comply with the environmental protection requirements designated by the [^{F85}CAA] in accordance with point 21.B.85.
- (b) By derogation from point (a), an earlier amendment to a certification specification referred to in point (a) and to any other certification specification which is directly related may be used in any of the following situations, unless the earlier amendment became applicable before the date at which the corresponding certification specifications incorporated by reference in the type-certificate became applicable:
 - 1. a change that the [^{F85}CAA] finds not to be significant. In determining whether a specific change is significant, the [^{F85}CAA] shall consider the change in the context of all previous relevant design changes and all related revisions to the applicable certification specifications incorporated by reference in the typecertificate for the product. Changes meeting one of the following criteria shall automatically be considered significant:
 - (i) the general configuration or the principles of construction are not retained;
 - (ii) the assumptions used for certification of the product to be changed do not remain valid;
 - 2. each area, system, part or appliance that the [^{F85}CAA] finds not affected by the change;
 - 3. each area, system, part or appliance that is affected by the change for which the [^{F85}CAA] finds that compliance with the certification specifications referred to in point (a) does not contribute materially to the level of safety of the changed product or is impractical.
- (ba) [^{F86}The derogation in point (b) does not apply to large aeroplanes subject to point 26.300 of Annex I to Commission Regulation (EU) 2015/640(1). For those large aeroplanes, the applicant must comply with certification specifications that provide at least an equivalent level of safety to points 26.300 and 26.330 of Annex I to Regulation (EU) 2015/640, except for applicants for supplemental type-certificates who are not required to take into account point 26.303.]
- (c) By derogation from point (a), in the case of a change to an aircraft other than a rotorcraft of 2 722 kg (6 000 lb) or less maximum weight, or to a non-turbine rotorcraft of 1 361 kg (3 000 lb) or less maximum weight, the change and areas affected by the change shall comply with the type-certification basis incorporated by reference in the type-certificate. However, if the [^{F85}CAA] finds that the change is significant in an area, the [^{F85}CAA] may require that the change and areas affected by the change comply with an amendment to a certification specification of the type-certification basis incorporated by reference in the type-certification specification of the type-certification specification which is directly related, unless the [^{F85}CAA] also finds that compliance with that amendment does not contribute materially to the level of safety of the changed product or is impractical.

- (d) If the [^{F85}CAA] finds that the certification specifications applicable on the date of the application for the change do not provide adequate standards with respect to the proposed change, the change and areas affected by the change shall also comply with any special conditions, and amendments to those special conditions, prescribed by the [^{F85}CAA] in accordance with point 21.B.75, to provide a level of safety equivalent to that established by the certification specifications applicable on the date of the application for the change.
- (e) By derogation from points (a), (b) and (c), the change and areas affected by the change may comply with an alternative to a certification specification designated by the [^{F85}CAA] if proposed by the applicant, provided that the [^{F85}CAA] finds that the alternative provides a level of safety which is:
 - 1. in the case of a type-certificate:
 - (i) equivalent to that of the certification specifications designated by the [^{F85}CAA] under (a), (b) or (c) above; or
 - (ii) compliant with the essential requirements of Annex II to Regulation (EU) 2018/1139;
 - 2. in the case of a restricted type-certificate, adequate with regard to the intended use.
- (f) If an applicant chooses to comply with a certification specification set out in an amendment that becomes applicable after submitting the application for a change to a type-certificate, the change and areas affected by the change shall also comply with any other certification specification which is directly related.
- (g) When the application for a change to a type-certificate for an aircraft includes, or is supplemented after the initial application to include, changes to the operational suitability data, the operational suitability data certification basis shall be established in accordance with points (a)-(f).]

Textual Amendments

- **F85** Word in Annex 1 point 21.A.101 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **197(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F86** Annex 1 point 21.A.101(ba) inserted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(4)(d)**

F6021.A.108sue of approval

[^{F14}21.A.105cord-keeping

For each change, all relevant design information, drawings and test reports, including inspection records for the changed product tested, shall be held by the applicant at the disposal of the [^{F87}CAA] and shall be retained in order to provide the information necessary to ensure the continued airworthiness, continued validity of the operational suitability data and compliance with applicable environmental protection requirements of the changed product.]

Textual Amendments

F87 Word in Annex 1 point 21.A.105 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **197(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.107 Instructions for continued airworthiness

- [^{F14}(a) The holder of a minor change approval to a type-certificate shall furnish at least one set of the associated variations, if any, to the instructions for continued airworthiness of the product on which the minor change is to be installed, prepared in accordance with the applicable type-certification basis, to each known owner of one or more aircraft, engine, or propeller incorporating the minor change, upon its delivery, or upon issuance of the first certificate of airworthiness for the affected aircraft, whichever occurs later, and thereafter make those variations in instructions available, on request, to any other person required to comply with any of the terms of those instructions.]
- (b) In addition, changes to those variations of the instructions for continued airworthiness shall be made available to all known operators of a product incorporating the minor change and shall be made available, on request, to any person required to comply with any of those instructions.

[^{F21}21.A.148ailability of operational suitability data

In the case of a change affecting the operational suitability data, the holder of the minor change approval shall make available:

- (a) at least one set of changes to the operational suitability data prepared in accordance with the applicable operational suitability certification basis, to all known [^{F88}United Kingdom operators] of the changed aircraft, before the operational suitability data must be used by a training organisation or [^{F89}a United Kingdom operator]; and
- (b) any further change to the affected operational suitability data, to all known [^{F90}United Kingdom operators] of the changed aircraft; and
- (c) on request, the relevant parts of the changes in points (a) and (b) above, to:
 - 1. $[^{F91}$ the CAA; and]
 - 2. any person required to comply with one or more elements of this set of operational suitability data.]

Textual Amendments

- F88 Words in Annex 1 point 21.A.108(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 197(3)(a)(i) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F89 Words in Annex 1 point 21.A.108(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 197(3)(a)(ii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F90** Words in Annex 1 point 21.A.108(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **197(3)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

F91 Annex 1 point 21.A.108(c)(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **197(3)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), **12**); 2020 c. 1, **Sch. 5 para. 1(1)**

[^{F14}21.A.109 ligations and [^{F92}UKPA] marking

The holder of a minor change approval to a type-certificate shall:

- (a) undertake the obligations laid down in points 21.A.4, 21.A.105, 21.A.107 and 21.A.108; and
- (b) specify the marking, including [^{F93}UKPA (United Kingdom Part Approval)] letters, in accordance with point 21.A.804(a).]

Textual Amendments

F93 Words in Annex 1 point 21.A.109(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **197(4)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Textual Amendments

F92 Word in Annex 1 point 21.A.109 heading substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **197(4)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

SUBPAR**\$**UPPLEMENTAL TYPE-CERTIFICATES E —

[^{F9}21.A.1 Spcope

This Subpart establishes the procedure for the approval of major changes to the type-certificate under supplemental type-certificate procedures, and establishes the rights and obligations of the applicants for, and holders of, those certificates. In this Subpart, the references to type-certificates include type-certificates and restricted type-certificates.

21.A.112 Igibility

Any natural or legal person that has demonstrated, or is in the process of demonstrating, its capability in accordance with point 21.A.112B may apply for a supplemental type-certificate in accordance with the conditions laid down in this Subpart.]

21.A.112 Demonstration of capability

[^{F9}(a) An applicant for a supplemental type-certificate shall demonstrate its capability by holding a design organisation approval, issued by the [^{F94}CAA] in accordance with Subpart J.]

Textual Amendments

F94 Word in Annex 1 point 21.A.112B substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) By way of derogation from point (a), as an alternative procedure to demonstrate its capability, an applicant may seek [^{F94}CAA] agreement for the use of procedures setting out the specific design practices, resources and sequence of activities necessary to comply with this Subpart.
- [^{F9}(c) By way of derogation from point (a), in the case of products referred to in point 21.A.14(c), an applicant may demonstrate its capability by obtaining the [^{F94}CAA]'s acceptance of its certification programme established in accordance with point 21.A.93(b).]

21.A.113 Application for a supplemental type-certificate

(a) An application for a supplemental type-certificate shall be made in a form and manner established by the $[^{F95}CAA]$.

Textual Amendments

F95 Word in Annex 1 point 21.A.113 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- $[^{F9}(b)$ When applying for a supplemental type-certificate, the applicant shall:
- (i) include in the application the information required by point 21.A.93(b);
- (ii) specify whether the certification data has been or will be prepared completely by the applicant or on the basis of an arrangement with the owner of the type-certification data.]
- [^{F10}(c) Point 21.A.93(c) applies to the requirements for the time limits of the application effectivity as well as the requirements related to the need to update the type-certification basis, operational suitability data certification basis and environmental protection requirements, when the change has not been approved or it is evident that it will not be approved within the time limit established.]

^{F60}21.A.1 Showing of compliance

[^{F9}21.A.1 **R**equirements for approval of major changes in the form of a supplemental typecertificate

- (a) Supplemental type certificates shall be issued by:
 - 1. the $[^{F96}CAA]$; or
 - 2. an approved design organisation within the scope of its privileges provided for in points (1) and (9) of point 21.A.263(c), as recorded in the terms of approval.
- (b) A supplemental type-certificate shall only be issued when:
 - 1. the applicant has demonstrated its capability in accordance with point 21.A.112B;

- 2. it has been demonstrated that the change to a type-certificate and areas affected by the change comply with the type-certification basis and the environmental protection requirements, as established by the [^{F96}CAA] in accordance with point 21.A.101;
- 3. in the case of a supplemental type-certificate affecting the operational suitability data, it has been demonstrated that the necessary changes to the operational suitability data meet the operational suitability data certification basis, as established by the [^{F96}CAA] in accordance with point 21.A.101;
- 4. compliance with points (2) and (3) has been demonstrated in accordance with point 21.A.20, as applicable to the change; and
- 5. in case the applicant has specified that it provided certification data on the basis of an arrangement with the owner of the type-certification data in accordance with point 21.A.113(b):
 - (i) the type-certificate holder has indicated that it has no technical objection to the information submitted under point 21.A.93; and
 - (ii) the type-certificate holder has agreed to collaborate with the supplemental type-certificate holder to ensure discharge of all obligations for continued airworthiness of the changed product through compliance with points 21.A.44 and 21.A.118A.
- (c) By derogation from points (3) and (4) of point (b), at the applicant's request included in the declaration referred to in point 21.A.20(d), the applicant is entitled to have a supplemental type-certificate for an aircraft issued before the applicant has demonstrated compliance with the operational suitability data certification basis, provided that the applicant demonstrates such compliance before the date at which those data are to be actually used.
- (d) A supplemental type-certificate shall be limited to the specific configuration(s) in the type-certificate to which the related major change relates.]

Textual Amendments

F96 Word in Annex 1 point 21.A.115 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.116 Transferability

A supplemental type-certificate shall only be transferred to a natural or legal person that is able to undertake the obligations of point 21.A.118A and for this purpose has demonstrated its ability to qualify under the criteria of point 21.A.112B except for ELA1 aircraft for which the natural or legal person has sought the [^{F97}CAA] agreement for the use of procedures setting out its activities to undertake these obligations.

Textual Amendments

F97 Word in Annex 1 point 21.A.116 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.117 Changes to that part of a product covered by a supplemental type-certificate

- (a) Minor changes to that part of a product covered by a supplemental type-certificate shall be classified and approved in accordance with Subpart D.
- (b) Each major change to that part of a product covered by a supplemental type-certificate shall be approved as a separate supplemental type-certificate in accordance with this Subpart.
- (c) By way of derogation from point (b), a major change to that part of a product covered by a supplemental type-certificate submitted by the supplemental type-certificate holder itself may be approved as a change to the existing supplemental type-certificate.

21.A.118 Abligations and [^{F98}UKPA] marking

Each holder of a supplemental type-certificate shall:

- (a) [^{F14}undertake the obligations:
 - 1. laid down in points 21.A.3A, 21.A.3B, 21.A.4, 21.A.105, 21.A.119, 21.A.120A and 21.A.120B;
 - 2. implicit in the collaboration with the type-certificate holder under point 21.A.115(d)(2);

and for this purpose continue to meet the criteria of point 21.A.112B;]

(b) specify the marking, including [^{F99}UKPA] letters, in accordance with point 21.A.804(a).

Textual Amendments

F99 Word in Annex 1 point 21.A.118A substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(3)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Textual Amendments

F98 Word in Annex 1 point 21.A.118A heading substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(3)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.118 Duration and continued validity

- (a) A supplemental type-certificate shall be issued for an unlimited duration. It shall remain valid subject to:
- 1. the holder remaining in compliance with this Annex I (Part 21); and

2. the certificate not being surrendered or revoked under the applicable administrative procedures established by the $[^{F100}CAA]$.

Textual Amendments

F100 Word in Annex 1 point 21.A.118B substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) Upon surrender or revocation, the supplemental type-certificate shall be returned to the $[^{F100}CAA]$.

[F1421.A.1) Danuals

The holder of a supplemental type-certificate shall produce, maintain, and update master copies of variations in the manuals required by the applicable type-certification basis, the applicable operational suitability data certification basis and environmental protection requirements for the product, necessary to cover the changes introduced under the supplemental type-certificate, and furnish copies of those manuals to the [^{F101}CAA] on request.]

Textual Amendments

F101 Word in Annex 1 point 21.A.119 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

[^{F14}21.A.1b0Aructions for continued airworthiness]

- (a) The holder of the supplemental type-certificate for an aircraft, engine, or propeller, shall furnish at least one set of the associated variations to the instructions for continued airworthiness, prepared in accordance with the applicable type-certification basis, to each known owner of one or more aircraft, engine, or propeller incorporating the features of the supplemental type-certificate, upon its delivery, or upon issuance of the first certificate of airworthiness for the affected aircraft, whichever occurs later, and thereafter make those variations in instructions available, on request, to any other person required to comply with any of the terms of those instructions. Availability of some manual or portion of the variations to the instructions for continued airworthiness, dealing with overhaul or other forms of heavy maintenance, may be delayed until after the product has entered into service, but shall be available before any of the products reaches the relevant age or flight-hours/cycles.
- (b) In addition, changes to those variations of the instructions for continued airworthiness shall be made available to all known operators of a product incorporating the supplemental type-certificate and shall be made available, on request, to any person required to comply with any of those instructions. A programme showing how changes to the variations to the instructions for continued airworthiness are distributed shall be submitted to the [^{F102}CAA].

Textual Amendments

F102 Word in Annex 1 point 21.A.120A substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

[^{F21}21.A.12099] lability of operational suitability data

In the case of a change affecting the operational suitability data, the holder of the supplemental type-certificate shall make available:

- (a) at least one set of changes to the operational suitability data prepared in accordance with the applicable operational suitability certification basis, to all known [^{F103}United Kingdom operators] of the changed aircraft, before the operational suitability data must be used by a training organisation or [^{F104}a United Kingdom operator]; and
- (b) any further change to the affected operational suitability data, to all known [^{F105}United Kingdom operators] of the changed aircraft; and
- (c) on request, the relevant parts of the changes in points (a) and (b) above, to:
 - 1. $[^{F106}$ the CAA; and]
 - 2. any person required to comply with one or more elements of this set of operational suitability data.]

Textual Amendments

- **F103** Words in Annex 1 point 21.A.120B(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(5)(a)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F104** Words in Annex 1 point 21.A.120B(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(5)(a)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F105** Words in Annex 1 point 21.A.120B(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(5)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F106** Annex 1 point 21.A.120B(c)(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **198(5)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

SUBPAR **P**RODUCTION WITHOUT PRODUCTION ORGANISATION APPROVAL F —

21.A.121 Scope

- (a) This Subpart establishes the procedure for demonstrating the conformity with the applicable design data of a product, part and appliance that is intended to be manufactured without a production organisation approval under Subpart G.
- (b) This Subpart establishes the rules governing the obligations of the manufacturer of a product, part, or appliance being manufactured under this Subpart.

21.A.122 Eligibility

Any natural or legal person may apply to show conformity of individual products, parts or appliances under this Subpart, if:

- (a) it holds or has applied for an approval covering the design of that product, part or appliance; or
- (b) it has ensured satisfactory coordination between production and design, through an appropriate arrangement with the applicant for, or holder of, an approval of such a design.

21.A.124 Application

(a) Each application for an agreement to the showing of conformity of individual products, parts and appliances under this Subpart shall be made in a form and manner established by the [^{F107}CAA].

Textual Amendments

F107 Word in Annex 1 point 21.A.124 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **199(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) Such application shall contain:
- 1. evidence which demonstrates, where applicable, that:
 - (i) the issuance of a production organisation approval under Subpart G would be inappropriate; or
 - (ii) the certification or approval of a product, part or appliance under this Subpart is needed pending the issuance of a production organisation approval under Subpart G;
- 2. an outline of the information required in point 21.A.125A(b).

21.A.125 Assue of a letter of agreement

The applicant shall be entitled to have a letter of agreement issued by the [^{F108}CAA] agreeing to the showing of conformity of individual products, parts and appliances under this Subpart, after:

Textual Amendments

```
F108 Word in Annex 1 point 21.A.125A substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 199(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

- (a) having established a production inspection system that ensures that each product, part or appliance conforms to the applicable design data and is in condition for safe operation;
- (b) having provided a manual that contains:
 - 1. a description of the production inspection system required under point (a);

- 2. a description of the means for making the determination of the production inspection system;
- 3. a description of the tests required in points 21.A.127 and 21.A.128, and the names of persons authorised for the purpose of point 21.A.130(a);
- (c) demonstrating that it is able to provide assistance in accordance with points 21.A.3A and 21.A.129(d).

21.A.125Bindings

- (a) When objective evidence is found showing non-compliance of the holder of a letter of agreement with the applicable requirements of this Annex I (Part 21), the finding shall be classified as follows:
- 1. a level one finding is any non-compliance with this Annex I (Part 21) which could lead to uncontrolled non-compliances with applicable design data and which could affect the safety of the aircraft;
- 2. a level two finding is any non-compliance with this Annex I (Part 21) which is not classified as level one.
- (b) A level three finding is any item where it has been identified, by objective evidence, to contain potential problems that could lead to a non-compliance under point (a).
- (c) After receipt of notification of findings according to point 21.B.125:
- 1. in case of a level one finding, the holder of the letter of agreement shall demonstrate corrective action to the satisfaction of the [^{F109}CAA] within a period of no more than 21 working days after written confirmation of the finding;
- 2. in case of level two findings, the corrective action period granted by the [^{F109}CAA] shall be appropriate to the nature of the finding but in any case initially shall not be more than three months. In certain circumstances and subject to the nature of the finding, the [^{F109}CAA] may extend the three months period subject to the provision of a satisfactory corrective action plan agreed by the [^{F109}CAA];
- 3. a level three finding shall not require immediate action by the holder of the letter of agreement.

Textual Amendments

```
F109 Word in Annex 1 point 21.A.125B substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 199(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

(d) In case of level one or level two findings, the letter of agreement may be subject to a partial or full limitation, suspension and revocation under point 21.B.145. The holder of the letter of agreement shall provide confirmation of receipt of the notice of limitation, suspension or revocation of the letter of agreement in a timely manner.

21.A.125Ouration and continued validity

(a) The letter of agreement shall be issued for a limited duration not exceeding one year. It shall remain valid unless:

- 1. the holder of the letter of agreement fails to demonstrate compliance with the applicable requirements of this Subpart; or
- 2. there is evidence that the manufacturer cannot maintain satisfactory control of the manufacture of products, parts, or appliances under the agreement; or
- 3. the manufacturer no longer meets the requirements of point 21.A.122; or
- 4. the letter of agreement has been surrendered, revoked under point 21.B.145, or has expired.
- (b) Upon surrender, revocation or expiry, the letter of agreement shall be returned to the $[^{F110}CAA]$.

Textual Amendments

F110 Word in Annex 1 point 21.A.125C substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **199(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.126 Production inspection system

- (a) The production inspection system required under point 21.A.125A(a) shall provide a means for determining that:
- 1. incoming materials, and bought or subcontracted parts, used in the finished product are as specified in the applicable design data;
- 2. incoming materials, and bought or subcontracted parts, are properly identified;
- 3. processes, manufacturing techniques and methods of assembly affecting the quality and safety of the finished product are accomplished in accordance with specifications accepted by the [^{FIII}CAA];
- 4. design changes, including material substitutions, have been approved under Subpart D or E and controlled before being incorporated in the finished product.

Textual Amendments

- F111 Word in Annex 1 point 21.A.126 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **199(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) The production inspection system required by point 21.A.125A(a), shall also be such as to ensure that:
- 1. parts in process are inspected for conformity with the applicable design data at points in production where accurate determinations can be made;
- 2. materials subject to damage and deterioration are suitably stored and adequately protected;
- 3. current design drawings are readily available to manufacturing and inspection personnel, and used when necessary;

- 4. rejected materials and parts are segregated and identified in a manner that precludes installation in the finished product;
- 5. materials and parts that are withheld because of departures from design data or specifications, and that are to be considered for installation in the finished product, are subjected to an approved engineering and manufacturing review procedure. Those materials and parts determined by this procedure to be serviceable shall be properly identified and reinspected if rework or repair is necessary. Materials and parts rejected by this procedure shall be marked and disposed of to ensure that they are not incorporated in the final product;
- 6. records produced under the production inspection system are maintained, identified with the completed product or part where practicable, and retained by the manufacturer in order to provide the information necessary to ensure the continued airworthiness of the product.

21.A.127 Tests: aircraft

- (a) Each manufacturer of an aircraft manufactured under this Subpart shall establish an approved production ground and flight test procedure and check-off forms, and in accordance with those forms, test each aircraft produced, as a means of establishing relevant aspects of compliance with point 21.A.125A(a).
- (b) Each production test procedure shall include at least the following:
- 1. a check on handling qualities;
- 2. a check on flight performance (using normal aircraft instrumentation);
- 3. a check on the proper functioning of all aircraft equipment and systems;
- 4. a determination that all instruments are properly marked, and that all placards and required flight manuals are installed after flight test;
- 5. a check of the operational characteristics of the aircraft on the ground;
- 6. a check on any other items peculiar to the aircraft being tested.

21.A.128 Tests: engines and propellers

Each manufacturer of engines, or propellers manufactured under this Subpart shall subject each engine, or variable pitch propeller, to an acceptable functional test as specified in the type-certificate holder's documentation, to determine if it operates properly throughout the range of operation for which it is type-certificated, as a means of establishing relevant aspects of compliance with point 21.A.125A(a).

21.A.129 Obligations of the manufacturer

Each manufacturer of a product, part or appliance being manufactured under this Subpart shall:

- (a) make each product, part or appliance available for inspection by the $[^{F112}CAA]$;
- (b) maintain at the place of manufacture the technical data and drawings necessary to determine whether the product conforms to the applicable design data;
- (c) maintain the production inspection system that ensures that each product conforms to the applicable design data and is in condition for safe operation;

- (d) provide assistance to the holder of the type-certificate, restricted type-certificate or design approval in dealing with any continuing airworthiness actions that are related to the products, parts or appliances that have been produced;
- (e) establish and maintain an internal occurrence reporting system in the interest of safety, to enable the collection and assessment of occurrence reports in order to identify adverse trends or to address deficiencies, and to extract reportable occurrences. This system shall include evaluation of relevant information relating to occurrences and the promulgation of related information;
- (f) 1. report to the holder of the type-certificate, restricted type-certificate or design approval, all cases where products, parts or appliances have been released by the manufacturer and subsequently identified to have deviations from the applicable design data, and investigate with the holder of the type-certificate, restricted type-certificate or design approval to identify those deviations which could lead to an unsafe condition;
 - 2. report to the [^{F113}CAA] the deviations which could lead to an unsafe condition identified according to point (1). Such reports shall be made in a form and manner [^{F114}established by the CAA] under point 21.A.3A(b)(2)
 - 3. where the manufacturer acts as supplier to another production organisation, report also to that other organisation all cases where it has released products, parts or appliances to that organisation and subsequently identified them to have possible deviations from the applicable design data.

Textual Amendments

- F112 Word in Annex 1 point 21.A.129(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **199(3)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F113** Word in Annex 1 point 21.A.129(f)(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **199(3)(b)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F114** Words in Annex 1 point 21.A.129(f)(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **199(3)(b)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F115 Words in Annex 1 point 21.A.129(f)(2) omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **199(3)(b)(iii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.130 Statement of conformity

(a) Each manufacturer of a product, part or appliance manufactured under this Subpart shall raise a statement of conformity, an [^{F116}CAA] Form 52 (see Appendix VIII), for complete aircraft, or [^{F116}CAA] Form 1 (see Appendix I), for other products, parts or appliances. This statement shall be signed by an authorised person who holds a responsible position in the manufacturing organisation.

Textual Amendments

F116 Word in Annex 1 point 21.A.130(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **199(3)(c)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- $[^{F9}(b)$ A statement of conformity shall include all of the below:
- 1. for each product, part or appliance, a statement that the product, part or appliance conforms to the approved design data and is in condition for safe operation;
- 2. for each aircraft, a statement that the aircraft has been ground- and flight-checked in accordance with point 21.A.127(a);
- 3. for each engine, or variable pitch propeller, a statement that the engine or variable pitch propeller has been subjected by the manufacturer to a final functional test in accordance with point 21.A.128;
- 4. additionally, in the case of environmental requirements:
 - (i) a statement that the completed engine is in compliance with the applicable engine exhaust emissions requirements on the date of manufacture of the engine, and;
 - (ii) a statement that the completed aeroplane is in compliance with the applicable CO_2 emissions requirements on the date its first certificate of airworthiness is issued.]
- (c) Each manufacturer of such a product, part or appliance shall:
- 1. upon the initial transfer by it of the ownership of such a product, part or appliance; or
- 2. upon application for the original issue of an aircraft certificate of airworthiness; or
- 3. upon application for the original issue of an airworthiness release document for an engine, a propeller, a part or appliance,

present a current statement of conformity, for validation by the [^{F117}CAA].

Textual Amendments

- F117 Word in Annex 1 point 21.A.130(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 199(3)(c)(ii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (d) The [^{F118}CAA] shall validate by counter-signature the statement of conformity if it finds after inspection that the product, part or appliance conforms to the applicable design data and is in condition for safe operation.

Textual Amendments

F118 Word in Annex 1 point 21.A.130(d) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **199(3)(c)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

SUBPAR **P**RODUCTION ORGANISATION APPROVAL G —

21.A.131 Scope

This Subpart establishes:

- (a) the procedure for the issuance of a production organisation approval for a production organisation showing conformity of products, parts and appliances with the applicable design data;
- (b) the rules governing the rights and obligations of the applicant for, and holders of, such approvals.

21.A.133 Eligibility

Any natural or legal person ('organisation') shall be eligible as an applicant for an approval under this Subpart. The applicant shall:

- (a) justify that, for a defined scope of work, an approval under this Subpart is appropriate for the purpose of showing conformity with a specific design; and
- (b) hold or have applied for an approval of that specific design; or
- (c) have ensured, through an appropriate arrangement with the applicant for, or holder of, an approval of that specific design, satisfactory coordination between production and design.

21.A.134 Application

Each application for a production organisation approval shall be made to the [^{F119}CAA] in a form and manner established by that authority, and shall include an outline of the information required by point 21.A.143 and the terms of approval requested to be issued under point 21.A.151.

Textual Amendments

F119 Word in Annex 1 point 21.A.134 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 200(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.135 Issue of production organisation approval

An organisation shall be entitled to have a production organisation approval issued by the $[^{F120}CAA]$ when it has demonstrated compliance with the applicable requirements under this Subpart.

Textual Amendments

F120 Word in Annex 1 point 21.A.135 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.139 Quality System

- (a) The production organisation shall demonstrate that it has established and is able to maintain a quality system. The quality system shall be documented. This quality system shall be such as to enable the organisation to ensure that each product, part or appliance produced by the organisation or by its partners, or supplied from or subcontracted to outside parties, conforms to the applicable design data and is in condition for safe operation, and thus exercise the privileges set forth in point 21.A.163.
- (b) The quality system shall contain:
- 1. as applicable within the scope of approval, control procedures for:
 - (i) document issue, approval, or change;
 - (ii) vendor and subcontractor assessment audit and control;
 - (iii) verification that incoming products, parts, materials, and equipment, including items supplied new or used by buyers of products, are as specified in the applicable design data;
 - (iv) identification and traceability;
 - (v) manufacturing processes;
 - (vi) inspection and testing, including production flight tests;
 - (vii) calibration of tools, jigs, and test equipment;
 - (viii) non-conforming item control;
 - (ix) airworthiness coordination with the applicant for, or holder of, the design approval;
 - (x) records completion and retention;
 - (xi) personnel competence and qualification;
 - (xii) issue of airworthiness release documents;
 - (xiii) handling, storage and packing;
 - (xiv) internal quality audits and resulting corrective actions;
 - (xv) work within the terms of approval performed at any location other than the approved facilities;
 - (xvi) work carried out after completion of production but prior to delivery, to maintain the aircraft in a condition for safe operation;
 - (xvii) issue of permit to fly and approval of associated flight conditions.

The control procedures need to include specific provisions for any critical parts.

An independent quality assurance function to monitor compliance with, and adequacy of, the documented procedures of the quality system. This monitoring shall include a feedback system to the person or group of persons referred to in point 21.A.145(c) (2) and ultimately to the manager referred to in point 21.A.145(c)(1) to ensure, as necessary, corrective action.

21.A.143 Exposition

- (a) The organisation shall submit to the [^{F121}CAA] a production organisation exposition providing the following information:
- 1. a statement signed by the accountable manager confirming that the production organisation exposition and any associated manuals which define the approved organisation's compliance with this Subpart will be complied with at all times;
- 2. the title(s) and names of managers accepted by the $[^{F121}CAA]$ in accordance with point 21.A.145(c)(2);
- the duties and responsibilities of the manager(s) as required by point 21.A.145(c)(2) including matters on which they may deal directly with the [^{F121}CAA] on behalf of the organisation;
- 4. an organisational chart showing associated chains of responsibility of the managers as required by point 21.A.145(c)(1) and (2);
- 5. a list of certifying staff as referred to in point 21.A.145(d);
- 6. a general description of man-power resources;
- 7. a general description of the facilities located at each address specified in the production organisation's certificate of approval;
- 8. a general description of the production organisation's scope of work relevant to the terms of approval;
- 9. the procedure for the notification of organisational changes to the [^{F121}CAA];
- 10. the amendment procedure for the production organisation exposition;
- 11. a description of the quality system and the procedures as required by point 21.A.139(b) (1);
- 12. a list of those outside parties referred to in point 21.A.139(a)[^{F122};]
- 13. [^{F123}if flight tests are to be conducted, a flight test operations manual defining the organisation's policies and procedures in relation to flight test. The flight test operations manual shall include:
 - (i) a description of the organisation's processes for flight test, including the flight test organisation involvement into the permit to fly issuance process;
 - (ii) crewing policy, including composition, competency, currency and flight time limitations, in accordance with Appendix XII to this Annex I (Part 21), where applicable;

- (iii) procedures for the carriage of persons other than crew members and for flight test training, when applicable;
- (iv) a policy for risk and safety management and associated methodologies;
- (v) procedures to identify the instruments and equipment to be carried;
- (vi) a list of documents that need to be produced for flight test.]

Textual Amendments

F122 Substituted by Commission Regulation (EU) 2015/1039 of 30 June 2015 amending Regulation (EU) No 748/2012 as regards flight testing (Text with EEA relevance).

F123 Inserted by Commission Regulation (EU) 2015/1039 of 30 June 2015 amending Regulation (EU) No 748/2012 as regards flight testing (Text with EEA relevance).

Textual Amendments

- **F121** Word in Annex 1 point 21.A.143 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) The production organisation exposition shall be amended as necessary to remain an up-to-date description of the organisation, and copies of any amendments shall be supplied to the [^{F121}CAA].

21.A.145 Approval requirements

The production organisation shall demonstrate, on the basis of the information submitted in accordance with point 21.A.143 that:

- (a) with regard to general approval requirements, facilities, working conditions, equipment and tools, processes and associated materials, number and competence of staff, and general organisation are adequate to discharge obligations under point 21.A.165;
- (b) [^{F9}with regard to all necessary airworthiness and environmental data:
 - 1. the production organisation is in receipt of such data from the [F124 CAA], and from the holder of, or applicant for, the type-certificate, restricted typecertificate or design approval, including any exemption granted against the CO ₂ production cut-off requirements, to determine conformity with the applicable design data;
 - 2. the production organisation has established a procedure to ensure that airworthiness and environmental data are correctly incorporated in its production data and,
 - 3. such data are kept up to date and made available to all personnel who need access to such data to perform their duties;
- (c) with regard to management and staff:

- 1. a manager has been nominated by the production organisation, and is accountable to the [^{F125}CAA]. His or her responsibilities within the organisation shall consist of ensuring that all production is performed to the required standards and that the production organisation is continuously in compliance with the data and procedures identified in the exposition referred to in point 21.A.143;
- 2. a person or group of persons have been nominated by the production organisation to ensure that the organisation is in compliance with the requirements of this Annex (Part 21), and are identified, together with the extent of their authority. Such person(s) shall act under the direct authority of the accountable manager referred to in point (1). The person(s) nominated shall be able to show the appropriate knowledge, background and experience to discharge their responsibilities;
- 3. staff at all levels have been given appropriate authority to be able to discharge their allocated responsibilities and that there is full and effective coordination within the production organisation in respect of airworthiness and environmental data matters;]
- (d) with regard to certifying staff, authorised by the production organisation to sign the documents issued under point 21.A.163 under the scope or terms of approval:
 - 1. the knowledge, background (including other functions in the organisation), and experience of the certifying staff are appropriate to discharge their allocated responsibilities;
 - 2. the production organisation maintains a record of all certifying staff which shall include details of the scope of their authorisation;
 - 3. certifying staff are provided with evidence of the scope of their authorisation.

Textual Amendments

- **F124** Word in Annex 1 point 21.A.145(b)(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(3)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F125** Word in Annex 1 point 21.A.145(c)(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(3)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.147 Changes to the approved production organisation

[^{F9}(a) After the issue of a production organisation approval, each change to the approved production organisation that is significant to the showing of conformity or to the airworthiness and environmental characteristics of the product, part or appliance, particularly changes to the quality system, shall be approved by the [^{F126}CAA]. An application for approval shall be submitted in writing to the [^{F126}CAA] and the organisation shall demonstrate to the [^{F126}CAA], before implementing the change, that it complies with this Subpart.]

Textual Amendments

F126 Word in Annex 1 point 21.A.147 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) The [^{F126}CAA] shall establish the conditions under which a production organisation approved under this Subpart may operate during such changes unless the [^{F126}CAA] determines that the approval should be suspended.

21.A.148 Changes of location

A change of the location of the manufacturing facilities of the approved production organisation shall be deemed of significance and therefore shall comply with point 21.A.147.

21.A.149 Transferability

Except as a result of a change in ownership, which is deemed significant for the purposes of point 21.A.147, a production organisation approval is not transferable.

21.A.151 Terms of approval

The terms of approval shall identify the scope of work, the products or the categories of parts and appliances, or both, for which the holder is entitled to exercise the privileges under point 21.A.163.

Those terms shall be issued as part of a production organisation approval.

21.A.153 Changes to the terms of approval

Each change to the terms of approval shall be approved by the [^{F127}CAA]. An application for a change to the terms of approval shall be made in a form and manner established by the [^{F127}CAA]. The applicant shall comply with the applicable requirements of this Subpart.

Textual Amendments

```
F127 Word in Annex 1 point 21.A.153 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 200(4) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

21.A.157 Investigations

A production organisation shall make arrangements that allow the [^{F128}CAA] to make any investigations, including investigations of partners and subcontractors, necessary to determine compliance and continued compliance with the applicable requirements of this Subpart.

```
Textual Amendments
```

F128 Word in Annex 1 point 21.A.157 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.158 Findings

- (a) When objective evidence is found showing non-compliance of the holder of a production organisation approval with the applicable requirements of this Annex I (Part 21), the finding shall be classified as follows:
- 1. a level one finding is any non-compliance with this Annex I (Part 21) which could lead to uncontrolled non-compliances with applicable design data and which could affect the safety of the aircraft;
- 2. a level two finding is any non-compliance with this Annex I (Part 21) which is not classified as level one.
- (b) A level three finding is any item where it has been identified, by objective evidence, to contain potential problems that could lead to a non-compliance under point (a).
- (c) After receipt of notification of findings according to point 21.B.225,
- 1. in case of a level one finding, the holder of the production organisation approval shall demonstrate corrective action to the satisfaction of the [^{F129}CAA] within a period of no more than 21 working days after written confirmation of the finding;
- 2. in case of level two findings, the corrective action period granted by the [^{F129}CAA] shall be appropriate to the nature of the finding but in any case initially shall not be more than three months. In certain circumstances and subject to the nature of the finding the [^{F129}CAA] may extend the three months period subject to the provision of a satisfactory corrective action plan agreed by the [^{F129}CAA];
- 3. a level three finding shall not require immediate action by the holder of the production organisation approval.

Textual Amendments

- F129 Word in Annex 1 point 21.A.158 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 200(4) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (d) In case of level one or level two findings, the production organisation approval may be subject to a partial or full limitation, suspension or revocation under point 21.B.245. The holder of the production organisation approval shall provide confirmation of receipt of the notice of limitation, suspension or revocation of the production organisation approval in a timely manner.

21.A.159 Duration and continued validity

- (a) A production organisation approval shall be issued for an unlimited duration. It shall remain valid unless:
- 1. the production organisation fails to demonstrate compliance with the applicable requirements of this Subpart; or
- 2. the [^{F130}CAA] is prevented by the holder or any of its partners or subcontractors to perform the investigations in accordance with point 21.A.157; or
- 3. there is evidence that the production organisation cannot maintain satisfactory control of the manufacture of products, parts or appliances under the approval; or

- 4. the production organisation no longer meets the requirements of point 21.A.133; or
- 5. the certificate has been surrendered or revoked under point 21.B.245.

Textual Amendments

F130 Word in Annex 1 point 21.A.159 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) Upon surrender or revocation, the certificate shall be returned to the $[^{F130}CAA]$.

21.A.163 Privileges

Pursuant to the terms of approval issued under point 21.A.135, the holder of a production organisation approval may:

- (a) perform production activities under this Annex I (Part 21);
- (b) in the case of complete aircraft and upon presentation of a statement of conformity ([^{F131}CAA] Form 52) under point 21.A.174, obtain an aircraft certificate of airworthiness and a noise certificate without further showing;
- (c) in the case of other products, parts or appliances, issue authorised release certificates ([^{F132}CAA] Form 1) without further showing;
- (d) maintain a new aircraft that it has produced and issue a certificate of release to service $(I^{F133}CAA]$ Form 53) in respect of that maintenance;
- (e) under procedures agreed with [^{F134}the CAA] for production, for an aircraft it has produced and when the production organisation itself is controlling under its POA the configuration of the aircraft and is attesting conformity with the design conditions approved for the flight, to issue a permit to fly in accordance with point 21.A.711(c) including approval of the flight conditions in accordance with point 21.A.710(b).

Textual Amendments

- **F131** Word in Annex 1 point 21.A.163(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(5)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F132** Word in Annex 1 point 21.A.163(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(5)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F133** Word in Annex 1 point 21.A.163(d) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(5)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F134** Words in Annex 1 point 21.A.163(e) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(5)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.165 Obligations of the holder

The holder of a production organisation approval shall:

- (a) ensure that the production organisation exposition furnished in accordance with point 21.A.143 and the documents to which it refers, are used as basic working documents within the organisation;
- (b) maintain the production organisation in conformity with the data and procedures approved for the production organisation approval;
- (c) 1. determine that each completed aircraft conforms to the type design and is in condition for safe operation prior to submitting statements of conformity to the [^{F135}CAA]; or
 - 2. [^{F136}determine that other products, parts or appliances are complete and conform to the approved design data and are in a condition for safe operation before issuing an [^{F137}CAA] Form 1 to certify conformity to approved design data and condition for safe operation;
 - 3. [^{F81}additionally, in the case of environmental requirements determine that:
 - (i) the completed engine is in compliance with the applicable engine exhaust emissions requirements on the date of manufacture of the engine: and
 - (ii) the completed aeroplane is in compliance with the applicable CO ₂ emissions requirements on the date its first certificate of airworthiness is issued.]
 - 4. determine that other products, parts or appliances conform to the applicable data before issuing an [^{F137}CAA] Form 1 as a conformity certificate;]
- (d) record all details of work carried out;
- (e) establish and maintain an internal occurrence reporting system in the interest of safety, to enable the collection and assessment of occurrence reports in order to identify adverse trends or to address deficiencies, and to extract reportable occurrences. This system shall include evaluation of relevant information relating to occurrences and the promulgation of related information;
- (f) 1. report to the holder of the type-certificate or design approval, all cases where products, parts or appliances have been released by the production organisation and subsequently identified to have possible deviations from the applicable design data, and investigate with the holder of the typecertificate or design approval in order to identify those deviations which could lead to an unsafe condition;
 - 2. report to the [^{F138}CAA] the deviations which could lead to an unsafe condition identified according to point (1). Such reports shall be made in a form and manner [^{F139}established by the CAA] under point 21.A.3A(b)(2) ^{F140}...;
 - 3. where the holder of the production organisation approval is acting as a supplier to another production organisation, report also to that other organisation all cases where it has released products, parts or appliances to that organisation and subsequently identified them to have possible deviations from the applicable design data;

- (g) provide assistance to the holder of the type-certificate or design approval in dealing with any continuing airworthiness actions that are related to the products parts or appliances that have been produced;
- (h) establish an archiving system incorporating requirements imposed on its partners, suppliers and subcontractors, ensuring conservation of the data used to justify conformity of the products, parts or appliances. Such data shall be held at the disposal of the [^{F141}CAA] and be retained in order to provide the information necessary to ensure the continuing airworthiness of the products, parts or appliances;
- (i) where, under its terms of approval, the holder issues a certificate of release to service, determine that each completed aircraft has been subjected to necessary maintenance and is in condition for safe operation, prior to issuing the certificate;
- (j) where applicable, under the privilege of point 21.A.163(e), determine the conditions under which a permit to fly can be issued;
- (k) where applicable, under the privilege of point 21.A.163(e), establish compliance with points 21.A.711(c) and (e) before issuing a permit to fly to an aircraft.

Textual Amendments

- **F135** Word in Annex 1 point 21.A.165(c)(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **2006()(a)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F136** Substituted by Commission Regulation (EU) No 7/2013 of 8 January 2013 amending Regulation (EU) No 748/2012 laying down Implementing Rules for the airworthiness and environmental certification of aircraft and related products, parts and appliances, as well as for the certification of design and production organisations (Text with EEA relevance).
- **F137** Word in Annex 1 point 21.A.165(c)(2)(4) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **2006)(a)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F138** Word in Annex 1 point 21.A.165(f)(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **2006(b)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F139** Words in Annex 1 point 21.A.165(f)(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **2006()(b)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F140** Words in Annex 1 point 21.A.165(f)(2) omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(6)(b)(iii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F141** Word in Annex 1 point 21.A.165(h) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **200(6)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

SUBPARCERTIFICATES OF AIRWORTHINESS AND RESTRICTED CERTIFICATES OF H— AIRWORTHINESS

21.A.171 Scope

This Subpart establishes the procedure for issuing airworthiness certificates.

21.A.172 Eligibility

Any natural or legal person under whose name an aircraft is registered or will be registered in [^{F142}the United Kingdom], or its representative, shall be eligible as an applicant for an airworthiness certificate for that aircraft under this Subpart.

Textual Amendments

F142 Words in Annex 1 point 21.A.172 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **201(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.173 Classification

Airworthiness certificates shall be classified as follows:

- (a) certificates of airworthiness shall be issued to aircraft which conform to a typecertificate that has been issued in accordance with this Annex I (Part 21);
- (b) restricted certificates of airworthiness shall be issued to aircraft:
 - 1. which conform to a restricted type-certificate that has been issued in accordance with this Annex I (Part 21); or
 - 2. which have been shown to the [^{F143}CAA] to comply with specific airworthiness specifications ensuring adequate safety.

Textual Amendments

F143 Word in Annex 1 point 21.A.173(b)(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **201(3)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.174 Application

(a) Pursuant to point 21.A.172, an application for an airworthiness certificate shall be made in a form and manner established by the [^{F144}CAA].

Textual Amendments

F144 Word in Annex 1 point 21.A.174(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 201(4)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- [^{F9}(b) Each application for a certificate of airworthiness or restricted certificate of airworthiness shall include:
- 1. the class of airworthiness certificate applied for;
- 2. with regard to new aircraft:
 - (i) a statement of conformity:
 - issued under point 21.A.163(b); or
 - issued under point 21.A.130 and validated by the [^{F145}CAA]; or

- for an imported aircraft, a statement signed by the exporting authority that the aircraft conforms to a design approved by the [^{F146}CAA];
- (ii) a weight and balance report with a loading schedule and;
- (iii) the flight manual, when required by the applicable certification specifications for the particular aircraft.
- 3. [^{F81}with regard to used aircraft originating from:
 - (i) [^{F147}the United Kingdom], an airworthiness review certificate issued in accordance with Annex I (Part-M) or Annex Vb (Part-ML) to Commission Regulation (EU) No 1321/2014 ⁽⁵⁾;
 - (ii) a third country:
 - a statement by the competent authority of the State where the aircraft is, or was, registered, reflecting the airworthiness status of the aircraft on its register at the time of transfer,
 - a weight and balance report with a loading schedule,
 - the flight manual when such a manual is required by the airworthiness code for the aircraft,
 - historical records to establish the production, modification and maintenance standard of the aircraft, including all limitations associated with a restricted certificate of airworthiness issued in accordance with point 21.B.327,
 - a recommendation for the issuance of a certificate of airworthiness or restricted certificate of airworthiness and for an airworthiness review certificate pursuant to an airworthiness review in accordance with Annex I (Part-M) [^{F148}, or an airworthiness review certificate in accordance with] or Annex Vb (Part-ML) to Regulation (EU) No 1321/2014 [^{F149},

—the date on which the first certificate of airworthiness was issued and, if the standards of Volume 3 of Annex 16 to the Chicago Convention apply, the CO2 metric value data].]]

Textual Amendments

- **F145** Word in Annex 1 point 21.A.174(b)(2)(i) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **201(4)(b)(i)(aa)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F146** Word in Annex 1 point 21.A.174(b)(2)(i) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **201(4)(b)(i)(bb)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F147 Words in Annex 1 point 21.A.174(b)(3)(i) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 201(4)(b)(ii)(aa) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F148 Words in Annex 1 point 21.A.174(b) inserted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), 6(8)(a)(i)
- **F149** Words in Annex 1 point 21.A.174(b) inserted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(8)(a)(ii)**

(c) Unless otherwise agreed, the statements referred to in points (b)(2)(i) and (b)(3) (ii) shall be issued no more than 60 days before presentation of the aircraft to the $[^{F150}CAA]$.

Textual Amendments
F150 Word in Annex 1 point 21.A.174(c) substituted (31.12.2020) by The Aviation Safety
(Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 201(4)(c) (with Sch.
3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.175 Language

The manuals, placards, listings, and instrument markings and other necessary information required by applicable certification specifications shall be presented in [^{F151}English].

Textual Amendments

F151 Word in Annex 1 point 21.A.175 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 201(5) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.177 Amendment or modification

An airworthiness certificate may be amended or modified only by the [^{F152}CAA].

Textual Amendments

F152 Word in Annex 1 point 21.A.177 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **201(6)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.179 Transferability and re-issuance F153...

([^{F154}a) Where ownership of an aircraft has changed, it remains on the United Kingdom register, and it has either a certificate of airworthiness or a restricted certificate of airworthiness conforming to a restricted type-certificate only, that certificate or restricted certificate (as the case may be) must be transferred together with the aircraft.]

Textual Amendments

```
F154 Annex 1 point 21.A.179(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 201(7)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

([^{F155}b) Where ownership of an aircraft has changed, it remains on the United Kingdom register, and the aircraft has a restricted certificate of airworthiness not conforming to a restricted type-certificate, that restricted certificate must be transferred together with the aircraft.]

Textual Amendments

F155 Annex 1 point 21.A.179(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **201(7)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Textual Amendments

F153 Words in Annex 1 point 21.A.179 heading omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **201(7)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.180 Inspections

The holder of the airworthiness certificate shall provide access to the aircraft for which that airworthiness certificate has been issued upon request by the [^{F156}CAA].

Textual Amendments

```
F156 Word in Annex 1 point 21.A.180 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 201(8) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

21.A.181 Duration and continued validity

- (a) An airworthiness certificate shall be issued for an unlimited duration. It shall remain valid subject to:
- 1. [^{F157}the aircraft continuing to comply with the applicable type design and continued airworthiness requirements; and]
- 2. the aircraft remaining on the same register; and
- 3. the type-certificate or restricted type-certificate under which it is issued not being previously invalidated under point 21.A.51;
- 4. [^{F158}the certificate is not being revoked by the CAA under point 21.B.65 or surrendered by the certificate holder.]

Textual Amendments

- F157 Annex 1 point 21.A.181(a)(1) substituted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(8)(c)(i)**
- **F158** Annex 1 point 21.A.181(a)(4) substituted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(8)(e)(i)**
- (b) Upon surrender or revocation, the certificate shall be returned to the $[^{F159}CAA]$.

Textual Amendments

F159 Word in Annex 1 point 21.A.181(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **201(9)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.182 Aircraft identification

Each applicant for an airworthiness certificate under this Subpart shall demonstrate that its aircraft is identified in accordance with Subpart Q.

$SUBPAR {\rm I\!NO} ISE\ CERTIFICATES$

I —

21.A.201 Scope

This Subpart establishes the procedure for issuing noise certificates.

21.A.203 Eligibility

Any natural or legal person under whose name an aircraft is registered or will be registered in [^{F160}the United Kingdom], or its representative, shall be eligible as an applicant for a noise certificate for that aircraft under this Subpart.

Textual Amendments

F160 Words in Annex 1 point 21.A.203 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **202(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.204 Application

(a) Pursuant to point 21.A.203, an application for a noise certificate shall be made in a form and manner established by the $[^{F161}CAA]$.

Textual Amendments

F161 Word in Annex 1 point 21.A.204(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 202(3)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) Each application shall include:
- 1. with regard to new aircraft:
 - (i) a statement of conformity:
 - issued under point 21.A.163(b), or
 - issued under point 21.A.130 and validated by the competent authority, or
 - for an imported aircraft, a statement, signed by the exporting authority that the aircraft conforms to a design approved by the [^{F162}CAA]; and

- (ii) the noise information determined in accordance with the applicable noise requirements;
- 2. with regard to used aircraft:
 - (i) the noise information determined in accordance with the applicable noise requirements; and
 - (ii) historical records to establish the production, modification, and maintenance standard of the aircraft.

Textual Amendments

F162 Word in Annex 1 point 21.A.204(b)(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **202(3)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(c) Unless otherwise agreed, the statements referred to in point (b)(1) shall be issued no more than 60 days before presentation of the aircraft to the $[^{F163}CAA]$.

Textual Amendments

F163 Word in Annex 1 point 21.A.204(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **202(3)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.207 Amendment or modification

A noise certificate may be amended or modified only by the [^{F164}CAA].

Textual Amendments

```
F164 Word in Annex 1 point 21.A.207 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 202(4) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

21.A.209 Transferability and re-issuance F165...

Where ownership of an aircraft has [^{F166}changed and it remains on the United Kingdom register, the noise certificate must be transferred together with the aircraft.]

 Textual Amendments

 F166 Words in Annex 1 point 21.A.209 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 202(5)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(a) ^{F167}...

(b) ^{F167}...

Textual Amendments

F167 Annex 1 point 21.A.209(a)(b) omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **202(5)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Textual Amendments

F165 Words in Annex 1 point 21.A.209 heading omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 202(5)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.210 Inspections

The holder of the noise certificate shall provide access to the aircraft for which that noise certificate has been issued upon request by the [^{F168}CAA].

Textual Amendments

```
F168 Word in Annex 1 point 21.A.210 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 202(6) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

21.A.211 Duration and continued validity

- (a) A noise certificate shall be issued for an unlimited duration. It shall remain valid subject to:
- 1. compliance with the applicable type-design, environmental protection and continuing airworthiness requirements; and
- 2. the aircraft remaining on the same register; and
- 3. the type-certificate or restricted type-certificate under which it is issued not being previously invalidated under point 21.A.51;
- 4. the certificate not being surrendered or revoked under point 21.B.430.
- (b) Upon surrender or revocation, the certificate shall be returned to the $[^{F169}CAA]$.

Textual Amendments

F169 Word in Annex 1 point 21.A.211(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **202(7)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

 $SUBPAR \textbf{D} ESIGN \ ORGANISATION \ APPROVAL$

J —

[^{F9}21.A.2\$pope

This Subpart establishes the procedure for the approval of design organisations and rules governing the rights and obligations of applicants for, and holders of, such approvals. In

this Subpart, the references to type-certificates include type-certificates and restricted type-certificates.]

21.A.233 Eligibility

Any natural or legal person ('organisation') shall be eligible as an applicant for an approval under this Subpart

- (a) in accordance with points 21.A.14, 21.A.112B, 21.A.432B or 21.A.602B; or
- (b) for approval of minor changes or minor repair design, when requested for the purpose of obtaining privileges under point 21.A.263.

21.A.234 Application

Each application for a design organisation approval shall be made in a form and manner established by the [F170 CAA] and shall include an outline of the information required by point 21.A.243, and the terms of approval requested to be issued under point 21.A.251.

Textual Amendments

F170 Word in Annex 1 point 21.A.234 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **203(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.235 Issue of design organisation approval

An organisation shall be entitled to have a design organisation approval issued by the [^{F171}CAA] when it has demonstrated compliance with the applicable requirements under this Subpart.

Textual Amendments

```
F171 Word in Annex 1 point 21.A.235 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 203(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

21.A.239 Design assurance system

- (a) The design organisation shall demonstrate that it has established and is able to maintain a design assurance system for the control and supervision of the design, and of design changes, of products, parts and appliances covered by the application. This design assurance system shall be such as to enable the organisation:
- 1. [^{F14}to ensure that the design of the products, parts and appliances or the design change thereof, comply with the applicable type-certification basis, the applicable operational suitability data certification basis and environmental protection requirements; and]
- 2. to ensure that its responsibilities are properly discharged in accordance with:
 - (i) the appropriate provisions of this Annex I (Part 21); and
 - (ii) the terms of approval issued under point 21.A.251;
- 3. to independently monitor the compliance with, and adequacy of, the documented procedures of the system. This monitoring shall include a feed-back system to a person or a group of persons having the responsibility to ensure corrective actions.

(b) The design assurance system shall include an independent checking function of the showings of compliance on the basis of which the organisation submits compliance statements and associated documentation to the [^{F172}CAA].

Textual Amendments

F172 Word in Annex 1 point 21.A.239 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **203(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(c) The design organisation shall specify the manner in which the design assurance system accounts for the acceptability of the parts or appliances designed or the tasks performed by partners or subcontractors according to methods which are the subject of written procedures.

21.A.243 Data

- [^{F122}(a) The design organisation shall furnish a handbook to the [^{F173}CAA] describing, directly or by cross-reference, the organisation, the relevant procedures and the products or changes to products to be designed. If flight tests are to be conducted, a flight test operations manual defining the organisation's policies and procedures in relation to flight test shall be furnished. The flight test operations manual shall include:
- (i) a description of the organisation's processes for flight test, including the flight test organisation involvement into the permit to fly issuance process;
- (ii) crewing policy, including composition, competency, currency and flight time limitations, in accordance with Appendix XII to this Annex I (Part 21), where applicable;
- (iii) procedures for the carriage of persons other than crew members and for flight test training, when applicable;
- (iv) a policy for risk and safety management and associated methodologies;
- (v) procedures to identify the instruments and equipment to be carried;
- (vi) a list of documents that need to be produced for flight test.]

Textual Amendments

- (b) Where any parts or appliances or any changes to the products are designed by partner organisations or subcontractors, the handbook shall include a statement of how the design organisation is able to give, for all parts and appliances, the assurance of compliance required by point 21.A.239(b), and shall contain, directly or by cross-reference, descriptions and information on the design activities and organisation of those partners or subcontractors, as necessary to establish this statement.
- (c) The handbook shall be amended as necessary to remain an up-to-date description of the organisation, and copies of amendments shall be supplied to the [^{F173}CAA].

F173 Word in Annex 1 point 21.A.243 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **203(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(d) The design organisation shall furnish a statement of the qualifications and experience of the management staff and other persons responsible for making decisions affecting airworthiness and environmental protection in the organisation.

[^{F14}21.A.249 proval requirements

The design organisation shall demonstrate, on the basis of the information submitted in accordance with point 21.A.243 that, in addition to complying with point 21.A.239:

- (a) the staff in all technical departments are of sufficient numbers and experience and have been given appropriate authority to be able to discharge their allocated responsibilities and these, together with the accommodation, facilities and equipment are adequate to enable the staff to achieve the airworthiness, operational suitability and environmental protection objectives for the product;
- (b) there is full and efficient coordination between departments and within departments in respect of airworthiness, operational suitability and environmental protection matters.]

[^{F14}21.A.24] hanges in design assurance system

After the issue of a design organisation approval, each change to the design assurance system that is significant to the showing of compliance or to the airworthiness, operational suitability and environmental protection of the product, shall be approved by the [^{F174}CAA]. An application for approval shall be submitted in writing to the [^{F174}CAA] and the design organisation shall demonstrate to the [^{F174}CAA], on the basis of submission of proposed changes to the handbook, and before implementation of the change, that it will continue to comply with this Subpart after implementation.]

Textual Amendments

F174 Word in Annex 1 point 21.A.247 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **203(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.249 Transferability

Except as a result of a change in ownership, which is deemed significant for the purposes of point 21.A.247, a design organisation approval is not transferable.

[^{F9}21.A.25] perms of approval

The terms of approval shall identify the types of design work, the categories of products, parts and appliances for which the design organisation holds a design organisation approval, and the functions and duties that the organisation is approved to perform with regard to the airworthiness, operational suitability and environmental characteristics of the products. For design organisation approvals covering type-certification or [^{F175}UKTSO] authorisation for auxiliary power units (APUs), the terms of approval shall contain in addition the list of products or APUs. Those terms shall be issued as part of a design organisation approval.]

Textual Amendments

F175 Word in Annex 1 point 21.A.251 substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), 61(4)(a)

21.A.253 Changes to the terms of approval

Each change to the terms of approval shall be approved by the [^{F176}CAA]. An application for a change to the terms of approval shall be made in a form and manner established by the [^{F176}CAA]. The design organisation shall comply with the applicable requirements of this Subpart.

Textual Amendments

```
F176 Word in Annex 1 point 21.A.253 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 203(4) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

21.A.257 Investigations

(a) The design organisation shall make arrangements that allow the [^{F177}CAA] to make any investigations, including investigations of partners and subcontractors, necessary to determine compliance and continued compliance with the applicable requirements of this Subpart.

Textual Amendments

- **F177** Word in Annex 1 point 21.A.257 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **203(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) The design organisation shall allow the [F177 CAA] to review any report and make any inspection and perform or witness any flight and ground test necessary to check the validity of the compliance statements submitted by the applicant under point 21.A.239(b).

21.A.258 Findings

- [^{F9}(a) When, during the investigations referred to in points 21.A.257 and 21.B.100, objective evidence is found demonstrating non-compliance of the holder of a design organisation approval with the applicable requirements of this Annex, the finding shall be classified as follows:
- 1. a 'level 1' finding is any non-compliance with the requirements of this Annex that may lead to uncontrolled non-compliances with applicable requirements and affect the safety of the aircraft;
- 2. a 'level 2' finding is any non-compliance with the requirements of this Annex that is not classified as a 'level 1' finding.]
- (b) A level three finding is any item where it has been identified, by objective evidence, to contain potential problems that could lead to a non-compliance under point (a).
- $[^{F9}(c)$ After receipt of notification of findings under the applicable administrative procedures established by the $[^{F178}CAA]$:
- 1. in the case of a 'level 1' finding, the holder of a design organisation approval shall demonstrate to the satisfaction of the [^{F178}CAA] that it has taken adequate corrective

action within a period of no more than 21 working days after written confirmation of the finding;

- 2. in the case of a 'level 2' findings, the holder of a design organisation approval shall demonstrate to the satisfaction of the [^{F178}CAA] that it has taken adequate corrective action within a time period set by the [^{F178}CAA] which is appropriate to the nature of the finding and is initially no longer than three months. The [^{F178}CAA] may extend that initial time period where it considers that the nature of the finding allows such extension and where the applicant has submitted a corrective action plan which the [^{F178}CAA] finds satisfactory; and
- 3. a 'level 3' finding shall not require immediate action by the holder of a design organisation approval.

Textual Amendments

F178 Word in Annex 1 point 21.A.258 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 203(4) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(d) In cases of 'level 1' or 'level 2' findings, the design organisation approval may be subject to a partial or full suspension or revocation under the applicable administrative procedures established by the [^{F178}CAA]. In that case, the holder of a design organisation approval shall provide confirmation of receipt of the notice of suspension or revocation of the design organisation approval in a timely manner.]

21.A.259 Duration and continued validity

- (a) A design organisation approval shall be issued for an unlimited duration. It shall remain valid unless:
- 1. the design organisation fails to demonstrate compliance with the applicable requirements of this Subpart; or
- 2. the [^{F179}CAA] is prevented by the holder or any of its partners or subcontractors to perform the investigations in accordance with point 21.A.257; or
- 3. there is evidence that the design assurance system cannot maintain satisfactory control and supervision of the design of products or changes thereof under the approval; or
- 4. the certificate has been surrendered or revoked under the applicable administrative procedures established by the $[^{F179}CAA]$.

Textual Amendments

- **F179** Word in Annex 1 point 21.A.259 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **203(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) Upon surrender or revocation, the certificate shall be returned to the $[^{F179}CAA]$.

[^{F9}21.A.2**B**rivileges

(a) (Reserved)

- (b) (Reserved)
- (c) A holder of a design organisation approval shall be entitled, within the scope of its terms of approval, as established by the [^{F180}CAA], and under the relevant procedures of the design assurance system:
 - 1. to classify changes to a type-certificate or to a supplemental type-certificate and repair designs as ' major ' or 'minor';
 - 2. to approve minor changes to a type-certificate or to a supplemental type-certificate and minor repair designs;
 - 3. (Reserved);
 - 4. (Reserved);
 - 5. to approve certain major repair designs under Subpart M to products or auxiliary power units (APUs);
 - 6. to approve for certain aircraft the flight conditions under which a permit to fly can be issued in accordance with point 21.A.710(a)(2), except for permits to fly to be issued for the purpose of point 21.A.701(a)(15);
 - 7. to issue a permit to fly in accordance with point 21.A.711(b) for an aircraft it has designed or modified, or for which it has approved, in accordance with point 21.A.263(c)(6), the flight conditions under which the permit to fly can be issued, and where the holder of a design organisation approval itself:
 - (i) controls the configuration of the aircraft, and
 - (ii) attests conformity with the design conditions approved for the flight;
 - 8. to approve certain major changes to a type-certificate under Subpart D; and
 - 9. to issue certain supplemental type-certificates under Subpart E and approve certain major changes to those certificates.]

Textual Amendments

```
F180 Word in Annex 1 point 21.A.263(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 203(5)(b) (with Sch. 3) (as substituted by S.I. 2020/1116, regs. 1(3), 7(b)(ii)); 2020 c. 1, Sch. 5 para. 1(1)
```

^{F9}21.A.2**G** bligations of the holder

The holder of a design organisation approval shall, within the scope of its terms of approval, as established by the [^{F181}CAA]:

Textual Amendments

```
F181 Word in Annex 1 point 21.A.265 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 203(6) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12 and S.I. 2020/1116, regs. 1(3), 7(c)); 2020 c. 1, Sch. 5 para. 1(1)
```

- (a) maintain the handbook required under point 21.A.243 in conformity with the design assurance system;
- (b) ensure that this handbook or the relevant procedures included by cross-reference are used as a basic working document within the organisation;
- (c) determine that the design of products, or changes or repairs thereto comply with the applicable specifications and requirements and have no unsafe features;
- (d) provide the [^{F181}CAA] with statements and associated documentation confirming compliance with point (c), except for approval processes carried out in accordance with point 21.A.263(c);
- (e) provide to the $[^{F181}CAA]$ data and information related to the actions required under point 21.A.3B;
- (f) determine, in accordance with point 21.A.263(c)(6), the flight conditions under which a permit to fly can be issued;
- (g) establish, in accordance with point 21.A.263(c)(7), compliance with points (b) and (e) of point 21.A.711 before issuing a permit to fly to an aircraft;
- (h) designate data and information issued under the authority of the approved design organisation within the scope of its terms of approval as established by the [^{F181}CAA] with the following statement: 'The technical content of this document is approved under the authority of the DOA ref. [^{F182}CAA.21J].[XXXX]'.]

Textual Amendments

F182 Word in Annex 1 point 21.A.265(h) substituted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(9)(j)(ii)**

SUBPAR**P**ARTS AND APPLIANCES

К —

21.A.301 Scope

This Subpart establishes the procedure relating to the approval of parts and appliances.

21.A.303 Compliance with applicable requirements

The showing of compliance of parts and appliances to be installed in a type-certificated product shall be made:

- (a) in conjunction with the type-certification procedures of Subpart B, D or E for the product in which it is to be installed; or
- (b) where applicable, under the [^{F183}UKTSO] authorisation procedures of Subpart O; or
- (c) in the case of standard parts, in accordance with officially recognised Standards.

Textual Amendments

```
F183 Words in Annex 1 point 21.A.303(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 204(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

21.A.305 Approval of parts and appliances

In all cases where the approval of a part or appliance is explicitly required by ^{F184}... law or [^{F185}CAA] measures, the part or appliance shall comply with the applicable [^{F186}UKTSO] or with the specifications recognised as equivalent by the [^{F187}CAA] in the particular case.

Textual Amendments

- **F184** Word in Annex 1 point 21.A.305 omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **204(3)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F185** Word in Annex 1 point 21.A.305 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **204(3)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F186** Word in Annex 1 point 21.A.305 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **204(3)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F187** Word in Annex 1 point 21.A.305 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **204(3)(d)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.307 Release of parts and appliances for installation

A part or appliance shall be eligible for installation in a type-certificated product when it is in a condition for safe operation, and it is:

- (a) accompanied by an authorised release certificate ([^{F188}CAA] Form 1), certifying that the item was manufactured in conformity to approved design data and is marked in accordance with Subpart Q; or
- (b) a standard part; or
- (c) in the case of ELA1 or ELA2 aircraft, a part or appliance that is:
 - 1. not life-limited, nor part of the primary structure, nor part of the flight controls;
 - 2. manufactured in conformity to applicable design;
 - 3. marked in accordance with Subpart Q;
 - 4. identified for installation in the specific aircraft;
 - 5. to be installed in an aircraft for which the owner has verified compliance with the conditions 1 through 4 and has accepted responsibility for this compliance.

Textual Amendments

F188 Word in Annex 1 point 21.A.305 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **204(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(SUBPART L — NOT APPLICABLE)

SUBPAR REPAIRS

М —

21.A.431&cope

- [^{F9}(a) This Subpart establishes the procedure for the approval of a repair design of a product, part or appliance and establishes the rights and obligations of the applicants for, and holders of, those approvals.]
- (b) This Subpart defines standard repairs that are not subject to an approval process under this Subpart.
- [^{F9}(c) A ' repair ' means the elimination of damage and/or restoration to an airworthy condition following the initial release to service by the manufacturer of any product, part or appliance.
- (d) The elimination of damage by replacement of parts or appliances without the necessity for design activity shall be considered as a maintenance task and shall therefore require no approval under this Annex.]
- (e) A repair to an [^{F189}UKTSO] article other than an Auxiliary Power Unit (APU) shall be treated as a change to the [^{F189}UKTSO] design and shall be processed in accordance with point 21.A.611.

Textual Amendments

F189 Word in Annex 1 point 21.A.431A(e) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

[^{F10}(f) In this Subpart, the references to type-certificates include type-certificates and restricted type-certificates.]

21.A.431Btandard repairs

- (a) Standard repairs are repairs:
- (1) in relation to:
 - (i) aeroplanes of 5 700 kg Maximum Take-Off Mass (MTOM) or less;
 - (ii) rotorcraft of 3 175 kg MTOM or less;
 - (iii) sailplanes and powered sailplanes, balloons and airships as defined in ELA1 or ELA2.
- (2) that follow design data included in certification specifications issued by the [^{F190}CAA], containing acceptable methods, techniques and practices for carrying out and

identifying standard repairs, including the associated instructions for [^{F191}continued] airworthiness; and

(3) that are not in conflict with TC holders data.

Textual Amendments

- **F190** Word in Annex 1 point 21.A.431B(a)(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(3)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F191** Word in Annex 1 point 21.A.431B(a) substituted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), 6(11)(a)
- (b) Points 21.A.432A to 21.A.451 are not applicable to standard repairs.

21.A.432 Kligibility

- (a) Any natural or legal person that has demonstrated, or is in the process of demonstrating, its capability under point 21.A.432B shall be eligible as an applicant for a major repair design approval under the conditions laid down in this Subpart.
- (b) Any natural or legal person shall be eligible to apply for approval of a minor repair design.

21.A.432 **B**emonstration of capability

[^{F9}(a) An applicant for approval of a major repair design shall demonstrate its capability by holding a design organisation approval, issued by the [^{F192}CAA] in accordance with Subpart J.]

Textual Amendments

F192 Word in Annex 1 point 21.A.432B substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) By way of derogation from point (a), as an alternative procedure to demonstrate its capability, an applicant may seek [^{F192}CAA] agreement for the use of procedures setting out the specific design practices, resources and sequence of activities necessary to comply with this Subpart.
- [^{F9}(c) By way of derogation from point (a), in the case of products referred to in point 21.A.14(c), an applicant may demonstrate its capability by obtaining the [^{F193}CAA's] acceptance of its certification programme established in accordance with point 21.A.432C(b).]

Textual Amendments

F193 Word in Annex 1 point 21.A.432B(c) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(5)(a)**

[^{F10}21.A.43pplication for a repair design approval

- (a) An application for a repair design approval shall be made in a form and manner established by the $[^{F194}CAA]$.
- (b) An application for a major repair design approval shall include, or be supplemented after the initial application, [^{F195}by] a certification programme containing:
 - 1. a description of the damage and repair design identifying the configuration of the type design upon which the repair is made;
 - 2. an identification of all areas of the type design and the approved manuals that are changed or affected by the repair design;
 - 3. an identification of any reinvestigations necessary to demonstrate compliance of the repair design and areas affected by the repair design with the type-certification basis incorporated by reference in, as applicable, either the type-certificate, the supplemental type-certificate or the APU ETSO authorisation;
 - 4. any proposed amendments to the type-certification basis incorporated by reference in, as applicable, either the type-certificate, the supplemental type-certificate or the APU ETSO authorisation;
 - 5. a proposal for a breakdown of the certification programme into meaningful groups of compliance demonstration activities and data, including the means and process proposed to be followed to demonstrate compliance with point 21.A.433(a)(1) and references to related compliance documents;
 - 6. a proposal for the assessment of the meaningful groups of compliance demonstration activities and data, addressing the likelihood of an unidentified non-compliance with the type-certification basis and the potential impact of that non-compliance on product safety. The proposed assessment shall take into account at least the elements set out in subpoints (1)-(4) of point 21.B.100(a). Based on this assessment, the application shall include a proposal for the [^{F196}CAA's] involvement in the verification of the compliance demonstration activities and data; and
 - 7. the specification whether the certification data is prepared completely by the applicant or on the basis of an arrangement with the owner of the type-certification data.]

Textual Amendments

- **F194** Word in Annex 1 point 21.A.432C(a) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(5)(b)(i)**
- F195 Word in Annex 1 point 21.A.432C(b) inserted (21.6.2023) by virtue of The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), 6(11)(b)
- **F196** Word in Annex 1 point 21.A.432C(b)(6) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(5)(b)(ii)**

[^{F9}21.A.4**B**equirements for approval of a repair design

- (a) A repair design shall only be approved:
 - 1. when it has been demonstrated, following the certification programme referred to in point 21.A.432C(b), that the repair design complies with the

type-certification basis incorporated by reference in, as applicable, either the type-certificate, the supplemental type-certificate or the APU [^{F197}UKTSO] authorisation, as well as with any amendments established and notified by the [^{F198}CAA] in accordance with point 21.B.450;

- 2. when compliance with the type-certification basis that applies in accordance with point (a)(1) has been declared and the justifications of compliance have been recorded in the compliance documents;
- 3. when no feature or characteristic has been identified that may make the product unsafe for the uses for which certification is requested; ^{F199}...
- 4. where the applicant has specified that it provided certification data on the basis of an arrangement with the owner of the type-certification data in accordance with point 21.A.432C(b)(7):
 - (i) when the holder has indicated that it has no technical objection to the information submitted under point (a)(2); and
 - (ii) when the holder has agreed to collaborate with the repair design approval holder to ensure discharge of all obligations for continued airworthiness of the changed product through compliance with point 21.A.451 [^{F200}; and
- 5 when, for a repair to an aeroplane subject to point 26.302 of Annex I to Regulation (EU) 2015/640, it has been demonstrated that the structural integrity of the repair and affected structure is at least equivalent to the level of structural integrity established for the baseline structure by point 26.302 of Annex I to that Regulation].
- (b) The applicant shall submit to the $[^{F201}CAA]$ the declaration referred to in point (a)(2) and, on request by the $[^{F201}CAA]$, all necessary substantiation data.

Textual Amendments

- **F197** Word in Annex 1 point 21.A.433(a)(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(5)(a)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12 and S.I. 2020/1116, regs. 1(3), **8(a)(i)**); 2020 c. 1, Sch. 5 para. 1(1)
- **F198** Word in Annex 1 point 21.A.433(a)(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(5)(a)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F199** Word in Annex 1 point 21.A.433(a) omitted (21.6.2023) by virtue of The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(11)(c)(i)**
- **F200** Annex 1 point 21.A.433(a)(5) and word inserted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), **6(11)(c)(ii)**
- **F201** Word in Annex 1 point 21.A.433(b) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(5)(b)(iii)**

21.A.435 Classification and approval of repair designs

- (a) A repair design shall be classified as either ' major ' or ' minor ' in accordance with the criteria set out in point 21.A.91 for a change to the type-certificate.
- (b) A repair design shall be classified and approved by:

- 1. the $[^{F202}CAA]$; or
- 2. an approved design organisation within the scope of its privileges provided for in points (1), (2) and (5) of point 21.A.263(c), as recorded in the terms of approval.]

Textual Amendments

F202 Word in Annex 1 point 21.A.435 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 205(6) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12 and S.I. 2020/1116, regs. 1(3), 8(c)); 2020 c. 1, Sch. 5 para. 1(1)

^{F60}21.A.4**3**5sue of a repair design approval

21.A.439 Production of repair parts

Parts and appliances to be used for the repair shall be manufactured in accordance with production data based upon all the necessary design data as provided by the repair design approval holder:

- (a) under Subpart F; or
- (b) by an organisation appropriately approved in accordance with Subpart G; or
- (c) by an appropriately approved maintenance organisation.

21.A.441 Repair embodiment

- [^{F81}(a) The embodiment of a repair shall be made in accordance with Annex I (Part-M), Annex II (Part-145), Annex Vb (Part-ML) or Annex Vd (Part-CAO) of Regulation (EU) No 1321/2014, or by a production organisation approved in accordance with Subpart G of this Annex, in accordance with the privilege provided for in point 21.A.163(d).]
- (b) The design organisation shall transmit to the organisation performing the repair all the necessary installation instructions.

21.A.443 Limitations

A repair design may be approved subject to limitations, in which case the repair design approval shall include all necessary instructions and limitations. These instructions and limitations shall be transmitted by the repair design approval holder to the operator in accordance with a procedure agreed with the [^{F203}CAA].

Textual Amendments

F203 Word in Annex 1 point 21.A.443 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(8)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.445 Unrepaired damage

- (a) When a damaged product, part or appliance, is left unrepaired, and is not covered by previously approved data, the evaluation of the damage for its airworthiness consequences may only be made:
- 1. by the $[^{F204}CAA]$; or
- 2. by an appropriately approved design organisation under a procedure agreed with the $[^{F204}CAA]$.

Textual Amendments

F204 Word in Annex 1 point 21.A.445(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(9)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Any necessary limitations shall be processed in accordance with the procedures of point 21.A.443.

(b) Where the organisation evaluating the damage under point (a) is neither the [^{F205}CAA] nor the type-certificate, supplemental type-certificate or APU [^{F206}UKTSO] authorisation holder, this organisation shall justify that the information on which the evaluation is based is adequate either from its organisation's own resources or through an arrangement with the type-certificate, supplemental type-certificate or APU [^{F206}UKTSO] authorisation holder, or manufacturer, as applicable.

Textual Amendments

F205 Word in Annex 1 point 21.A.445(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 205(9)(b)(i) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
F206 Word in Annex 1 point 21.A.445(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 205(9)(b)(ii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.447 Record-keeping

For each repair, all relevant design information, drawings, test reports, instructions and limitations possibly issued in accordance with point 21.A.443, justification for classification and evidence of the design approval, shall:

- (a) be held by the repair design approval holder at the disposal of the $[^{F207}CAA]$; and
- (b) be retained by the repair design approval holder in order to provide the information necessary to ensure the continued airworthiness of the repaired products, parts or appliances.

Textual Amendments

F207 Word in Annex 1 point 21.A.447(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(10)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.449 Instructions for continued airworthiness

(a) The holder of the repair design approval shall furnish at least one complete set of those changes to the instructions for continued airworthiness which result from the design of the repair, comprising descriptive data and accomplishment instructions prepared in accordance with the applicable requirements, to each operator of aircraft incorporating the repair. The repaired product, part or appliance may be released into service before the changes to those instructions have been completed, but this shall be for a limited service period, and in agreement with the [^{F208}CAA]. Those changes to the instructions shall be made available on request to any other person required to comply with any of the terms of those changes to the instructions. The availability of some manual or portion of the changes to the instructions for continued airworthiness, dealing with overhaul or other forms of heavy maintenance, may be delayed until after the product has entered into service, but shall be available before any of the products reaches the relevant age or flight-hours/cycles.

Textual Amendments

F208 Word in Annex 1 point 21.A.449(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 205(11) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) If updates to those changes to the instructions for continued airworthiness are issued by the holder of the repair design approval after the repair has been first approved, these updates shall be furnished to each operator and shall be made available on request to any other person required to comply with any of the terms of those changes to the instructions. A programme showing how updates to the changes to the instructions for continued airworthiness are distributed shall be submitted to the [^{F209}CAA].

Textual Amendments

F209 Word in Annex 1 point 21.A.449(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(11)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.451 Obligations and [^{F210}UKPA] marking

- (a) Each holder of a major repair design approval shall:
- 1. undertake the obligations:
 - (i) laid down in points 21.A.3A, 21.A.3B, 21.A.4, 21.A.439, 21.A.441, 21.A.443, 21.A.447 and 21.A.449;
 - (ii) implicit in the collaboration with the type-certificate, supplemental type-certificate and with the APU [^{F211}UKTSO] authorisation holder under point 21.A.433 (b), as appropriate.
- 2. specify the marking, including $[^{F212}UKPA]$ letters, in accordance with point 21.A.804(a).

Textual Amendments

- **F211** Word in Annex 1 point 21.A.451(a)(1)(ii) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(12)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F212** Word in Annex 1 point 21.A.451(a)(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(12)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) Except for type-certificate holders or APU authorisation holders for which point 21.A.44 applies, the holder of a minor repair design approval shall:
- 1. undertake the obligations laid down in points 21.A.4, 21.A.447 and 21.A.449; and
- 2. specify the marking, including [F213 UKPA] letters, in accordance with point 21.A.804(a).

Textual Amendments

F213 Word in Annex 1 point 21.A.451(b)(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(12)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Textual Amendments

F210 Word in Annex 1 point 21.A.451 heading substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **205(12)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(SUBPART N — NOT APPLICABLE)

	RT ^{F214} UNITED	KINGDOM]	TECHNICAL	STANDARD	ORDER
O— AUTHORISATIONS					

21.A.601 Scope

This Subpart establishes the procedure for issuing [^{F215}UKTSO] authorisations and the rules governing the rights and obligations of applicants for, or holders of, such authorisations.

Textual Amendments

F215 Word in Annex 1 point 21.A.601 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(3) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.602 Kligibility

Any natural or legal person that produces or is preparing to produce an [F216 UKTSO] article, and that has demonstrated, or is in the process of demonstrating, its capability under point 21.A.602B shall be eligible as an applicant for an [F216 UKTSO] authorisation.

Textual Amendments

```
F216 Word in Annex 1 point 21.A.602A substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(3) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

21.A.602 Bemonstration of capability

Any applicant for an [^{F217}UKTSO] authorisation shall demonstrate its capability as follows:

```
Textual Amendments
```

```
F217 Word in Annex 1 point 21.A.602B substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(4)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

- (a) for production, by holding a production organisation approval, issued in accordance with Subpart G, or through compliance with Subpart F procedures; and
- (b) for design:
 - 1. for an Auxiliary Power Unit, by holding a design organisation approval, issued by the [^{F218}CAA] in accordance with Subpart J;
 - 2. for all other articles, by using procedures setting out the specific design practices, resources and sequence of activities necessary to comply with this Annex I (Part 21).

Textual Amendments

F218 Word in Annex 1 point 21.A.602B(b)(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **206(4)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.603 Application

(a) An application for an [^{F219}UKTSO] authorisation shall be made in a form and manner established by the [^{F220}CAA] and shall include an outline of the information required by point 21.A.605.

Textual Amendments

- F219 Word in Annex 1 point 21.A.603(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(5)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F220 Word in Annex 1 point 21.A.603(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(5)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) When a series of minor changes in accordance with point 21.A.611 is anticipated, the applicant shall set forth in its application the basic model number of the article and the

associated part numbers with open brackets after it to denote that suffix change letters or numbers (or combinations of them) will be added from time to time.

[^{F9}21.A.6**0**^{E221}UKTSO] authorisation for an auxiliary power unit (APU)

With regard to an [^{F221}UKTSO] authorisation for an APU:

- (a) by way of derogation from points 21.A.603, 21.A.610 and 21.A.615, the following points shall apply: points 21.A.15, 21.A.20, 21.A.21, 21.A.31, 21.A.33, 21.A.44, 21.B.75 and 21.B.80. However, an [^{F221}UKTSO] authorisation shall be issued in accordance with point 21.A.606 instead of a type-certificate;
- (b) [^{F81}by way of derogation from point 21.A.611, the requirements of Subpart D shall apply to the approval of design changes by the APU [^{F221}UKTSO] authorisation holder and design changes from other applicants classified as a minor change, and the requirements of Subpart E shall apply to the approval of design changes by other applicants classified as a major change. Where the requirements of Subpart E apply, a separate [^{F221}UKTSO] authorisation shall be issued instead of a supplemental type certificate; and]
- (c) the requirements of Subpart M shall apply to the approval of repair designs.

Textual Amendments

F221 Word in Annex 1 point 21.A.604 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(6) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.605 Data requirements

- (a) The applicant shall submit to the $[^{F222}CAA]$ the following documents:
 - 1. a certification programme for the [^{F223}UKTSO] authorisation, setting out the means to demonstrate compliance with point 21.A.606(b);
 - 2. a statement of compliance certifying that the applicant has met the requirements of this Subpart;
 - 3. a declaration of design and performance (DDP), stating that the applicant has demonstrated that the article complies with the applicable [^{F223}UKTSO] in accordance with the certification programme;
 - 4. a copy of the technical data required in the applicable [^{F223}UKTSO];
 - 5. the exposition, or a reference to the exposition, referred to in point 21.A.143 for the purpose of obtaining an appropriate production organisation approval under Subpart G or the manual, or a reference to the manual, referred to in point 21.A.125A(b) for the purpose of manufacturing under Subpart F without production organisation approval;
 - 6. for an APU, the handbook, or a reference to the handbook, referred to in point 21.A.243 for the purpose of obtaining an appropriate design organisation approval under Subpart J;

- 7. for all other articles, the procedures, or a reference to the procedures, referred to in point 21.A.602B(b)(2);
- (b) The applicant shall report to the [^{F224}CAA] any difficulty or event encountered during the approval process that may significantly impact the [^{F225}UKTSO] authorisation.

Textual Amendments

- **F222** Word in Annex 1 point 21.A.605(a) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(6)(a)(i)**
- **F223** Word in Annex 1 point 21.A.605(a) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(6)(a)(ii)**
- **F224** Word in Annex 1 point 21.A.605(b) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(6)(b)(i)**
- **F225** Word in Annex 1 point 21.A.605(b) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(6)(b)(ii)**

21.A.606 Requirements for the issuance of an [F226 UKTSO] authorisation

In order to be issued an [F226UKTSO] authorisation, the applicant shall:

- (a) demonstrate its capability in accordance with point 21.A.602B;
- (b) demonstrate that the article complies with the technical conditions of the applicable $[^{F226}UKTSO]$ or with deviations therefrom approved in accordance with point 21.A.610, if any;
- (c) comply with the requirements of this Subpart; and
- (d) declare that no feature or characteristic has been identified that may make the article unsafe for the uses for which certification is requested.]

Textual Amendments

F226 Word in Annex 1 point 21.A.606 substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(6)(c)**

21.A.607 [F227 UKTSO] authorisation privileges

The holder of an [F227 UKTSO] authorisation is entitled to produce and to mark the article with the appropriate [F227 UKTSO] marking.

Textual Amendments

F227 Word in Annex 1 point 21.A.607 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **206(9)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.608 Declaration of Design and Performance (DDP)

(a) The DDP shall contain at least the following information:

or before 19 November 2023. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- 1. information corresponding to point 21.A.31(a) and (b), identifying the article and its design and testing standard;
- 2. the rated performance of the article, where appropriate, either directly or by reference to other supplementary documents;
- 3. a statement of compliance certifying that the article has met the appropriate [^{F228}UKTSO];
- 4. reference to relevant test reports;
- 5. reference to the appropriate Maintenance, Overhaul and Repair Manuals;
- 6. the levels of compliance, where various levels of compliance are allowed by the [^{F228}UKTSO];
- 7. list of deviations accepted in accordance with point 21.A.610.

Textual Amendments

F228 Word in Annex 1 point 21.A.608 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **206(9)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) The DDP shall be endorsed with the date and signature of the holder of the [^{F228}UKTSO] authorisation, or its authorised representative.

21.A.609 Obligations of holders of [^{F229}UKTSO] authorisations

The holder of an [^{F229}UKTSO] authorisation under this Subpart shall:

- (a) manufacture each article in accordance with Subpart G or Subpart F that ensures that each completed article conforms to its design data and is safe for installation;
- (b) prepare and maintain, for each model of each article for which an [^{F229}UKTSO] authorisation has been issued, a current file of complete technical data and records in accordance with point 21.A.613;
- (c) prepare, maintain and update master copies of all manuals required by the applicable airworthiness specifications for the article;
- (d) make available to users of the article and to the [^{F230}CAA] on request those maintenance, overhaul and repair manuals necessary for the usage and maintenance of the article, and changes to those manuals;
- (e) mark each article in accordance with point 21.A.807;
- (f) comply with points 21.A.3A, 21.A.3B and 21.A.4;
- (g) continue to meet the qualification requirements of point 21.A.602B.

Textual Amendments

F230 Word in Annex 1 point 21.A.609(d) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **206(10)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Textual Amendments

F229 Word in Annex 1 point 21.A.609 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **206(10)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12 and S.I. 2020/1116, regs. 1(3), **9(b)**); 2020 c. 1, Sch. 5 para. 1(1)

21.A.610 Approval for deviation

(a) Each manufacturer who requests approval to deviate from any performance standard of an [^{F231}UKTSO] shall demonstrate that the standards from which a deviation is requested are compensated for by factors or design features providing an equivalent level of safety.

Textual Amendments

- F231 Word in Annex 1 point 21.A.610(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(11)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) The request for approval to deviate, together with all pertinent data, shall be submitted to the $[^{F232}CAA]$.

Textual Amendments

F232 Word in Annex 1 point 21.A.610(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **206(11)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.611 Design changes

(a) The holder of the [^{F233}UKTSO] authorisation may make minor design changes (any change other than a major change) without further authorisation by the [^{F234}CAA]. In this case, the changed article keeps the original model number (part number changes or amendments shall be used to identify minor changes) and the holder shall forward to the [^{F234}CAA] any revised data that are necessary for compliance with point 21.A.603(b).

Textual Amendments

F233 Word in Annex 1 point 21.A.611(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **206(12)(a)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- **F234** Word in Annex 1 point 21.A.611(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **206(12)(a)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) Any design change by the holder of the [^{F235}UKTSO] authorisation that is extensive enough to require a substantially complete investigation to determine compliance with an [^{F235}UKTSO] is a major change. Before making such a change, the holder shall assign a new type or model designation to the article and apply for a new authorisation under point 21.A.603.

Textual Amendments

- F235 Word in Annex 1 point 21.A.611(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(12)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (c) No design change by any natural or legal person other than the holder of the [^{F236}UKTSO] authorisation who submitted the statement of compliance for the article is eligible for approval under this Subpart O unless the person seeking the approval applies under point 21.A.603 for a separate [^{F236}UKTSO] authorisation.

Textual Amendments

F236 Word in Annex 1 point 21.A.611(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(12)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.613 Record-keeping

Further to the record-keeping requirements appropriate to or associated with the quality system, all relevant design information, drawings and test reports, including inspection records for the article tested, shall be held at the disposal of the [^{F237}CAA] and shall be retained in order to provide the information necessary to ensure the continued airworthiness of the article and of the type-certificated product in which it is fitted.

Textual Amendments

F237 Word in Annex 1 point 21.A.613 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **206(13)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.615 Inspection by the [^{F238}CAA]

Upon a request of the [F239 CAA], each applicant for, or holder of an [F240 UKTSO] authorisation for an article shall allow the [F241 CAA] to:

Textual Amendments

- F239 Word in Annex 1 point 21.A.615 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(14)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F240 Word in Annex 1 point 21.A.615 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(14)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F241 Word in Annex 1 point 21,A.615 substituted (31,12,2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(14)(c) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (a) witness any tests;
- (b) inspect the technical data files on that article.

Textual Amendments

```
F238 Word in Annex 1 point 21.A.615 heading substituted (31.12.2020) by The Aviation Safety (Amendment
      etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(14)(a) (with Sch. 3) (as amended by S.I.
      2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

21.A.619 Duration and continued validity

- An [^{F242}UKTSO] authorisation shall be issued for an unlimited duration. It shall remain (a) valid unless:
- 1. the conditions required when [^{F242}UKTSO] authorisation was granted are no longer being observed; or
- 2. the obligations of the holder specified in point 21.A.609 are no longer being discharged; or
- 3. the article has proved to give rise to unacceptable hazards in service; or
- 4. the authorisation has been surrendered or revoked under the applicable administrative procedures established by the [^{F243}CAA].

Textual Amendments

F243 Word in Annex 1 point 21.A.619 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(15)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Textual Amendments

F242 Word in Annex 1 point 21.A.619 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(15)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) Upon surrender or revocation, the certificate shall be returned to the [^{F243}CAA].

21.A.621 Transferability

Except for a change in ownership of the holder, which shall be regarded as a change of significance, and shall therefore comply with points 21.A.147 and 21.A.247 as applicable, an [F244UKTSO] authorisation issued under this Annex I (Part 21) is not transferable.

Textual Amendments

```
F244 Word in Annex 1 point 21.A.621 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 206(16) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

Textual Amendments

F214 Words in Annex 1 s. A Subpart O heading substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **206(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), **12**); 2020 c. 1, **Sch. 5 para. 1(1)**

SUBPAR**P**ERMIT TO FLY P —

21.A.701 Scope

- (a) Permits to fly shall be issued in accordance with this Subpart to aircraft that do not meet, or have not been shown to meet, applicable airworthiness requirements but are capable of safe flight under defined conditions and for the following purposes:
- 1. development;
- 2. showing compliance with regulations or certification specifications;
- 3. design organisations or production organisations crew training;
- 4. production flight testing of new production aircraft;
- 5. flying aircraft under production between production facilities;
- 6. flying the aircraft for customer acceptance;
- 7. delivering or exporting the aircraft;
- 8. flying the aircraft for Authority acceptance;
- 9. market survey, including customer's crew training;
- 10. exhibition and air show;
- 11. flying the aircraft to a location where maintenance or airworthiness review are to be performed, or to a place of storage;
- 12. flying an aircraft at a weight in excess of its maximum certificated takeoff weight for flight beyond the normal range over water, or over land areas where adequate landing facilities or appropriate fuel is not available;
- 13. record breaking, air racing or similar competition;

- 14. flying aircraft meeting the applicable airworthiness requirements before conformity to the environmental requirements has been found;
- 15. for non-commercial flying activity on individual non-complex aircraft or types for which a certificate of airworthiness or restricted certificate of airworthiness is not appropriate[^{F9};]
- 16. [^{F10}flying an aircraft for troubleshooting purposes or to check the functioning of one or more systems, parts or appliances after maintenance.]
- (b) This Subpart establishes the procedure for issuing permits to fly and approving associated flight conditions, and establishes the rights and obligations of the applicants for, and holders of, those permits and approvals of flight conditions.

21.A.703 Eligibility

- (a) Any natural or legal person shall be eligible as an applicant for a permit to fly except for a permit to fly requested for the purpose of point 21.A.701(a)(15) where the applicant shall be the owner.
- (b) Any natural or legal person shall be eligible for application for the approval of the flight conditions.

21.A.705 Competent authority

F245

Textual Amendments

F245 Annex 1 point 21.A.705 omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 207(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.707 Application for permit to fly

(a) Pursuant to point 21.A.703 and when the applicant has not been granted the privilege to issue a permit to fly, an application for a permit to fly shall be made to the [^{F246}CAA] in a form and manner established by [^{F247}the CAA].

Textual Amendments

- **F246** Word in Annex 1 point 21.A.707(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(3)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F247** Words in Annex 1 point 21.A.707(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(3)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) Each application for a permit to fly shall include:
- 1. the purpose(s) of the flight(s), in accordance with point 21.A.701;
- 2. the ways in which the aircraft does not comply with the applicable airworthiness requirements;

- 3. the flight conditions approved in accordance with point 21.A.710.
- (c) Where the flight conditions are not approved at the time of application for a permit to fly, an application for approval of the flight conditions shall be made in accordance with point 21.A.709.

21.A.708 Flight conditions

Flight conditions include:

- (a) the configuration(s) for which the permit to fly is requested;
- (b) any condition or restriction necessary for safe operation of the aircraft, including:
 - 1. the conditions or restrictions put on itineraries or airspace, or both, required for the flight(s);
 - 2. [^{F122}any conditions or restrictions put on the flight crew to fly the aircraft, in addition to those defined in Appendix XII to this Annex I (Part 21);]
 - 3. the restrictions regarding carriage of persons other than flight crew;
 - 4. the operating limitations, specific procedures or technical conditions to be met;
 - 5. the specific flight test programme (if applicable);
 - 6. the specific continuing airworthiness arrangements including maintenance instructions and regime under which they will be performed;
- (c) the substantiation that the aircraft is capable of safe flight under the conditions or restrictions of point (b);
- (d) the method used for the control of the aircraft configuration, in order to remain within the established conditions.

21.A.709 Application for approval of flight conditions

- (a) Pursuant to point 21.A.707(c) and when the applicant has not been granted the privilege to approve the flight conditions, an application for approval of the flight conditions shall be made:
- 1. when approval of the flight conditions is related to the safety of the design, to the $[^{F248}CAA]$ in a form and manner established by the $[^{F248}CAA]$; or
- 2. when approval of the flight conditions is not related to the safety of the design, to the [^{F249}CAA] in a form and manner established by that authority.

Textual Amendments

- **F248** Word in Annex 1 point 21.A.709(a)(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(4)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F249** Word in Annex 1 point 21.A.709(a)(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(4)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- 1. the proposed flight conditions;
- 2. the documentation supporting these conditions; and
- 3. a declaration that the aircraft is capable of safe flight under the conditions or restrictions of point 21.A.708(b).

21.A.710 Approval of flight conditions

- (a) When approval of the flight conditions is related to the safety of the design, the flight conditions shall be approved by:
- 1. the $[^{F250}CAA]$; or
- 2. an appropriately approved design organisation, under the privilege of point 21.A.263(c)(6).

Textual Amendments

F250 Word in Annex 1 point 21.A.710(a)(1) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(5)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) When approval of the flight conditions is not related to the safety of the design, the flight conditions shall be approved by the [^{F251}CAA], or the appropriately approved organisation that will also issue the permit to fly.

Textual Amendments

- F251 Word in Annex 1 point 21.A.710(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 207(5)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (c) Before approving the flight conditions, the [^{F252}CAA] or the approved organisation must be satisfied that the aircraft is capable of safe flight under the specified conditions and restrictions. The [^{F253}CAA] may make or require the applicant to make any necessary inspections or tests for that purpose.

Textual Amendments

- **F252** Word in Annex 1 point 21.A.710(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(5)(c)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F253** Word in Annex 1 point 21.A.710(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(5)(c)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.711 Issue of a permit to fly

(a) A permit to fly ([^{F254}CAA] Form 20a, see Appendix III) may be issued by the [^{F255}CAA] under the conditions specified in point 21.B.525.

Textual Amendments

- **F254** Word in Annex 1 point 21.A.711(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(6)(a)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F255** Word in Annex 1 point 21.A.711(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(6)(a)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) An appropriately approved design organisation may issue a permit to fly ([^{F256}CAA] Form 20b, see Appendix IV) under the privilege granted under point 21.A.263(c) (7), when the flight conditions referred to in point 21.A.708 have been approved in accordance with point 21.A.710.

Textual Amendments

- F256 Word in Annex 1 point 21.A.711(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 207(6)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (c) An appropriately approved production organisation may issue a permit to fly $([^{F257}CAA]$ Form 20b, see Appendix IV) under the privilege granted under point 21.A.163(e), when the flight conditions referred to in point 21.A.708 have been approved in accordance with point 21.A.710.

Textual Amendments

F257 Word in Annex 1 point 21.A.711(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 207(6)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

[^{F81}(d) An approved organisation may issue a permit to fly ([^{F258}CAA] Form 20b, see Appendix IV) under the privilege granted in accordance with [^{F259}point M.A.711 of Annex I (Part-M) of Regulation (EU) No 1321/2014,] point CAMO.A.125 of Annex Vc (Part-CAMO) of Regulation (EU) No 1321/2014 or point CAO.A.095 of Annex Vd (Part-CAO) of Regulation (EU) No 1321/2014, when the flight conditions referred to in point 21.A.708 of this Annex have been approved in accordance with point 21.A.710 of this Annex.]

Textual Amendments

- **F258** Word in Annex 1 point 21.A.711(d) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(6)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F259 Words in Annex 1 point 21.A.711(d) inserted (21.6.2023) by The Aviation Safety (Amendment) Regulations 2023 (S.I. 2023/588), regs. 1(2), 6(13)(a)

(e) The permit to fly shall specify the purpose(s) and any conditions and restrictions which have been approved in accordance with point 21.A.710.

(f) For permits issued under points (b), (c) or (d), a copy of the permit to fly and associated flight conditions shall be submitted to the [^{F260}CAA] at the earliest opportunity but not later than 3 days.

 Textual Amendments

 F260
 Word in Annex 1 point 21.A.711(f) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 207(6)(c) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(g) Upon evidence that any of the conditions specified in point 21.A.723(a) are not met for a permit to fly that an organisation has issued pursuant to points (b), (c) or (d), that organisation shall immediately revoke that permit to fly and inform without delay the $[^{F261}CAA]$.

Textual Amendments

```
F261 Word in Annex 1 point 21.A.711(g) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 207(6)(c) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

21.A.713 Changes

- (a) Any change that invalidates the flight conditions or associated substantiation established for the permit to fly shall be approved in accordance with point 21.A.710. When relevant an application shall be made in accordance with point 21.A.709.
- (b) A change affecting the content of the permit to fly requires the issuance of a new permit to fly in accordance with point 21.A.711.

21.A.715 Language

The manuals, placards, listings, and instrument markings and other necessary information required by applicable certification specifications shall be presented in [^{F262}English].

Textual Amendments

```
F262 Word in Annex 1 point 21.A.715 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 207(7) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

21.A.719 Transferability

- (a) A permit to fly is not transferable.
- (b) Notwithstanding point (a) for a permit to fly issued for the purpose of point 21.A.701(a)(15), where ownership of an aircraft has changed, the permit to fly shall be transferred together with the aircraft ^{F263}....

Textual Amendments

F263 Words in Annex 1 point 21.A.719(b) omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(8)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.721 Inspections

The holder of, or the applicant for, a permit to fly shall provide access to the aircraft concerned at the request of the $[^{F264}CAA]$.

Textual Amendments

F264 Word in Annex 1 point 21.A.721 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 207(9) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.723 Duration and continued validity

- (a) A permit to fly shall be issued for a maximum of 12 months and shall remain valid subject to:
- 1. compliance with the conditions and restrictions of point 21.A.711(e) associated with the permit to fly;
- 2. the permit to fly not being surrendered or revoked;
- 3. the aircraft remaining on the same register.
- (b) Notwithstanding point (a), a permit to fly issued for the purpose of point 21.A.701(a) (15) may be issued for unlimited duration.
- (c) Upon surrender or revocation, the permit to fly shall be returned to the $[^{F265}CAA]$.

Textual Amendments

F265 Word in Annex 1 point 21.A.723(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(9)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.725 Renewal of permit to fly

Renewal of the permit to fly shall be processed as a change in accordance with point 21.A.713.

21.A.727 Obligations of the holder of a permit to fly

The holder of a permit to fly shall ensure that all the conditions and restrictions associated with the permit to fly are satisfied and maintained.

21.A.729 Record-keeping

(a) All documents produced to establish and justify the flight conditions shall be held by the holder of the approval of the flight conditions at the disposal of the [^{F266}CAA] and

shall be retained in order to provide the information necessary to ensure the continued airworthiness of the aircraft.

Textual Amendments

F266 Word in Annex 1 point 21.A.729(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 207(10)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) All documents associated with the issue of permits to fly under the privilege of approved organisations, including inspection records, documents supporting the approval of flight conditions and the permit to fly itself, shall be held by the related approved organisation at the disposal of the [^{F267}CAA] and shall be retained in order to provide the information necessary to ensure the continued airworthiness of the aircraft.

Textual Amendments

F267 Word in Annex 1 point 21.A.729(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **207(10)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.801 Identification of products

- (a) The identification of products shall include the following information:
- 1. manufacturer's name;
- 2. product designation;
- 3. manufacturer's Serial number;
- 4. any other information the $[^{F268}CAA]$ finds appropriate.

Textual Amendments

F268 Word in Annex 1 point 21.A.801 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **208(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) Any natural or legal person that manufactures an aircraft or engine under Subpart G or Subpart F shall identify that aircraft or engine by means of a fireproof plate that has the information specified in point (a) marked on it by etching, stamping, engraving, or other approved method of fireproof marking. The identification plate shall be secured in such a manner that it is accessible and legible, and will not likely be defaced or removed during normal service, or lost or destroyed in an accident.
- (c) Any natural or legal person that manufactures a propeller, propeller blade, or propeller hub under Subpart G or Subpart F shall identify it by means of a plate, stamping, engraving, etching or other approved method of fireproof identification that is placed on it on a non-critical surface, contains the information specified in point (a), and

will not likely be defaced or removed during normal service or lost or destroyed in an accident.

(d) For manned balloons, the identification plate prescribed in point (b) shall be secured to the balloon envelope and shall be located, if practicable, where it is legible to the operator when the balloon is inflated. In addition, the basket, load frame assembly and any heater assembly shall be permanently and legibly marked with the manufacturer's name, part number, or equivalent, and serial number, or equivalent.

21.A.803 Handling of identification data

(a) No person shall remove, change, or place identification information referred to in point 21.A.801(a) on any aircraft, engine, propeller, propeller blade, or propeller hub, or in point 21.A.807(a) on an APU, without the approval of the [^{F269}CAA].

Textual Amendments

- **F269** Word in Annex 1 point 21.A.803 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **208(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) No person shall remove or install any identification plate referred to in point 21.A.801, or in point 21.A.807 for an APU, without the approval of the $[^{F269}CAA]$.
- (c) By way of derogation from points (a) and (b), any natural or legal person performing maintenance work under the applicable associated implementing rules may, in accordance with methods, techniques and practices established by the [^{F269}CAA]:
- 1. remove, change, or place the identification information referred to in point 21.A.801(a) on any aircraft, engine, propeller, propeller blade, or propeller hub, or in point 21.A.807(a) on an APU; or
- 2. remove an identification plate referred to in point 21.A.801, or point 21.A.807 for an APU, when necessary during maintenance operations.
- (d) No person shall install an identification plate removed in accordance with point (c) (2) on any aircraft, engine, propeller, propeller blade, or propeller hub other than the one from which it was removed.

21.A.804 Identification of parts and appliances

- (a) Each part or appliance shall be marked permanently and legibly with:
- 1. a name, trademark, or symbol identifying the manufacturer in a manner identified by the applicable design data; and
- 2. the part number, as defined in the applicable design data; and
- 3. the letters [^{F270}UKPA] for parts or appliances produced in accordance with approved design data not belonging to the type-certificate holder of the related product, except for [^{F271}UKTSO] articles.

Textual Amendments

- **F270** Word in Annex 1 point 21.A.804(a)(3) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **208(3)(a)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F271 Word in Annex 1 point 21.A.804(a)(3) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 208(3)(a)(ii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) By way of derogation from point (a), if the [^{F272}CAA] agrees that a part or appliance is too small or that it is otherwise impractical to mark a part or appliance with any of the information required by point (a), the authorised release document accompanying the part or appliance or its container shall include the information that could not be marked on the part.

Textual Amendments

F272 Word in Annex 1 point 21.A.804(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 208(3)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.A.805 Identification of critical parts

In addition to the requirement of point 21.A.804, each manufacturer of a part to be fitted on a type-certificated product which has been identified as a critical part shall permanently and legibly mark that part with a part number and a serial number.

21.A.807 Identification of [^{F273}UKTSO] articles

- (a) Each holder of an [^{F274}UKTSO] authorisation under Subpart O shall permanently and legibly mark each article with the following information:
- 1. the name and address of the manufacturer;
- 2. the name, type, part number or model designation of the article;
- 3. the serial number or the date of manufacture of the article or both; and
- 4. the applicable [^{F274}UKTSO] number.

Textual Amendments

```
F274 Word in Annex 1 point 21.A.807(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 208(4)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

(b) By way of derogation from point (a), if the [^{F275}CAA] agrees that a part is too small or that it is otherwise impractical to mark a part with any of the information required by point (a), the authorised release document accompanying the part or its container shall include the information that could not be marked on the part.

Textual Amendments

F275 Word in Annex 1 point 21.A.807(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 208(4)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(c) Each person who manufactures an APU under Subpart G or Subpart F shall identify that APU by means of a fireproof plate that has the information specified in point (a) marked on it by etching, stamping, engraving, or other approved method of fireproof marking. The identification plate shall be secured in such a manner that it is accessible and legible, and will not likely be defaced or removed during normal service, or lost or destroyed in an accident.

Textual Amendments

F273 Word in Annex 1 point 21.A.807 heading substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **208(4)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

SECTION B

PROCEDURES FOR [^{F276}THE CAA]

SUBPARGENERAL PROVISIONS A —

21.B.5 Scope

[^{F9}(a) This Section establishes the procedure for the [^{F277}CAA], when exercising its tasks and responsibilities concerned with the issuance, maintenance, amendment, suspension and revocation of certificates, approvals and authorisations referred to in this Annex I.]

Textual Amendments

F277 Word in Annex 1 point 21.B.5(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 210(2)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12 and S.I. 2020/1116, regs. 1(3), 10); 2020 c. 1, Sch. 5 para. 1(1)

(b) The [^{F278}CAA] shall develop in accordance with Article 19 of Regulation (EC) No 216/2008 certification specifications and guidance material to assist ^{F279}... in the implementation of this Section.

Textual Amendments

F278 Word in Annex 1 point 21.B.5(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(2)(b)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

F279 Words in Annex 1 point 21.B.5(b) omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(2)(b)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.20 Obligations of the competent authority

F280

Textual Amendments

F280 Annex 1 point 21.B.20 omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(3)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.25 Requirements for the organisation of the [^{F281}CAA]

(a) General:

F282

Textual Amendments

F282 Annex 1 point 21.B.25(a) omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(4)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) Resources:

- 1. the number of staff shall be sufficient to perform the allocated tasks;
- 2. the [^{F283}CAA] shall appoint a manager, or managers, who are responsible for the execution of the related task(s) within the authority ^{F284}....

Textual Amendments

- **F283** Word in Annex 1 point 21.B.25(b)(2) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(4)(c)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F284** Words in Annex 1 point 21.B.25(b)(2) omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(4)(c)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(c) Qualification and training:

All staff shall be appropriately qualified and have sufficient knowledge, experience and training to perform their allocated task.

Textual Amendments

F281 Word in Annex 1 point 21.B.25 heading substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(4)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.30 Documented procedures

(a) The [^{F285}CAA] shall establish documented procedures to describe its organisation, means and methods to fulfil the requirements of this Annex I (Part 21). The procedures shall be kept up to date and serve as the basic working documents within that authority for all related activities.

Textual Amendments

F285 Word in Annex 1 point 21.B.30(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(5)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) F286...

Textual Amendments

F286 Annex 1 point 21.B.30(b) omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(5)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.35 Changes in organisation and procedures

F287

Textual Amendments

F287 Annex 1 point 21.B.35(a) omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(6)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) The [^{F288}CAA] shall update its documented procedures relating to any change to regulations in a timely manner to ensure effective implementation.

Textual Amendments

F288 Word in Annex 1 point 21.B.35(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(6)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.40 Resolution of disputes

(a) The [^{F289}CAA] shall establish a process for the resolution of disputes within its organisation documented procedures.

 Textual Amendments

 F289
 Word in Annex 1 point 21.B.40(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 210(7)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

```
(b) <sup>F290</sup>...
```

Textual Amendments

F290 Annex 1 point 21.B.40(b) omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 210(7)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.45 Reporting/coordination

F291

Textual Amendments

F291 Annex 1 point 21.B.45 omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(8)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.55 Record-keeping

The [^{F292}CAA] shall keep, or maintain access to, the appropriate records related to the certificates, approvals and authorisations it has granted in accordance with [^{F293}any relevant enactment].

Textual Amendments

- **F292** Word in Annex 1 point 21.B.55 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(9)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F293** Words in Annex 1 point 21.B.55 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(9)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.60 Airworthiness directives

F294

Textual Amendments

F294 Annex 1 point 21.B.60 omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **210(10)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

$[^{\mbox{\rm F}^9}{\rm SUBPARAPE-CERTIFICATES}$ AND RESTRICTED TYPE-CERTIFICATES B —

21.B.70 Certification specifications

The [^{F295}CAA], in accordance with Article 76(3) of Regulation (EU) 2018/1139, shall issue certification specifications and other detailed specifications, including certification specifications for airworthiness, operational suitability data and environmental protection, that ^{F296}... organisations and personnel may use to demonstrate compliance of products, parts and appliances with the relevant essential requirements set out in Annexes II, IV and V to that Regulation, as well as with those for environmental protection set out in Article 9(2) and Annex III of that Regulation. Such specifications shall be sufficiently detailed and specific to indicate to applicants the conditions under which certificates are to be issued, amended or supplemented.

Textual Amendments

- F295 Word in Annex 1 point 21.B.70 substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), 61(7)(a)(i)
- **F296** Words in Annex 1 point 21.B.70 omitted (31.12.2020) by virtue of The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(7)(a)(ii)**

21.B.75 Special conditions

- (a) The [^{F297}CAA] shall prescribe special detailed technical specifications, named 'special conditions, for a product if the related certification specifications do not contain adequate or appropriate safety standards for the product because:
 - 1. the product has novel or unusual design features relative to the design practices on which the applicable certification specifications are based;
 - 2. the intended use of the product is unconventional; or
 - 3. experience from other similar products in service or products having similar design features or newly identified hazards have shown that unsafe conditions may develop.
- (b) Special conditions contain such safety standards as the [^{F297}CAA] finds necessary in order to establish a level of safety equivalent to that of the applicable certification specifications.

Textual Amendments

F297 Word in Annex 1 points 21.B.75-21.B.85 substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(7)(b)**

21.B.80 Type-certification basis for a type-certificate or restricted type-certificate

The [^{F297}CAA] shall establish the type certification basis and notify it to the applicant for a type-certificate or restricted type-certificate. The type certification basis shall consist of:

(a) the certification specifications for airworthiness designated by the [^{F297}CAA] from those applicable to the product at the date of application for that certificate, unless:

- 1. the applicant chooses to comply, or is required to comply in accordance with point 21.A.15(f), with certification specifications which became applicable after the date of the application; If an applicant chooses to comply with a certification specification which became applicable after the date of the application, the [^{F297}CAA] shall include in the type-certification basis any other certification specification that is directly related; or
- 2. the [^{F297}CAA] accepts any alternative to a designated certification specification that cannot be complied with, for which compensating factors have been found that provide an equivalent level of safety; or
- 3. the $[^{F297}CAA]$ accepts or prescribes other means that:
 - (i) in the case of a type-certificate, demonstrate compliance with the essential requirements of Annex II to Regulation (EU) 2018/1139; or
 - (ii) in the case of a restricted type-certificate, provide a level of safety adequate with regard to the intended use; and
- (b) any special condition prescribed by the $[^{F297}CAA]$ in accordance with point 21.B.75(a).

21.B.82 Operational suitability data certification basis for an aircraft type-certificate or restricted type-certificate

The [^{F297}CAA] shall establish the operational suitability data certification basis and notify it to the applicant for an aircraft type-certificate or restricted type-certificate. The operational suitability data certification basis shall consist of:

- (a) the certification specifications for operational suitability data designated by the [^{F297}CAA] out of those applicable to the aircraft at the date of the application or at the date of the application supplement for operational suitability data, whichever date is later, unless:
 - 1. the applicant chooses to comply, or in accordance with point 21.A.15(f) is required to comply with certification specifications which became applicable after the date of the application; If an applicant chooses to comply with a certification specification which became applicable after the date of the application, the [^{F297}CAA] shall include in the type-certification basis any other certification specification that is directly related; or
 - 2. the [^{F297}CAA] accepts or prescribes alternative means to demonstrate compliance with the relevant essential requirements of Annexes II, IV and V to Regulation (EU) 2018/1139.
- (b) any special condition prescribed by the $[^{F297}CAA]$ in accordance with point 21.B.75(a).]

[^{F10}21.B.8**D**esignation of applicable environmental protection requirements and certification specifications for a type-certificate or restricted type-certificate

(a) The [^{F297}CAA] shall designate and notify to the applicant for a type-certificate or restricted type-certificate for an aircraft, for a supplemental type-certificate or for a major change to a type-certificate or to a supplemental type-certificate, the applicable

noise requirements established in Annex 16 to the Chicago Convention, Volume I, Part II, Chapter 1 and:

- 1. for subsonic jet aeroplanes, in Chapters 2, 3, 4 and 14;
- 2. for propeller-driven aeroplanes in Chapters 3, 4, 5, 6, 10, and 14;
- 3. for helicopters, in Chapters 8 and 11;
- 4. for supersonic aeroplanes, in Chapter 12; and
- 5. for tilt rotors, in Chapter 13.
- (b) The [^{F297}CAA] shall designate and notify to the applicant referred to in point (a) the applicable emission requirements for preventions of intentional fuel venting for aircraft established in Annex 16 to the Chicago Convention, Volume II, Part II, Chapter 1 and 2.
- (c) The [^{F297}CAA] shall designate and notify to the applicant referred to in point (a) the applicable smoke, gaseous and particulate matter engine emission requirements established in Annex 16 to the Chicago Convention, Volume II, Part III, Chapter 1 and
 - 1. for smoke and gaseous emissions of turbojet and turbofan engines intended for propulsion only at subsonic speeds, in Chapter 2;
 - 2. for smoke and gaseous emissions of turbojet and turbofan engines intended for propulsion at supersonic speeds, in Chapter 3;and
 - 3. for particulate matter emissions of turbojet and turbofan engines intended for propulsion only at subsonic speeds, in Chapter 4.
- (d) The [^{F297}CAA] shall designate and notify to the applicant referred to in point (a) the applicable aeroplane CO $_2$ emission requirements established in Annex 16 to the Chicago Convention, Volume III, Part II, Chapter 1 and
 - 1. for subsonic jet aeroplanes, in Chapter 2; and
 - 2. for subsonic propeller-driven aeroplanes, in Chapter 2.]

[^{F9}21.B.100 evel of involvement

- (a) The [^{F298}CAA] shall determine its involvement in the verification of the compliance demonstration activities and data related to the application for a type-certificate, restricted type-certificate, major change approval, supplemental type certificate, major repair design approval or [^{F299}UKTSO] authorisation for APU. It shall do so on the basis of an assessment of meaningful groups of compliance demonstration activities and data of the certification programme. That assessment shall address:
 - -- the likelihood of an unidentified non-compliance with the type-certification basis, operational suitability data certification basis or environmental protection requirements; and
 - the potential impact of that non-compliance on product safety or environmental protection,

and consider at least the following elements:

1. novel or unusual features of the certification project, including operational, organisational and knowledge management aspects;

- 2. complexity of the design and/or demonstration of compliance;
- 3. criticality of the design or technology and the related safety and environmental risks, including those identified on similar designs; and
- 4. performance and experience of the design organisation of the applicant in the domain concerned.
- (b) For the approval of a minor repair design, minor change or [^{F300}UKTSO] authorisation other than for APU, the [^{F301}CAA] shall determine its involvement at the level of the entire certification project, taking into account any novel or unusual features, complexity of the design and/or demonstration of compliance, criticality of the design or technology, as well as the performance and experience of the applicant's design organisation.
- (c) The [^{F302}CAA] shall notify its level of involvement to the applicant and it shall update its level of involvement when this is warranted by information which has an appreciable impact on the risk previously assessed pursuant to point (a) or (b). The [^{F302}CAA] shall notify the applicant about the change in the level of involvement.

Textual Amendments

- **F298** Word in Annex 1 point 21.B.100(a) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(7)(c)(i)**
- **F299** Word in Annex 1 point 21.B.100(a) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(7)(c)(ii)**
- **F300** Word in Annex 1 point 21.B.100(b) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(7)(d)(i)**
- **F301** Word in Annex 1 point 21.B.100(b) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(7)(d)(ii)**
- **F302** Word in Annex 1 point 21.B.100(c) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(7)(e)**

21.B.103 Issuance of a type-certificate or restricted type-certificate

- (a) The [^{F303}CAA] shall issue an aircraft, engine or propeller type-certificate or an aircraft restricted type-certificate, provided that:
 - 1. the applicant has complied with point 21.A.21;
 - 2. the [^{F303}CAA], through verifications of the demonstration of compliance in accordance with its involvement determined pursuant to point 21.B.100, has not found any non-compliance with the type-certification basis, the operational suitability data certification basis where applicable in accordance with point 21.B.82, and the environmental protection requirements; and
 - 3. no feature or characteristic has been identified that may make the product unsafe for the uses for which the certification is requested.
- (b) By derogation from point (a), at the applicant's request included in the declaration referred to in point 21.A.20(d), the [^{F303}CAA] may issue an aircraft type-certificate before compliance with the operational suitability data certification basis has been

demonstrated, provided that the applicant demonstrates such compliance before the date at which those data are to be actually used.]

Textual Amendments

F303 Word in Annex 1 point 21.B.103 substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(7)(f)**

(SUBPART C — NOT APPLICABLE)

SUBPAR CHANGES TO TYPE-CERTIFICATES AND RESTRICTED TYPE-D— CERTIFICATES

F18

[^{F9}21.B.10[Sype-certification basis, environmental protection requirements and operational suitability data certification basis for a major change to a type-certificate

The $[F^{304}CAA]$ shall establish the applicable type-certification basis, the environmental protection requirements, and in the case of a change affecting the operational suitability data, the operational suitability data certification basis established in accordance with point 21.A.101 and notify them to the applicant for a major change to a type certificate.

Textual Amendments

1.

F304 Word in point 21.B.105 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 212 (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12 and S.I. 2020/1116, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.107 Issuance of an approval of a change to a type-certificate

- (a) The [^{F305}CAA] shall issue an approval of a change to a type-certificate provided that:
 - the applicant for an approval has complied with:
 - (i) point 21.A.95 for a minor change; or
 - (ii) point 21.A.97 for a major change;
 - 2. the [^{F305}CAA], through its verification of the demonstration of compliance in accordance with the level of its involvement determined pursuant to point (a) or (b) of point 21.B.100 has not found any non-compliance with the type-certification basis, operational suitability data certification basis where applicable in accordance with point 21.B.82, and environmental protection requirements; and
 - 3. no feature or characteristic has been identified that may make the product unsafe for the uses for which certification is requested.
- (b) In the case of a change affecting the operational suitability data, by derogation from points (1) and (2) of point (a), at the applicant's request included in the declaration referred to in point 21.A.20(d), the [^{F305}CAA] may approve a change to an aircraft type-certificate before compliance with the operational suitability data certification basis has been demonstrated, provided that the applicant demonstrates such compliance before the date at which those data are to be actually used.

- (c) The approval of the changes to the operational suitability data shall be included in the approval of the change to the type-certificate.
- (d) The approval of a change to a type-certificate shall be limited to the specific configuration(s) in the type-certificate to which the change relates.]

Textual Amendments

F305 Word in point 21.B.107 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 212 (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12 and S.I. 2020/1116, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

SUBPAR SUPPLEMENTAL TYPE-CERTIFICATES

Е —

[^{F9}In this Subpart, references to type-certificates include type-certificates and restricted type-certificates.

21.B.109 Type-certification basis, environmental protection requirements and operational suitability data certification basis for a supplemental type-certificate

The $[F^{306}CAA]$ shall establish the applicable type-certification basis, the environmental protection requirements and, in the case of a change affecting the operational suitability data, the operational suitability data certification basis established in accordance with point 21.A.101 and notify them to the applicant for a supplemental type-certificate.

Textual Amendments

F306 Word in Annex 1 s. B Subpart E substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **213** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12 and S.I. 2020/1116, regs. 1(3), **13**); 2020 c. 1, Sch. 5 para. 1(1)

21.B.111 Issuance of a supplemental type-certificate

- (a) The [^{F306}CAA] shall issue a supplemental type-certificate, provided that:
 - 1. the applicant has complied with point 21.A.115(b);
 - 2. the [^{F306}CAA], through its verification of the demonstration of compliance in accordance with the level of involvement established pursuant to point 21.B.100(a), has not found any non-compliance with the type-certification basis, operational suitability data certification basis where applicable in accordance with point 21.B.82, and environmental protection requirements; and
 - 3. no feature or characteristic has been identified that may make the product unsafe for the uses for which certification is requested.
- (b) In the case of a supplemental type-certificate affecting the operational suitability data, by derogation from points (1) and (2) of point (a), at the applicant's request included in the declaration referred to in point 21.A.20(d), the [^{F306}CAA] may issue a supplemental type-certificate before compliance with the operational suitability data certification basis has been demonstrated, provided that the applicant demonstrates such compliance before the date at which those data are to be actually used.

- (c) The approval of the changes to the operational suitability data shall be included in the supplemental type-certificate.
- (d) The supplemental type-certificate shall be limited to the specific configuration(s) in the type-certificate to which the related major change relates.]

SUBPARPRODUCTION WITHOUT PRODUCTION ORGANISATION APPROVAL

F —

21.B.120 Investigation

(a) The [^{F307}CAA] shall appoint an investigation team for each applicant for, or holder of, a letter of agreement to conduct all relevant tasks related to this letter of agreement, consisting of a team-leader to manage and lead the investigation team and, if required, one or more team members. The team-leader shall report to the manager responsible for the activity, as defined in point 21.B.25 (b)(2).

Textual Amendments

F307 Word in Annex 1 point 21.B.120 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **214(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The [^{F307}CAA] shall perform sufficient investigation activities for an applicant for, or holder of, a letter of agreement to justify recommendations for the issuance, maintenance, amendment, suspension or revocation of the letter of agreement.
- (c) The [^{F307}CAA] shall prepare procedures for the investigation of applicants for, or holders of, a letter of agreement as part of the documented procedures covering at least the following elements:
- 1. evaluation of applications received;
- 2. determination of investigation team;
- 3. investigation preparation and planning;
- 4. evaluation of the documentation (manual, procedures, etc.);
- 5. auditing and inspection;
- 6. follow up of corrective actions; and
- 7. recommendation for issuance, amendment, suspension or revocation of the letter of agreement.

21.B.125 Findings

(a) When during audits or by other means objective evidence is found by the [^{F308}CAA], showing non-compliance of the holder of a letter of agreement with the applicable requirements of Section A of this Annex, this finding shall be classified in accordance with point 21.A.125B(a).

Textual Amendments

F308 Word in Annex 1 point 21.B.125 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **214(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The $[^{F308}CAA]$ shall take the following actions:
- 1. for level 1 findings, immediate action shall be taken by the [^{F308}CAA] to limit, suspend or revoke the letter of agreement in whole or in part, depending upon the extent of the finding, until successful corrective action has been completed by the organisation;
- 2. for level 2 findings, the [^{F308}CAA] shall grant a corrective action period appropriate to the nature of the finding that shall not be more than 3 months. In certain circumstances, at the end of this period and subject to the nature of the finding, the [^{F308}CAA] can extend the 3 months period subject to a satisfactory corrective action plan provided by the organisation.
- (c) Action shall be taken by the [F308 CAA] to suspend the letter of agreement in whole or in part in case of failure to comply within the timescale granted by the [F308 CAA].

21.B.130 Issue of letter of agreement

(a) When satisfied that the manufacturer is in compliance with the applicable requirements of Section A, Subpart F, the [^{F309}CAA] shall issue a letter of agreement to the showing of conformity of individual products, parts or appliances ([^{F310}CAA] Form 65, see Appendix XI) without undue delay.

Textual Amendments
F309 Word in Annex 1 point 21.B.130(a) substituted (31.12.2020) by The Aviation Safety
(Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 214(3)(a) (with Sch.
3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
F310 Word in Annex 1 point 21.B.130(a) substituted (31.12.2020) by The Aviation Safety
(Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 214(3)(b) (with Sch.
3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The letter of agreement shall contain the scope of the agreement, a termination date and, where applicable, the appropriate limitations relating to the authorisation.
- (c) The duration of the letter of agreement shall not exceed one year.

21.B.135 Maintenance of the letter of agreement

The [^{F311}CAA] shall maintain the letter of agreement as long as:

Textual Amendments

```
F311 Word in Annex 1 point 21.B.135 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 214(4)(a) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

- (a) the manufacturer is properly using the [^{F312}CAA] Form 52 (see Appendix VIII) as a statement of conformity for complete aircraft, and the [^{F312}CAA] Form 1 (see Appendix I) for products other than complete aircraft, parts and appliances; and
- (b) inspections performed by the [^{F313}CAA] before validation of the [^{F314}CAA] Form 52 (see Appendix VIII) or the [^{F314}CAA] Form 1 (see Appendix I), as per point 21.A.130(c) did not reveal any findings of non-compliance with the requirements or the procedures as contained in the manual provided by the manufacturer, or any non-conformity of the respective products, parts or appliances. These inspections shall check at least that:
 - 1. the agreement covers the product, part or appliance being validated, and remains valid;
 - 2. the manual described in point 21.A.125A(b) and its change status referred in the letter of agreement is used as basic working document by the manufacturer. Otherwise, the inspection shall not continue and therefore the release certificates shall not be validated;
 - 3. production has been carried out under the conditions prescribed in the letter of agreement and satisfactorily performed;
 - 4. inspections and tests (including flight tests, if appropriate), as per points 21.A.130(b)(2) and/or (b)(3), have been carried out under the condition prescribed in the letter of agreement and satisfactorily performed;
 - 5. the inspections by the [^{F315}CAA] described or addressed in the letter of agreement have been performed and found acceptable;
 - 6. the statement of conformity complies with point 21.A.130, and the information provided by it does not prevent its validation; and
- (c) any termination date for the letter of agreement has not been reached.

Textual Amendments

- **F312** Word in Annex 1 point 21.B.135(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **214(4)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F313** Word in Annex 1 point 21.B.135(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **214(4)(c)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F314** Word in Annex 1 point 21.B.135(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **214(4)(c)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F315** Word in Annex 1 point 21.B.135(b)(5) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **214(4)(c)(iii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.140 Amendment of a letter of agreement

(a) The [^{F316}CAA] shall investigate, as appropriate, in accordance with point 21.B.120 any amendment of the letter of agreement.

Textual Amendments

F316 Word in Annex 1 point 21.B.140 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **214(5)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) When the [^{F316}CAA] is satisfied that the requirements of Section A, Subpart F continue to be complied with, it shall amend the letter of agreement accordingly.

21.B.145 Limitation, suspension and revocation of a letter of agreement

(a) The limitation, suspension or revocation of the letter of agreement shall be communicated in writing to the holder of the letter of agreement. The [^{F317}CAA] shall state the reasons for the limitation, suspension or revocation and inform the holder of the letter of agreement on its right to appeal.

Textual Amendments

F317 Word in Annex 1 point 21.B.145 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **214(5)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) When a letter of agreement has been suspended it shall only be reinstated after compliance with Section A Subpart F has been re-established.

21.B.150 Record-keeping

(a) The [^{F318}CAA] shall establish a system of record-keeping that allows adequate traceability of the process to issue, maintain, amend, suspend or revoke each individual letter of agreement.

Textual Amendments

F318 Word in Annex 1 point 21.B.150(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **214(6)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The records shall at least contain:
- 1. the documents provided by the applicant for, or holder of, a letter of agreement;
- 2. documents established during investigation and inspection, in which the activities and the final results of the elements defined in point 21.B.120 are stated;
- 3. the letter of agreement, including changes; and
- 4. minutes of the meetings with the manufacturer.
- (c) The records shall be archived for a minimum retention period of six years after termination of the letter of agreement.

The [F319CAA] shall also maintain records of all Statements of Conformity ([F320CAA] (d) Form 52, see Appendix VIII) and Authorised Release Certificates ([^{F320}CAA] Form 1, see Appendix I) that it has validated.

Textual Amendments

- F319 Word in Annex 1 point 21.B.150(d) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 214(6)(b)(i) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- F320 Word in Annex 1 point 21.B.150(d) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 214(6)(b)(ii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

SUBPARPRODUCTION ORGANISATION APPROVAL G —

21.B.220 Investigation

(a) The [F321CAA] shall appoint a production organisation approval team for each applicant, or holder of, a production organisation approval to conduct all relevant tasks related to this production organisation approval, consisting of a team leader to manage and lead the approval team and, if required, one or more team members. The team leader shall report to the manager responsible for the activity as defined in point 21.B.25(b)(2).

Textual Amendments

- F321 Word in Annex 1 point 21.B.220 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 215(2) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) The [^{F321}CAA] shall perform sufficient investigation activities for an applicant for, or holder of, a production organisation approval to justify recommendations for the issuance, maintenance, amendment, suspension or revocation of the approval.
- (c) The [^{F321}CAA] shall prepare procedures for the investigation of a production organisation approval as part of the documented procedures covering at least the following elements:
- 1. evaluation of applications received;
- 2. determination of production organisation approval team;
- 3. investigation preparation and planning;
- 4. evaluation of the documentation (production organisation exposition, procedures, etc.);
- 5. auditing;
- 6. follow up of corrective actions;
- 7. recommendation for issuance, amendment, suspension or revocation of production organisation approval;

8. continued surveillance.

21.B.225 Findings

(a) When during audits or by other means objective evidence is found by the [^{F322}CAA], showing non-compliance of the holder of a production organisation approval with the applicable requirements of Section A, this finding shall be classified in accordance with point 21.A.158(a).

Textual Amendments

- **F322** Word in Annex 1 point 21.B.225 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **215(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) The $[^{F322}CAA]$ shall take the following actions:
- 1. for level 1 findings, immediate action shall be taken by the [^{F322}CAA] to limit, suspend or revoke the production organisation approval, in whole or in part, depending upon the extent of the finding, until successful corrective action has been completed by the organisation;
- 2. for level 2 findings, the [^{F322}CAA] shall grant a corrective action period appropriate to the nature of the finding that shall not be more than 3 months. In certain circumstances, at the end of this period and subject to the nature of the finding, the [^{F322}CAA] can extend the 3 months period subject to a satisfactory corrective action plan provided by the organisation.
- (c) Action shall be taken by the $[^{F322}CAA]$ to suspend the approval in whole or in part in case of failure to comply within the timescale granted by the $[^{F322}CAA]$.

21.B.230 Issue of certificate

(a) When satisfied that the production organisation is in compliance with the applicable requirements of Section A, Subpart G, the [^{F323}CAA] shall issue a Production Organisation Approval ([^{F324}CAA] Form 55, see Appendix X) without undue delay.

Textual Amendments

- **F323** Word in Annex 1 point 21.B.230(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **215(3)(a)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F324** Word in Annex 1 point 21.B.230(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **215(3)(a)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (b) The reference number shall be included on the $[^{F325}CAA$ Form 55] in a manner specified by the $[^{F326}CAA]$.

Textual Amendments

- **F325** Words in Annex 1 point 21.B.230(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **215(3)(b)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F326** Word in Annex 1 point 21.B.230(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **215(3)(b)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.235 Continued surveillance

- (a) In order to justify the maintenance of the production organisation approval the [^{F327}CAA] shall perform continued surveillance:
- 1. to verify that the production organisation approval holder's quality system complies with Section A Subpart G;
- 2. to verify that the organisation of the production organisation approval holder operates in accordance with the production organisation exposition;
- 3. to verify the effectiveness of the production organisation exposition procedures; and
- 4. to monitor by sample the standards of the product, part or appliance.

Textual Amendments

F327 Word in Annex 1 point 21.B.235 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **215(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) Continued surveillance shall be performed in accordance with point 21.B.220.
- (c) The [^{F327}CAA] shall provide through planned continued surveillance that a production organisation approval is completely reviewed for compliance with this Annex I (Part 21) during a period of 24 months. The continued surveillance may be made up of several investigation activities during this period. The number of audits may vary depending upon the complexity of the organisation, the number of sites and the criticality of the production. As a minimum the holder of a production organisation approval shall be subject to continued surveillance activity by the [^{F327}CAA] at least once every year.

21.B.240 Amendment of a production organisation approval

(a) The [^{F328}CAA] shall monitor any minor change through the continued surveillance activities.

Textual Amendments

F328 Word in Annex 1 point 21.B.240 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **215(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The [^{F328}CAA] shall investigate as appropriate in accordance with point 21.B.220 any significant change of a production organisation approval or application by the holder of a production organisation approval for an amendment of the scope and terms of approval.
- (c) When the [^{F328}CAA] is satisfied that the requirements of Section A, Subpart G continue to be complied with it shall amend the production organisation approval accordingly.

21.B.245 Suspension and revocation of a production organisation approval

- (a) In case of a level one or level two finding, the [^{F329}CAA] shall partly or fully limit, suspend or revoke a production organisation approval as follows:
- 1. in case of a level one finding the production organisation approval shall be immediately limited or suspended. If the holder of the production organisation approval fails to comply with point 21.A.158(c)(1), the production organisation approval shall be revoked;
- 2. in case of a level two finding, the [^{F329}CAA] shall decide on any restriction to the scope of approval by temporary suspension of the production organisation approval or parts thereof. If the holder of a production organisation approval fails to comply with point 21.A.158(c)(2), the production organisation approval shall be revoked.

Textual Amendments

F329 Word in Annex 1 point 21.B.245 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **215(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The limitation, suspension or revocation of the production organisation approval shall be communicated in writing to the holder of the production organisation approval. The [^{F329}CAA] shall state the reasons for the suspension or revocation and inform the holder of the production organisation approval of its right to appeal.
- (c) When a production organisation approval has been suspended it shall only be reinstated after compliance with Section A, Subpart G has been re-established.

21.B.260 Record-keeping

(a) The [^{F330}CAA] shall establish a system of record-keeping that allows adequate traceability of the process to issue, maintain, amend, suspend or revoke each individual production organisation approval.

Textual Amendments

F330 Word in Annex 1 point 21.B.260 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **215(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The records shall at least contain:
- 1. the documents provided by the applicant for, or holder of, a production organisation approval certificate;

- 2. documents established during the investigation, in which the activities and the final results of the elements defined in point 21.B.220 are stated, including findings established in accordance with point 21.B.225;
- 3. the continued surveillance programme, including records of investigations performed;
- 4. the production organisation approval certificate, including changes;
- 5. minutes of the meetings with the holder of the production organisation approval.
- (c) The records shall be archived for a minimum retention period of six years.

SUBPARCERTIFICATES OF AIRWORTHINESS AND RESTRICTED CERTIFICATES OF H— AIRWORTHINESS

21.B.320 Investigation

(a) The [^{F331}CAA] shall perform sufficient investigation activities for an applicant for, or holder of, an airworthiness certificate to justify the issuance, maintenance, amendment, suspension or revocation of the certificate or permit.

Textual Amendments

F331 Word in Annex 1 point 21.B.320 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The [^{F331}CAA] shall prepare evaluation procedures covering at least the following elements:
- 1. evaluation of eligibility of the applicant;
- 2. evaluation of the eligibility of the application;
- 3. classification of airworthiness certificates;
- 4. evaluation of the documentation received with the application;
- 5. inspection of aircraft;
- 6. determination of necessary conditions, restrictions or limitations to the airworthiness certificates.

21.B.325 Issue of airworthiness certificate

(a) The [^{F332}CAA] shall issue or change a certificate of airworthiness ([^{F333}CAA] Form 25, see Appendix VI) without undue delay when it is satisfied that the requirements of point 21.B.326 and the applicable requirements of Section A of Subpart H of this Annex I (Part 21) are met.

Textual Amendments

F332 Word in Annex 1 point 21.B.325(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(3)(a)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

F333 Word in Annex 1 point 21.B.325(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(3)(a)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b)

The [^{F334}CAA] shall issue or change a Restricted certificate of airworthiness ([^{F335}CAA] Form 24, see Appendix V) without undue delay when it is satisfied that requirements of point 21.B.327 and the applicable requirements of Section A of Subpart H of this Annex I (Part 21) are met.

Textual Amendments

- **F334** Word in Annex 1 point 21.B.325(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(3)(b)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F335** Word in Annex 1 point 21.B.325(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(3)(b)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- [^{F81}(c) For a new aircraft or used aircraft originating from a non-member State, in addition to the appropriate airworthiness certificate referred to in point (a) or (b), the [^{F336}CAA] shall issue an initial airworthiness review certificate ([^{F337}CAA] Form 15a or 15c, see Appendix II).]

Textual Amendments

- **F336** Word in Annex 1 point 21.B.325(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(3)(c)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F337** Word in Annex 1 point 21.B.325(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(3)(c)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

[^{F9}21.B.326ertificate of airworthiness

The [^{F338}CAA] shall issue a certificate of airworthiness for:

Textual Amendments

F338 Word in Annex 1 point 21.B.326 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (a) new aircraft:
 - 1. upon presentation of the documentation required by point 21.A.174(b)(2);
 - 2. where the [^{F338}CAA] is satisfied that the aircraft conforms to an approved design and is in a condition for safe operation; this may include inspections by the [^{F338}CAA]; and

- 3. where the [F338 CAA] is satisfied that the aircraft is in compliance with the applicable CO ₂ emissions requirements on the date on which the certificate of airworthiness is first issued.
- (b) used aircraft:
 - 1. upon presentation of the documentation required by point 21.A.174(b)(3) demonstrating that:
 - (i) the aircraft conforms to a type design approved under a typecertificate and any supplemental type-certificate, change or repair approved in accordance with this Annex I (Part 21) and;
 - (ii) the applicable airworthiness directives have been complied with and;
 - (iii) [^{F81}the aircraft has been inspected in accordance with the provisions of Annex I (Part-M) or Annex Vb (Part-ML) of Regulation (EU) No 1321/2014, as appropriate.]
 - (iv) the aircraft was in compliance with the applicable CO₂ emissions requirements on the date on which the certificate of airworthiness was first issued;
 - 2. where the [^{F338}CAA] is satisfied that the aircraft conforms to an approved design and is in a condition for safe operation; this may include inspections by the [^{F338}CAA] and;
 - 3. where the $[^{F338}CAA]$ is satisfied that the aircraft was in compliance with the applicable CO ₂ emissions requirements on the date on which the certificate of airworthiness was first issued.]

21.B.327 Restricted certificate of airworthiness

- (a) The [^{F339}CAA] shall issue a restricted certificate of airworthiness for:
- 1. new aircraft:
 - (i) upon presentation of the documentation required by point 21.A.174(b)(2);
 - (ii) when the [^{F340}CAA] is satisfied that the aircraft conforms to a design approved by the [^{F341}CAA] under a restricted type-certificate or in accordance with specific airworthiness specifications, and is in a condition for safe operation. This may include inspections by the [^{F342}CAA];
- 2. used aircraft:
 - (i) upon presentation of the documentation required by point 21.A.174(b)(3) demonstrating that:
 - (A) the aircraft conforms to a design approved by the Agency under a restricted type-certificate or in accordance with specific airworthiness specifications and any supplemental type-certificate change or repair approved in accordance with this Annex I (Part 21); and

- (B) the applicable airworthiness directives have been complied with; and
- (C) [^{F81}the aircraft has been inspected in accordance with the provisions of Annex I (Part-M) or Annex Vb (Part-ML) of Regulation (EU) No 1321/2014, as appropriate;]
- (ii) when the $[^{F343}CAA]$ is satisfied that the aircraft conforms to the approved design and is in a condition for safe operation. This may include inspections by the $[^{F343}CAA]$.

Textual Amendments

- **F340** Word in Annex 1 point 21.B.327(a)(1)(ii) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(5)(a)(ii)(aa)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F341** Word in Annex 1 point 21.B.327(a)(1)(ii) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(5)(a)(ii)(bb)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F342** Word in Annex 1 point 21.B.327(a)(1)(ii) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(5)(a)(ii)(cc)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F343** Word in Annex 1 point 21.B.327(a)(2)(ii) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(5)(a)(iii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Textual Amendments

F339 Word in Annex 1 point 21.B.327(a) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(5)(a)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) For an aircraft that cannot comply with the essential requirements referred to in Regulation (EC) No 216/2008 and which is not eligible for a restricted type-certificate, the [^{F344}CAA] shall, as necessary to take account of deviations from these essential requirements:
- 1. issue and check compliance with specific airworthiness specifications ensuring adequate safety with regard to the intended use, and
- 2. specify limitations for use of this aircraft.

Textual Amendments

- **F344** Word in Annex 1 point 21.B.327(b) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(5)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (c) Limitations for use will be associated with restricted certificates of airworthiness, including airspace restrictions, as necessary to take account of deviations from essential requirements for airworthiness laid down in Regulation (EC) No 216/2008.

21.B.330 Suspension and revocation of certificates of airworthiness and restricted certificates of airworthiness

(a) Upon evidence that any of the conditions specified in point 21.A.181(a) is not met, the [^{F345}CAA] shall suspend or revoke an airworthiness certificate.

Textual Amendments

F345 Word in Annex 1 point 21.B.330 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(6)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) Upon issuance of the notice of suspension and revocation of a certificate of airworthiness or restricted certificate of airworthiness the [^{F345}CAA] shall state the reasons for the suspension or revocation and inform the holder of the certificate of its right to appeal.

21.B.345 Record-keeping

(a) The [^{F346}CAA] shall establish a system of record-keeping that allows adequate traceability of the process to issue, maintain, amend, suspend or revoke each individual airworthiness certificate.

Textual Amendments

F346 Word in Annex 1 point 21.B.345 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **216(6)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The records shall at least contain:
- 1. the documents provided by the applicant;
- 2. documents established during the investigation, in which the activities and the final results of the elements defined in point 21.B.320(b) are stated; and
- 3. a copy of the certificate or permit, including amendments.
- (c) The records shall be archived for a minimum retention period of six years after leaving that national register.

SUBPAR NOISE CERTIFICATES

I —

21.B.420 Investigation

(a) The [^{F347}CAA] shall perform sufficient investigation activities for an applicant for, or holder of, a noise certificate to justify the issuance, maintenance, amendment, suspension or revocation of the certificate.

Textual Amendments

F347 Word in Annex 1 point 21.B.420 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **217(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The [^{F347}CAA] shall prepare evaluation procedures as part of the documented procedures covering at least the following elements:
- 1. evaluation of eligibility;
- 2. evaluation of the documentation received with the application;
- 3. inspection of aircraft.

21.B.425 Issue of noise certificates

The [^{F348}CAA] shall, as applicable, issue, or amend noise certificates ([^{F349}CAA] Form 45, see Appendix VII) without undue delay when it is satisfied that the applicable requirements of Section A, Subpart I are met.

Textual Amendments

- **F348** Word in Annex 1 point 21.B.425 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **217(3)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F349** Word in Annex 1 point 21.B.425 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **217(3)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.430 Suspension and revocation of a noise certificate

(a) Upon evidence that some of the conditions specified in point 21.A.211(a) are not met, the [^{F350}CAA] shall suspend or revoke a noise certificate.

Textual Amendments

F350 Word in Annex 1 point 21.B.430 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **217(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) Upon issuance of the notice of suspension and revocation of a noise certificate the [^{F350}CAA] shall state the reasons for the suspension and revocation and shall inform the holder of the certificate on its right to appeal.

21.B.445 Record-keeping

(a) The [^{F351}CAA] shall establish a system of record-keeping with minimum retention criteria that allows adequate traceability of the process to issue, maintain, amend, suspend or revoke each individual noise certificate.

Textual Amendments

F351 Word in Annex 1 point 21.B.445 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **217(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The records shall at least contain:
- 1. the documents provided by the applicant;
- 2. documents established during the investigation, in which the activities and the final results of the elements defined in point 21.B.420(b) are stated;
- 3. a copy of the certificate including amendments.
- (c) The records shall be archived for a minimum retention period of six years after leaving that national register.

SUBPARDESIGN ORGANISATION APPROVAL

Administrative procedures established by the [^{F352}CAA] shall apply.

```
Textual Amendments
```

I ____

F352 Word in Annex 1 s. B Subpart J substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **218** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

SUBPAR**P**ARTS AND APPLIANCES K—

Administrative procedures established by the [^{F353}CAA] shall apply.

Textual Amendments

F353 Word in Annex 1 s. B Subpart K substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **219** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(SUBPART L — NOT APPLICABLE)

SUBPAR REPAIRS

М —

[^{F9}21.B.450ype-certification basis and environmental protection requirements for a repair design approval

The [^{F354}CAA] shall designate any amendments to the type-certification basis incorporated by reference in, as applicable, either the type-certificate, the supplemental type-certificate or the APU [^{F355}UKTSO] authorisation, which the [^{F356}CAA] considers necessary for maintaining a level of safety equal to that previously established and notify them to the applicant for a repair design.

Textual Amendments

- **F354** Word in Annex 1 point 21.B.450 substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(8)(a)(ii)**
- **F355** Word in Annex 1 point 21.B.450 substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(8)(a)(iii)**
- **F356** Word in Annex 1 point 21.B.450 substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(8)(a)(iv)**

21.B.453 Issuance of a repair design approval

- (a) The $[^{F357}CAA]$ shall issue an approval of a major repair design, provided that:
 - 1. the applicant has demonstrated its capability in accordance with point 21.A.432B;
 - 2. the applicant has complied with point 21.A.433;
 - 3. the [^{F357}CAA], through its verification of the demonstration of compliance in accordance with the level of involvement established pursuant to point 21.B.100(a), has not found any non-compliance with the type-certification basis and environmental protection requirements; and
 - 4. no feature or characteristic has been identified that may make the product unsafe for the uses for which certification is requested.
- (b) The [^{F357}CAA] shall issue an approval of a minor repair design, provided that the applicant has complied with points (2) and (4) of point (a) and provided that the [^{F357}CAA], through its verifications of the demonstration of compliance in accordance with the level of involvement pursuant to point 21.B.100(b), has not found any non-compliance with the type-certification basis and environmental protection requirements.]

Textual Amendments

F357 Word in Annex 1 point 21.B.453 substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(8)(b)**

(SUBPART N — NOT APPLICABLE)

SUBPAR^{[F358}UNITED KINGDOM] TECHNICAL STANDARD ORDER O— AUTHORISATIONS

[^{F9}21.B.486 suance of an ETSO authorisation

The [^{F359}CAA] shall issue an [^{F360}UKTSO] authorisation, provided that:

Textual Amendments

- **F359** Word in Annex 1 point 21.B.480 substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(9)(a)**
- **F360** Word in Annex 1 point 21.B.480 substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(9)(b)**

- (a) the applicant has complied with point 21.A.606;
- (b) the [^{F361}CAA], through its verifications of the demonstration of compliance in accordance with the level of involvement pursuant to point 21.B.100(b), has not found any non-compliance with the technical conditions of the applicable [^{F362}UKTSO] or with deviations therefrom approved in accordance with point 21.A.610, if any; and
- (c) no feature or characteristic has been identified that may make the article unsafe for the uses for which certification is requested.]

Textual Amendments

- **F361** Word in Annex 1 point 21.B.480(b) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(9)(c)(i)**
- **F362** Word in Annex 1 point 21.B.480(b) substituted (31.12.2020) by The Aviation Safety (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1116), regs. 1(2), **61(9)(c)(ii)**

Textual Amendments

F358 Words in Annex 1 s. B Subpart O heading substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **221(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

SUBPAR**P**ERMIT TO FLY P —

21.B.520 Investigation

(a) The [^{F363}CAA] shall perform sufficient investigation activities to justify the issuance, or revocation of the permit to fly.

Textual Amendments

F363 Word in Annex 1 point 21.B.520 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **222(2)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- (b) The [^{F363}CAA] shall prepare evaluation procedures covering at least the following elements:
- 1. evaluation of the eligibility of the applicant;
- 2. evaluation of the eligibility of the application;
- 3. evaluation of the documentation received with the application;
- 4. inspection of the aircraft;
- 5. approval of the flight conditions in accordance with point 21.A.710(b).

21.B.525 Issue of permits to fly

The [^{F364}CAA] shall issue a permit to fly ([^{F365}CAA] Form 20a, see Appendix III) without undue delay:

Textual Amendments

- **F364** Word in Annex 1 point 21.B.525 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **222(3)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F365** Word in Annex 1 point 21.B.525 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **222(3)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- (a) upon presentation of the data required by point 21.A.707; and
- (b) when the flight conditions referred to in point 21.A.708 have been approved in accordance with point 21.A.710; and
- (c) when the [^{F366}CAA], through its own investigations, which may include inspections, or through procedures agreed with the applicant, is satisfied that the aircraft conforms to the design defined under point 21.A.708 before flight.

Textual Amendments

F366 Word in Annex 1 point 21.B.525(c) substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **222(3)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

21.B.530 Revocation of permits to fly

(a) Upon evidence that any of the conditions specified in point 21.A.723(a) are not met for a permit to fly it has issued, the [^{F367}CAA] shall revoke that permit to fly.

Textual Amendments

F367 Word in Annex 1 point 21.B.530 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **222(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) Upon issuance of the notice of revocation of a permit to fly the [^{F367}CAA] shall state the reasons for the revocation and inform the holder of the permit to fly on the right to appeal.

21.B.545 Record-keeping

(a) The [^{F368}CAA] shall operate a system of record-keeping that provides adequate traceability of the process for the issue and revocation of each individual permit to fly.

Textual Amendments

F368 Word in Annex 1 point 21.B.545 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **222(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(b) The records shall at least contain:

- 1. the documents provided by the applicant;
- 2. documents established during the investigation, in which the activities and the final results of the elements defined in point 21.B.520(b) are stated; and
- 3. a copy of the permit to fly.
- (c) The records shall be kept for a minimum of six years after the permit ceases to be valid.

SUBPARTDENTIFICATION OF PRODUCTS, PARTS AND APPLIANCES

Q —

Administrative procedures established by the [^{F369}CAA] shall apply.

Textual Amendments

F369 Word in Annex 1 s. B Subpart Q substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **223** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Textual Amendments

F276 Words in Annex 1 Pt. 21 s. B heading substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 209 (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Appendices

[^{F370}CAA FORMS]

When the Forms of this Annex are issued in a language other than English they shall include an English translation.

The [^{F371}CAA] Forms referred to in the appendices to this Part shall have the following obligatory features. [^{F372}The CAA] shall ensure that the [^{F373}CAA Forms] they issue are recognisable and shall be responsible for having those Forms printed.

Textual Amendments

- **F371** Word in Annex 1 Appendices substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **224(3)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F372** Words in Annex 1 Appendices substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **224(3)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
- **F373** Words in Annex 1 Appendices substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **224(3)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Appendix I	— [^{F374} CAA Form] 1 Authorised release Certificate
[^{F81} Appendix II	— [^{F374} CAA Form] 15a and 15c – Airworthiness Review Certificate]
Appendix III	— [^{F374} CAA Form] 20a Permit to Fly
Appendix IV	— [^{F374} CAA Form] 20b Permit to Fly (issued by approved organisations)
Appendix V	— [^{F374} CAA Form] 24 Restricted Certificate of Airworthiness
Appendix VI	— [^{F374} CAA Form] 25 Certificate of Airworthiness
Appendix VII	— [^{F374} CAA Form] 45 Noise Certificate
Appendix VIII	— [^{F374} CAA Form] 52 Aircraft Statement of Conformity
Appendix IX	— [^{F374} CAA Form] 53 Certificate of Release to Service
Appendix X	— [^{F374} CAA Form] 55 Production Organisation Approval Certificate
Appendix XI	- [^{F374} CAA Form] 65 Letter of Agreement for production without
5100	production organisation approval
[^{F123} Appendix XII	- Categories of flight tests and associated flight test crew qualifications
	85]

Textual Amendments

F374 Words in Annex 1 Appendices substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **224(4)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Appendix I ^{F375F376F377}Authorised Release Certificate — [^{F378}CAA Form 1] referred to in Annex I (Part 21)

1. Approving Comp	1. Approving Competent Authority/Country	2. AUTHORISE E	2. AUTHORISED RELEASE CERTIFICATE EASA FORM 1	ICATE	3. Form Tracking Number
4. Organisation Name and Address:	ie and Address:				5. Work Order/Contract/Invoice
6. İtem	7. Description	8. Part No	9. Qty.	10. Serial No	11. Status/Work
12. Remarks					
 13a. Certifies that th approved de non-approved 	 13a. Certifies that the items identified above were manufactured in conformity to: approved design data and are in a condition for safe operation non-approved design data specified in block 12 	unufactured in conformity to: for safe operation 12	⁽¹⁾ 14a. Dervice Service Certifies that unless otherwise s 11 and described in block 12, w in respect to that work the it	specifiedi zas accon ems_are o	□ Part 145.A.50 Release to □ Other regulation specified in block Service 12 Certifiesthat unlessotherwise specified in block 12, the work identified in block 11 and described in block 12, was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service.
13b. Authorised Signature	lature	13c. Approval/ Authorisation Number	▶ ⁽²⁾ 14b. Authorised Signature <	Signature∢	► ⁽³⁾ 14c. Certificate/Approval Ref. No ◀
13d. Name		13e. Date (dd mmm yyyy)	▶ ⁽⁴⁾ 14d. Name ◀		► ⁽⁵⁾ 14e. Date (dd mmm yyyy)∢
USER/INSTALLER RESPONSIBILITIES This certificate does not automatically Where the user/installer performs wor user/installer ensures that his/her airw Statements in blocks 13a and 14a do the national regulations by the user/i	USER/INSTALLER RESPONSIBILITIES This certificate does not automatically constitute authority to install the item(s). Where the user/installer performs work in accordance with regulations of an airv user/installer ensures that his/her airworthiness authority accepts items from the Statements in blocks 13a and 14a do not constitute installation certification. In the national regulations by the user/installer before the aircraft may be flown.	USER/INSTALLER RESPONSIBILITIES This certificate does not automatically constitute authority to install the item(s). Where the user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1, it is essential that the user/installer ensures that his/her airworthiness authority specified in block 1. It is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1.	ority different than the authority specified in t maintenance records	: airworthiness authority specific block 1. must contain an installation cer	ed in block 1, it is essential that the rtification issued in accordance with

ANNEX I

Document Generated: 2023-11-19

EASA Form 1-21 Issue 2.

Instructions for the use of [^{F379}CAA Form 1]

[^{F14}These instructions relate only to the use of the [^{F380}CAA Form 1] for production purposes. Attention is drawn to Appendix II to Annex I (Part M) of Regulation (EC) No 2042/2003 which covers the use of the [^{F380}CAA Form 1] for maintenance purposes.]

Textual Amendments

1. PURPOSE AND USE

- 1.1. A primary purpose of the certificate is to declare the airworthiness of new aviation products, parts and appliances ('the item(s)').
- 1.2. Correlation must be established between the certificate and the item(s). The originator must retain a certificate in a form that allows verification of the original data.
- 1.3. The certificate is acceptable to many airworthiness authorities, but may be dependent on bilateral agreements and/or the policy of the airworthiness authority.
- 1.4. The certificate is not a delivery or shipping note.
- 1.5. Aircraft are not to be released using the certificate.
- 1.6. The certificate does not constitute approval to install the item on a particular aircraft, engine, or propeller but helps the end user determine its airworthiness approval status.
- 1.7. A mixture of production released and maintenance released items is not permitted on the same certificate.
- 1.8. A mixture of items certified in conformity with 'approved data' and to 'non-approved data' is not permitted on the same certificate.
- 2. GENERAL FORMAT
- 2.1. The certificate must comply with the format attached including block numbers and the location of each block. The size of each block may however be varied to suit the individual application, but not to the extent that would make the certificate unrecognisable.
- 2.2. The certificate must be in 'landscape' format but the overall size may be significantly increased or decreased so long as the certificate remains recognisable and legible. If in doubt consult the competent authority.
- 2.3. The User/Installer responsibility statement can be placed on either side of the form.
- 2.4. All printing must be clear and legible to permit easy reading.
- 2.5. The certificate may either be pre-printed or computer generated but in either case the printing of lines and characters must be clear and legible and in accordance with the defined format.
- 2.6. The certificate should be in English ^{F381}....

F380 Words in Annex 1 Appendix 1 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **225(4)(b)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Textual Amendments

F381 Words in Annex 1 Appendix 1 omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **225(4)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

- 2.7. The details to be entered on the certificate may be either machine/computer printed or hand-written using block letters and must permit easy reading.
- 2.8. Limit the use of abbreviations to a minimum, to aid clarity.
- 2.9. The space remaining on the reverse side of the certificate may be used by the originator for any additional information but must not include any certification statement. Any use of the reverse side of the certificate must be referenced in the appropriate block on the front side of the certificate.
- 3. COPIES
- 3.1. There is no restriction in the number of copies of the certificate sent to the customer or retained by the originator.
- 4. ERROR(S) ON A CERTIFICATE
- 4.1. If an end-user finds an error(s) on a certificate, he must identify it/them in writing to the originator. The originator may issue a new certificate if they can verify and correct the error(s).
- 4.2. The new certificate must have a new tracking number, signature and date.
- 4.3. The request for a new certificate may be honoured without re-verification of the item(s) condition. The new certificate is not a statement of current condition and should refer to the previous certificate in block 12 by the following statement: 'This certificate corrects the error(s) in block(s) [enter block(s) corrected] of the certificate [enter original tracking number] dated [enter original issuance date] and does not cover conformity/condition/release to service'. Both certificates should be retained according to the retention period associated with the first.

5. COMPLETION OF THE CERTIFICATE BY THE ORIGINATOR

Block 1 Approving competent authority/Country

F382

Textual Amendments

F382 Words in Annex 1 Appendix 1 omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **225(4)(d)(i)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Block 2 [^{F383}CAA Form 1] header

AUTHORISED RELEASE CERTIFICATE [^{F383}CAA FORM 1]

Textual Amendments

F383 Words in Annex 1 Appendix 1 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 225(4)(d)(ii) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Block 3 Form Tracking Number

Enter the unique number established by the numbering system/procedure of the organisation identified in block 4; this may include alpha/numeric characters.

Block 4 Organisation Name and Address

Enter the full name and address of the production organisation (refer to $[^{F384}CAA$ Form 55] Sheet A) releasing the item(s) covered by this certificate. Logos etc. of the organisation are permitted if they can be contained within the block.

Textual Amendments

F384 Words in Annex 1 Appendix 1 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **225(4)(d)(iii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Block 5 Work Order/Contract/Invoice

To facilitate customer traceability of the item(s), enter the work order number, contract number, invoice number, or similar reference number.

Block 6 Item

Enter line item numbers when there is more than one line item. This block permits easy cross-referencing to the Remarks in block 12.

Block 7 Description

Enter the name or description of the item. Preference should be given to the term used in the instructions for continued airworthiness or maintenance data (e.g. Illustrated Parts Catalogue, Aircraft Maintenance Manual, Service Bulletin, Component Maintenance Manual).

Block 8 Part Number

Enter the part number as it appears on the item or tag/packaging. In case of an engine or propeller the type designation may be used.

Block 9 Quantity

State the quantity of items.

Block 10 Serial Number

If the item is required by regulation to be identified with a serial number, enter it here. Additionally, any other serial number not required by regulation may also be entered. If there is no serial number identified on the item, enter 'N/A'.

Block 11 Status/Work

Enter either 'PROTOTYPE' or 'NEW'.

Enter 'PROTOTYPE' for:

- (i) the production of a new item in conformity with non-approved design data;
- (ii) re-certification by the organisation identified in block 4 of the previous certificate after alteration or rectification work on an item, prior to entry into service, (e.g. after incorporation of a design change, correction of a defect, inspection or test, or renewal of shelf-life.) Details of the original release and the alteration or rectification work are to be entered in block 12.

Enter 'NEW' for:

- (i) the production of a new item in conformity with the approved design data;
- (ii) re-certification by the organisation identified in block 4 of the previous certificate after alteration or rectification work on an item, prior to entry into service, (e.g. after incorporation of a design change, correction of a defect, inspection or test, or renewal of shelf-life.) Details of the original release and the alteration or rectification work are to be entered in block 12;
- (iii) re-certification by the product manufacturer or the organisation identified in block 4 of the previous certificate of items from 'prototype' (conformity only to non-approved data) to 'new' (conformity to approved data and in a condition for safe operation), subsequent to approval of the applicable design data, provided that the design data has not changed. The following statement must be entered in block 12:

RE-CERTIFICATION OF ITEMS FROM "PROTOTYPE" TO "NEW": THIS DOCUMENT CERTIFIES THE APPROVAL OF THE DESIGN DATA [INSERT TC/STC NUMBER, REVISION LEVEL], DATED [INSERT DATE IF NECESSARY FOR IDENTIFICATION OF REVISION STATUS], TO WHICH THIS ITEM (THESE ITEMS) WAS (WERE) MANUFACTURED.

The box 'approved design data and are in a condition for safe operation' should be marked in block 13a;

(iv) the examination of a previously released new item prior to entry into service in accordance with a customer-specified standard or specification (details of which and of the original release are to be entered in block 12) or to establish airworthiness (an explanation of the basis of release and details of the original release are to be entered in block 12).

Block 12 Remarks

Describe the work identified in block 11, either directly or by reference to supporting documentation, necessary for the user or installer to determine the airworthiness of item(s) in relation to the work being certified. If necessary, a separate sheet may be used and referenced from the [^{F385}CAA Form 1]. Each statement must clearly identify which item(s) in block 6 it relates to. If there is no statement, state 'None'.

Textual Amendments

F385 Words in Annex 1 Appendix 1 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **225(4)(d)(iv)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Enter the justification for release to non-approved design data in block 12 (e.g. pending type-certificate, for test only, pending approved data).

If printing the data from an electronic [^{F385}CAA Form 1] any data not appropriate in other blocks should be entered in this block.

Block Mark only one of the two boxes: *13a*

- 1. Mark the 'approved design data and are in a condition for safe operation' box if the item(s) was/were manufactured using approved design data and found to be in a condition for safe operation.
- 2. Mark the 'non-approved design data specified in block 12' box if the item(s) was/were manufactured using applicable non-approved design data. Identify the data in block 12 (e.g. pending type-certificate, for test only, pending approved data).

Mixtures of items released against approved and non-approved design data are not permitted on the same certificate.

Block Authorised Signature *13b*

This space shall be completed with the signature of the authorised person. Only persons specifically authorised under the rules and policies of the competent authority are permitted to sign this block. To aid recognition, a unique number identifying the authorised person may be added.

Block Approval/Authorisation Number *13c*

Enter the approval/authorisation number/reference. This number or reference is issued by the [^{F386}CAA].

Textual Amendments

```
F386 Word in Annex 1 Appendix 1 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 225(4)(d)(v) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)
```

Block Name 13d

Enter the name of the person signing block 13b in a legible form.

Block Date 13e

Enter the date on which block 13b is signed, the date must be in the format dd = 2 digit day, mmm = first 3 letters of the month, yyyy = 4 digit year.

Block General Requirements for blocks 14a-14e: *14a-14e*

Not used for production release. Shade, darken, or otherwise mark to preclude inadvertent or unauthorised use. *User/Installer Responsibilities*

Place the following statement on the certificate to notify end users that they are not relieved of their responsibilities concerning installation and use of any item accompanied by the form:

THIS CERTIFICATE DOES NOT AUTOMATICALLY CONSTITUTE AUTHORITY TO INSTALL.

WHERE THE USER/INSTALLER PERFORMS WORK IN ACCORDANCE WITH REGULATIONS OF AN AIRWORTHINESS AUTHORITY DIFFERENT THAN THE AIRWORTHINESS AUTHORITY SPECIFIED IN BLOCK 1, IT IS ESSENTIAL THAT THE USER/INSTALLER ENSURES THAT HIS/HER AIRWORTHINESS AUTHORITY ACCEPTS ITEMS FROM THE AIRWORTHINESS AUTHORITY SPECIFIED IN BLOCK 1.

STATEMENTS IN BLOCKS 13A AND 14A DO NOT CONSTITUTE INSTALLATION CERTIFICATION. IN ALL CASES AIRCRAFT MAINTENANCE RECORDS MUST CONTAIN AN INSTALLATION CERTIFICATION ISSUED IN ACCORDANCE WITH THE NATIONAL REGULATIONS BY THE USER/INSTALLER BEFORE THE AIRCRAFT MAY BE FLOWN.

[^{F81}Appendix II [^{F387}CAA Form 15a] – Airworthiness Review Certificate

[^{F388}UNITED KINGDOM]

Textual Amendments

F388 Words in Annex 1 Appendix 2 CAA Form 15a substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **226(3)(a)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

F389

Textual Amendments

F389 Words in Annex 1 Appendix 2 CAA Form 15a omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 226(3)(b) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

AIRWORTHINESS REVIEW CERTIFICATE (ARC)

ARC reference:

Pursuant to Regulation (EU) 2018/1139 of the European Parliament and of the Council the [^{F390}CIVIL AVIATION AUTHORITY] hereby certifies that the following aircraft:

Textual Amendments

F390 Words in Annex 1 Appendix 2 CAA Form 15a substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **226(3)(c)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Aircraft manufacturer:...

Manufacturer's designation: ...

Aircraft registration:...

Aircraft serial number:...

is considered airworthy at the time of the review.

Date of issue:	Date of expiry:
----------------	-----------------

Airframe flight hours (FH) at date of issue (**):...

Signed:	Authorisation No:
---------	-------------------

1st extension: The aircraft has remained in a controlled environment in accordance with point M.A.901 of Annex I (Part-M) to Commission Regulation (EU) No 1321/2014 for the last year. The aircraft is considered to be airworthy at the time of the issuance of this certificate.

Document Generated: 2023-11-19

Changes to legislation: Commission Regulation (EU) No 748/2012 is up to date with all changes known to be in force on or before 19 November 2023. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Date of issue:	Date of expiry:
	I J

Airframe flight hours (FH) at date of issue (**):...

Signed:	Authorisation No:
Company name:	Approval reference:

2nd extension: The aircraft has remained in a controlled environment in accordance with point M.A.901 of Annex I (Part-M) to Commission Regulation (EU) No 1321/2014 for the last year. The aircraft is considered to be airworthy at the time of the issuance of the certificate.

Date of issue:	Date of expiry:
----------------	-----------------

Airframe flight hours (FH) at date of issue (**):...

Signed:	Authorisation No:
Company name:	Approval reference:

 $[^{F391}$ CAA Form 15a – Issue 1]

Textual Amendments

F391 Words in Annex 1 Appendix 2 CAA Form 15a substituted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, 226(3)(d)(i) (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

F392 ...

Textual Amendments

F392 Words in Annex 1 Appendix 2 CAA Form 15a omitted (31.12.2020) by virtue of The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **226(3)(d)(ii)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

(**) Except for airships.]

[^{F393}Airworthiness review certificate - UKCAA Form 15c]

United Kingdom

AIRWORTHINESS REVIEW CERTIFICATE (ARC)

(for aircraft complying with Part-ML)

ARC Reference:

Pursuant to Regulation (EU) 2018/1139 as retained (and amended in UK domestic law) under the European Union (Withdrawal) Act 2018:

the Civil Aviation Authority

hereby certifies that:			
	it has performed an airworthiness review in accordance with Regulation (EU) No 1321/2014 on the following aircraft:		
[or]	the following new aircraft:		
Aircraft	Manufacturer:	Manufacturer's Designation:	
Aircraft	Registration:	Aircraft Serial Number:	
(and) is	considered airworthy at the time of review.		
Date of	Issue:	Date of Expiry:	
Airframe Flight Hours (FH) at the time of review (*):			
Signed		Authorisation No (if applicable)	
[OR] [NAME OF APPROVED ORGANISATION, ADDRESS and APPROVAL REFERENCE] (**)			
[or] [FULL NAME OF THE CERTIFYING STAFF AND PART-88 LICENCE NUMBER (OR NATIONAL EQUIVALENT)] (**)			
hereby certifies that it has performed an airworthiness review in accordance with Regulation (EU) No 1321/2014 on the following aircraft:			
Aircraft	Manufacturer:	Manufacturer's Designation:	
Aircraft	Registration:	Aircraft Serial Number:	
(and) is considered airworthy at the time of review.			
Date of	Issue:	Date of Expiry:	
Airfram	e Flight Hours (FH) at the time of review (*):		
Signed		Authorisation No (if applicable)	

Document Generated: 2023-11-19

Changes to legislation: Commission Regulation (EU) No 748/2012 is up to date with all changes known to be in force on or before 19 November 2023. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

F394F395F396F397F398Appendix III

Competent au	thority logo
--------------	--------------

PERMIT TO FLY

(*)		
This permit to fly is issued pursuant to Regulation (EC) No 216/2008, Article 5(4)(a) and certifies that the aircraft is capable of safe flight for the purpose and within the conditions listed below and is valid in all Member States	1. Nationality and registration marks:	
This permit is also valid for flight to and within non- Member States provided separate approval is obtained from the competent authorities of such States:		
2. Aircraft manufacturer/type:	3. Serial No:	
4. The permit covers: [purpose in accordance with 21A.701(a)]		
5. Holder: [in case of a permit to fly issued for the purpose of 21A.701(a)(15) this should state: 'the registered owner']		
6. Conditions/remarks:		
7. Validity period:		
8. Place and date of issue:	9. Signature of the competent authority representative:	

EASA Form 20a

^(*) For use by State of Registry.

FLY

Changes to legislation: Commission Regulation (EU) No 748/2012 is up to date with all changes known to be in force on or before 19 November 2023. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

F399F400F401F402Appendix IV

Member State of the Competent Authority having issued the organisation approval under which the permit to fly is issued; or

'EASA' when approval issued by EASA

Name and Address of the organisation issuing the permit to fly	(*)		
This permit to fly is issued pursuant to Regulation (EC) No 216/2008, Article 5(4)(a) and certifies that the aircraft is capable of safe flight for the purpose and within the conditions listed below and is valid in all Member States.	1. Nationality and registration marks:		
This permit is also valid for flight to and within non- Member States provided separate approval is obtained from the competent authorities of such States.			
2. Aircraft manufacturer/type:	3. Serial No:		
4. The permit covers: [purpose in accordance with 21A.701(a)]			
5. Holder: [Organisation issuing the permit to fly]			
6. Conditions/remarks:			
7. Validity period:			
8. Place and date of issue:	9. Authorised signature:		
	Name:		
	Approval Reference No:		

EASA Form 20b

^(*) For use by Organisation Approval holder.

Document Generated: 2023-11-19

Changes to legislation: Commission Regulation (EU) No 748/2012 is up to date with all changes known to be in force on or before 19 November 2023. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

F403F404F405F406F407Appendix V Restricted Certificate of Airworthiness — [^{F408}CAA Form 24]

Competent authority LOGO

RESTRICTED CERTIFICATE OF AIRWORTHINESS

(¹)	[Member State of registry] [COMPETENT AUTHORITY OF THE MEMBER STATE]	(²)	
1. Nationality and registration marks	2. Manufacturer and manufacturer's designation of aircraft	3. Aircraft serial number	
4. Categories			
5. This Certificate of Airworthiness is issued pursuant to $(^3)$ [the Convention on International Civil Aviation dated 7 December 1944] and Regulation (EC) No 216/2008, Article 5(4)(b) in respect of the abovementioned aircraft which is considered to be airworthy when maintained and operated in accordance with the foregoing and the pertinent operating limitations.			
In addition to above the following restrictions apply:			

In addition to above the following restrictions apply:

(4)

(⁵) [The aircraft may be used in international navigation notwithstanding above restrictions].

Date of issue:

Signature:

6. This Restricted Certificate of Airworthiness is valid unless revoked by the competent authority of the Member State of registry.

A current Airworthiness Review Certificate shall be attached to this certificate.

EASA Form 24 Issue 2.

This certificate shall be carried on board during all flights

(⁴) For use by the State of Registry.
 (⁵) Delete as applicable.

⁽¹⁾ For use by the State of Registry.

⁽²⁾ For use by the State of Registry.

⁽³⁾ Delete as applicable.

F409F410F411F412F413Appendix VI

Certificate of Airworthiness — [^{F414}CAA Form 25]

Competent authority LOGO

CERTIFICATE OF AIRWORTHINESS

(⁴)	[Member State of registry] [COMPETENT AUTHORITY OF THE MEMBER STATE]	(?)	
1. Nationality and registration marks	ks 2. Manufacturer and manufacturer's 3. Aircraft serial number designation of aircraft		
4. Categories			
5. This Certificate of Airworthiness is issued pursuant to the Convention on International Civil Aviation dated 7 December 1944 and Regulation (EC) No 216/2008, Article 5(2)(c) in respect of the abovementioned aircraft which is considered to be airworthy when maintained and operated in accordance with the foregoing and the pertinent operating limitations.			
Limitations/Remark:			
(3)			
Date of issue:	Signature:		
6. This Certificate of Airworthiness is valid unless revoked by the competent authority of the Member State of registry.			
A current Airworthiness Review Certificate shall be attached to this certificate.			

EASA Form 25 Issue 2.

This certificate shall be carried on board during all flights

For use by the State of Registry.
 For use by the State of Registry.
 For use by the State of Registry.

Document Generated: 2023-11-19

Changes to legislation: Commission Regulation (EU) No 748/2012 is up to date with all changes known to be in force on or before 19 November 2023. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

^{F415} Appendix VII					
For use by State of registry	1. State of registry		3. Document No:		
	2. NOISE CERTIFICATE				
4. Registration marks:	5. Manufacturer and manufacturer's designation of aircraft:		6. Aircraft serial No:		
7. Engine:	8. Propeller: (*)				
9. Maximum take-off mass (kg)	10. Maximum landing mass (kg) (*)		11. Noise certification standard:		
12. Additional modifications incorporated for the purpose of compliance with the applicable noise certification standards:					
13. Lateral/full-power noise level: (*) 14. Approach level (*)	n noise 15. Flyover noise 16. Overflight noise 17. Take-off level (*)				
Remarks					
18. This Noise Certificate is issued pursuant to Annex 16, Volume I to the Convention on International Civil Aviation dated 7 December 1944 and Regulation (EC) No 216/2008, Article 6 in respect of the abovementioned aircraft, which is considered to comply with the indicated noise standard when maintained and operated in accordance with the relevant requirements and operating limitations.					
19. Date of issue 20. Signature					

EASA Form 45

^(*) These boxes may be omitted depending on noise certification standard

Appendix VIII [^{F416}Aircraft statement of conformity — CAA Form 52]

	AIRCRAFT ST OF CONFC				
1. State of manufacture	2.		3. Statement Ref No:		
United Kingdom	United Kingdom				
4. Organisation					
5. Aircraft Type	6. Type-C		ertificate Refs:		
7. Aircraft Registration or Mark		8. Production Organisation Identification No			
9. Engine/Propeller Details					
10. Modifications and/or Service B	ulletins				
11. Airworthiness Directives					
12. Concessions					
13. Exemptions, Waivers or Derog	ations ¹				
14. Remarks					
15. Certificate of Airworthiness					
16. Additional Requirements					
17. Statement of Conformity It is bereby certified that this aircraft confirms fully to the type-certified design and to the items above in boxes 9, 10, 11, 12 and 13. The aircraft is in a condition for safe operation. The aircraft has been satisfactorily tested in flight.					
18. Signed	19. Name		20. Date (d/m/y)		
21. Production organisation Approval Reference					

1. Delete as applicable

Document Generated: 2023-11-19

Changes to legislation: Commission Regulation (EU) No 748/2012 is up to date with all changes known to be in force on or before 19 November 2023. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Instructions for the use of the Aircraft Statement of Conformity CAA Form 52

1. PURPOSE AND SCOPE

- Use of the aircraft Statement of Conformity issued by a production organisation producing under Part 21 Section A Subpart F is described under point 21.A.130 and the corresponding acceptable means of compliance.
- The purpose of the aircraft Statement of Conformity (CAA Form 52) issued under Part 21 Section A Subpart G is to enable the holder of an appropriate production organisation approval certificate to exercise the privilege to obtain an individual aircraft certificate of airworthiness and, if requested, a noise certificate from the CAA.

2. GENERAL

- The Statement of Conformity must comply with the format attached including block numbers and the location of each block. The size of each block may however be varied to suit the individual application, but not to the extent that would make the Statement of Conformity unrecognisable. If in doubt consult the CAA.
- The Statement of Conformity must either be pre-printed or computer generated but in either case the printing of lines and characters must be clear and legible. Pre-printed wording is permitted in accordance with the attached model but no other certification statements are permitted.
- Completion may be either machine/computer printed or hand-written using block letters to permit easy reading in English. [...]
- A copy of the Statement and all referenced attachments are to be retained by the approved production organisation.
- 3. COMPLETION OF THE STATEMENT OF CONFORMITY BY THE ORIGINATOR
 - 1. There must be an entry in all blocks to make the document a valid statement.
 - A Statement of Conformity may not be issued by the CAA unless the design of the aircraft and its installed products are approved.
 - The information required in blocks 9, 10, 11, 12, 13 and 14 may be by reference to separate identified documents held on file by the production organisation, unless the CAA agrees otherwise.
 - 4. This Statement of Conformity is not intended to include those items of equipment that may be required to be fitted in order to satisfy applicable operational rules. However, some of these individual items may be included in block 10 or in the approved type design. Operators are therefore reminded of their responsibility to ensure compliance with the applicable operational rules for their own particular operation.

Block 1	Enter name of the State of manufacture.
Block 2	[]
Block 3	A unique serial number must be pre-printed in this block for statement control and traceability purposes. Except that in the case of a computer generated document the number need not be pre- printed where the computer is programmed to produce and print a unique number.
Block 4	The full name and location address of the organisation issuing the statement. This block may be pre-printed. Logos etc. are permitted if the logo can be contained within the block.
Block 5 The aircraft type in full as defined in the type-certil and its associated data sheet.	
Block 6	The type-certificate reference numbers and issue for the subject aircraft.

	If the aircraft is registered then this mark will be the
	registration mark. If the aircraft is not registered then
Block 7	this will be such a mark that is accepted by the CAA
	and, if applicable, by the competent authority of a third
	country.
	The identification number assigned by the
Block 8	production organisation for control and traceability
DIOCKO	and product support. This is sometimes referred to
	as a Manufacturers Serial No or Constructors No.
	The engine and propeller type(s) in full as defined in
Block 9	the relevant type-certificate and its associated data
DIOCK 9	sheet. Their production organisation identification
	No and associated location must also be shown.
Block 10	Approved design changes to the aircraft definition.
	A listing of all applicable airworthiness directives (or
	equivalent) and a declaration of compliance, together
Block 11	with a description of the method of compliance on the
BIOCK 11	subject individual aircraft including products and
	installed parts, appliances and equipment. Any
	future compliance requirement time must be shown.
	Approved unintentional deviation to the approved type
Block 12	design sometimes referred to as concessions,
	divergences, or non-conformances.
	Only agreed exemptions, waivers or derogations may
Block 13	be included here.
	Remarks. Any statement, information, particular data
	or limitation which may affect the airworthiness of the
Block 14	aircraft. If there is no such information or data, state;
	'NONE'.
	Enter 'Certificate of Airworthiness', or 'Restricted
Block 15	Certificate of Airworthiness', or for the Certificate of
	Airworthiness requested.
	Additional requirements such as those notified by
Block 16	an importing country must be noted in this block.
	Validity of the Statement of Conformity is dependent
	on full completion of all blocks on the form. A copy of
	for full completion of all blocks on the form. A copy of
Block 17	the flight test report together with any recorded

	the POA holder. The report must be signed as
	satisfactory by the appropriate certifying staff and a
	flight crew member, e.g. test pilot or flight test
	engineer. The flight tests performed are those defined
	under the control of the quality system, as established
	by point 21.A.139 in particular 21.A.139(d)(1)(vi), to
	ensure that the aircraft conforms with the applicable
	design data and is in condition for safe operation. The
	listing of items provided (or made available) to satisfy
	the safe operation aspects of this statement must be
	kept on file by the POA holder.
	The Statement of Conformity may be signed by the
Dis da da	person authorised to do so by the production approval
Block 18	holder in accordance with point 21.A.145(d). A rubber
	stamp signature must not be used.
01	The name of the person signing the certificate must
Block 19	be typed or printed in a legible form.
Pleak 20	The date the Statement of Conformity is signed must
Block 20	be given.
Block 21	The CAA approval reference must be quoted.

146

^{F417} Appendix IX
CERTIFICATE OF RELEASE TO SERVICE
[APPROVED PRODUCTION ORGANISATION NAME]
Production organisation approval Reference:
Certificate of release to service in accordance with 21A.163(d).
Aircraft: Type: Type: Constructor No/Registration:
has been maintained as specified in Work Order:
Brief description of work performed:
Certifies that the work specified was carried out in accordance with 21A.163(d) and in respect to that work the aircraft is considered ready for release to service and therefore is in a condition for safe operation.
Certifying Staff (name):
(signature):
Location:
Date: (day, month, year).

EASA Form 53

CERTIFICONTPLETION INSTRUCTIONS OF RELEASE TO SERVICE — [^{F418}CAA FORM 53]

The Block BRIEF DESCRIPTION OF WORK PERFORMED appearing in [^{F418}CAA FORM 53] should include reference to the approved data used to perform the work.

The Block LOCATION appearing in [F418 CAA FORM 53] refers to the location where the maintenance has been performed, not to the location of the facilities of the organisation (if different).

Textual Amendments

F418 Words in Annex 1 Appendix 9 substituted (31.12.2020) by The Aviation Safety (Amendment etc.) (EU Exit) Regulations 2019 (S.I. 2019/645), regs. 1, **233(3)** (with Sch. 3) (as amended by S.I. 2019/1098, regs. 1(3), 12); 2020 c. 1, Sch. 5 para. 1(1)

Appendix X

[^{F419}Production Organisation Approval Certificates referred to in Subpart G of Annex I (Part 21) — CAA Form 55]

"Civil Aviation Authority of the United Kingdom

PRODUCTION ORGANISATION APPROVAL CERTIFICATE

REFERENCE:

Pursuant to Regulation (EU) 2018/1139 and Regulation (EU) No 748/2012 for the time being in force and subject to the condition specified below, the Civil Aviation Authority of the United Kingdom hereby certifies:

Registered Company Number:

As a production organisation in compliance with the Annex I (Part 21), Section A, Subpart G of Regulation (EU) No 748/2012, approved to produce products, parts and appliances listed in the attached approval schedule and issue related certificates using the above references.

CONDITIONS

This approval is limited to that specified in the enclosed terms of approval, and

This approval requires compliance with the procedures specified in the approved production organisation exposition, and

This approval is valid whilst the approved production organisation remains in compliance with Annex I (Part 21) of Regulation (EU) No 748/2012.

Subject to compliance with the foregoing conditions, this approval shall remain valid for an unlimited duration unless the approval has previously been surrendered, superseded, suspended or revoked.

Date of original issue:

Signed:

Date of this revision:

Revision No:

For the Civil Aviation Authority



150

Changes to legislation: Commission Regulation (EU) No 748/2012 is up to date with all changes known to be in force on or before 19 November 2023. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

United Kingdom	Terms of Approval	
This Document is part of Pr issued to: Company Name:	oduction Organisation Approval Nun	nber
Section 1, Scope of Work:		
PRODUCTION OF	PRODUCTS/CATEGORIES	
For details and limitations r	efer to the Production Organisation E	xposition
Section 2, Locations:		-
Section 3, Privileges:		
	n is entitled to exercise, within its Te ures of its Production Organisation E o the following:	
Prior to approval of the desi purposes.	gn of the product a CAA Form 1 may	y be issued only for conformity
Date of original issue:	Signed:	
Date of this revision:		
Revision No:	For the Civil Aviatio	n Authority

CAA Form 55, Issue 03

۰.

Appendix XI [^{F420}Letter of agreement — CAA Form 65— referred to in Subpart F of Annex I (Part 21)]

United Kingdom

LETTER OF AGREEMENT FOR PRODUCTION WITHOUT PRODUCTION ORGANISATION APPROVAL

[NAME OF THE APPLICANT] [TRADE NAME (if different)] [FULL ADDRESS OF THE APPLICANT] Date Reference: UK.21F.XXXX

Dear Sirs,

Your production inspection system has been evaluated and found to be in compliance with Section A, Subpart F of Annex I (Part 21) of Regulation (EU) No 748/2012.

Therefore, subject to the conditions specified below, we agree that showing of conformity of products, parts and appliances mentioned below may be done under Section A, Subpart F of Annex I (Part 21) of Regulation (EU) No 748/2012.

No of units	P/N	S/N
AIRCRAFT	XXXX	XXXX
PARTS	XXXX	XXXX

The following conditions are applicable to this agreement:

- It is valid whilst [COMPANY NAME] remains in compliance with Section A, Subpart F of Annex I (Part 21) of Regulation (EU) No 748/2012.
- (2) It requires compliance with the procedures specified in [COMPANY NAME] Manual Ref/Issue date
- (3) It terminates on
- (4) The Statement of Conformity issued by [COMPANY NAME] under the provisions of point 21.A.130 of the abovementioned regulation shall be validated by the issuing authority of this Letter of Agreement in accordance with the procedure ... of the referenced manual.
- (5) [COMPANY NAME] shall notify the issuing authority of this Letter of Agreement immediately of any changes to the production inspection system that may affect the inspection, conformity, or airworthiness of the products and parts listed in this letter.

For the Civil Aviation Authority:

Date and Signature

".

[^{F123}Appendix XII Categories of flight tests and associated flight test crew qualifications

A. General

This Appendix establishes the qualifications necessary for flight crew involved in the conduct of flight tests for aircraft certified or to be certified in accordance with CS-23 for aircraft with a maximum take-off mass (MTOM) of or above 2 000 kg, CS-25, CS-27, CS-29 or equivalent airworthiness codes.

B. **Definitions**

- 1. 'Flight test engineer 'means any engineer involved in flight test operations either on the ground or in flight.
- 2. 'Lead flight test engineer' means a flight test engineer assigned for duties in an aircraft for the purpose of conducting flight tests or assisting the pilot in the operation of the aircraft and its systems during flight test activities.
- 3. 'Flight tests ' mean:
 - 3.1. flights for the development phase of a new design (aircraft, propulsion systems, parts and appliances);
 - 3.2. flights to demonstrate compliance to certification basis or conformity to type design;
 - 3.3. flights intended to experiment new design concepts, requiring unconventional manoeuvres or profiles for which it could be possible to exit the already approved envelope of the aircraft;
 - 3.4. flight test training flights.

C. Categories of flight tests

1. General

The descriptions below address the flights performed by design and production organisations under Annex I (Part 21).

2. Scope

If more than one aircraft is involved in a test, each individual aircraft flight shall be assessed under this Appendix to determine if it is a flight test and when appropriate, its category.

The flights referred to in point (6)(B)(3) are the only flights that belong to the scope of this Appendix.

3. *Categories of flight tests*

Flights tests include the following four categories:

- 3.1. Category One (1)
 - (a) Initial flight(s) of a new type of aircraft or of an aircraft of which flight or handling characteristics may have been significantly modified;
 - (b) Flights during which it can be envisaged to potentially encounter flight characteristics significantly different from those already known;

- (c) Flights to investigate novel or unusual aircraft design features or techniques;
- (d) Flights to determine or expand the flight envelope;
- (e) Flights to determine the regulatory performances, flight characteristics and handling qualities when flight envelope limits are approached;
- (f) Flight test training for Category 1 flight tests.
- 3.2. Category Two (2)
 - (a) Flights not classified as Category 1 on an aircraft whose type is not yet certified;
 - (b) Flights not classified Category 1 on an aircraft of an already certified type, after embodiment of a not yet approved modification and which:
 - (i) require an assessment of the general behaviour of the aircraft; or
 - (ii) require an assessment of basic crew procedures, when a new or modified system is operating or is needed; or
 - (iii) are required to intentionally fly outside of the limitations of the currently approved operational envelope, but within the investigated flight envelope;
 - (c) Flight test training for Category 2 flight tests.
- 3.3. Category Three (3)

Flights performed for the issuance of statement of conformity for a new-built aircraft which do not require flying outside of the limitations of the type certificate or the aircraft flight manual.

3.4. Category Four (4)

Flights not classified as Category 1 or 2 on an aircraft of an already certified type, in case of an embodiment of a not yet approved design change.

[^{F123}D. Competence and experience of pilots and lead flight test engineers

1. General

Pilots and lead flight test engineers shall have the competences and experience specified in the following table.

	Categories of fli	ght tests		
Aircraft	1	2	3	4
CS-23 commuter or aircraft having a design diving speed (Md) above 0,6 or a maximum ceiling above 7 260 m (25	Competence level 1	Competence level 2	Competence level 3	Competence level 4

000 ft), CS-25, CS-27, CS-29 or equivalent airworthiness codes				
Other CS-23 with an MTOM of or above 2 000 kg	Competence level 2	Competence level 2	Competence level 3	Competence level 4

- 1.1. Competence level 1
- 1.1.1. Pilots shall comply with the requirements of Annex I (Part-FCL) to Commission Regulation (EU) No 1178/2011 of 3 November 2011 ⁽⁶⁾.
- 1.1.2. Lead flight test engineer shall have:
- (a) satisfactorily completed a Competence level 1 training course; and
- (b) a minimum of 100 hours of flight experience, including flight test training.
- 1.2. Competence level 2
- 1.2.1. Pilots shall comply with the requirements of Annex I (Part-FCL) to Regulation (EU) No 1178/2011.
- 1.2.2. The lead flight test engineer shall have:
- (a) satisfactorily completed a Competence level 1 or level 2 training course; and
- (b) a minimum of 50 hours of flight experience, including flight test training.

The competence level 1 or level 2 training courses for Lead flight test engineer shall cover at least the following subjects:

- (i) Performance;
- (ii) Stability and control/handling qualities;
- (iii) Systems;
- (iv) Test management; and
- (v) Risk/safety management.
- 1.3. Competence level 3
- 1.3.1. Pilot(s) shall hold a valid licence appropriate to the category of aircraft under test, issued in accordance with Part-FCL and hold a Commercial Pilot Licence (CPL) as a minimum. In addition, the pilot-in-command shall:
- (a) hold a flight test rating; or
- (b) have at least 1 000 hours of flight experience as pilot-in-command on aircraft having similar complexity and characteristics; and

- (c) have participated, for each class or type of aircraft, in all flights that are part of the programme leading to the issuance of the individual certificate of airworthiness of at least five aircraft.
- 1.3.2. Lead flight test engineer shall:
- (a) satisfy Competence level 1 or level 2; or
- (b) have gained a significant amount of flight experience relevant to the task; and
- (c) have participated in all flights that are part of the programme leading to the issuance of the individual certificate of airworthiness of at least five aircraft.
- 1.4. Competence level 4
- 1.4.1. Pilot(s) shall hold a valid licence appropriate to the category of aircraft under test, issued in accordance with Part-FCL and hold a CPL as a minimum. The pilot-in-command shall hold a flight test rating or have at least 1 000 hours as pilot-in-command on aircraft having similar complexity and characteristics.
- 1.4.2. Competence and experience for lead flight test engineers is defined in the flight test operations manual.

2. *Lead flight test engineers*

Lead flight test engineers shall receive an authorisation from the organisation that employs them detailing the scope of their functions within the organisation. The authorisation shall contain the following information:

- (a) name;
- (b) date of birth;
- (c) experience and training;
- (d) position in organisation;
- (e) scope of the authorisation;
- (f) date of first issue of the authorisation;
- (g) date of expiry of the authorisation, if appropriate; and
- (h) identification number of the authorisation.

Lead flight test engineers shall only be appointed for a specific flight if they are physically and mentally fit to safely discharge assigned duties and responsibilities.

The organisation shall make all relevant records related to authorisations available to their holders.]

E. Competence and experience of other flight test engineers

Other flight test engineers on board the aircraft shall have an amount of experience and training commensurate with the tasks assigned to them as crew members, and in accordance with the flight test operations manual, when applicable.

The organisation shall make all relevant records related to their flight activities available to the relevant flight test engineer.]

ANNEX II

REPEALED REGULATION WITH LIST OF ITS SUCCESSIVE AMENDMENTS

Commission Regulation (EC) No 1702/2003	(OJ L 243, 27.9.2003, p. 6).
Commission Regulation (EC) No 381/2005	(OJ L 61, 8.3.2005, p. 3).
Commission Regulation (EC) No 706/2006	(OJ L 122, 9.5.2006, p. 16).
Commission Regulation (EC) No 335/2007	(OJ L 88, 29.3.2007, p. 40).
Commission Regulation (EC) No 375/2007	(OJ L 94, 4.4.2007, p. 3).
Commission Regulation (EC) No 287/2008	(OJ L 087, 29.3.2008, p. 3).
Commission Regulation (EC) No 1057/2008	(OJ L 283, 28.10.2008, p. 30).
Commission Regulation (EC) No 1194/2009	(OJ L 321, 8.12.2009, p. 5).

ANNEX III

CORRELATION TABLE

rticle 1(1) rticle 1(2), points (a) to (h) rticle 1(2), points (i) and (j) rticle 2(1) and (2)
rticle 1(2), points (i) and (j)
rticle 2(1) and (2)
-
rticle 3(1), introductory wording
rticle 3(1), points (a) and (b)
-
rticle 3(2) to (5)
rticle 4
rticle 5
-
rticle 6
rticle 7
-
rticle 8(1), (2) and (3)
-
-

Article 4(1), (2) and the first sentence of point 3	Article 9(1), (2) and (3)
Article 4(3) second sentence, (4), (5) and (6)	
	Article 10
	Article 11
Article 5(1)	Article 12
Article 5(2) to (5)	_
Annex	Annex I
	Annex II
	Annex III

- (1) OJ L 79, 19.3.2008, p. 1.
- (2) OJ L 243, 27.9.2003, p. 6.
- (3) See Annex II.
- (4) [^{F10}Regulation (EU) 2018/1139 of the European Parliament and of the Council of 4 July 2018 on common rules in the field of civil aviation and establishing a European Union Aviation Safety Agency, and amending Regulations (EC) No 2111/2005, (EC) No 1008/2008, (EU) No 996/2010, (EU) No 376/2014 and Directives 2014/30/EU and 2014/53/EU of the European Parliament and of the Council, and repealing Regulations (EC) No 552/2004 and (EC) No 216/2008 of the European Parliament and of the Council and Council Regulation (EEC) No 3922/91 (OJ L 212, 22.8.2018, p. 1).]
- (5) [^{F9}[^{F81}Commission Regulation (EU) No 1321/2014 of 26 November 2014 on the continuing airworthiness of aircraft and aeronautical products, parts and appliances, and on the approval of organisations and personnel involved in these tasks (OJ L 362, 17.12.2014, p. 1).]]
- (6) [^{F123}[^{F123}Commission Regulation (EU) No 1178/2011 of 3 November 2011 laying down technical requirements and administrative procedures related to civil aviation aircrew pursuant to Regulation (EC) No 216/2008 of the European Parliament and of the Council (OJ L 311, 25.11.2011, p. 1).]]

Textual Amendments

- **F9** Substituted by Commission Delegated Regulation (EU) 2019/897 of 12 March 2019 amending Regulation (EU) No 748/2012 as regards the inclusion of risk-based compliance verification in Annex I and the implementation of requirements for environmental protection (Text with EEA relevance).
- **F10** Inserted by Commission Delegated Regulation (EU) 2019/897 of 12 March 2019 amending Regulation (EU) No 748/2012 as regards the inclusion of risk-based compliance verification in Annex I and the implementation of requirements for environmental protection (Text with EEA relevance).
- **F81** Substituted by Commission Delegated Regulation (EU) 2020/570 of 28 January 2020 amending and correcting Regulation (EU) No 748/2012 as regards the alignment of rules for continuing airworthiness of aircraft and aeronautical products, parts and appliances with Regulation (EU) No 1321/2014 (Text with EEA relevance).
- **F123** Inserted by Commission Regulation (EU) 2015/1039 of 30 June 2015 amending Regulation (EU) No 748/2012 as regards flight testing (Text with EEA relevance).

Changes to legislation:

Commission Regulation (EU) No 748/2012 is up to date with all changes known to be in force on or before 19 November 2023. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. View outstanding changes

Changes and effects yet to be applied to :

```
Annex 1 point 21.A.5-21.A.8 inserted by S.I. 2023/588 reg. 6(2)
     Annex 1 point 21.A.90C inserted by S.I. 2023/588 reg. 6(4)(b)
     Annex 1 point 21.A.124A inserted by S.I. 2023/588 reg. 6(6)(a)
     Annex 1 point 21.A.134A inserted by S.I. 2023/588 reg. 6(7)(a)
     Annex 1 point 21.A.265(i) inserted by S.I. 2023/588 reg. 6(9)(j)(iii)
     Annex 1 point 21.B.6 inserted by S.I. 2023/588 reg. 7(2)(b)
     Annex 1 point 21.B.65 inserted by S.I. 2023/588 reg. 7(2)(h)
     Annex 1 point 21.B.115 inserted by S.I. 2023/588 reg. 7(3)
     Annex 1 point 21.B.215 inserted by S.I. 2023/588 reg. 7(4)(d)
     Annex 1 point 21.B.221 21.B.222 inserted by S.I. 2023/588 reg. 7(5)(b)
     Annex 1 point 21.A.55 omitted by S.I. 2023/588 reg. 6(3)(e)
     Annex 1 point 21.A.57 omitted by S.I. 2023/588 reg. 6(3)(e)
     Annex 1 point 21.A.61 omitted by S.I. 2023/588 reg. 6(3)(e)
     Annex 1 point 21.A.105 omitted by S.I. 2023/588 reg. 6(4)(e)
     Annex 1 point 21.A.107 omitted by S.I. 2023/588 reg. 6(4)(e)
     Annex 1 point 21.A.119 omitted by S.I. 2023/588 reg. 6(5)(b)
     Annex 1 point 21.A.120A omitted by S.I. 2023/588 reg. 6(5)(b)
     Annex 1 point 21.A.126(b)(6) omitted by S.I. 2023/588 reg. 6(6)(e)
     Annex 1 point 21.A.157 omitted by S.I. 2023/588 reg. 6(7)(e)
     Annex 1 point 21.A.180 omitted by S.I. 2023/588 reg. 6(8)(b)
     Annex 1 point 21.A.210 omitted by S.I. 2023/588 reg. 6(8)(d)
     Annex 1 point 21.A.257 omitted by S.I. 2023/588 reg. 6(9)(f)
     Annex 1 point 21.A.447 omitted by S.I. 2023/588 reg. 6(11)(d)
     Annex 1 point 21.A.449 omitted by S.I. 2023/588 reg. 6(11)(d)
     Annex 1 point 21.A.613 omitted by S.I. 2023/588 reg. 6(12)(c)
     Annex 1 point 21.A.615 omitted by S.I. 2023/588 reg. 6(12)(c)
     Annex 1 point 21.A.721 omitted by S.I. 2023/588 reg. 6(13)(b)
     Annex 1 point 21.A.729 omitted by S.I. 2023/588 reg. 6(13)(d)
     Annex 1 point 21.B.40 omitted by S.I. 2023/588 reg. 7(2)(f)
     Annex 1 point 21.B.130 omitted by S.I. 2023/588 reg. 7(4)(c)
     Annex 1 point 21.B.145 omitted by S.I. 2023/588 reg. 7(4)(c)
     Annex 1 point 21.B.150 omitted by S.I. 2023/588 reg. 7(4)(c)
     Annex 1 point 21.B.230 omitted by S.I. 2023/588 reg. 7(5)(d)
     Annex 1 point 21.B.235 omitted by S.I. 2023/588 reg. 7(5)(d)
     Annex 1 point 21.B.245 omitted by S.I. 2023/588 reg. 7(5)(f)
     Annex 1 point 21.B.260 omitted by S.I. 2023/588 reg. 7(5)(f)
     Annex 1 point 21.B.330 omitted by S.I. 2023/588 reg. 7(6)(b)
     Annex 1 point 21.B.345 omitted by S.I. 2023/588 reg. 7(6)(b)
     Annex 1 point 21.B.430 omitted by S.I. 2023/588 reg. 7(7)
     Annex 1 point 21.B.445 omitted by S.I. 2023/588 reg. 7(7)
     Annex 1 point 21.B.445 omitted by S.I. 2023/588 reg. 7(9)
     Annex 1 point 21.B.530 omitted by S.I. 2023/588 reg. 7(9)
     Annex 1 point 21.B.545 omitted by S.I. 2023/588 reg. 7(9)
     Annex 1 point 21.A.47 substituted by S.I. 2023/588 reg. 6(3)(d)
     Annex 1 point 21.A.125B substituted by S.I. 2023/588 reg. 6(6)(b)
     Annex 1 point 21.A.125C(a) substituted by S.I. 2023/588 reg. 6(6)(c)
     Annex 1 point 21.A.139 substituted by S.I. 2023/588 reg. 6(7)(b)
_
     Annex 1 point 21.A.143(a)(11) substituted by S.I. 2023/588 reg. 6(7)(c)(iv)
     Annex 1 point 21.A.145(b)(1) substituted by S.I. 2023/588 reg. 6(7)(d)(iii)(bb)
     Annex 1 point 21.A.158 substituted by S.I. 2023/588 reg. 6(7)(f)
```

Annex 1 point 21.A.159 substituted by S.I. 2023/588 reg. 6(7)(f) Annex 1 point 21.A.181(a)(4) substituted by S.I. 2023/588 reg. 6(8)(c)(ii) Annex 1 point 21.A.211(a)(4) substituted by S.I. 2023/588 reg. 6(8)(e)(ii) Annex 1 point 21.A.239 substituted by S.I. 2023/588 reg. 6(9)(a) _ Annex 1 point 21.A.243(a) substituted by S.I. 2023/588 reg. 6(9)(b)(i) Annex 1 point 21.A.243(d) substituted by S.I. 2023/588 reg. 6(9)(b)(iii) Annex 1 point 21.A.245 substituted by S.I. 2023/588 reg. 6(9)(c) Annex 1 point 21.A.258 substituted by S.I. 2023/588 reg. 6(9)(g) Annex 1 point 21.A.259 substituted by S.I. 2023/588 reg. 6(9)(h) Annex 1 point 21.A.265(c) substituted by S.I. 2023/588 reg. 6(9)(j)(i) Annex 1 point 21.A.307 substituted by S.I. 2023/588 reg. 6(10) Annex 1 point 21.A.619 substituted by S.I. 2023/588 reg. 6(12)(d) Annex 1 point 21.B.5(a) substituted by S.I. 2023/588 reg. 7(2)(a)(i) Annex 1 point 21.B.25 substituted by S.I. 2023/588 reg. 7(2)(c) Annex 1 point 21.B.30 substituted by S.I. 2023/588 reg. 7(2)(d) Annex 1 point 21.B.35 substituted by S.I. 2023/588 reg. 7(2)(e) Annex 1 point 21.B.55 substituted by S.I. 2023/588 reg. 7(2)(g) Annex 1 point 21.B.120 substituted by S.I. 2023/588 reg. 7(4)(a) Annex 1 point 21.B.125 substituted by S.I. 2023/588 reg. 7(4)(b) Annex 1 point 21.B.220 substituted by S.I. 2023/588 reg. 7(5)(a) Annex 1 point 21.B.225 substituted by S.I. 2023/588 reg. 7(5)(c) Annex 1 point 21.B.240 substituted by S.I. 2023/588 reg. 7(5)(e) Annex 1 point 21.B.325(c) substituted by S.I. 2023/588 reg. 7(6)(a) Annex 1 point 21.A.143(b)(c) substituted for Annex 1 point 21.A.143(b) by S.I. 2023/588 reg. 6(7)(c)(vi) Annex 1 point 21.A.145(c)(1)(2)(4) substituted for Annex 1 point 21.A.145(c)(1)(2) by S.I. 2023/588 reg. 6(7)(d)(iv)(aa) Annex 1 point 21.A.145(d)(1)(2) substituted for Annex 1 point 21.A.145(d)(1)-(3) by S.I. 2023/588 reg. 6(7)(d)(v)(bb) Annex 1 point 21.A.723(a)(2)(2A) substituted for Annex 1 point 21.A.723(a)(2) by S.I. 2023/588 reg. 6(13)(c)(iii) Annex 1 point 21.A.604(a) word inserted by S.I. 2023/588 reg. 6(12)(a)(i) Annex 1 point 21.A.604(a) word inserted by S.I. 2023/588 reg. 6(12)(a)(iii) Annex 1 point 21.A.609(b) word inserted by S.I. 2023/588 reg. 6(12)(b)(i) Annex 1 Table of Contents word substituted by S.I. 2019/645 reg. 194(1)(b)(i) (This amendment not applied to legislation.gov.uk. The table of contents for this legislation will be dynamically updated when its provisions are revised) Annex 1 Table of Contents word substituted by S.I. 2019/645 reg. 194(1)(b)(iii) (This amendment not applied to legislation.gov.uk. The table of contents for this legislation will be dynamically updated when its provisions are revised) Annex 1 Table of Contents word substituted by S.I. 2019/645 reg. 194(1)(b)(v) (This amendment not applied to legislation.gov.uk. The table of contents for this legislation will be dynamically updated when its provisions are revised) Annex 1 Table of Contents word substituted by S.I. 2019/645 reg. 194(1)(c)(ii) (This amendment not applied to legislation.gov.uk. The table of contents for this legislation will be dynamically updated when its provisions are revised) Annex 1 Table of Contents word substituted by S.I. 2019/645 reg. 194(1)(d) (This amendment not applied to legislation.gov.uk. The table of contents for this legislation will be dynamically updated when its provisions are revised) Annex 1 point 21.A.16A word substituted by S.I. 2019/645 reg. 196(2) (This amendment not applied to legislation.gov.uk. Amending words in reg. 196(2) omitted immediately before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 5)Annex 1 point 21.A.16B word substituted by S.I. 2019/645 reg. 196(2) (This amendment not applied to legislation.gov.uk. Amending words in reg. 196(2) omitted immediately before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 5)

-	Annex 1 point 21.A.17A word substituted by S.I. 2019/645 reg. 196(2) (This amendment not applied to legislation.gov.uk. Amending words in reg. 196(2) omitted immediately before IP completion day by virtue of S.I. 2020/1116, regs.
	1(3), 5)
_	Annex 1 point 21.A.17B word substituted by S.I. 2019/645 reg. 196(2) (This
	amendment not applied to legislation.gov.uk. Amending words in reg. 196(2)
	omitted immediately before IP completion day by virtue of S.I. 2020/1116, regs.
	1(3), 5)
-	Annex 1 point 21.A.18 word substituted by S.I. 2019/645 reg. 196(2) (This
	amendment not applied to legislation.gov.uk. Amending words in reg. 196(2)
	omitted immediately before IP completion day by virtue of S.I. 2020/1116, regs.
	1(3), 5)
-	Annex 1 point 21.A.23 word substituted by S.I. 2019/645 reg. 196(2) (This
	amendment not applied to legislation.gov.uk. Amending words in reg. 196(2)
	omitted immediately before IP completion day by virtue of S.I. 2020/1116, regs.
	1(3), 5)
_	Annex 1 point 21.A.103 word substituted by S.I. 2019/645 reg. 197(2) (This
	amendment not applied to legislation.gov.uk. Amending words in reg. 197(2) omitted immediately before IP completion day by virtue of S.I. 2020/1116, regs.
	1(3), 6)
_	Annex 1 point 21.A.251 word substituted by S.I. 2019/645 reg. 203(3) (This
	amendment not applied to legislation.gov.uk. Reg. 203(3) omitted immediately
	before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 7(a))
_	Annex 1 point 21.A.263(b) word substituted by S.I. $2019/645$ reg. $203(5)(a)(i)$ (This
	amendment not applied to legislation.gov.uk. Reg. 203(5)(a) omitted immediately
	before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 7(b)(i))
_	Annex 1 point 21.A.263(b) word substituted by S.I. 2019/645 reg. 203(5)(a)(ii) (This
	amendment not applied to legislation.gov.uk. Reg. 203(5)(a) omitted immediately
	before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 7(b)(i))
-	Annex 1 point 21.A.263(c) word substituted by S.I. 2019/645 reg. 203(5)(b)(i) (This
	amendment not applied to legislation.gov.uk. Reg. 203(5)(b) substituted immediately
	before IP completion day by S.I. 2020/1116, regs. 1(3), 7(b)(ii))
_	Annex 1 point 21.A.263(c) word substituted by S.I. 2019/645 reg. 203(5)(b)(ii) (This amondment not applied to logication government and 202(5)(b) substituted immediately
	amendment not applied to legislation.gov.uk. Reg. 203(5)(b) substituted immediately before IP completion day by S.I. 2020/1116, regs. 1(3), 7(b)(ii))
_	Annex 1 point 21.A.433(a) word substituted by S.I. 2019/645 reg. 205(5)(a)(iii)
	(This amendment not applied to legislation.gov.uk. Reg. 205(5)(a)(iii) omitted
	immediately before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 8(a)
	(ii))
_	Annex 1 point 21.A.433(b) word substituted by S.I. 2019/645 reg. 205(5)(b) (This
	amendment not applied to legislation.gov.uk. Reg. 205(5)(b) omitted immediately
	before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 8(b))
_	Annex 1 point 21.A.437(a) word substituted by S.I. 2019/645 reg. 205(7)(a) (This
	amendment not applied to legislation.gov.uk. Reg. 205(7) omitted immediately
	before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 8(d))
-	Annex 1 point 21.A.437(b) word substituted by S.I. 2019/645 reg. 205(7)(b)(i) (This
	amendment not applied to legislation.gov.uk. Reg. 205(7) omitted immediately
	before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 8(d))
-	Annex 1 point 21.A.437(b) word substituted by S.I. 2019/645 reg. 205(7)(b)(ii)
	(This amendment not applied to legislation.gov.uk. Reg. 205(7) omitted immediately
	before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 8(d))
_	Annex 1 point 21.A.437(c) word substituted by S.I. 2019/645 reg. 205(7)(c) (This amendment not applied to legislation.gov.uk. Reg. 205(7) omitted immediately
	before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 8(d))
_	Annex 1 point 21.A.605 word substituted by S.I. 2019/645 reg. 206(7)(a) (This
	amendment not applied to legislation.gov.uk. Reg. 206(7)(8) omitted immediately
	before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 9(a))

Annex 1 point 21.A.605(c) word substituted by S.I. 2019/645 reg. 206(7)(b) (This amendment not applied to legislation.gov.uk. Reg. 206(7)(8) omitted immediately before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 9(a)) Annex 1 point 21.A.606 word substituted by S.I. 2019/645 reg. 206(8)(a) (This amendment not applied to legislation.gov.uk. Reg. 206(7)(8) omitted immediately before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 9(a)) Annex 1 point 21.A.606 word substituted by S.I. 2019/645 reg. 206(8)(b) (This amendment not applied to legislation.gov.uk. Reg. 206(7)(8) omitted immediately before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 9(a)) Annex 1 point 21.A.606(b) word substituted by S.I. 2019/645 reg. 206(8)(c) (This amendment not applied to legislation.gov.uk. Reg. 206(7)(8) omitted immediately before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 9(a)) Annex 1 point 21.B.70 word substituted by S.I. 2019/645 reg. 212 (This amendment not applied to legislation.gov.uk. Amending words in reg. 212 substituted immediately before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 12) Annex 1 Table of Contents word substituted by S.I. 2020/1116 reg. 61(2) (This amendment not applied to legislation.gov.uk. The table of contents for this legislation will be dynamically updated when its provisions are revised) Annex 1 point 21.A.263(c) word substituted by S.I. 2020/1116 reg. 61(4)(b) (This amendment not applied to legislation.gov.uk. The word to be substituted has already been substituted by S.I. 2019/645, reg. 203(5)(b) (as substituted by S.I. 2020/1116, reg. 7(b)(ii))) Annex 1 point 21.B.450 heading word substituted by S.I. 2020/1116 reg. 61(8)(a)(i) (This amendment not applied to legislation.gov.uk. The word to be substituted does not appear in the heading for point 21.B.450) Annex 1 point 21.A.143(a)(12) word substituted by S.I. 2023/588 reg. 6(7)(c)(v) Annex 1 point 21.A.145(a) word substituted by S.I. 2023/588 reg. 6(7)(d)(ii)(aa) Annex 1 point 21.A.243(b) word substituted by S.I. 2023/588 reg. 6(9)(b)(ii)(aa)Annex 1 point 21.A.243(b) word substituted by S.I. 2023/588 reg. 6(9)(b)(ii)(bb) Annex 1 point 21.A.247 heading word substituted by S.I. 2023/588 reg. 6(9)(d) Annex 1 point 21.A.247 word substituted by S.I. 2023/588 reg. 6(9)(e)(i) Annex 1 point 21.A.604(a) word substituted by S.I. 2023/588 reg. 6(12)(a)(ii) Annex 1 point 21.A.41 words inserted by S.I. 2023/588 reg. 6(3)(b) Annex 1 point 21.A.143(a)(3) words inserted by S.I. 2023/588 reg. 6(7)(c)(ii) Annex 1 point 21.A.247 words inserted by S.I. 2023/588 reg. 6(9)(e)(ii) Annex 1 point 21.A.247 words inserted by S.I. 2023/588 reg. 6(9)(e)(iii) Annex 1 point 21.A.451(a)(1)(i) words inserted by S.I. 2023/588 reg. 6(11)(e)(i)(aa) _ Annex 1 point 21.A.723(a) words inserted by S.I. 2023/588 reg. 6(13)(c)(i) Annex 1 point 21.A.723(a)(1) words inserted by S.I. 2023/588 reg. 6(13)(c)(ii)(bb) Annex 1 point 21.A.804(a) words inserted by S.I. 2023/588 reg. 6(14)(a) Annex 1 point 21.A.804(a)(3) words inserted by S.I. 2023/588 reg. 6(14)(b) Annex 1 point 21.A.804(b) words inserted by S.I. 2023/588 reg. 6(14)(c) Annex 1 Table of Contents words omitted by S.I. 2019/645 reg. 194(1)(a) (This amendment not applied to legislation.gov.uk. The table of contents for this legislation will be dynamically updated when its provisions are revised) Annex 1 Table of Contents words omitted by S.I. 2019/645 reg. 194(1)(b)(ii) (This amendment not applied to legislation.gov.uk. The table of contents for this legislation will be dynamically updated when its provisions are revised) Annex 1 Table of Contents words omitted by S.I. 2019/645 reg. 194(1)(b)(vi) (This amendment not applied to legislation.gov.uk. The table of contents for this legislation will be dynamically updated when its provisions are revised) Annex 1 Table of Contents words omitted by S.I. 2019/645 reg. 194(2) (This amendment not applied to legislation.gov.uk. The table of contents for this legislation will be dynamically updated when its provisions are revised) Annex 1 Table of Contents words substituted by S.I. 2019/645 reg. 194(1)(b)(iv) (This amendment not applied to legislation.gov.uk. The table of contents for this legislation will be dynamically updated when its provisions are revised)

-	Annex 1 Table of Contents words substituted by S.I. 2019/645 reg. 194(1)(b)(vii)
	(This amendment not applied to legislation.gov.uk. The table of contents for this
	legislation will be dynamically updated when its provisions are revised)
-	Annex 1 Table of Contents words substituted by S.I. 2019/645 reg. 194(1)(c)(i)
	(This amendment not applied to legislation.gov.uk. The table of contents for this
	legislation will be dynamically updated when its provisions are revised)
-	Annex 1 Table of Contents words substituted by S.I. 2019/645 reg. 194(1)(c)(iii)
	(This amendment not applied to legislation.gov.uk. The table of contents for this
	legislation will be dynamically updated when its provisions are revised)
_	Annex 1 point 21.A.174(b) words substituted by S.I. 2019/645 reg. 201(4)(b)(ii)(bb)
	(This amendment not applied to elgislation.gov.uk. 21.A.174(b)(3) was substituted
	by 2020 EUR570 and the words 'a non-Member State' do not appear in the text.)
_	Annex 1 point 21.A.109(a) words substituted by S.I. 2023/588 reg. 6(4)(f)
_	Annex 1 point 21.A.118A(a)(1) words substituted by S.I. $2023/588$ reg. $6(5)(a)$
_	Annex 1 point $21.A.126(b)(5)$ words substituted by S.I. $2023/588$ reg. $6(6)(d)$
_	Annex 1 point 21.A.143(a) words substituted by S.I. $2023/588$ reg. $6(7)(c)(i)$
_	Annex 1 point 21.A.143(a)(4) words substituted by S.I. $2023/588$ reg. $6(7)(c)(iii)$
_	Annex 1 point 21.A.145 words substituted by S.I. $2023/588$ reg. $6(7)(d)(i)$
_	Annex 1 point 21.A.145(a) words substituted by S.I. 2023/588 reg. 6(7)(d)(ii)(bb)
_	Annex 1 point 21.A.145(b) words substituted by S.I. 2023/588 reg. 6(7)(d)(iii)(aa)
_	Annex 1 point 21.A.145(d) words substituted by S.I. $2023/588$ reg. $6(7)(d)(v)(aa)$
-	Annex 1 point 21.A.263(c) words substituted by S.I. 2023/588 reg. 6(9)(i)(i)
_	Annex 1 point 21.A.263(c) words substituted by S.I. 2023/588 reg. 6(9)(i)(ii)
_	Annex 1 point 21.A.451(a)(1)(i) words substituted by S.I. 2023/588 reg. 6(11)(e)(i)
	(bb)
_	Annex 1 point 21.A.451(b)(1) words substituted by S.I. 2023/588 reg. 6(11)(e)(ii)
_	Annex 1 point 21.A.609(f) words substituted by S.I. 2023/588 reg. 6(12)(b)(ii)
_	Annex 1 point 21.A.723(a)(1) words substituted by S.I. 2023/588 reg. 6(13)(c)(ii)
	(aa)
-	Annex 1 point 21.B.5(b) words substituted by S.I. 2023/588 reg. 7(2)(a)(ii)
-	Art. 9(1) words inserted by S.I. 2023/588 reg. 4(a)
Changes and effects yet to be applied to the whole legislation item and associated	
provisions	
-	Annex 1 Subpart J substituted by S.I. 2023/588 reg. 7(8)
-	Annex 1 s. B Subpart B word substituted by S.I. 2019/645 reg. 211 (This amendment
	not applied to legislation.gov.uk. Reg. 211 omitted immediately before IP
	completion day by virtue of S.I. 2020/1116, regs. 1(3), 11)
-	Annex 1 s. B Subpart M word substituted by S.I. 2019/645 reg. 220 (This
	amendment not applied to legislation.gov.uk. Reg. 220 omitted immediately before

- IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 14) Annex 1 s. B Subpart O word substituted by S.I. 2019/645 reg. 221(b) (This _ amendment not applied to legislation.gov.uk. Reg. 221(b) omitted immediately before IP completion day by virtue of S.I. 2020/1116, regs. 1(3), 15)
- Art. 8(4)(5) inserted by S.I. 2023/588 reg. 3 _
- Art. 9(5)(6) inserted by S.I. 2023/588 reg. 4(b) _