

## SCHEDULE 1

Plant pests which may not be introduced into or spread within Northern Ireland

## PART A

Plant pests not known to occur in any part of the European Union

**Insects, mites and nematodes**

<i>Item</i>	<i>Description of plant pest</i>
1.	<i>Acleris</i> spp. (non-European)
2.	<i>Agrilus anxius</i> Gory
3.	<i>Agrilus planipennis</i> Fairmaire
4.	<i>Amauromyza maculosa</i> (Malloch)
5.	<i>Anomala orientalis</i> Waterhouse
6.	<i>Anoplophora chinensis</i> (Forster)
7.	<i>Anoplophora glabripennis</i> (Motschulsky)
8.	<i>Anthonomus eugeni</i> Cano
9.	<i>Arrhenodes minutus</i> Drury
10.	<i>Bactericera cockerelli</i> (Sulc.)
11.	<i>Bemisia tabaci</i> Genn. (non-European populations), vector of viruses such as: Bean golden mosaic virus, Cowpea mild mottle virus, Lettuce infectious yellow virus, Pepper mild tigre virus, Squash leaf curl virus, Euphorbia mosaic virus or Florida tomato virus
12.	Cicadellidae (non-European) known to be vectors of Pierce's disease (caused by <i>Xylella fastidiosa</i> ), such as: <i>Carneocephala fulgida</i> Nottingham, <i>Draeculacephalamineria</i> Ball or <i>Graphocephala</i> <a href="http://www.tso.co.uk/assets/namespaces/legislation/atropunctata">xmlns="http://www.tso.co.uk/assets/namespaces/legislation" atropunctata</a> (Signoret)
13.	<i>Choristoneura</i> spp. (non-European)
14.	<i>Conotrachelus nenuphar</i> (Herbst)
15.	<i>Dendrolimus sibiricus</i> Tschetverikov
16.	<i>Diabrotica barberi</i> Smith and Lawrence
17.	<i>Diabrotica undecimpunctata howardi</i> Barber
18.	<i>Diabrotica undecimpunctata undecimpunctata</i> Mannerheim
19.	<i>Diabrotica virgiferaeae</i> Krysan & Smith
20.	<i>Diaphorina citri</i> Kuway
21.	<i>Epitrix cucumeris</i> (Harris), <i>Epitrix papa</i> sp. n., <i>Epitrix subcrinita</i> (Lec.) or <i>Epitrix tuberis</i> (Gentner)
22.	<i>Heliothis zea</i> (Boddie)
23.	<i>Hirschmanniella</i> spp., other than <i>Hirschmanniella gracilis</i> (de Man) Luc and Goodey

**Status:** This is the original version (as it was originally made).

<i>Item</i>	<i>Description of plant pest</i>
24.	<i>Keiferia lycopersicella</i> (Walsingham)
25.	<i>Liriomyza sativae</i> Blanchard
26.	<i>Longidorus diadecturus</i> Eveleigh and Allen
27.	<i>Monochamus</i> spp. (non-European)
28.	<i>Myndus crudus</i> Van Duzee
29.	<i>Nacobbus aberrans</i> (Thorne) Thorne and Allen
30.	<i>Naupactus leucoloma</i> Boheman
31.	<i>Premnotrypes</i> spp. (non-European)
32.	<i>Pseudopityophthorus minutissimus</i> (Zimmermann)
33.	<i>Pseudopityophthorus pruinosus</i> (Eichhoff)
34.	<i>Rhynchophorus palmarum</i> (L.)
35.	<i>Saperda candida</i> Fabricius
36.	<i>Seaphoideus luteolus</i> Van Duzee
37.	<i>Spodoptera eridania</i> (Cramer)
38.	<i>Spodoptera frugiperda</i> (J.E. Smith)
39.	<i>Spodoptera litura</i> (Fabricius)
40.	<i>Thaumatotibia leucotreta</i> (Meyrick)
41.	<i>Thrips palmi</i> Karny
42.	Tephritidae (non-European) such as: <i>Anastrepha fraterculus</i> (Wiedemann), <i>Anastrepha ludens</i> (Loew), <i>Anastrepha oblique</i> Macquart, <i>Anastrepha suspense</i> (Loew), <i>Dacus ciliates</i> Loew, <i>Dacus curcurbitae</i> Coquillet, <i>Dacus dorsalis</i> Hendel, <i>Dacus tryoni</i> (Froggatt), <i>Dacus tsuneonis</i> Miyake, <i>Dacus zonatus</i> Saund., <i>Epochracanadensis</i> (Loew), <i>Pardalaspis cyanescens</i> Bezzi, <i>Pardalaspis quinaria</i> Bezzi, <i>Pterandrus rosa</i> (Karsch), <i>Rhacochlaena japonica</i> Ito, <i>Rhagoletis cingulate</i> (Loew), <i>Rhagoletis completa</i> Cresson, <i>Rhagoletis fausta</i> (Osten-Sacken), <i>Rhagoletis indifferens</i> Curran, <i>Rhagoletis mendax</i> Curran, <i>Rhagoletis pomonella</i> Walsh, <i>Rhagoletis ribicola</i> Doane or <i>Rhagoletis suavis</i> (Loew)
43.	<i>Xiphinema americanum</i> Cobb <i>sensu lato</i> (non-European populations)
44.	<i>Xiphinema californicum</i> Lamberti and Bleve-Zacheo

### Bacteria

<i>Item</i>	<i>Description of plant pest</i>
1.	<i>Candidatus Liberibacter</i> spp., a causal agent of Huanglongbing disease of citrus/citrus greening
2.	<i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto
3.	<i>Xanthomonas citri</i> pv. <i>aurantifolii</i>
4.	<i>Xanthomonas citri</i> pv. <i>citri</i>

**Fungi**

<i>Item</i>	<i>Description</i>
1.	<i>Ceratocystis fagacearum</i> (Bretz) Hunt
2.	<i>Chrysomyxa arctostaphyli</i> Dietel
3.	<i>Cronartium</i> spp. (non-European)
4.	<i>Endocronartium</i> spp. (non-European)
5.	<i>Gibberella circinata</i> Nirenberg & O'Donnell
6.	<i>Guignardia laricina</i> (Saw.) Yamamoto et Ito
7.	<i>Gymnosporangium</i> spp. (non-European)
8.	<i>Inonotus weirii</i> (Murril) Kotlaba and Pouzar
9.	<i>Melampsora farlowii</i> (Arthur) Davis
10.	<i>Mycosphaerella larici-leptolepsis</i> Ito <i>et al.</i>
11.	<i>Mycosphaerella populorum</i> G.E. Thompson
12.	<i>Phoma andina</i> Turkensteen
13.	<i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa
14.	<i>Phyllosticta solitaria</i> Ellis & Everhart
15.	<i>Phytophthora ramorum</i> Werres, De Cock & Man in't Veld sp. nov.
16.	<i>Septoria lycopersici</i> Speg. Var <i>malagutii</i> Ciccarone and Boerema
17.	<i>Thecaphora solani</i> Barrus
18.	<i>Tilletia indica</i> Mitra
19.	<i>Trechispora brinkmannii</i> (Bresad.) Rogers

**Viruses and virus-like organisms**

<i>Item</i>	<i>Description</i>
1.	Potato viruses and virus-like organisms such as: Andean potato latent virus, Andean potato mottle virus, Arracacha virus B oca strain, Potatoblack ringspot virus, Potato virus T or non-European isolates of potato viruses A, M, S, V, X and Y (including Yo, Yn and Yc) and Potato leafroll virus
2.	Tobacco ringspot virus
3.	Tomato ringspot virus
4.	Viruses or virus-like organisms of <i>Cydonia</i> Mil., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Ribes</i> L., <i>Rubus</i> L., or <i>Vitis</i> L., such as: Blueberry leaf mottle virus, Cherry rasp leaf virus (American), Peach mosaic virus (American), Peach phony rickettsia, Peach rosette mosaic virus, Peach rosette mycoplasma, Peach X-disease mycoplasma, Peach yellows mycoplasma, Plum line pattern virus (American), Raspberry leaf curl virus (American), Strawberry latent "C" virus, Strawberry vein banding virus, Strawberry witches' broom mycoplasma or non-European viruses or virus-like organisms of <i>Cydonia</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Ribes</i> L., <i>Rubus</i> L. or <i>Vitis</i> L.

**Status:** This is the original version (as it was originally made).

<i>Item</i>	<i>Description</i>
5.	Viruses transmitted by <i>Bemisia tabaci</i>  Genn., such as: Bean golden mosaic virus, Cowpea mild mottle virus, Lettuce infectious yellow virus, Pepper mild tigré virus, Squash leaf curl virus, Euphorbia mosaic virus or Florida tomato virus

**Parasitic plants**

<i>Item</i>	<i>Description</i>
1.	<i>Arceuthobium</i> spp. (non-European)

**Molluscs**

<i>Item</i>	<i>Description</i>
1.	<i>Pomacea</i> Perry